



EDS KATALOG 2016
EDS CATALOGUE 2016



EDS-Catalogue Version 09/2016

Dear EDS Partner,
Dear Customer,

The 2016 version is the 8th generation of our catalogue. Again we have implemented many new items to keep our catalogue the most comprehensive in the market.

We have also removed some mistakes and unnecessary information to improve the clear presentation in connection with the successful listing up to u-joint sizes and series.

Of course there are still some parts missing in our catalogue, so please do not hesitate to contact our sales team for help. We will certainly find a solution for you.

A SUCCESSFUL CO-OPERATION TO INCREASE SALES AND MARKET SHARE WITH OUR PARTNERS

Your **EDS DRIVESHAFT TEAM**

No part of this catalogue may be reproduced in any form without obtaining prior written permission of Welte-Wenu GmbH Neu-Ulm. The liability for printing errors and insufficient quality of printed publications shall be excluded.



Contents

| | | |
|---|------|-----------|
| I. Order Form / Instruction / Drawings | page | 01 - 17 |
| II. Universal Joints | | |
| II. 0. - Lubrication Points | page | 18 - 19 |
| II. 1. - By Dimension/Style | | 20 - 40 |
| II. 2. - By EDS P/N | | 41 - 60 |
| III. Shaft Components | | |
| - GWB 473.10 – 393.90 | page | 61 - 92 |
| - 190.50 – 291.75 EDS WELTE Series | | 93 - 103 |
| - GWB 687.15 – 687.65 | | 104 - 123 |
| - ELBE 105 – 122 | | 124 - 139 |
| - KLEIN 123 – 700 | | 140 - 143 |
| - DAIMLER 801.00 – 802.79 (including VW-LT) | | 144 - 154 |
| - Spicer 1140 – SPL 250 | | 155 - 182 |
| - MERITOR RPL20 – RPL25 | | 183 |
| - VOLVO NK300 – 600 / 2035 – 2065 | | 184 - 187 |
| - SCANIA P300 – 600 / T60 – T70 | | 188 - 192 |
| - TOYOTA / DAIHATSU / ISUZU / MITSUBISHI / NISSAN | | 193 - 196 |
| - WING BEARINGS 2C-15C | | 197 - 209 |
| - Tightening torque – WING BERARING bolts full range | | 210 |
| IV. Propshaft Tubing | page | 211 - 212 |
| V. Centre Bearings | | |
| - By Dimensions | page | 213 - 219 |
| - By EDS P/N | | 220 - 227 |
| - By Vehicle Manufacturer | | 228 - 237 |
| VI. Centre yokes & H-pieces for steering axles | page | 238 - 239 |
| VII. Companion Flanges / Quick Release Couplings | page | 240 - 242 |
| VIII. Maximum continuous Torques series equivalences (Tcs) | page | 243 - 244 |

ERRORS AND OMISSIONS EXEMPT



Order Fax: +49 (0)731 9755 214




| | |
|---------------|--------------------|
| Your Company: | Your order number: |
|---------------|--------------------|

Please send the goods by:

Express TIR trailer Parcel service _____




| Pos. | description | part number | units | unit price |
|------|-------------|-------------|-------|------------|
| 01 | | | | |
| 02 | | | | |
| 03 | | | | |
| 04 | | | | |
| 05 | | | | |
| 06 | | | | |
| 07 | | | | |
| 08 | | | | |
| 09 | | | | |
| 10 | | | | |
| 11 | | | | |
| 12 | | | | |
| 13 | | | | |
| 14 | | | | |
| 15 | | | | |
| 16 | | | | |
| 17 | | | | |
| 18 | | | | |
| 19 | | | | |
| 20 | | | | |
| 21 | | | | |
| 22 | | | | |
| 23 | | | | |
| 24 | | | | |
| 25 | | | | |

TECHNICAL QUESTIONNAIRE DRIVESHAFT



- A = _____
- B = _____
- C = _____
- D = _____
- E = _____
- F = _____
- G = _____
- H = _____
- I = _____
- J = _____
- K = _____
- L = _____
- M = _____
- N = _____

TECHNICAL QUESTIONNAIRE 2-PIECE-SHAFT



A = _____

B = _____

C = _____

D = _____

E = _____

F = _____

G = _____

H = _____

I = _____

J = _____




K = _____

L = _____

M = _____






N = _____

TECHNICAL QUESTIONNAIRE MID SHAFT





- A = _____
- B = _____
- C = _____
- D = _____
- E = _____
- F = _____
- G = _____
- H = _____
- I = _____
- J = _____
- K = _____
- L = _____
- M = _____
- N = _____
- O = _____
- P = _____
- Q = _____

TECHNICAL QUESTIONNAIRE STEER AXLE SHAFT







- A = _____
- B = _____
- C = _____
- D = _____
- E = _____
- F = _____
- G = _____
- H = _____
- I = _____
- J = _____
- K = _____
- L = _____
- M = _____
- N = _____

**TECHNICAL QUESTIONNAIRE
 DOUBLE JOINT**





A = _____
 B = _____
 C = _____
 D = _____
 E = _____
 F = _____
 G = _____
 H = _____
 I = _____
 J = _____

**TECHNICAL QUESTIONNAIRE
UNIVERSAL JOINT OUTSIDE CIRCLIP**



A = _____
 B = _____
 C = _____
 D = _____
 E = _____

**TECHNICAL QUESTIONNAIRE
UNIVERSAL JOINT INSIDE CIRCLIP**



A = _____

B = _____

C = _____

D = _____

E = _____



F = _____

G = _____

H = _____



I = _____

**TECHNICAL QUESTIONNAIRE
UNIVERSAL JOINT COMBINATION KITS**




A = _____
 B = _____
 C = _____
 D = _____
 E = _____
 F = _____
 G = _____
 H = _____

TECHNICAL QUESTIONNAIRE UNIVERSAL JOINT WINGSTYLE





- A = _____
- B = _____
- C = _____
- D = _____
- E = _____
- F = _____
- G = _____
- H = _____
- I = _____

**TECHNICAL QUESTIONNAIRE
CENTER BEARING**




- A = _____
- B = _____
- C = _____
- D = _____
- E = _____
- F = _____
- G = _____
- H = _____

TECHNICAL QUESTIONNAIRE FLANGE YOKE DIN




X (1 : 1)






- A = _____
- B = _____
- C = _____
- D = _____
- E = _____
- F = _____
- G = _____
- H = _____
- I = _____
- J = _____

**TECHNICAL QUESTIONNAIRE
FLANGE YOKE SAE**



A = _____
 B = _____
 C = _____
 D = _____
 E = _____
 F = _____
 G = _____
 H = _____
 I = _____
 J = _____

TECHNICAL QUESTIONNAIRE FLANGE YOKE XS



A = _____

B = _____

C = _____

D = _____


E = _____

F = _____

G = _____

H = _____

**TECHNICAL QUESTIONNAIRE
TUBE YOKE**



A = _____

B = _____

C = _____

D = _____

E = _____



F = _____

G = _____

H = _____



I = _____

TECHNICAL QUESTIONNAIRE SLIP ASSY





- A = _____
- B = _____
- C = _____
- D = _____
- E = _____
- F = _____
- G = _____
- H = _____
- I = _____

**TECHNICAL QUESTIONNAIRE
SLIP ASSY YSA**




A = _____
 B = _____
 C = _____
 D = _____
 E = _____
 F = _____
 G = _____
 H = _____

**TECHNICAL QUESTIONNAIRE
MID END ASSY**



A-A



- A = _____
- B = _____
- C = _____
- D = _____
- E = _____
- F = _____
- G = _____
- H = _____
- I = _____



Variante / Type 0
0 = SF
Wartungsfrei
Service free



Variante / Type 1
1 = AS
1 x Außenschmierung
1 x Lub in Cup



Variante / Type 2
2 = 2 x AS
2 x Außenschmierung
2 x Lub in Cup



Variante / Type 3
3 = 4/7
4 x Außenschmierung /
Lateralschmierung
4 x Lub in Cup /
Lateral Grease Nipple



Variante / Type 4
4 = 4 x AS
4 x Außenschmierung
4 x Lub in Cup



Variante / Type 5
5 = ZS
Zentralschmierung
Central Grease Nipple



Variante / Type 6
6 = BS
Büchenschmierung
Holes in Bearing



Variante / Type 7
7 = LS
Lateralschmierung
Lateral Grease Nipple



Variante / Type 8
8 = 1/5
1 x Außenschmierung /
Zentralschmierung
1 x Lub in Cup / Central Grease Nipple



Variante / Type 9
9 = 4/5
 4 x Außenschmierung /
 Zentralschmierung
 4 x Lub in Cup /
 Central Grease Nipple



Variante / Type 10
10 = 6/7
 Büchenschmierung /
 Lateralschmierung
 Holes in Bearing /
 Lateral Grease Nipple



Variante / Type 11
11 = 2/5
 2 x Außenschmierung /
 Zentralschmierung
 2 x Lub in Cup /
 Central Grease Nipple



Variante / Type 12
12 = 1/7
 1 x Außenschmierung /
 Lateralschmierung
 1 x Lub in Cup /
 Lateral Grease Nipple



Variante / Type 13
13 = 5/6
 Zentralschmierung /
 Büchenschmierung
 Central Grease Nipple /
 Holes in Bearing



Variante / Type 14
14 = 7/45°
 Lateralschmierung /
 Schmiernippel 45°
 Lateral Grease Nipple /
 Grease Nipple 45°

**OUTSIDE CIRCLIP**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE / LUB. | COMMENT |
|--|-------------------|---------|-----------------|-------------|---------------|------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 11515 | ELBE 204 | 0013788 | 014,00 | 036,00 | 5 | ELBE |
| WD 12062 | ELBE 204 | 0016518 | 014,00 | 036,00 | 2 | ELBE |
| WD 12035 | 473.10 | 0014071 | 015,00 | 040,10 | 5 | WET |
| WD 14365 | 473.10 | 0014071 | 015,00 | 040,10 | 5 | EDS |
| WD 14360 | 473.10 | 0014418 | 015,00 | 040,10 | 0 | EDS |
| WD 14655 | Simson | | 017,00 | 036,00 | 5 | EDS |
| WD 11095 | ELBE 105 | 0013789 | 017,00 | 041,00 | 5 | ELBE |
| WD 11102 | ELBE 105 | 0016105 | 017,00 | 041,00 | 2 | ELBE |
| WD 11146 | ELBE 105 | | 017,00 | 041,00 | 6 | ELBE |
| WD 11905 | 19.00.00 | 0018059 | 018,00 | 047,00 | 5 | EDS |
| WD 11911 | | 0016751 | 018,00 | 047,00 | 1 | EDS |
| WD 10840 | | | 019,00 | 044,00 | 0 | EDS |
| WD 10845 | | 0011718 | 019,00 | 044,00 | 5 | GMB |
| WD 11115 | ELBE 106 | 0016104 | 019,00 | 048,00 | 5 | ELBE |
| WD 11122 | ELBE 106 | 0016099 | 019,00 | 048,00 | 2 | ELBE |
| WD 12191 | 473.20 | 0013777 | 019,00 | 048,00 | 1 | EDS |
| WD 12255 | 473.20 | 0018901 | 019,00 | 048,00 | 5 | WET |
| WD 12941 | 473.20 | 0013776 | 019,00 | 048,00 | 1 | WET |
| WD 11925 | Spicer 500 | 0018035 | 019,04 | 051,95 | 5 | GMB |
| WD 12370 | Spicer 500 | 0010080 | 019,04 | 051,95 | 0 | GMB |
| WD 12390 | MOTO GUZZI | 0015200 | 020,00 | 044,00 | 0 | EDS |
| WD 12395 | GEWES 30 | | 020,00 | 044,30 | 5 | |
| WD 13835 | | | 020,00 | 050,00 | 5 | EDS |
| WD 14561 | | | 020,00 | 050,00 | 1 | EDS |
| WD 13400 | | | 020,00 | 052,40 | 0 | EDS |
| WD 13110 | | 0011720 | 020,00 | 055,00 | 0 | |
| WD 10950 | TOYOTA | 0018180 | 020,00 | 057,00 | 0 | GMB |
| WD 10951 | TOYOTA | | 020,00 | 057,00 | 1 | EDS |
| WD 11061 | DAIHATSU | 0016290 | 020,02 | 054,60 | 1 | GMB |
| WD 11065 | ISEKI | | 020,02 | 054,60 | 5 | EDS |
| WD 10981 | MAZDA | 0016291 | 020,02 | 055,00 | 1 | GMB |
| WD 14815 | | | 021,00 | 044,00 | 5 | |
| WD 14625 | ELBE | | 021,00 | 056,00 | 5 | EDS old 107 series |
| WD 11087 | ISUZU | | 020,50 | 056,60 | 7 | EDS |
| WD 13480 | | | 022,00 | 048,00 | 0 | EDS |
| WD 13485 | | | 022,00 | 048,00 | 5 | EDS |
| WD 12180 | MOTO GUZZI | 0011740 | 022,00 | 049,00 | 0 | EDS |
| WD 12530 | MOTO GUZZI | 0011740 | 022,00 | 049,00 | 0 | OEM |
| WD 11945 | | 0015190 | 022,00 | 050,20 | 5 | EDS |
| WD 11960 | | 0011958 | 022,00 | 050,20 | 0 | EDS |
| WD 11975 | | 0011959 | 022,00 | 052,00 | 5 | EDS |
| WD 12511 | BYPY 41.20 | | 022,00 | 054,00 | 1 | EDS |
| WD 12515 | BYPY 1.41 | 0018052 | 022,00 | 054,00 | 5 | EDS |
| WD 11980 | | 0013861 | 022,00 | 054,80 | 0 | |
| WD 15015 | 10.01.2000 | 0011960 | 022,00 | 054,80 | 5 | EDS |
| WD 13500 | ALFA | | 022,00 | 055,00 | 0 | EDS |
| WD 13515 | | 0010081 | 022,00 | 055,60 | 5 | EDS |
| WD 11995 | | 0011961 | 022,00 | 057,00 | 5 | EDS |
| WD 11130 | ELBE 107 | | 022,00 | 058,00 | 5 | ELBE |
| WD 11135 | ELBE 107 | 0016101 | 022,00 | 058,00 | 5 | ELBE |
| WD 11155 | ELBE 107 | | 022,00 | 058,00 | 5 | EDS |
| WD 11145 | ELBE 107 | 0011743 | 022,00 | 058,00 | 5 | GMB |
| WD 12171 | ELBE 107 | 0011965 | 022,00 | 058,00 | 1 | EDS |
| WD 11132 | ELBE 107 | | 022,00 | 058,00 | 2 | ELBE |
| WD 13765 | ELBE 107 | | 022,00 | 058,00 | 5 | ELBE High temp 180° |
| WD 12381 | | 0018165 | 022,00 | 058,80 | 1 | |
| WD 10865 | 473.30 | 0014292 | 022,00 | 058,90 | 5 | WET |
| WD 14865 | 473.30 | 0014292 | 022,00 | 058,90 | 5 | EDS |
| WD 12290 | 473.30 | 0014450 | 022,00 | 058,90 | 0 | WET |
| WD 12951 | 473.30 | 0014448 | 022,00 | 058,90 | 1 | WET |
| WD 12405 | | 0018780 | 022,00 | 059,00 | 5 | EDS |
| WD 11521 | ELBE 208 | | 022,00 | 063,00 | 1 | Obsolete not available |
| WD 13810 | HONDA | | 022,00 | 065,00 | 0 | GMB |
| WD 15365 | W2280 | | 22,00/23,82 | 77,00/61,29 | 5 | EDS |
| WD 14147 | ISUZU | | 022,06 | 061,20 | 7 | EDS |
| WD 11595 | ROCKWELL 1FR | 0014000 | 022,20 | 073,70 | 5 | EDS |
| WD 14505 | | | 023,00 | 052,25 | 5 | EDS |
| WD 14731 | Mercedes steering | | 023,00 | 058,20 | 1 | EDS center hole 13mm |
| WD 10851 | | 0018160 | 023,00 | 058,20 | 1 | EDS |
| WD 13555 | | | 023,00 | 058,20 | 5 | GMB |

**OUTSIDE CIRCLIP**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE / LUB. | COMMENT |
|--|-------------------|---------|-----------------|-------------|---------------|-----------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 13180 | | | 023,80 | 069,00 | 0 | center hole |
| WD 15121 | BYPY | | 023,80 | 086,00 | 1 | |
| WD 15125 | BYPY | | 023,80 | 086,00 | 5 | |
| WD 15375 | W2380 | | 23,80/26,97 | 91,00/74,61 | 5 | EDS |
| WD 15230 | TRIUMPH | | 023,82 | 054,80 | 5 | EDS |
| WD 10547 | 1140 | 0018050 | 023,82 | 061,29 | 7 | EDS |
| WD 12420 | 1140 | 0018060 | 023,82 | 061,29 | 0 | GMB |
| WD 13140 | 1140 | 0018040 | 023,82 | 061,29 | 0 | DANA |
| WD 13947 | S1120 - 1140 HD | 0011748 | 023,82 | 061,29 | 7 | MINI/SUZUKI/ PIAGGIO OEM |
| WD 15415 | V20 | | 023,82 | 74,10/82,10 | 5 | EDS |
| WD 12415 | TYP20 | | 023,84 | 061,30 | 5 | |
| WD 12201 | | 0013744 | 023,84 | 061,30 | 1 | EDS |
| WD 15310 | Peugeot 404 | | 024,00 | 060,24 | 0 | EDS center hole |
| WD 15025 | 20.00.00 | | 024,00 | 061,20 | 5 | EDS |
| WD 12215 | | 0018173 | 024,00 | 062,50 | 5 | EDS |
| WD 12000 | ALFA | | 024,00 | 063,30 | 0 | ALFA OEM |
| WD 12010 | ALFA | 0018041 | 024,00 | 063,30 | 0 | ALFA aftermarket |
| WD 12220 | | | 024,00 | 066,00 | 0 | EDS |
| WD 12897 | | 0011962 | 024,00 | 066,20 | 7 | DANA obsolete |
| WD 12435 | CITROËN | 0014942 | 025,00 | 056,90 | 5 | GMB |
| WD 12020 | NSU | 0011964 | 025,00 | 060,30 | 0 | DANA obsolete |
| WD 11010 | SUZUKI | | 025,00 | 063,80 | 0 | |
| WD 11011 | MINI | 0011757 | 025,00 | 063,80 | 1 | EDS |
| WD 10740 | S1125 | | 025,00 | 064,00 | 0 | MINI/SUZUKI/ PIAGGIO OEM |
| WD 11615 | | 0018069 | 025,00 | 072,00 | 5 | EDS |
| WD 11057 | MINI | 0013793 | 025,00 | 076,50 | 7 | GMB |
| WD 13445 | UNIMOG | | 025,00 | 076,50 | 5 | EDS |
| WD 10975 | NISSAN | 0011759 | 025,00 | 077,60 | 5 | GMB |
| WD 10997 | MINI | 0016307 | 025,00 | 077,80 | 7 | GMB |
| WD 11605 | ROCKWELL 3DR | 0015415 | 025,50 | 099,10 | 5 | KNURLED |
| WD 14471 | MINI | 0011760 | 026,00 | 068,00 | 1 | GMB |
| WD 10590 | 801.00 | 0015675 | 026,00 | 069,60 | 0 | GMB |
| WD 10885 | 287.00 | 0012111 | 026,00 | 069,80 | 5 | EDS |
| WD 10895 | 287.00 | | 026,00 | 069,80 | 5 | GMB |
| WD 10881 | 287.00 | 0012114 | 026,00 | 069,80 | 1 | EDS |
| WD 10904 | 287.00 | | 026,00 | 069,80 | 4 | GMB |
| WD 12965 | 287.00 | | 026,00 | 069,80 | 5 | WET |
| WD 12971 | 287.00 | 0017295 | 026,00 | 069,80 | 1 | WET |
| WD 12235 | GEWES 30 | 0018914 | 026,00 | 072,10 | 5 | EDS |
| WD 10770 | 1210 | | 026,97 | 061,90 | 0 | DANA |
| WD 10781 | 1210 | 0018080 | 026,97 | 061,90 | 1 | EDS |
| WD 10537 | 1300 | 0018110 | 026,97 | 074,61 | 7 | EDS |
| WD 12490 | 1300 | 0013872 | 026,97 | 074,61 | 0 | EDS |
| WD 12650 | 1300 | 0017816 | 026,97 | 074,61 | 0 | DANA no bearing seal, runs in oil |
| WD 12685 | 1300 | 0017954 | 026,97 | 074,61 | 5 | EDS |
| WD 13787 | 1300 | 0011765 | 026,97 | 074,61 | 7 | GMB |
| WD 10517 | 1310 | | 026,97 | 081,70 | 7 | EDS |
| WD 16517 | 1310 | | 026,97 | 081,70 | 7 | AKK obsolete , use WD10517 |
| WD 10560 | 1310 | | 026,97 | 081,70 | 0 | DANA |
| WD 16560 | 1310 | | 026,97 | 081,70 | 0 | EDS alternative |
| WD 11701 | 1310 | | 026,97 | 081,70 | 1 | AEC |
| WD 12660 | 1310 | 0010101 | 026,97 | 081,70 | 0 | DANA obsolete |
| WD 12787 | 1310 | 0011767 | 026,97 | 081,70 | 7 | DANA service option |
| WD 13617 | 1310 | B620020 | 026,97 | 081,70 | 7 | GS 1315 use WD14117 |
| WD 13847 | 1310 | 0013808 | 026,97 | 081,70 | 7 | EDS |
| WD 15847 | 1310 | | 026,97 | 081,70 | 7 | DANA |
| WD 14117 | BTB BC 215 / 1315 | 0014100 | 026,97 | 081,70 | 7 | EDS alternative for WD 13617 |
| WD 11727 | 1330 | 0011775 | 026,97 | 092,00 | 7 | AEC Chem.coat |
| WD 12797 | 1330 | 0013810 | 026,97 | 092,00 | 7 | DANA |
| WD 15797 | 1330 | 0015403 | 026,97 | 092,00 | 7 | EDS alternative to WD 12797 |
| WD 12800 | 1330 / SPL25 | 0011772 | 026,97 | 092,00 | 0 | DANA |
| WD 12801 | 1330 / SPL25 | | 026,97 | 092,00 | 1 | DANA |
| WD 15800 | 1330 | | 026,97 | 092,00 | 0 | EDS alternative |
| WD 11677 | 1310/1330 | 0013811 | 026,97 | 81,70/92,00 | 7 | DANA |
| WD 13270 | FORD USA | | 26,97/28,60 | 081,70 | 0 | DANA |
| WD 13280 | FORD USA | | 26,97/28,60 | 092,00 | 0 | DANA FORD |
| WD 11697 | 1310/1350 | | 26,97/30,20 | 81,70/92,00 | 7 | USA 1310/1350 combination kit |
| WD 13987 | 1330/1350 | | 26,97/30,18 | 092,05 | 7 | EDS 1330/1350 combination kit |
| WD 15385 | W2480 | | 26,97/32,00 | 94,00/76,00 | 5 | EDS |



OUTSIDE CIRCLIP

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE / LUB. | COMMENT |
|--|--------------------|----------|-----------------|-------------|---------------|--------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 12085 | 3.41 BYPY/11.03.00 | 0013879 | 026,98 | 070,00 | 5 | EDS |
| WD 16101 | CITROËN | | 026,99 | 060,30 | 1 | GMB |
| WD 13257 | NISSAN | | 026,99 | 081,80 | 7 | GMB |
| WD 11001 | MITSUBISHI | 0018194 | 027,00 | 065,30 | 1 | GMB |
| WD 11775 | KRAMER | 0015521 | 027,00 | 066,30 | 5 | EDS alternative version |
| WD 11460 | VW-Syncro | 0016471 | 027,00 | 069,80 | 0 | WET |
| WD 11860 | 687.15 | 0018871 | 027,00 | 074,50 | 0 | DANA |
| WD 11895 | 687.15 | 0018387 | 027,00 | 074,50 | 5 | DANA |
| WD 12902 | 687.15 | 0018389 | 027,00 | 074,50 | 2 | DANA |
| WD 13889 | 687.15 | 0018390 | 027,00 | 074,50 | 9 | DANA |
| WD 14005 | 2015 | 0011764 | 027,00 | 074,50 | 5 | EDS alternative to WD 11895 |
| WD 16901 | 2015 | | 027,00 | 074,50 | 1 | EDS |
| WD 14340 | GS 1300 | 0011763 | 027,00 | 074,50 | 0 | center hole |
| WD 15035 | WAL 21.00.00/TYP40 | 0019175 | 027,00 | 074,50 | 5 | EDS |
| WD 12041 | | | 027,00 | 074,60 | 1 | EDS |
| WD 12260 | HYUNDAI | | 027,00 | 080,00 | 0 | EDS |
| WD 12261 | HYUNDAI | 0011433 | 027,00 | 080,00 | 1 | EDS |
| WD 13607 | HYUNDAI | | 027,00 | 080,00 | 7 | GMB |
| WD 14457 | MITSUBISHI | | 027,00 | 081,50 | 7 | GMB MITSUBISHI |
| WD 12090 | | | 027,00 | 081,70 | 0 | center hole |
| WD 12620 | ZF | | 027,00 | 081,85 | 0 | |
| WD 13025 | CLAAS | | 027,00 | 084,00 | 5 | obsolete--please use WD80905 |
| WD 12100 | | | 027,00 | 085,00 | 0 | center hole |
| WD 12110 | | | 027,00 | 085,00 | 0 | EDS |
| WD 13797 | | 0012013 | 027,00 | 085,00 | 7 | DANA |
| WD 15435 | V40 | | 027,00 | 85,80/91,20 | 5 | EDS |
| WD 13911 | BYPY | | 027,00 | 100,00 | 1 | |
| WD 11571 | LADA | 0013822 | 028,00 | 071,50 | 1 | EDS |
| WD 11175 | ELBE 109 | 0016102 | 028,00 | 071,50 | 5 | EDS alternative version |
| WD 11196 | ELBE 109 | Obsolete | 028,00 | 071,50 | 6 | EDS |
| WD 11202 | ELBE 109 | 0016100 | 028,00 | 071,50 | 2 | EDS |
| WD 11765 | KLEIN 043 | 0013821 | 028,00 | 076,50 | 5 | EDS |
| WD 11075 | DAIHATSU | 0013815 | 028,00 | 080,00 | 5 | GMB |
| WD 14300 | | | 028,00 | 090,60 | 0 | center hole |
| WD 11185 | ELBE 109 | 0011483 | 028,50 | 070,90 | 5 | ELBE 109 |
| WD 16285 | 109 series | | 028,50 | 071,00 | 5 | EDS |
| WD 14515 | ELBE 109 | 0011483 | 028,50 | 070,90 | 5 | ELBE 109 HT 180°C , on request |
| WD 14525 | ELBE 109 | 0011483 | 028,50 | 070,90 | 5 | ELBE 109 HT 250°C , on request |
| WD 11220 | ELBE 109 | | 028,50 | 070,90 | 0 | ELBE 109 new service free |
| WD 12825 | ELBE 109 | 0011973 | 028,50 | 070,90 | 5 | ELBE 109 higher grease volume |
| WD 11035 | MITSUBISHI | | 028,50 | 078,00 | 5 | GMB |
| WD 12637 | MITSUBISHI/TOYOTA | 0015543 | 028,57 | 078,00 | 7 | GMB |
| WD 11635 | ROCKWELL 14N | 0013999 | 028,60 | 066,70 | 5 | EDS |
| WD 12270 | FIAT 130 | 0011974 | 028,60 | 074,60 | 0 | EDS |
| WD 12910 | OPEL U 705 | 0010087 | 029,00 | 076,00 | 0 | GMB |
| WD 12920 | OPEL U 706 | 0010088 | 029,00 | 76,00/75,50 | 0 | GMB |
| WD 15005 | BYPY 30.41 | 0018051 | 029,00 | 080,00 | 5 | EDS |
| WD 11045 | MITSUBISHI | 0011783 | 030,00 | 078,20 | 5 | EDS |
| WD 10615 | 287.10 | 0015164 | 030,00 | 081,70 | 5 | GEWES |
| WD 12991 | 287.10 | | 030,00 | 081,70 | 1 | INA |
| WD 10915 | 287.10 | 0013823 | 030,00 | 081,70 | 5 | EDS |
| WD 10921 | 287.10 | 0012213 | 030,00 | 081,70 | 1 | EDS |
| WD 10935 | 287.10 | 0012210 | 030,00 | 081,70 | 5 | GMB |
| WD 10931 | 287.10 | 0012213 | 030,00 | 081,70 | 1 | GMB |
| WD 10934 | 287.10 | 0011976 | 030,00 | 081,70 | 4 | GMB |
| WD 13565 | 287.10 | 0019624 | 030,00 | 082,40 | 5 | INA |
| WD 12990 | 287.10 | | 030,00 | 082,40 | 0 | INA |
| WD 14782 | | | 030,00 | 082,40 | 2 | EDS |
| WD 14785 | | | 030,00 | 082,40 | 5 | EDS |
| WD 12985 | | | 030,00 | 082,60 | 5 | WET/ INA |
| WD 10945 | ELBE 110 | | 030,00 | 083,00 | 5 | EDS |
| WD 11235 | ELBE 110 | 0013823 | 030,00 | 083,00 | 5 | ELBE |
| WD 11246 | ELBE 110 | 0015400 | 030,00 | 083,00 | 6 | ELBE |
| WD 11252 | ELBE 110 | 0013824 | 030,00 | 083,00 | 2 | ELBE replaced by WD 11262 |
| WD 11262 | ELBE 110 | 0013825 | 030,00 | 083,00 | 2 | ELBE |
| WD 11276 | ELBE 110 | | 030,00 | 083,00 | 6 | ELBE |
| WD 13779 | ELBE 110 | | 030,00 | 083,00 | 9 | ELBE |
| WD 13975 | ELBE 110 | | 030,00 | 083,00 | 5 | ELBE HT 180° |
| WD 16975 | ELBE 110 | | 030,00 | 083,00 | 5 | ELBE HT 250° |
| WD 12855 | GEWES 40 | | 030,00 | 086,70 | 5 | GEWES |

**OUTSIDE CIRCLIP**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE / LUB. | COMMENT |
|--|---------------------|---------|-----------------|----------------|---------------|-----------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 13435 | | | 030,00 | 088,00 | 5 | EDS |
| WD 14935 | DAEWOO | | 030,00 | 090,00 | 5 | EDS |
| WD 12280 | | | 030,00 | 092,00 | 0 | EDS |
| WD 13097 | NISSAN | | 030,17 | 092,05 | 7 | GMB |
| WD 13450 | | | 030,17 | 105,30 | 0 | center hole |
| WD 14415 | 1350 | | 030,18 | 092,05 | 5 | FORD TRANSIT |
| WD 10527 | 1350 | 0018220 | 030,18 | 092,05 | 7 | please use WD 14417 |
| WD 11711 | 1350 | | 030,18 | 092,05 | 1 | EDS |
| WD 12307 | 1350 | 0018220 | 030,18 | 092,05 | 7 | GMB |
| WD 12640 | 1350 | 0013875 | 030,18 | 092,05 | 0 | GMB |
| WD 13190 | 1350 | | 030,18 | 092,05 | 0 | OEM service free |
| WD 13850 | 1350 | | 030,18 | 092,05 | 0 | EDS alternative to WD13190 |
| WD 13857 | 1350 | | 030,18 | 092,05 | 7 | CASE 1349244C1 , use WD14415 |
| WD 15340 | 1350/1410 | | 030,18 | 92,05 / 106,20 | 0 | conversion kit |
| WD 11687 | 1410 | | 030,18 | 106,30 | 7 | EDS |
| WD 12327 | 1410 | 0018200 | 030,18 | 106,30 | 7 | alternative WD 12937 and WD 15237 |
| WD 16327 | 1410/SPL41 | | 030,18 | 106,30 | 7 | GMB |
| WD 15327 | 1410/SPL41 | 0018200 | 030,18 | 106,30 | 7 | DANA |
| WD 12467 | 1410/SPL41 | | 030,18 | 106,30 | 7 | DANA |
| WD 12830 | 1410/SPL41 | 0011792 | 030,18 | 106,30 | 0 | DANA |
| WD 15830 | 1410/SPL41 | 0011791 | 030,18 | 106,30 | 0 | EDS alternative to WD12830 |
| WD 12937 | 1410/SPL41 | 0018200 | 030,18 | 106,30 | 7 | |
| WD 13047 | 1410/SPL41 | 0015407 | 030,18 | 106,30 | 7 | EDS |
| WD 13051 | 1410/SPL41 | | 030,18 | 106,30 | 1 | EDS |
| WD 14897 | 1410 HR | | 030,18 | 106,30 | 7 | EDS ROCKFORD 410R |
| WD 15250 | 1410/1480 | | 30,18/34,92 | 106,30 | 0 | conversion kit |
| WD 12121 | BYPY 4120G0012 | | 030,20 | 080,00 | 1 | EDS |
| WD 12125 | BYPY 5.41 / TYP50 | 0018056 | 030,20 | 080,00 | 5 | EDS |
| WD 11841 | 687.20 | 0018309 | 030,20 | 081,80 | 1 | DANA |
| WD 11842 | 687.20 | 0018310 | 030,20 | 081,80 | 2 | DANA |
| WD 11844 | 687.20 | | 030,20 | 081,80 | 4 | DANA |
| WD 11855 | 687.20 | 0017450 | 030,20 | 081,80 | 5 | DANA |
| WD 11870 | 687.20 | 0018872 | 030,20 | 081,80 | 0 | DANA |
| WD 13535 | 687.20 | 4031083 | 030,20 | 081,80 | 5 | AKK |
| WD 14015 | 687.20 | | 030,20 | 081,80 | 5 | EDS |
| WD 12315 | | | 030,20 | 086,70 | 5 | EDS |
| WD 13865 | | | 030,20 | 090,00 | 5 | Maserati |
| WD 12505 | BYPY 06.41 /TYP60 | 0014341 | 030,20 | 092,00 | 5 | DANA |
| WD 13397 | | | 030,20 | 092,00 | 7 | AEC. obsolete not available |
| WD 15445 | V60 | | 030,20 | 95,40/101,40 | 5 | EDS |
| WD 15195 | BYPY | | 030,20 | 099,40 | 5 | BYPY |
| WD 14802 | BYPY 4120 | | 030,20 | 106,00 | 2 | EDS |
| WD 15055 | 23.00.00 | | 030,20 | 106,50 | 5 | EDS |
| WD 14925 | | | 031,00 | 090,00 | 5 | EDS |
| WD 10790 | 802.31 | 0019433 | 031,00 | 110,00 | 0 | MERCEDES ATEGO |
| WD 10805 | 802.31 | WD 1080 | 031,00 | 110,00 | 5 | MERCEDES ATEGO |
| WD 15115 | WEASLER 335 | | 031,75 | 81.73/109.75 | 5 | EDS |
| WD 12865 | MITSUBISHI | | 031,76 | 102,00 | 5 | EDS |
| WD 11641 | ROCKWELL 35N | 0013976 | 031,80 | 081,60 | 1 | GMB |
| WD 11645 | ROCKWELL 35N | | 031,80 | 081,60 | 5 | AEC |
| WD 12335 | 35.00.00 / WAL 2400 | 0018053 | 032,00 | 076,00 | 5 | EDS |
| WD 12345 | | | 032,00 | 080,00 | 5 | EDS |
| WD 11545 | | 0011980 | 032,00 | 081,80 | 5 | EDS |
| WD 12360 | | | 032,00 | 086,00 | 0 | EDS |
| WD 12365 | | | 032,00 | 086,00 | 5 | EDS |
| WD 12367 | | 0011798 | 032,00 | 086,00 | 7 | EDS |
| WD 10577 | | 0014564 | 032,00 | 095,60 | 7 | EDS |
| WD 12355 | | | 032,00 | 095,60 | 5 | EDS |
| WD 15395 | W2580 | | 32,00/36,00 | 106,00/89,00 | 5 | EDS |
| WD 12130 | | | 032,00 | 106,30 | 0 | EDS |
| WD 12137 | FIAT TRUCK | 0018201 | 032,00 | 106,30 | 7 | DANA |
| WD 13125 | ISUZU | 0011800 | 033,00 | 093,00 | 5 | GMB |
| WD 15295 | HINO Trucks | | 033,00 | 099,00 | 5 | GMB |
| WD 14665 | TOYOTA | | 033,40 | 096,00 | 5 | GMB |
| WD 11785 | KLEIN 123 | 0013829 | 034,00 | 089,00 | 5 | KLEIN 125 - UNIMOG |
| WD 11285 | ELBE 112 old | 0016088 | 034,00 | 097,00 | 5 | ELBE , alternativ EDS WD 15285 |
| WD 15285 | ELBE 112 old | 0016088 | 034,00 | 097,00 | 5 | EDS |
| WD 11296 | ELBE 112 old | 0012017 | 034,00 | 097,00 | 6 | ELBE |
| WD 11302 | ELBE 112 old | 0016516 | 034,00 | 097,00 | 2 | ELBE |
| WD 13829 | ELBE 112 old | | 034,00 | 097,00 | 5 | ELBE |

**OUTSIDE CIRCLIP**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE / LUB. | COMMENT |
|--|--------------------|---------|-----------------|---------------|---------------|----------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 14285 | ELBE 112 old***new | | 34,00 / 35,00 | 097,00 | 5 | ELBE conversion kit |
| WD 12145 | BYPY 60.41 | | 034,00 | 106,50 | 5 | DANA |
| WD 10967 | TOYOTA | 0018054 | 034,00 | 106,80 | 7 | GMB |
| WD 10685 | 687.25 | 0018217 | 034,90 | 092,00 | 5 | DANA |
| WD 12479 | 687.25 | 0018337 | 034,90 | 092,00 | 9 | DANA |
| WD 13290 | 687.25 | 0018572 | 034,90 | 092,00 | 0 | DANA |
| WD 13362 | 687.25 | | 034,90 | 092,00 | 2 | DANA |
| WD 13375 | 687.25 | 0018802 | 034,90 | 092,00 | 5 | DANA HT 130° |
| WD 14025 | 687.25 | | 034,90 | 092,00 | 5 | EDS |
| WD 15065 | BYPY 7.89 | 0011808 | 034,90 | 094,00 | 5 | BYPY |
| WD 12745 | CASE | 0013798 | 34.90/35.00 | 106.30/ 96.80 | 5 | GWB for CASE obsolete with stock |
| WD 10467 | 1480/SPL55 | 0017073 | 034,90 | 106,40 | 7 | DANA HD |
| WD 15467 | 1480/SPL55 | 0017073 | 034,90 | 106,40 | 7 | EDS |
| WD 10580 | 1480/SPL55 | | 034,90 | 106,40 | 0 | DANA HD |
| WD 15580 | 1480/SPL55 | | 034,90 | 106,40 | 0 | EDS HD |
| WD 13107 | 1480 | 0018230 | 034,90 | 106,40 | 7 | knurled brg caps |
| WD 10485 | 687.30 | 0017412 | 034,90 | 106,40 | 5 | DANA |
| WD 13171 | 687.30 | 0018435 | 034,90 | 106,40 | 1 | DANA |
| WD 13300 | 687.30 | 0018573 | 034,90 | 106,40 | 0 | DANA |
| WD 13465 | 687.30 | 0018803 | 034,90 | 106,40 | 5 | DANA HT 130° |
| WD 13719 | 687.30 | 0018436 | 034,90 | 106,40 | 9 | DANA |
| WD 14032 | 687.30 | | 034,90 | 106,40 | 2 | EDS |
| WD 14034 | 687.30 | | 034,90 | 106,40 | 4 | EDS |
| WD 14035 | 687.30 | | 034,90 | 106,40 | 5 | EDS |
| WD 14827 | 1480 HR | | 034,90 | 106,40 | 7 | EDS ROCKFORD 480R |
| WD 10557 | 1550 | 0013800 | 034,90 | 126,10 | 7 | EDS |
| WD 13200 | 1550/SPL70 | 0011812 | 034,90 | 126,10 | 0 | DANA HD |
| WD 15560 | 1550/SPL70 | | 034,90 | 126,10 | 0 | EDS HD |
| WD 13247 | 1550/SPL70 | | 034,90 | 126,10 | 7 | DANA HD |
| WD 12671 | BYPY 4120M0012 | | 034,92 | 106,50 | 1 | EDS |
| WD 12675 | WAL 24.01.00 | 0018205 | 034,92 | 106,50 | 5 | EDS |
| WD 14377 | 1550 HR | | 034,93 | 126,08 | 7 | EDS ROCKFORD 550R |
| WD 14255 | | | 035,00 | 080,00 | 5 | EDS |
| WD 14747 | NG45 | | 035,00 | 089,20 | 7 | IFA |
| WD 14945 | BYPY | | 035,00 | 093,50 | 5 | EDS |
| WD 10625 | 287.20 | 0019635 | 035,00 | 096,80 | 5 | GEWES |
| WD 11564 | 287.20 | | 035,00 | 096,80 | 4 | INA |
| WD 12155 | 287.20 | 0015928 | 035,00 | 096,80 | 5 | DANA |
| WD 13000 | 287.20 | | 035,00 | 096,80 | 0 | INA |
| WD 13001 | 287.20 | | 035,00 | 096,80 | 1 | INA |
| WD 13265 | 287.20 | 0012255 | 035,00 | 096,80 | 5 | EDS |
| WD 13962 | 287.20 | 0011990 | 035,00 | 096,80 | 2 | INA |
| WD 11315 | ELBE 112 new | 0017218 | 035,00 | 097,00 | 5 | |
| WD 11322 | ELBE 112 new | | 035,00 | 097,00 | 2 | HD |
| WD 11330 | ELBE 112 new | | 035,00 | 097,00 | 0 | |
| WD 11335 | ELBE 112 new | 0016709 | 035,00 | 097,00 | 5 | HD |
| WD 11346 | ELBE 112 new | | 035,00 | 097,00 | 6 | HD |
| WD 12885 | ELBE 112 new | 0018747 | 035,00 | 097,00 | 5 | Alternative |
| WD 13342 | ELBE 112 new | | 035,00 | 097,00 | 2 | HD |
| WD 13809 | ELBE 112 new | | 035,00 | 097,00 | 9 | |
| WD 13924 | ELBE 112 new | | 035,00 | 097,00 | 4 | HD |
| WD 14175 | ELBE 112 new | | 035,00 | 097,00 | 5 | ELBE HT 180°C |
| WD 16175 | ELBE 112 new | | 035,00 | 097,00 | 5 | ELBE HT 250°C |
| WD 13725 | ISUZU | 0011817 | 035,00 | 103,92 | 5 | GMB |
| WD 15455 | V80 | | 035,00 | 106,30/113,80 | 5 | EDS |
| WD 16035 | TRS 2030 | | 035,00 | 106,40 | 5 | INA |
| WD 15475 | TYP80 | | 035,00 | 106,50 | 5 | EDS |
| WD 13737 | NISSAN | 0011820 | 035,50 | 119,20 | 7 | GMB |
| WD 15045 | 36.00.00 | 0018055 | 036,00 | 089,00 | 5 | WAL |
| WD 14465 | MITSUBISHI | 0011823 | 036,00 | 104,00 | 5 | GMB |
| WD 15277 | HINO Trucks | | 036,00 | 110,30 | 7 | GMB |
| WD 14547 | HINO Trucks | | 036,00 | 115,60 | 7 | GMB |
| WD 13956 | UNIMOG | | 037,00 | 103,00 | 6 | UNIMOG obsolete |
| WD 10655 | KLEIN 200 | 0013849 | 038,00 | 089,20 | 5 | UNIMOG |
| WD 11820 | KLEIN 200 | | 038,00 | 089,20 | 0 | UNIMOG |
| WD 11025 | MITSUBISHI | 0011831 | 038,00 | 104,00 | 5 | GMB |
| WD 13015 | 587.12 | | 038,00 | 104,50 | 5 | WET |
| WD 10665 | 387.20 | 0012595 | 038,00 | 105,80 | 5 | EDS alternative to WD 11355 |
| WD 11355 | ELBE 113 | 0013831 | 038,00 | 106,00 | 5 | ELBE |

**OUTSIDE CIRCLIP**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE / LUB. | COMMENT |
|--|-------------------|---------------|-----------------|---------------|---------------|---------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 15245 | ELBE 113 | | 038,00 | 106,00 | 5 | ELBE HT 180° |
| WD 11366 | ELBE 113 | | 038,00 | 106,00 | 6 | ELBE |
| WD 11372 | ELBE 113 | | 038,00 | 106,00 | 2 | ELBE ,please use WD 11392 |
| WD 11380 | ELBE 113 | | 038,00 | 106,00 | 0 | EDS SKF |
| WD 11385 | ELBE 113 | 0013832 | 038,00 | 106,00 | 5 | INA |
| WD 11392 | ELBE 113 | | 038,00 | 106,00 | 2 | INA |
| WD 14559 | ELBE 113 | | 038,00 | 106,00 | 9 | INA |
| WD 11790 | KLEIN 196 | 0013850 | 038,00 | 110,00 | 0 | UNIMOOG |
| WD 11800 | KLEIN 195 | 0018658 | 038,00 | 110,00 | 0 | MAN |
| WD 11810 | KLEIN 195 | | 038,00 | 110,00 | 0 | SKF |
| WD 11815 | KLEIN 197 | | 038,00 | 110,00 | 5 | IVECO |
| WD 10647 | GEWES 55 | 0018764 | 038,00 | 112,00 | 7 | EDS FENDT F281301080010 |
| WD 11665 | ROCKWELL 55N | 0013996 | 038,90 | 109,40 | 5 | AEC |
| WD 13907 | FIAT | 0011835 | 039,00 | 116,40 | 7 | |
| WD 11587 | SCANIA | 0018385 | 039,00 | 127,00 | 7 | EDS |
| WD 10477 | GS 606 | 0017077 | 039,60 | 116,00 | 7 | |
| WD 13897 | | | 039,60 | 116,00 | 7 | DANA |
| WD 15225 | | | 036,70 | 092,00 | 5 | WALTERSCHEID 3700 |
| WD 12457 | 1510 | 0018350 | 039,70 | 115,80 | 7 | GMB |
| WD 12815 | 1535 | 0017113 | 039,70 | 116,20 | 5 | FIAT |
| WD 14485 | ISUZU | 0011838 | 040,00 | 115,00 | 5 | GMB |
| WD 12525 | BYPY 09.41 /TYP90 | | 041,00 | 108,00 | 5 | EDS |
| WD 12075 | BYPY 10.41 | 0011839 | 041,00 | 118,00 | 5 | EDS |
| WD 12847 | 1650 | 0013983 | 041,20 | 142,00 | 7 | DANA |
| WD 10500 | SPL90/100 | | 041,30 | 126,10 | 0 | DANA |
| WD 10695 | SPL90/100 | SPL90-1X | 041,30 | 126,10 | 5 | DANA |
| WD 13995 | SPL90/100 | | 041,30 | 126,10 | 5 | EDS |
| WD 11735 | CP750 | | 041,30 | 127,10 | 5 | AEC |
| WD 14385 | CP750 | | 041,32 | 128,50 | 5 | EDS CP750 |
| WD 15085 | 26.00.00 | 0011840 | 042,00 | 104,00 | 5 | EDS |
| WD 10345 | 587.15 | 0014156 | 042,00 | 104,50 | 5 | GWB |
| WD 10355 | 587.15 | | 042,00 | 104,50 | 5 | INA |
| WD 13679 | 587.15 | | 042,00 | 104,50 | 9 | INA |
| WD 13875 | 587.15 | 0018561 | 042,00 | 104,50 | 5 | GWB 587.15 HT |
| WD 14105 | 587.15 | 14156R | 042,00 | 104,50 | 5 | EDS |
| WD 14310 | 587.15 | | 042,00 | 104,50 | 0 | SKF |
| WD 10405 | 286.22 | 0013940 | 042,00 | 106,00 | 5 | INA or GWB |
| WD 10435 | 286.22 | 0013940 | 042,00 | 106,00 | 5 | SKF |
| WD 16405 | 286.22 | | 042,00 | 106,00 | 5 | EDS |
| WD 10430 | 286.22 | 0019460 | 042,00 | 106,00 | 0 | SKF SF |
| WD 15141 | BYPY 4120N0012 | | 042,00 | 107,50 | 1 | EDS |
| WD 11535 | ELBE 148 | 0018922 | 042,00 | 117,50 | 5 | ELBE |
| WD 13032 | ELBE 148 | | 042,00 | 117,50 | 2 | ELBE |
| WD 13414 | ELBE 148 | | 042,00 | 117,50 | 4 | ELBE |
| WD 15535 | | | 042,00 | 117,50 | 0 | EDS INA |
| WD 11530 | | | 042,00 | 117,50 | 0 | EDS |
| WD 13934 | | | 042,00 | 117,50 | 4 | with center hole, "Frankenthal" |
| WD 10150 | 687.35 | 0019058 | 042,00 | 119,40 | 0 | DANA |
| WD 10235 | 687.35 | 0017313 | 042,00 | 119,40 | 5 | DANA |
| WD 13135 | 687.35 | 0018441 | 042,00 | 119,40 | 5 | DANA HT |
| WD 13490 | 687.35 | | 042,00 | 119,40 | 0 | SKF |
| WD 13495 | 687.35 | | 042,00 | 119,40 | 5 | INA |
| WD 13639 | 687.35 | 7687350600040 | 042,00 | 119,40 | 9 | DANA |
| WD 14045 | 687.35 | 17313R | 042,00 | 119,40 | 5 | EDS |
| WD 11405 | ELBE 115 | 0013835 | 042,00 | 123,00 | 5 | INA |
| WD 11412 | ELBE 115 | 0014923 | 042,00 | 123,00 | 2 | INA |
| WD 15155 | BYPY 4120S0012 | | 042,00 | 130,00 | 5 | EDS |
| WD 15165 | JOHN DEERE | | 044,00 | 121,60 | 5 | EDS |
| WD 12765 | 287.30 | 0012344 | 044,00 | 124,80 | 5 | EDS |
| WD 11657 | SCANIA T60 | 0010062 | 044,00 | 149,00 | 7 | DANA |
| WD 12755 | | 0013844 | 44,00/50,00 | 149,00/152,80 | 5 | GWB obsolete |
| WD 12485 | KLEIN 260 | 0013756 | 045,00 | 118,10 | 5 | KLEIN 260 obsolete |
| WD 12605 | 186.30 | 0014154 | 045,00 | 120,00 | 5 | MERCEDES |
| WD 12615 | 186.30 | 0019394 | 045,00 | 120,00 | 5 | GWB MERCEDES 186.30 |
| WD 13315 | | 0018754 | 045,00 | 121,40 | 5 | |
| WD 14577 | GEWES 60 | | 045,00 | 126,20 | 7 | EDS |
| WD 11435 | ELBE 116 | 0016815 | 045,00 | 131,00 | 5 | |
| WD 11446 | ELBE 116 | 0014824 | 045,00 | 131,00 | 6 | |
| WD 11452 | ELBE 116 | 0016218 | 045,00 | 131,00 | 2 | |
| WD 11475 | ELBE 118 | 0016118 | 045,00 | 152,00 | 5 | |

**OUTSIDE CIRCLIP**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE / LUB. | COMMENT |
|--|--------------------|---------|-----------------|-----------------|---------------|-----------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 11486 | ELBE 118 | 0013853 | 045,00 | 152,00 | 6 | |
| WD 11492 | ELBE 118 | | 045,00 | 152,00 | 2 | |
| WD 10715 | 387.30 | 0012651 | 047,00 | 131,00 | 5 | GMB |
| WD 12777 | GEWES 57 | 0011858 | 047,00 | 132,20 | 7 | EDS |
| WD 12581 | TATRA | | 047,00 | 156,00 | 1 | EDS |
| WD 12595 | TATRA | | 047,00 | 156,00 | 5 | EDS |
| WD 10115 | 687.40 | 0018442 | 047,60 | 135,20 | 5 | DANA HT |
| WD 10140 | 687.40 | 0019032 | 047,60 | 135,20 | 0 | DANA |
| WD 16140 | 687.40 | | 047,60 | 135,20 | 0 | DANA SF HT |
| WD 10225 | 687.40 | 0017032 | 047,60 | 135,20 | 5 | DANA |
| WD 11625 | 687.40 | | 047,60 | 135,20 | 5 | INA |
| WD 13215 | 687.40 | 0018446 | 047,60 | 135,20 | 5 | DANA LT |
| WD 13649 | 687.40 | | 047,60 | 135,20 | 9 | DANA |
| WD 14055 | 687.40 | 17032R | 047,60 | 135,20 | 5 | EDS |
| WD 16225 | 688.40 | | 047,60 | 135,20 | 5 | DANA railway application |
| WD 14295 | KLEIN 490 - 687.40 | | 47,60 / 48,00 | 135,20 | 5 | KLEIN 490 / 687.40 conversion kit |
| WD 10305 | 587.20 | 0014157 | 048,00 | 116,50 | 5 | GWB |
| WD 10315 | 587.20 | 0016477 | 048,00 | 116,50 | 5 | INA |
| WD 10732 | 587.20 | 0014640 | 048,00 | 116,50 | 2 | GWB or INA |
| WD 12055 | 587.20 | 0018502 | 048,00 | 116,50 | 5 | GWB HT |
| WD 12575 | 587.20 | 0011113 | 048,00 | 116,50 | 5 | EDS |
| WD 13689 | 587.20 | 0014640 | 048,00 | 116,50 | 9 | GWB or INA |
| WD 14350 | KLEIN 375 | | 048,00 | 116,50 | 0 | KLEIN / SKF |
| WD 10300 | 587.20 | | 048,00 | 116,50 | 0 | GWB |
| WD 10395 | 186.33/286.33/158 | 0018167 | 048,00 | 126,00 | 5 | INA |
| WD 10425 | 186.33/286.33/158 | 0019125 | 048,00 | 126,00 | 5 | SKF |
| WD 10815 | 186.33/286.33 | 0013598 | 048,00 | 126,00 | 5 | GWB |
| WD 10820 | 186.33/286.33 | 0019125 | 048,00 | 126,00 | 0 | SKF SF |
| WD 10832 | 186.33/286.33 | 10066R | 048,00 | 126,00 | 2 | GWB Hanomag , plug in center |
| WD 13224 | 186.33/286.33 | 0018762 | 048,00 | 126,00 | 4 | INA |
| WD 13352 | 186.33/286.33 | | 048,00 | 126,00 | 2 | INA |
| WD 14235 | 186.33/286.33 | 13598R | 048,00 | 126,00 | 5 | EDS |
| WD 10495 | SETRA | | 048,00 | 131,00 | 5 | INA |
| WD 11425 | GEWES 58 | | 048,00 | 132,20 | 5 | GEWES |
| WD 10455 | KLEIN 490 | 0011864 | 048,00 | 135,40 | 5 | KLEIN / INA / SKF |
| WD 16455 | KLEIN 490 | 0018746 | 048,00 | 135,40 | 5 | EDS |
| WD 11830 | KLEIN 490 | | 048,00 | 135,40 | 0 | SKF SF |
| WD 15107 | BYPY 7.89 | | 049,00 | 135,00 | 7 | EDS |
| WD 11745 | CP850 | | 049,20 | 150,80 | 5 | AEC |
| WD 10205 | 687.50 | 0018444 | 049,20 | 154,70 | 5 | GWB obsolete |
| WD 12735 | 687.50 | 0018448 | 049,20 | 154,70 | 5 | GWB LT obsolete |
| WD 14390 | CP850 | | 049,24 | 150,88 | 0 | EDS |
| WD 10675 | 487.30 | 0012725 | 050,00 | 131,00 | 5 | EDS |
| WD 14915 | | | 050,00 | 138,00 | 5 | EDS |
| WD 12695 | 287.40 | 0012387 | 050,00 | 153,00 | 5 | GMB |
| WD 11555 | ELBE 119 | 0013847 | 050,00 | 164,00 | 5 | Alternative |
| WD 11757 | SCANIA T70 | 0010061 | 050,00 | 164,00 | 7 | DANA |
| WD 14775 | VOLVO | | 052,00 | 124,00 | 5 | EDS INA |
| WD 11930 | KLEIN 492 | | 052,00 | 128,00 | 0 | UNIMOG |
| WD 10322 | 587.30 | | 052,00 | 133,00 | 2 | GWB |
| WD 10325 | 587.30 | 0012840 | 052,00 | 133,00 | 5 | GWB |
| WD 10335 | 587.30 | | 052,00 | 133,00 | 5 | INA |
| WD 10755 | 587.30 | 0018170 | 052,00 | 133,00 | 5 | GWB HT |
| WD 12555 | 587.30 | | 052,00 | 133,00 | 5 | EDS , replaced by WD 14125 |
| WD 13699 | 587.30 | | 052,00 | 133,00 | 9 | GWB |
| WD 14125 | 587.30 | 12840R | 052,00 | 133,00 | 5 | EDS |
| WD 14240 | 587.30 | | 052,00 | 133,00 | 0 | GWB / SKF |
| WD 15265 | YUTONG BUS | | 52,00/49,20 | 133,00/157,00 | 5 | 58730/1710 HR conversion kit |
| WD 10130 | 687.45/47 | 0019039 | 052,00 | 147,20 | 0 | GWB , VOLVO 1068247 |
| WD 10215 | 687.45/47 | 0017033 | 052,00 | 147,20 | 5 | GWB |
| WD 10105 | 687.45/47 | | 052,00 | 147,20 | 5 | GWB HT |
| WD 11215 | 687.45/47 | 0018447 | 052,00 | 147,20 | 5 | GWB LT |
| WD 12540 | 687.45/47 | | 052,00 | 147,20 | 0 | SKF |
| WD 15300 | KN590 | | 052,00 | 147,20 | 0 | KLEIN |
| WD 12545 | 687.45/47 | | 052,00 | 147,20 | 5 | INA |
| WD 13659 | 687.45/47 | 0011882 | 052,00 | 147,20 | 9 | GWB |
| WD 14065 | 687.45/47 | 17033R | 052,00 | 147,20 | 5 | EDS |
| WD 14335 | 587.30*** 286.37 | | 52,00/53,00 | 133,00 / 135,00 | 5 | GWB conversion kit |
| WD 10385 | 286.37 | 0017146 | 053,00 | 135,00 | 5 | GWB |
| WD 16385 | 286.37 | 19060R | 053,00 | 135,00 | 5 | EDS |

**OUTSIDE CIRCLIP**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE / LUB. | COMMENT |
|--|-------------------|---------|-----------------|----------------|---------------|-------------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 10415 | 286.37 | 0019060 | 053,00 | 135,00 | 5 | SKF |
| WD 10705 | 286.37/117 | 0012001 | 053,00 | 135,00 | 5 | INA |
| WD 10870 | 286.37 | 0019185 | 053,00 | 135,00 | 0 | SKF SF |
| WD 13155 | ELBE 117 | | 053,00 | 135,00 | 5 | HT 150° |
| WD 14795 | ELBE 117 | | 053,00 | 135,00 | 5 | HT 250° |
| WD 14159 | 286.37 | | 053,00 | 135,00 | 9 | INA |
| WD 15545 | AKK | | 053,00 | 147,20 | 5 | INA |
| WD 12705 | 387.40 | 0012687 | 055,00 | 164,00 | 5 | EDS |
| WD 12877 | 1880 | 0013985 | 055,50 | 205,60 | 7 | DANA |
| WD 10285 | 587.35/36 | 0013070 | 057,00 | 144,00 | 5 | GWB |
| WD 10295 | 587.35/36 | 0016735 | 057,00 | 144,00 | 5 | INA |
| WD 10765 | 587.35/36 | 0018212 | 057,00 | 144,00 | 5 | GWB HT |
| WD 13709 | 587.35/36 | | 057,00 | 144,00 | 9 | GWB |
| WD 14135 | 587.35/36 | 0019669 | 057,00 | 144,00 | 5 | EDS |
| WD 10280 | 587.35/36 | | 057,00 | 144,00 | 0 | GWB, alternative WD 14220 |
| WD 14220 | KLEIN 600 | | 057,00 | 144,00 | 0 | KLEIN / SKF |
| WD 14534 | MAINA DD.018 | | 057,00 | 144,00 | 4 | MAINA DD.018 please use WD 13709 |
| WD 10160 | 687.55 | 0019042 | 057,00 | 152,00 | 0 | GWB |
| WD 10195 | 687.55 | 0014252 | 057,00 | 152,00 | 5 | GWB |
| WD 12565 | 687.55 | 0018445 | 057,00 | 152,00 | 5 | GWB HT |
| WD 12725 | 687.55 | 0018449 | 057,00 | 152,00 | 5 | GWB LT |
| WD 10240 | DB 587.42 | 0019177 | 057,00 | 152,00 | 0 | SKF SF |
| WD 14425 | DB 587.42 | | 057,00 | 152,00 | 5 | SKF |
| WD 10365 | 587.42 | 0013140 | 057,00 | 152,00 | 5 | GWB |
| WD 10375 | 587.42/120 series | | 057,00 | 152,00 | 5 | INA |
| WD 13232 | 587.42 | 0013845 | 057,00 | 152,00 | 2 | GWB |
| WD 13669 | 587.42 | | 057,00 | 152,00 | 9 | GWB |
| WD 14075 | 687.55/587.42 | 13140R | 057,00 | 152,00 | 5 | EDS |
| WD 10445 | KLEIN 680 | 0017059 | 057,00 | 172,00 | 5 | INA |
| WD 13335 | KLEIN 680 | 0011890 | 057,00 | 172,00 | 5 | KLEIN |
| WD 13380 | KLEIN 680 | | 057,00 | 172,00 | 0 | KLEIN |
| WD 14494 | MAINA EA22 | | 057,00 | 285,50 | 4 | MAINA EA 22 , tunneltype |
| WD 10120 | 687.60 | 0019043 | 059,00 | 167,60 | 0 | GWB |
| WD 10175 | 687.60 | | 059,00 | 167,60 | 5 | Alternative |
| WD 10185 | 687.60 | 0017446 | 059,00 | 167,60 | 5 | GWB |
| WD 10605 | GS 906 | 0017094 | 059,00 | 167,60 | 5 | GS 906 |
| WD 12715 | 687.60 | 0018461 | 059,00 | 167,60 | 5 | GWB LT |
| WD 14085 | 687.60 | 17446R | 059,00 | 167,60 | 5 | EDS |
| WD 14400 | CP950 | | 063,55 | 196,24 | 0 | EDS plugged center hole -- SF |
| WD 10035 | S225.5 | | 065,00 | 157,00 | 5 | EDS |
| WD 10039 | S225.5 | | 065,00 | 157,00 | 9 | EDS |
| WD 10090 | 587.48 - 687.65 | 0019059 | 065,00 | 172,00 | 0 | GWB |
| WD 10265 | 587.48 - 687.65 | 0014186 | 065,00 | 172,00 | 5 | GWB |
| WD 10270 | 587.48 - 687.65 | | 065,00 | 172,00 | 0 | SKF |
| WD 10275 | 587.48 - 687.65 | | 065,00 | 172,00 | 5 | INA |
| WD 10095 | 687.65 | | 065,00 | 172,00 | 5 | GWB HIGH TEMP |
| WD 10635 | 687.65 | | 065,00 | 172,00 | 5 | GWB LT |
| WD 13545 | ELBE 122 | | 065,00 | 172,00 | 5 | ELBE |
| WD 13599 | VOITH 225.7 | | 065,00 | 172,00 | 9 | SKF |
| WD 14095 | 587.48 - 687.65 | | 065,00 | 172,00 | 5 | EDS |
| WD 11885 | SCANIA P600 | 0018687 | 065,00 | 190,00 | 5 | INA |
| WD 15885 | SCANIA P600 | 0018687 | 065,00 | 190,00 | 5 | EDS |
| WD 11955 | SCANIA P600 | | 065,00 | 190,00 | 5 | SKF relube |
| WD 13320 | SCANIA P600 | | 065,00 | 190,00 | 0 | SKF service free |
| WD 14445 | SCANIA P600 | | 065,00 | 172.00/ 190.00 | 5 | P600 / 587.48/687.65 Conversion kit |
| WD 13424 | MAINA DD.022 | | 065,00 | 197,00 | 4 | MAINA DD.022 , use EDS WD 15424 |
| WD 15424 | MAINA DD.022 | | 065,00 | 197,00 | 4 | EDS |
| WD 14433 | MAINA DD 125 | | 065,00 | 306,50 | 3 | EDS center hole 125mm tunneltype |
| WD 14263 | MAINA DD 125 | | 065,00 | 306,50 | 3 | MAINA center hole 125mm tunneltype |
| WD 14964 | SWC180 | | 072,00 | 154,00 | 4 | EDS |
| WD 10255 | 587.50 | 0013603 | 072,00 | 185,00 | 5 | GWB |
| WD 14595 | 587.50 | 335677 | 072,00 | 185,00 | 5 | GEWES viton seal , high temp. |
| WD 13064 | 587.50 | | 072,00 | 185,00 | 4 | GWB |
| WD 13165 | 587.50 | 0011910 | 072,00 | 185,00 | 5 | GEWES |
| WD 13525 | 587.50 | | 072,00 | 185,00 | 5 | WELTE ESSEN |
| WD 14329 | 587.50 | | 072,00 | 185,00 | 9 | EDS |
| WD 12165 | S225.8 | | 074,00 | 170,00 | 5 | VOITH |
| WD 12169 | S225.8 | | 074,00 | 170,00 | 9 | EDS |
| WD 10045 | S250.5 | | 074,00 | 179,90 | 5 | INA |
| WD 14955 | 58750HD | | 074,00 | 185,00 | 5 | EDS |

**OUTSIDE CIRCLIP**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE / LUB. | COMMENT |
|--|-------------------|---------|-----------------|---------|---------------|--------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 10055 | 1105 series | 0011383 | 074,00 | 195,00 | 5 | EDS |
| WD 10059 | 1105 series | 0011383 | 074,00 | 195,00 | 9 | EDS |
| WD 10010 | 587.55 | | 074,00 | 217,00 | 0 | SKF |
| WD 10015 | 83 series | | 074,00 | 217,00 | 5 | GEWES |
| WD 10019 | 83 series | | 074,00 | 217,00 | 9 | GEWES |
| WD 11165 | 587.55 | 0011915 | 074,00 | 217,00 | 5 | GWB |
| WD 13749 | 587.55 | | 074,00 | 217,00 | 9 | EDS |
| WD 16749 | 587.55 | | 074,00 | 217,00 | 9 | INA |
| WD 11509 | WT225.8 | | 083,00 | 179,00 | 9 | EDS |
| WD 14165 | WT225.8 | | 083,00 | 179,00 | 5 | VOITH RT208.8 |
| WD 14169 | WT225.8 | | 083,00 | 179,00 | 9 | VOITH RT208.8 |
| WD 14279 | 1115 series | | 083,00 | 195,00 | 9 | EDS |
| WD 10065 | S285.5 | | 083,00 | 220,00 | 5 | INA |
| WD 15200 | ST285.9 / WT250.9 | | 083,00 | 220,00 | 0 | SKF |
| WD 15205 | ST285.9 / WT250.9 | | 083,00 | 220,00 | 5 | VOITH |
| WD 10025 | 587.60 | 0010025 | 083,00 | 231,40 | 5 | GWB |
| WD 12445 | GEWES 84 | | 083,00 | 231,40 | 5 | GEWES |
| WD 13759 | 587.60 | | 083,00 | 231,40 | 9 | GWB |
| WD 14674 | SWC225 | | 090,00 | 192,00 | 4 | EDS |
| WD 13075 | WT250.8 | | 095,00 | 220,00 | 5 | VOITH RT250.8 |
| WD 16079 | WT250.8 | | 095,00 | 220,00 | 9 | INA EDS |
| WD 15215 | ST315/WT285.9 | | 095,00 | 250,00 | 5 | VOITH |
| WD 10075 | S315.5 | | 095,00 | 250,00 | 5 | INA |
| WD 15134 | MAINA EA.31 | | 095,00 | 400,00 | 4 | MAINA EA.31 Tunnel type |
| WD 14684 | SWC250 | | 100,00 | 214,00 | 4 | EDS |
| WD 13085 | S315.8 | | 110,00 | 245,00 | 5 | VOITH RT285.8 |
| WD 16089 | W285.8 / S315.8 | | 110,00 | 245,00 | 9 | INA |
| WD 10089 | KEMPF 1135 | | 110,00 | 275,00 | 9 | EDS |
| WD 10085 | KEMPF 1135 | | 110,00 | 275,00 | 5 | EDS |
| WD 14885 | ST315.9 | | 110,00 | 275,00 | 5 | VOITH H24.008851 WT315.8 |
| WD 14694 | SWC285 | | 115,00 | 243,00 | 4 | EDS |
| WD 13585 | 350.8 | | 130,00 | 268,00 | 5 | VOITH |
| WD 16589 | 350.8 | | 130,00 | 268,00 | 9 | EDS |
| WD 14704 | SWC315 | | 130,00 | 269,00 | 4 | EDS |
| WD 10725 | WT315.8 | | 130,00 | 302,00 | 5 | VOITH WT350.9 |
| WD 15729 | WT315.8 | | 130,00 | 302,00 | 9 | EDS |
| WD 14205 | VOITH WT350.8 | | 145,00 | 294,00 | 5 | VOITH RT350.8 |
| WD 16069 | WT350.8 | | 145,00 | 294,00 | 9 | EDS |
| WD 14714 | SWC350 | | 145,00 | 298,00 | 4 | EDS |
| WD 13625 | S.390.9 | | 145,00 | 336,00 | 5 | VOITH WT390.9 |
| WD 16629 | S.390.9 | | 145,00 | 336,00 | 9 | EDS |
| WD 15409 | MAINA B39 | | 145,00 | 341,00 | 9 | EDS |
| WD 14834 | KSWC520 | | 145,00 | 477,00 | 4 | EDS |
| WD 14215 | VOITH WT390.8 | | 160,00 | 329,00 | 5 | VOITH RT390.8 |
| WD 16219 | WT390.8 | | 160,00 | 329,00 | 9 | EDS |
| WD 14724 | SWC390 | | 165,00 | 333,00 | 4 | EDS |
| WD 13575 | WT 440.8 | | 175,00 | 377,00 | 5 | VOITH WT440.9 |
| WD 16139 | HS440 | | 180,00 | 377,00 | 9 | EDS |
| WD 14844 | SWC440 | | 185,00 | 377,00 | 4 | EDS |
| WD 14185 | VOITH S490 | | 188,00 | 420,00 | 5 | VOITH WT490.9 |
| WD 16189 | S490 | | 188,00 | 420,00 | 5 | EDS |
| WD 14854 | SWC490 | | 210,00 | 419,00 | 4 | EDS |
| WD 14195 | VOITH S550 | | 215,00 | 465,00 | 5 | VOITH WT550.9 |
| WD 16199 | S550 | | 215,00 | 465,00 | 5 | EDS |
| WD 14974 | SWC550 | | 240,00 | 472,00 | 4 | EDS |
| WD 14984 | SWC620 | | 265,00 | 526,00 | 4 | EDS |

**INSIDE CIRCLIP**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE / LUB. | COMMENT |
|--|---------------------|---------|-----------------|---------------------|---------------|------------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 22640 | | | 011,50 | 18,00 / 20,00 | 0 | 128VC |
| WD 21260 | KAWASAKI | 0011715 | 016,00 | 24,50 / 27,00 | 0 | GMB reuse old circlips |
| WD 20750 | KAWASAKI | | 020,00 | 29,00 / 31,20 | 0 | GMB |
| WD 22190 | ISEKI | | 020,00 | 34,00 / 37,00 | 0 | EDS |
| WD 21230 | YAMAHA | 0011955 | 020,00 | 37,00 / 40,00 | 0 | EDS |
| WD 20321 | SUZUKI | 0015559 | 020,01 | 35,00 / 38,00 | 1 | GMB |
| WD 20771 | NISSAN | 0018181 | 020,01 | 35,00 / 38,00 | 1 | GMB NISSAN |
| WD 20531 | NISSAN | | 020,09 | 30,00 / 32,64 | 1 | RDL replacement for staked u-joint |
| WD 21045 | TCM | 0011738 | 022,00 | 37,40 / 40,60 | 5 | EDS |
| WD 21275 | MITSUBISHI | 0011957 | 022,00 | 37,60 / 39,60 | 5 | EDS |
| WD 21151 | NISSAN / SUBARU | | 022,02 | 035,51 | 1 | RDL replacement for staked u-joint |
| WD 21071 | MAZDA | | 022,02 | 038,48 | 1 | RDL replacement for staked u-joint |
| WD 20981 | FORD | | 022,02 | 043,81 | 1 | RDL replacement for staked u-joint |
| WD 21851 | KAWASAKI | | 022,05 | 31,05 / 34,30 | 1 | |
| WD 14901 | ROCKWELL L10N | | 022,22 | 063,55 | 1 | EDS |
| WD 20441 | DAIHATSU | 0011746 | 022,50 | 34,90 / 37,20 | 1 | GMB |
| WD 20411 | MAZDA | 0013782 | 022,50 | 35,20 / 37,70 | 1 | GMB |
| WD 22180 | SUBARU | | 023,00 | 44,60 / 47,00 | 0 | GMB |
| WD 20685 | | | 023,80 | 34,50 / 37,40 | 5 | AEC |
| WD 20675 | AEC 501 | | 023,80 | 34,60 / 37,60 | 5 | AEC |
| WD 21510 | | | 023,80 | 34,60 / 37,60 | 0 | AEC |
| WD 20695 | 1000 | 0013784 | 023,80 | 35,00 / 37,90 | 5 | AEC PTO SERIES |
| WD 20820 | OPEL | 0018701 | 024,00 | 34,40 / 39,30 | 0 | EDS |
| WD 20811 | FORD | 0018171 | 024,00 | 40,00 / 44,00 | 1 | EDS |
| WD 21161 | NISSAN | | 024,09 | 041,68 | 1 | RDL replacement for staked u-joint |
| WD 21091 | DAIHATSU | | 024,09 | 048,26 | 1 | RDL replacement for staked u-joint |
| WD 20585 | | 0013864 | 024,60 | 33,70 / 36,70 | 5 | AEC |
| WD 20581 | | 0013864 | 024,60 | 33,70 / 36,70 | 1 | GMB |
| WD 20745 | | 0016602 | 024,60 | 38,60 / 42,90 | 5 | RDL replacement for staked u-joint |
| WD 21081 | NISSAN | | 024,69 | 041,68 | 1 | RDL |
| WD 20465 | SUZUKI | 0018065 | 025,00 | 38,80 / 42,80 | 5 | GMB |
| WD 21340 | SUZUKI | | 025,00 | 38,80 / 41,40 | 0 | GMB |
| WD 20310 | NISSAN | 0018182 | 025,00 | 40,00 / 42,80 | 0 | GMB |
| WD 20311 | NISSAN | 0018182 | 025,00 | 40,00 / 42,80 | 1 | GMB |
| WD 20391 | MAZDA | 0015557 | 025,00 | 41,20 / 43,60 | 1 | EDS |
| WD 21671 | SUBARU | | 025,01 | 39,21 / 44,00 | 1 | GMB |
| WD 20357 | NISSAN | 0018192 | 025,01 | 52,00 / 54,40 | 7 | GMB |
| WD 20991 | OPEL | 0010083 | 025,40 | 38,80 / 43,70 | 1 | GKN |
| WD 21027 | | 0013993 | 025,40 | 54,60 / 59,40 | 7 | USA |
| WD 21007 | | 0013791 | 25,40 / 28,60 | 54,60 / 59,40 | 7 | USA |
| WD 20271 | TOYOTA | 0018185 | 026,00 | 42,00 / 46,80 | 1 | GMB |
| WD 20267 | TOYOTA | 0018193 | 026,00 | 53,30 / 55,80 | 7 | GMB |
| WD 21285 | MERCEDES | | 026,01 | 45,20 / 47,70 | 5 | GMB |
| WD 20881 | | 0013752 | 026,50 | 43,00 / 46,00 | 1 | |
| WD 20401 | MAZDA | 0016521 | 026,50 | 48,00 / 50,40 | 1 | GMB |
| WD 20501 | KIA | | 026,50 | 48,00 / 50,40 | 1 | GMB |
| WD 20505 | KIA | | 026,50 | 48,00 / 50,70 | 5 | 495982E000 / 495983E000 OEM |
| WD 22155 | KIA | | 026,50 | 48,00 / 50,70 | 5 | 495982E300 OEM HT-version |
| WD 21241 | DANA | | 026,97 | 37,50 / 41,50 | 1 | DANA |
| WD 20565 | ROCKWELL 12N | 0013982 | 026,97 | 42,15 / 46,10 | 5 | AEC |
| WD 22360 | | 0013982 | 026,97 | 46,10 / 49,10 | 0 | GMB |
| WD 20661 | | | 026,97 | 52,45 / 55,50 | 1 | EDS |
| WD 20790 | 1310 | 0018102 | 026,97 | 52,45 / 55,50 | 0 | USA , use WD 20661 c/w plug |
| WD 21030 | 1310 | 0014637 | 026,97 | 52,45 / 55,50 | 0 | DANA , JEEP 8308126637 |
| WD 21897 | | | 026,97 | 55,60 / 59,50 | 7 | |
| WD 21707 | | | 26,97 / 27,40 | 57,7/62,0*52,4/55,5 | 7 | GMB |
| WD 20360 | NISSAN | | 027,00 | 46,10 / 49,10 | 0 | GMB |
| WD 20611 | MARINE/DETROIT 7260 | 0014272 | 027,40 | 50,80 / 53,90 | 1 | USA |
| WD 20627 | MARINE/DETROIT 7260 | 0013812 | 027,40 | 50,80 / 53,90 | 7 | EDS |
| WD 206212 | MARINE/DETROIT 7260 | | 027,40 | 50,80 / 53,90 | 12 | EDS |
| WD 21101 | NISSAN | | 027,89 | 050,67 | 1 | RDL replacement for staked u-joint |
| WD 21055 | OPEL | | 028,00 | 42,00 / 45,20 | 5 | GMB |
| WD 20807 | FORD | 0018172 | 028,00 | 44,00 / 48,20 | 7 | EDS |
| WD 20257 | MERCEDES | 0018728 | 028,00 | 49,00 / 53,00 | 7 | GMB |
| WD 21010 | MERCEDES | 0010092 | 028,00 | 49,00 / 53,00 | 0 | GMB with center hole |
| WD 21965 | KUBOTA | | 028,00 | 49,10 / 51,80 | 5 | 68841-14140 |
| WD 21915 | KIA | | 028,00 | 48,40 / 51,80 | 5 | GMB |
| WD 20457 | SUBARU | 0011776 | 028,00 | 52,60 / 55,60 | 7 | GMB |
| WD 20337 | NISSAN | 0018186 | 028,00 | 53,10 / 56,10 | 7 | GMB |
| WD 20381 | MAZDA | 0014932 | 028,00 | 56,10 / 59,10 | 1 | GMB |

**INSIDE CIRCLIP**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE / LUB. | COMMENT |
|--|-----------------------|---------|-----------------|-----------------|---------------|-----------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 20541 | TOYOTA | 0016081 | 028,58 | 49,00 / 53,80 | 1 | GMB |
| WD 22610 | old 3R series | | 028,60 | 074,80 | 0 | 4 Threaded Brgs+4 brass hex. nuts |
| WD 21730 | DETROIT 7260 | | 028,60 | 60,20 / 63,50 | 0 | GMB |
| WD 20437 | DAIHATSU | | 028,60 | 60,10 / 64,70 | 7 | GMB |
| WD 21147 | GM | | 028,60 | 60,20 / 64,20 | 7 | USA |
| WD 20600 | GM HIGH FORCE | 0015159 | 028,60 | 60,20 / 64,90 | 0 | USA use WD20600AAM |
| WD 20600AAM | GM | | 028,60 | 60,20 / 64,91 | 0 | AMERICAN AXLE |
| WD 20717 | GM | 0015189 | 028,60 | 60,20 / 64,90 | 7 | EDS |
| WD 207112 | GM | | 028,60 | 60,20 / 64,90 | 12 | EDS |
| WD 20517 | DETROIT 7260 | 0013817 | 028,60 | 63,50 / 66,50 | 7 | USA DETROIT 7260 |
| WD 20650 | R 3R/ DETROIT 7260 | | 028,60 | 64,90 / 66,50 | 0 | AEC conversion kit |
| WD 20737 | | 0015412 | 028,60 | 77,60 / 82,40 | 7 | USA |
| WD 20295 | TOYOTA 29x49l | 0017745 | 029,00 | 49,00 / 52,00 | 5 | GMB |
| WD 22295 | TOYOTA 29x49l | | 029,00 | 49,00 / 52,00 | 5 | EDS |
| WD 20301 | TOYOTA 29x49l | 0016524 | 029,00 | 49,00 / 52,00 | 1 | GMB |
| WD 22301 | TOYOTA 29x49l | | 029,00 | 49,00 / 52,00 | 1 | EDS |
| WD 21330 | TOYOTA 29x49l | 0018187 | 029,00 | 49,00 / 52,00 | 0 | GMB |
| WD 20487 | ISUZU | 0018915 | 029,00 | 50,00 / 53,10 | 7 | EDS |
| WD 22487 | ISUZU | 0018915 | 029,00 | 50,00 / 53,10 | 7 | GMB |
| WD 20830 | OPEL | 0018702 | 029,00 | 51,90 / 56,20 | 0 | GMB |
| WD 21397 | ISUZU | | 029,00 | 69,00 / 72,20 | 7 | EDS |
| WD 20870 | MERCEDES | 0013753 | 029,50 | 53,00 / 56,00 | 0 | EDS c/w center hole |
| WD 20841 | LOBRO | 0018727 | 030,00 | 43,00 / 46,00 | 1 | Obsolete |
| WD 20425 | MINISUBISHI / HYUNDAI | 0017278 | 030,00 | 55,10 / 58,10 | 5 | EDS |
| WD 22425 | MINISUBISHI / HYUNDAI | | 030,00 | 55,10 / 58,11 | 5 | GMB |
| WD 21255 | DAIHATSU | | 030,00 | 55,10 / 61,10 | 5 | GMB |
| WD 20527 | ARO | 0015083 | 030,00 | 57,00 / 60,00 | 7 | EDS |
| WD 20215 | MINISUBISHI | 0011975 | 030,00 | 71,20 / 74,20 | 5 | EDS |
| WD 20630 | CHRYSLER | 0013794 | 030,20 | 52,40 / 55,50 | 0 | EDS |
| WD 22630 | CHRYSLER | | 030,20 | 52,40 / 55,50 | 0 | DANA |
| WD 21411 | CHRYSLER | | 030,20 | 52,40 / 55,50 | 1 | USA |
| WD 20347 | R55 | 0013990 | 030,20 | 60,40 / 64,90 | 7 | AEC |
| WD 20490 | FORD | 0018174 | 031,00 | 45,10 / 48,10 | 0 | GMB |
| WD 20865 | DKW | | 031,25 | 51,00 / 55,00 | 5 | EDS |
| WD 20595 | DETROIT 5160 | 0013746 | 031,30 | 46,00 / 50,80 | 5 | AEC |
| WD 20647 | DETROIT 5380 | 0018853 | 031,30 | 72,20 / 76,10 | 7 | AEC |
| WD 22210 | MERCEDES | | 032,00 | 52,30 / 57,00 | 0 | EDS c/w center hole |
| WD 20375 | MAZDA | 0011796 | 032,00 | 57,00 / 60,00 | 5 | GMB |
| WD 20287 | TOYOTA 32x61l | 0013797 | 032,00 | 61,00 / 63,80 | 7 | GMB |
| WD 21137 | NISSAN | | 032,00 | 64,00 / 68,00 | 7 | GMB |
| WD 20575 | | | 033,40 | 66,10 / 70,90 | 5 | USA |
| WD 20571 | | | 033,40 | 66,10 / 70,90 | 1 | GMB |
| WD 20727 | BW 5R | 0017319 | 033,40 | 79,25 / 84,00 | 7 | AEC |
| WD 20855 | OPEL | 0010100 | 034,00 | 51,30 / 56,00 | 5 | GMB |
| WD 25095 | 12.00.00 | | 034,00 | 52,50 / 55,60l | 5 | GMB |
| WD 22235 | | | 034,00 | 71,00 / 77,50 | 5 | EDS |
| WD 20907 | DODGE | 0011984 | 034,90 | 73,70 / 76,20 | 7 | EDS |
| WD 21115 | LOBRO | 0013868 | 037,00 | 60,00 / 65,00 | 5 | GKN |
| WD 21225 | MAZDA | 0011830 | 037,00 | 67,00 / 72,00 | 5 | GMB |
| WD 20205 | 185.20 DB | 0010058 | 038,00 | 57,20 / 62,00 | 5 | DANA |
| WD 22205 | 185.20 DB | | 038,00 | 57,20 / 62,00 | 5 | EDS |
| WD 21307 | RDL 7R | 0013973 | 041,30 | 104,50 / 110,80 | 7 | RDL |
| WD 20765 | 185.22 | 0018158 | 042,00 | 66,40 / 72,00 | 5 | EDS |
| WD 20935 | MERCEDES | 0010059 | 042,00 | 66,40 / 72,00 | 5 | GWB , obsolete with stock |
| WD 21125 | LOBRO | | 044,00 | 79,00 / 84,00 | 5 | Obsolete with stock available |
| WD 21932 | | | 044,00 | 088,00 | 2 | TATRA on request |
| WD 20895 | LOBRO | 0014736 | 048,00 | 78,00 / 86,00 | 5 | Obsolete not available |
| WD 20017 | 190.50 | 0011896 | 065,00 | 144,00 | 7 | GWB 190.50 obsolete |
| WD 20787 | 190.50 | | 065,00 | 144,00 | 7 | EDS |
| WD 20789 | 190.50 | | 065,00 | 144,00 | 9 | EDS |
| WD 21503 | 292.50 | | 065,00 | 235,00 | 3 | GWB Tunnel type |
| WD 21507 | 292.50 | | 065,00 | 235,00 | 7 | GWB Tunnel type |
| WD 20235 | 802.79 | 0019436 | 068,00 | 117,00 / 123,00 | 5 | SKF |
| WD 20240 | 802.79 | 0018959 | 068,00 | 117,00 / 123,00 | 0 | SKF |
| WD 20085 | 385.60 - 802.68 | 0018154 | 068,00 | 89,00 / 96,00 | 5 | SKF |
| WD 20220 | 385.60 - 802.69 | | 068,00 | 89,00 / 96,00 | 0 | SKF |
| WD 22085 | 385.60 - 802.68 | 0018958 | 068,00 | 89,00 / 96,00 | 5 | EDS |
| WD 20145 | 392.50 - 291.50 | 0011912 | 074,00 | 129,00 | 5 | GWB 392.50 |
| WD 21189 | 392.50 - 291.50 | | 074,00 | 129,00 | 9 | WELTE ESSEN (KÜSEL) |
| WD 21369 | 392.50 - 291.50 | | 074,00 | 129,00 | 9 | GWB 392.50 |

**INSIDE CIRCLIP**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE / LUB. | COMMENT |
|--|-------------------|---------|-----------------|---------|---------------|--------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 21589 | 392.50 - 291.50 | | 074,00 | 129,00 | 9 | GWB 392.50 with VITON seal |
| WD 21629 | 392.50 - 291.50 | | 074,00 | 129,00 | 9 | EDS |
| WD 20027 | 190.55 | 0011913 | 074,00 | 154,00 | 7 | GWB , see EDS version WD 21613 |
| WD 20917 | 190.55 | | 074,00 | 154,00 | 7 | GEWES 82 |
| WD 21403 | 190.55 | 0011914 | 074,00 | 154,00 | 3 | GWB 190.55 |
| WD 21613 | 190.55 | | 074,00 | 154,00 | 3 | EDS |
| WD 20095 | 390.60 | 0011550 | 083,00 | 129,00 | 5 | GWB 390.60 |
| WD 20705 | 390.60 | | 083,00 | 129,00 | 5 | GEWES |
| WD 21469 | 390.60 | | 083,00 | 129,00 | 9 | GWB 390.60 |
| WD 21949 | 390.60 | | 083,00 | 129,00 | 9 | WELTE ESSEN (KÜSEL) |
| WD 21639 | 390.60 | | 083,00 | 129,00 | 9 | EDS |
| WD 20155 | 392.55 | 0011917 | 083,00 | 139,00 | 5 | GWB |
| WD 20975 | GEWES 85 | | 083,00 | 139,00 | 5 | GEWES |
| WD 21685 | 392.55 - 291.55 | | 083,00 | 139,00 | 5 | WELTE ESSEN (KÜSEL) |
| WD 21299 | 392.55 - 291.55 | | 083,00 | 139,00 | 9 | GEWES |
| WD 21649 | 392.55 - 291.55 | | 083,00 | 139,00 | 9 | EDS |
| WD 21719 | 392.55 - 291.55 | | 083,00 | 139,00 | 9 | WELTE (KÜSEL) VITON SEAL |
| WD 20037 | 190.60 | 0011918 | 083,00 | 175,00 | 7 | GWB 190.60 |
| WD 20927 | 190.60 | | 083,00 | 175,00 | 7 | GEWES |
| WD 21177 | 190.60 | | 083,00 | 175,00 | 7 | WELTE ESSEN (KÜSEL) |
| WD 21423 | 190.60 | | 083,00 | 175,00 | 3 | GWB 190.60 |
| WD 21443 | 190.60 | | 083,00 | 175,00 | 3 | EDS |
| WD 20105 | 390.65 | 0011932 | 095,00 | 139,00 | 5 | GWB 390.65 |
| WD 20555 | 390.65 - GEWES 90 | | 095,00 | 139,00 | 5 | GEWES |
| WD 21459 | 390.65 | | 095,00 | 139,00 | 9 | GWB 390.65 |
| WD 21609 | 390.65 | | 095,00 | 139,00 | 4 | GWB 390.60 with VITON SEAL |
| WD 21654 | 390.65 | | 095,00 | 139,00 | 4 | EDS |
| WD 20165 | 392.60 - 291.60 | 0011936 | 095,00 | 160,00 | 5 | GWB 392.60 |
| WD 21195 | 392.60 - 291.60 | | 095,00 | 160,00 | 5 | WELTE ESSEN (KÜSEL) |
| WD 21359 | 392.60 - 291.60 | | 095,00 | 160,00 | 9 | GWB 392.60 |
| WD 21729 | 392.60 - 291.60 | | 095,00 | 160,00 | 9 | WELTE (KÜSEL) VITON SEAL |
| WD 21669 | 392.60 - 291.60 | | 095,00 | 160,00 | 9 | EDS |
| WD 20047 | 190.65 | 0011937 | 095,00 | 190,00 | 7 | GWB 190.65 |
| WD 21217 | 190.65 | | 095,00 | 190,00 | 7 | WELTE ESSEN (KÜSEL) |
| WD 21433 | 190.65 | | 095,00 | 190,00 | 3 | WELTE ESSEN (KÜSEL) |
| WD 21483 | 190.65 | | 095,00 | 190,00 | 3 | GWB 190.65 |
| WD 20115 | 390.70 | 0011939 | 110,00 | 160,00 | 5 | GWB 390.70 |
| WD 21065 | 390.70 | | 110,00 | 160,00 | 5 | GEWES |
| WD 21069 | 390.70 | | 110,00 | 160,00 | 9 | GEWES |
| WD 21389 | 390.70 | | 110,00 | 160,00 | 9 | GWB 390.70 |
| WD 20175 | 392.65 - 291.65 | 0011940 | 110,00 | 176,00 | 5 | GWB 392.65 |
| WD 21205 | 392.65 - 291.65 | | 110,00 | 176,00 | 5 | GEWES |
| WD 21699 | 392.65 - 291.65 | | 110,00 | 176,00 | 9 | WELTE(KÜSEL) |
| WD 21329 | 392.65 - 291.65 | | 110,00 | 176,00 | 9 | GWB 392.65 |
| WD 20057 | 190.70 | 0011941 | 110,00 | 210,00 | 7 | GWB 190.70 |
| WD 20947 | 190.70 | | 110,00 | 210,00 | 7 | WELTE ESSEN (KÜSEL) |
| WD 21473 | 190.70 | | 110,00 | 210,00 | 3 | WELTE ESSEN (KÜSEL) |
| WD 21493 | 190.70 | | 110,00 | 210,00 | 3 | GWB 190.70 |
| WD 22074 | 392.65 | | 110,00 | 340,00 | 4 | GWB |
| WD 20125 | 390.75 | 0011943 | 120,00 | 176,00 | 5 | GWB 390.75 |
| WD 21529 | 390.75 | | 120,00 | 176,00 | 9 | GWB 390.75 |
| WD 20185 | 392.70 | 0011944 | 120,00 | 196,00 | 5 | GWB 392.70 |
| WD 21315 | 392.70 - 291.70 | | 120,00 | 196,00 | 5 | WELTE ESSEN (KÜSEL) |
| WD 21549 | 392.70 - 291.70 | | 120,00 | 196,00 | 9 | GWB 392.70 |
| WD 20067 | 190.75 | 0011945 | 120,00 | 235,00 | 7 | GWB 190.75 |
| WD 20957 | 190.75 | | 120,00 | 235,00 | 7 | WELTE ESSEN (KÜSEL) |
| WD 21553 | 190.75 | | 120,00 | 235,00 | 3 | GWB 190.75 |
| WD 21573 | 190.75 | | 120,00 | 235,00 | 3 | WELTE ESSEN(KÜSEL) |
| WD 20135 | 390.80 | 0011946 | 130,00 | 196,00 | 5 | GWB 390.80 |
| WD 21539 | 390.80 | | 130,00 | 196,00 | 9 | GWB 390.80 |
| WD 20195 | 392.75 - 291.75 | 0011947 | 130,00 | 216,00 | 5 | GWB 392.75 - 291.75 |
| WD 21569 | 291.75 - 392.75 | | 130,00 | 216,00 | 9 | WELTE ESSEN(KÜSEL) |
| WD 23565 | S1 | | 130,00 | 216,00 | 5 | GEWES |
| WD 20077 | 190.80 | 0011948 | 130,00 | 262,00 | 7 | GWB obsolete |
| WD 20967 | 190.80 | | 130,00 | 262,00 | 7 | WELTE ESSEN (KÜSEL) |
| WD 21373 | 190.80 | | 130,00 | 262,00 | 3 | GWB 190.80 |
| WD 20475 | 392.90 - 393.80 | 0011949 | 154,00 | 250,00 | 5 | GWB 393.80 |
| WD 21955 | 393.83 | | 170,00 | 254,00 | 5 | GWB 393.83 |
| WD 21595 | 392.85 - 393.85 | 0011950 | 170,00 | 276,00 | 5 | GWB 392.85 - 393.85 |
| WD 21745 | 393.90 | | 195,00 | 315,00 | 5 | GWB 393.90 |

**U - JOINTS BACKPLATES / STRAPS**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE / LUB. | COMMENT |
|--|--------------|---------|-----------------|-----------------|---------------|-----------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 30385 | FURUKAWA | | 032,00 | 107,00 | 5 | GMB |
| WD 30560 | JOHN DEERE | | 034,93 | 106,31 | 0 | EDS |
| WD 30157 | STRAP U 56 | 0013992 | 034,90 | 126,03 | 7 | AEC |
| WD 30367 | ISUZU | 0011822 | 036,00 | 097,00 | 7 | GMB |
| WD 30167 | VOLVO NK 200 | 0014289 | 039,00 | 113,00 | 7 | on request |
| WD 30237 | | 0016567 | 039,69 | 115,95 | 7 | lose plates |
| WD 30147 | | 0018300 | 039,70 | 115,90 | 7 | GMB |
| WD 30377 | | 0018189 | 039,98 | 118,00 | 7 | GMB |
| WD 30465 | ISUZU | | 042,00 | 125,00 | 5 | GMB |
| WD 30475 | NISSAN | | 043,00 | 135,90 | 5 | GMB |
| WD 30100 | VOLVO NK 300 | 0019378 | 044,00 | 126,00 | 0 | VOLVO original service free |
| WD 30175 | VOLVO NK 300 | 0018380 | 044,00 | 126,00 | 5 | |
| WD 30185 | VOLVO NK 300 | 0015736 | 044,00 | 126,00 | 5 | EDS |
| WD 31185 | VOLVO NK 300 | | 044,00 | 126,00 | 5 | GMB |
| WD 30445 | MITSUBISHI | 0011851 | 044,00 | 129,00 | 5 | GMB |
| WD 30395 | ISUZU | 0018646 | 045,98 | 136,00 | 5 | ISUZU |
| WD 30555 | MITSUBISHI | | 046,00 | 142,00 | 5 | GMB |
| WD 30415 | MITSUBISHI | 0011855 | 046,00 | 148,00 | 5 | GMB |
| WD 30515 | HINO STRAP | | 046,80 | 130,20 / 124,00 | 5 | GMB |
| WD 30535 | KINGLONG | | 047,00 | 140,00 | 5 | EDS |
| WD 30545 | HINO STRAP | | 047,00 | 144,00 | 5 | GMB |
| WD 30017 | 1610 | 0018400 | 047,60 | 134,90 | 7 | DANA |
| WD 31017 | 1610 | 0018043 | 047,60 | 134,90 | 7 | EDS BP |
| WD 30307 | FIAT | 0015192 | 047,60 | 134,90 | 7 | w/o plates |
| WD 30405 | 1610 | | 047,60 | 134,90 | 5 | DANA METRIC CAT 4E9324 |
| WD 30067 | 1610 | 0011862 | 047,60 | 134,90 / 134,90 | 7 | DANA |
| WD 30267 | FIAT | 0010049 | 049,00 | 135,00 | 7 | supplied w/o plates |
| WD 30317 | FIAT | 0010051 | 049,00 | 155,00 | 7 | supplied w/o plates |
| WD 30327 | ROCKWELL 6N | 0013841 | 049,20 | 130,05 | 7 | USA |
| WD 35015 | SPL140 | 0011869 | 049,20 | 138,60 | 5 | DANA |
| WD 30027 | 1710 | 0018036 | 049,20 | 154,70 | 7 | DANA |
| WD 31027 | 1710 | 0011871 | 049,20 | 154,70 | 7 | EDS |
| WD 30277 | 1700 | 0017115 | 049,20 | 154,80 | 7 | GS loose plates |
| WD 30525 | 1710 | 0018500 | 049,20 | 154,80 | 5 | EDS loose plates |
| WD 30037 | 1760 | 0015742 | 049,20 | 177,80 | 7 | DANA |
| WD 31037 | 1760 | | 049,20 | 177,80 | 7 | EDS |
| WD 30047 | 1810 | 0013840 | 049,20 | 191,80 | 7 | DANA |
| WD 31047 | 1810 | 0013840 | 049,20 | 191,80 | 7 | EDS |
| WD 30077 | 1710 | 0015193 | 049,20 | 154,70 / 157,10 | 7 | DANA |
| WD 30087 | 1760 | 0018293 | 049,20 | 177,80 / 180,10 | 7 | DANA |
| WD 30097 | 1810 | | 049,20 | 191,80 / 194,10 | 7 | DANA |
| WD 30115 | VOLVO NK 400 | 0010076 | 050,00 | 152,60 | 5 | VOLVO OEM 1651032 |
| WD 30195 | VOLVO NK 400 | 0018381 | 050,00 | 152,60 | 5 | INA |
| WD 31195 | VOLVO NK 400 | 0017839 | 050,00 | 152,60 | 5 | EDS |
| WD 30287 | ROCKWELL 7N | 0015416 | 050,80 | 150,80 / 156,60 | 7 | USA |
| WD 30345 | MITSUBISHI | 0011883 | 052,00 | 153,85 | 5 | GMB |
| WD 30295 | LIAZ | 0018818 | 052,00 | 154,00 | 5 | GWB LIAZ |
| WD 30455 | MITSUBISHI | | 052,00 | 171,00 | 5 | GMB |
| WD 35035 | SPL170 | 0011888 | 055,00 | 163,90 | 5 | DANA |
| WD 30355 | NISSAN | 0011887 | 055,00 | 164,00 | 5 | GMB |
| WD 30057 | 1880 | 0017550 | 055,50 | 205,60 | 7 | DANA |
| WD 30120 | VOLVO NK 500 | 0018990 | 057,00 | 152,60 | 0 | VOLVO OEM 1067293 |
| WD 30135 | VOLVO NK 500 | 0016139 | 057,00 | 152,60 | 5 | VOLVO OEM 1657229 |
| WD 31135 | VOLVO NK 500 | 16139R | 057,00 | 152,60 | 5 | EDS |
| WD 30205 | VOLVO NK 500 | 0017840 | 057,00 | 152,60 | 5 | INA |
| WD 30210 | VOLVO NK 500 | | 057,00 | 152,60 | 0 | INA obsolete with stock |
| WD 30435 | HINO STRAP | | 058,00 | 175,00 | 5 | GMB HINO STRAP |
| WD 30337 | DANA 1800 | 0013795 | 059,00 | 167,40 | 7 | DANA |
| WD 30247 | | 0010046 | 059,00 | 167,60 | 7 | supplied w/o plates |
| WD 30225 | | | 059,00 | 167,70 | 5 | supplied w/o plates |
| WD 35055 | SPL250 | 0011891 | 060,00 | 162,80 | 5 | DANA |
| WD 30427 | FIAT 690 | 0010050 | 060,00 | 170,00 | 7 | supplied w/o plates |
| WD 30487 | | | 062,00 | 173,00 | 7 | BELKARD |
| WD 30497 | | | 068,00 | 192,00 | 7 | BELKARD |
| WD 30257 | 1900 | 0011908 | 071,48 | 223,00 | 7 | DANA |
| WD 30507 | DANA 1950 | | 077,80 | 255,10 | 7 | DANA supplied with straps |

**STAKED U - JOINTS**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE / LUB. | COMMENT |
|--|-------------------|---------|-----------------|---------|---------------|--------------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 40160 | | | 015,00 | 038,00 | 0 | GMB |
| WD 40160 | | 0018176 | 015,00 | 038,00 | 0 | GMB |
| WD 40150 | STEERING SHAFT | 0018058 | 015,00 | 040,00 | 0 | GMB STEERING |
| WD 40370 | ZF | | 015,00 | 046,00 | 0 | EDS |
| WD 40210 | | 0016167 | 016,00 | 038,00 | 0 | GMB |
| WD 40220 | | 0017660 | 016,00 | 040,00 | 0 | GMB |
| WD 40180 | BMW | 0018033 | 019,00 | 044,40 | 0 | OEM |
| WD 40305 | ZF | | 019,00 | 048,00 | 5 | GMB STEERING |
| WD 40320 | BMW | | 019,00 | 049,40 | 0 | OEM |
| WD 40410 | DACIA | | 019,00 | 051,95 | 0 | OEM |
| WD 40440 | | | 020,00 | 047,20 | 0 | EDS |
| WD 40090 | SUZUKI | 0011956 | 020,06 | 059,80 | 0 | GMB |
| WD 40050 | NISSAN | 0016304 | 020,07 | 052,40 | 0 | GMB |
| WD 40240 | | 0015673 | 022,00 | 056,50 | 0 | EDS |
| WD 41240 | | | 022,00 | 056,50 | 0 | EDS |
| WD 40270 | | 0014252 | 022,00 | 057,00 | 0 | EDS |
| WD 40040 | TOYOTA | | 022,00 | 057,50 | 0 | GMB |
| WD 40190 | FORD / MITSUBISHI | 0018033 | 022,00 | 064,50 | 0 | GMB |
| WD 40080 | MITSUBISHI | 0018191 | 022,00 | 065,00 | 0 | GMB |
| WD 40170 | FORD | | 022,00 | 067,50 | 0 | EDS |
| WD 40060 | MAZDA | | 022,06 | 061,70 | 0 | GMB |
| WD 40290 | MITSUBISHI | 0013745 | 022,06 | 064,25 | 0 | Obsolete, replaced by WD 40190 |
| WD 40360 | BMW X3 | | 024,00 | 056,50 | 0 | OEM |
| WD 40120 | MERCEDES | | 024,00 | 061,50 | 0 | OEM |
| WD 40370 | NISSAN | | 024,00 | 062,50 | 0 | EDS |
| WD 40200 | OPEL | | 024,00 | 064,50 | 0 | EDS |
| WD 40030 | 801.10 | 0018725 | 024,00 | 074,50 | 0 | EDS |
| WD 41030 | 801.10 | 0018725 | 024,00 | 074,50 | 0 | OEM NCV1 |
| WD 40340 | 801.10 | | 024,00 | 074,50 | 0 | OEM VITO + passenger car application |
| WD 40250 | 801.10 | 0018725 | 024,00 | 074,50 | 0 | GKN please use WD 40030 or 41030 |
| WD 40230 | FORD | 0016306 | 024,00 | 078,00 | 0 | GKN |
| WD 40110 | 801.17 | 0011963 | 024,00 | 088,00 | 0 | EDS |
| WD 41110 | 801.17 | | 024,00 | 088,00 | 0 | OEM NCV3 |
| WD 40350 | 801.17 | | 024,00 | 088,00 | 0 | OEM passenger car application |
| WD 40260 | BMW | 0018167 | 024,06 | 062,40 | 0 | GMB |
| WD 40070 | MAZDA | | 024,06 | 071,40 | 0 | GMB |
| WD 40420 | NISSAN | | 025,00 | 064,00 | 0 | EDS |
| WD 40140 | FORD | 0018633 | 027,00 | 071,00 | 0 | EDS |
| WD 40020 | | 0019082 | 027,00 | 074,50 | 0 | EDS |
| WD 41020 | | | 027,00 | 074,50 | 0 | OEM NCV2 |
| WD 40280 | 184.10 | 0018178 | 027,00 | 080,00 | 0 | VW-LT obsolete, use WD 40310 |
| WD 40310 | FORD TRANSIT | 0011967 | 027,00 | 080,00 | 0 | EDS |
| WD 40400 | IVECO | | 027,00 | 082,00 | 0 | OEM |
| WD 40130 | 801.18 | 0012918 | 027,00 | 088,00 | 0 | EDS NCV3 |
| WD 41130 | 801.18 | 0012918 | 027,00 | 088,00 | 0 | OEM |
| WD 40450 | FORD | | 027,00 | 096,00 | 0 | replacement for OEM staked kit |
| WD 40430 | NISSAN | | 029,00 | 077,00 | 0 | EDS |
| WD 40330 | TRANSIT new | | 029,98 | 092,00 | 0 | FORD |
| WD 40390 | IVECO | | 030,00 | 106,00 | 0 | OEM |
| WD 40011 | 801.21 | 0017173 | 031,00 | 088,00 | 1 | EDS |
| WD 40100 | 801.21 | | 031,00 | 088,00 | 0 | EDS |
| WD 41100 | 801.21 | | 031,00 | 088,00 | 0 | OEM |

**COMBINATION KITS / WING BEARINGS**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE / LUB. | COMMENT |
|--|--------------------|-----------|-----------------|-------------------|---------------|----------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 50311 | 2C LWT OPEL | 0018710 | 025,40 | 38,83 / 43,70 l | 1 | SIC |
| WD 50240 | 2C LWD | 0013997 | 025,40 | 54,70 / 59,40 l | 0 | GMB |
| WD 502412 | 2C LWD | 0013997 | 025,40 | 54,70 / 59,40 l | 12 | GMB |
| WD 502912 | 2C LWT | 0018122 | 025,40 | 54,70 / 59,40 l | 12 | GMB |
| WD 50172 | 2C LWT | | 026,97 | 081,70 | 2 | EDS |
| WD 50590 | 2C LWD | | 026,97 | 081,70 | 0 | EDS |
| WD 50327 | M 151 HWD | | 26,97 / 31,80 | 42,00 / 45,00 l | 7 | M 151 |
| WD 50367 | MWD 72265 | | 027,40 | 50,80 / 53,90 l | 7 | AEC MWD 72265 COMBINATION KIT |
| WD 50197 | 3C LWT | 0013814 | 028,57 | 60,10 / 64,90 l | 7 | GMB |
| WD 50355 | 3C HWD | | 028,57 | 60,10 / 64,90 l | 5 | GMB |
| WD 50027 | 4C LWD | 0015413 | 028,57 | 77,60 / 82,40 l | 7 | AEC |
| WD 50397 | 4C LWT | | 028,57 | 77,60 / 82,40 l | 7 | AEC |
| WD 50377 | 4C HWD | | 028,57 | 77,60 / 82,40 l | 7 | GMB |
| WD 50460 | 4C HWD / 1410 | | 030,18 | 87,30 / 106,30 | 0 | DANA |
| WD 50067 | 4C HWD / 1410 | 0018123 | 030,18 | 87,30 / 106,30 | 7 | DANA |
| WD 50617 | 4C LWT / 1410 | 0018123 | 030,18 | 87,30 / 106,30 | 7 | DANA |
| WD 50187 | 5C HWD / 1410 | | 030,18 | 88,90 / 106,30 | 7 | DANA |
| WD 50167 | 5C HWD | | 032,00 | 83,90 / 88,00 l | 7 | KOMATSU |
| WD 50487 | 5C HWT | | 033,32 | 79,20 / 84,00 | 7 | DANA FIAT HWD 10x1 |
| WD 53007 | 5C HWD | | 033,32 | 79,20 / 84,00 | 7 | FIAT Campagnola |
| WD 50587 | 5C LWD | | 033,32 | 79,20 / 84,00 | 7 | |
| WD 50307 | 6C LWT | 0017408 | 033,34 | 105,08 / 114,30 | 7 | GMB , available under request |
| WD 50407 | 6C HWD | | 033,40 | 104,62 / 109,40 l | 7 | AEC |
| WD 50457 | 6C LWT | | 033,40 | 104,62 / 109,40 l | 7 | GMB |
| WD 50207 | 5C HWD | 0013984 | 033,40 | 79,20 / 84,00 l | 7 | EDS KOMATSU |
| WD 50217 | 5C LWT | 0013903 | 033,40 | 79,20 / 84,00 l | 7 | USA |
| WD 50147 | 6C HWD | 0011983 | 033,53 | 104,60 / 109,40 l | 7 | EDS 6C KOMATSU |
| WD 50547 | 6C HWD | 0011983 | 034,00 | 104,60 / 109,40 l | 7 | EDS 6C KOMATSU 418-20-32620 |
| WD 50057 | 5C HWD / 1480 | 0011810 | 034,90 | 106,40 | 7 | DANA |
| WD 50567 | 5C HWD / 1480 | | 034,90 | 106,40 | 7 | EDS |
| WD 50250 | 5C HWD / 1480 | | 034,90 | 106,40 | 0 | DANA |
| WD 50287 | 5C LWT / 1480 | | 034,90 | 106,40 | 7 | GMB LWT |
| WD 50047 | 6C HWD / 1550 | 0011814 | 034,90 | 126,10 | 7 | DANA |
| WD 51047 | 6C HWD / 1550 | 0011814 | 034,90 | 126,10 | 7 | GMB |
| WD 50260 | 6C HWD / SPL 70 | | 034,90 | 126,10 | 0 | DANA |
| WD 50277 | 6C LWT / 1550 | 0019672 | 034,90 | 126,10 | 7 | DANA |
| WD 50527 | 58WB HWT / 1550 | | 34,90/49,20 | 126,10/108,00 | 7 | GMB |
| WD 50332 | KOMATSU HWD | | 35,00 / 49,00 | 147,00 / 158,00 l | 2 | GMB |
| WD 50415 | 6C HWD | 0011992 | 038,00 | 106,00 | 5 | ELBE 6C conversion kit |
| WD 51055 | SCANIA P30 | 0018198 | 038,00 | 148,00 | 5 | INA straight brackets |
| WD 51105 | SCANIA P30 | 0010075 | 038,00 | 148,00 | 5 | INA 4,5° brackets |
| WD 51155 | SCANIA P300 | 0011833 | 038,00 | 148,00 | 5 | SKF 4,5° brackets |
| WD 51160 | SCANIA P300 | 0011993 | 038,00 | 148,00 | 0 | SKF 4,5° brackets |
| WD 50132 | 113 / 6C HWD | 0011991 | 038,00 | 106,30 / 114,30 | 2 | ELBE 6C conversion kit |
| WD 50122 | 113 / 5C HWD | | 038,00 | 88,90 / 106,00 | 2 | ELBE 5C conversion kit |
| WD 50442 | 113 / 5C HWD CV | | 038,00 | 88,90 / 106,00 | 2 | ELBE 5C HWD double key |
| WD 51442 | 113 / 5C HWD CV | | 038,00 | 88,90 / 106,00 | 2 | EDS 5C HWD double key |
| WD 50225 | GS 606 TELMA | E650051 | 039,60 | 92,00 / 116,00 | 5 | on request |
| WD 50382 | KOMATSU HWD | | 040,00 | 164,00 / 168,00 l | 2 | KOMATSU |
| WD 50347 | FURUKAWA HWD | | 041,00 | 104,60 / 111,50 l | 7 | FURUKAWA |
| WD 50157 | 7C HWD | 0011995 | 041,30 | 104,30 / 110,80 l | 7 | EDS KOMATSU 14X-11-11-110 |
| WD 50017 | 7C HWD / 1650 | 0018121 | 041,30 | 117,50 / 142,00 | 7 | DANA |
| WD 51017 | 7C HWD / 1650 | | 041,30 | 117,50 / 142,01 | 7 | EDS |
| WD 50537 | 7C HWT / 1650 | 0018121 | 041,30 | 117,50 / 142,00 | 7 | GMB |
| WD 50437 | 8C HWD | | 041,30 | 161,70 / 168,26 l | 7 | GMB |
| WD 50572 | 7C HWD | | 042,00 | 117,50 | 2 | ELBE |
| WD 50095 | TELMA | 0017229 | 047,60 | 111,00 / 135,20 | 5 | GS706 version , RVI 5000 803 672 |
| WD 51095 | TELMA | F650082RF | 047,60 | 111,00 / 135,20 | 5 | EDS/GWB obsolete |
| WD 50552 | 7C / 1610 or 2040 | | 047,60 | 135,20 | 2 | 7C HWD /1610HR + 2040 conversion |
| WD 51205 | SCANIA P40 | 0018244 | 048,00 | 161,00 | 5 | INA straight brackets |
| WD 51255 | SCANIA P400 | 0010054 | 048,00 | 161,00 | 5 | INA 4,5° brackets |
| WD 51265 | SCANIA P400 | | 048,00 | 161,00 | 5 | EDS 4,5° brackets |
| WD 51305 | SCANIA P400 | | 048,00 | 161,00 | 5 | SKF 4,5° brackets |
| WD 51310 | SCANIA P400 | 0012000 | 048,00 | 161,00 | 0 | SKF 4,5° brackets |
| WD 51240 | SCANIA P400 | | 048,00 | 161,00 | 0 | SKF 4,5° threaded brackets |
| WD 50232 | 6C HWD/ELBE158/358 | | 048,00 | 114,30 / 126,00 | 2 | ELBE 6C conversion kit |
| WD 50425 | VOLVO EY | 0011870 | 049,20 | 154,80 | 5 | VOLVO BUS 9517697 , EY brackets |
| WD 50077 | 8,5C HWD / 1710 | | 049,20 | 123,90 / 154,70 | 7 | EDS |
| WD 50115 | TELMA | 0017706 | 049,20 | 129,00 / 154,90 | 5 | GS806 version. |
| WD 50087 | 9C HWD / 1810 | 0011880 | 049,20 | 168,30 / 191,50 | 7 | DANA |

**COMBINATION KITS / WING BEARINGS**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE / LUB. | COMMENT |
|--|------------------|---------|-----------------|-----------------|---------------|--------------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 50490 | MERITOR RPL20 | | 052,32 | 174,75 | 0 | MERITOR RPL20 original , incl. Bolts |
| WD 51490 | MERITOR RPL20 | | 052,32 | 174,75 | 0 | EDS RPL20 |
| WD 50500 | MERITOR RPL25 | | 052,32 | 208,28 | 0 | MERITOR RPL25 original,incl. Bolts |
| WD 51500 | MERITOR RPL25 | | 052,32 | 208,28 | 0 | EDS RPL25 |
| WD 50607 | 8,5C HWD/KOMATSU | | 053,00 | 165,00 | 7 | c/w straps |
| WD 50037 | 9C HWD / 1880 | 0011885 | 055,60 | 168,30 / 205,80 | 7 | DANA 5-326X 1880/9C |
| WD 51037 | 9C HWD / 1880 | 0011885 | 055,60 | 168,30 / 205,80 | 7 | EDS , see DANA WD 50037 |
| WD 50517 | 9C HWD / 1880 | 0011885 | 055,60 | 168,30 / 205,80 | 7 | GMB circlip version |
| WD 50477 | 9C HWT / 1880 | 0011886 | 055,60 | 168,30 / 205,80 | 7 | DANA 5-327X |
| WD 51355 | SCANIA P50 | 0010055 | 057,00 | 164,00 | 5 | INA straight brackets |
| WD 51405 | SCANIA P500 | 0010056 | 057,00 | 164,00 | 5 | INA 4,5° brackets |
| WD 51415 | SCANIA P500 | 0014974 | 057,00 | 164,00 | 5 | EDS 4,5° brackets |
| WD 51420 | SCANIA P500 | | 057,00 | 164,00 | 0 | SKF 4,5° threaded brackets |
| WD 51425 | SCANIA P500 | | 057,00 | 164,00 | 5 | INA 4,5° threaded brackets |
| WD 51455 | SCANIA P500 | 0012322 | 057,00 | 164,00 | 5 | SKF 4,5° brackets |
| WD 51460 | SCANIA P500 | 0012002 | 057,00 | 164,00 | 0 | SKF 4,5° brackets service free |
| WD 51005 | SCANIA P500 | 0018548 | 057,00 | 152,00 / 164,00 | 5 | P500/587.42 4,5° conversion kit |
| WD 50105 | TELMA | 0017095 | 059,00 | 137,00 / 167,70 | 5 | GC906 |

**WING STYLE U - JOINTS**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE | BOLTS | COMMENT |
|--|-------------------|---------|-----------------|-----------------|---------|-----------------|--------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | | |
| WD 61051 | HWD | | 032,00 | 067,00 | 1 | 5/16"-24 | EDS on request |
| WD 60511 | 2C LWD | 0013969 | 033,30 | 059,50 | 1 | 08,40 | EDS |
| WD 60521 | 2C LWD / LWT | 0013796 | 033,30 | 059,50 | 1 | 8,4 - 5/16"-24 | EDS |
| WD 60561 | 2C LWT | 0013769 | 033,30 | 059,50 | 1 | 5/16-24 | EDS |
| WD 60560 | 2C LWT | 0013769 | 033,30 | 059,50 | 0 | 5/16-24 | EDS |
| WD 603712 | 3C HWD | 0014588 | 036,50 | 069,90 | 12 | 08,75 | GMB |
| WD 60507 | 3C LWT | 0013972 | 036,50 | 069,90 | 7 | 5/16"-24 | EDS |
| WD 61071 | 3C LWD | 0011826 | 036,50 | 069,90 | 1 | 08,75 | GMB |
| WD 61077 | 3C LWD | | 036,50 | 069,90 | 7 | 08,75 | GMB |
| WD 61027 | 3C LWD / LWT | 0011826 | 036,50 | 069,90 | 7 | | GMB |
| WD 60317 | 4C LWD | 0014003 | 036,50 | 087,30 | 7 | 08,75 | EDS |
| WD 60357 | 4C LWT | 0013767 | 036,50 | 087,30 | 7 | 5/16"-24 | GMB |
| WD 60447 | 4C HWD | 0013770 | 036,50 | 087,30 | 7 | 08,75 | DANA |
| WD 60457 | 4C HWD | 0013770 | 036,50 | 087,30 | 7 | 08,75 | EDS |
| WD 60460 | 4C HWD | | 036,50 | 087,30 | 0 | 08,75 | DANA service free |
| WD 60487 | 4C HWD / LWT | 0013974 | 036,50 | 087,30 | 7 | 5/16-24 | EDS |
| WD 60497 | 4C LWD / LWT | 0016437 | 036,50 | 087,30 | 7 | 8,75 - 5/16"-24 | EDS |
| WD 61047 | 4C HWD / LWD | | 036,50 | 087,30 | 7 | 8,75 - 5/16"-24 | GMB |
| WD 61162 | LWT | | 036,60 | 047,00 | 2 | M6x1 | Maserati |
| WD 60862 | LWT / LWD | | 036,60 | 057,00 | 2 | 8,0 /M7x1 | DANA |
| WD 60922 | LWT | | 036,60 | 057,00 | 2 | M7x1 | DANA |
| WD 61112 | HWD | | 036,60 | 069,90 | 2 | 08,50 | center hole |
| WD 61122 | HWD | | 036,60 | 078,00 | 2 | 08,50 | EDS |
| WD 61145 | LWT | | 042,90 | 073,00 | 5 | M8x1 | Ferrari |
| WD 60347 | 5C HWD | | 042,90 | 088,90 | 7 | 10,50 | GMB |
| WD 60367 | 5C HWD / LWT | 0013780 | 042,90 | 088,90 | 7 | 10,5/3/8-24 | EDS |
| WD 60387 | 5C HWD | 0016594 | 042,90 | 088,90 | 7 | 10,50 | DANA |
| WD 60397 | 5C HWD / LWT | | 042,90 | 088,90 | 7 | 10,5 - 3/8"-24 | DANA |
| WD 60340 | 5C HWD | | 042,90 | 088,90 | 0 | 10,50 | EDS |
| WD 60410 | 5C HWD | | 042,90 | 088,90 | 0 | 10,50 | DANA |
| WD 60427 | 5C LWT | 0013748 | 042,90 | 088,90 | 7 | 3/8"-24 | GMB |
| WD 60437 | 5C LWD / LWT | 0013987 | 042,90 | 088,90 | 7 | 10,5 - 3/8"-24 | EDS |
| WD 60677 | 5C LWD | 0018066 | 042,90 | 088,90 | 7 | 10,50 | GMB |
| WD 60887 | 5C HWD / LWD | 0017958 | 042,90 | 088,90 | 7 | 10,50 | EDS |
| WD 60267 | 6C HWD | 0013766 | 042,90 | 114,30 | 7 | 10,50 | DANA |
| WD 60275 | 6C HWD | | 042,90 | 114,30 | 5 | 10,50 | EDS |
| WD 60277 | 6C HWD | 0013766 | 042,90 | 114,30 | 7 | 10,50 | EDS |
| WD 60287 | 6C HWD / LWT | 0013768 | 042,90 | 114,30 | 7 | 10,5 - 3/8"-24 | GMB |
| WD 60300 | 6C HWD | | 042,90 | 114,30 | 0 | 10,50 | DANA |
| WD 60270 | 6C HWD | | 042,90 | 114,30 | 0 | 10,50 | EDS |
| WD 61300 | 6C HWD | | 042,90 | 114,30 | 0 | 10,50 | ELBE as stock last |
| WD 60327 | 6C LWT | 0013882 | 042,90 | 114,30 | 7 | 3/8"-24 | EDS |
| WD 60337 | 6C LWD / LWT | 0013978 | 042,90 | 114,30 | 7 | 10,5 - 3/8"-24 | GMB |
| WD 60597 | 6C HWD double key | | 042,90 | 114,30 | 7 | 10,50 | DANA double key |
| WD 60657 | 6C LWD | 0011847 | 042,90 | 114,30 | 7 | 10,50 | GMB |
| WD 61067 | 6C LWT / 7C HWD | | 42,90 / 49,20 | 114,30 / 117,50 | 7 | 3/8"-24 - 13,5 | EDS 6C/7C conversion kit |
| WD 60687 | TCM | | 045,00 | 099,00 | 7 | 12,50 | GMB TCM |
| WD 60697 | TCM | | 046,00 | 108,00 | 7 | 11,00 | GMB TCM |
| WD 60010 | DEUTZ HWD | 0013848 | 049,20 | 104,00 | 0 | 11,00 | DANA |
| WD 60077 | HWD / HWT 10x1 | | 049,20 | 104,00 | 7 | 10x1 | DANA |
| WD 62010 | DEUTZ HWD | 0013848 | 049,20 | 104,00 | 0 | 11,00 | EDS , see WD 60010 |
| WD 60047 | 58WB LWT | | 049,20 | 108,00 | 7 | 7/16" | EDS |
| WD 60067 | 58WB HWD | 0014001 | 049,20 | 108,00 | 7 | 11,90 | EDS |
| WD 61207 | 58WD DWT | | 049,20 | 108,00 | 7 | 7/16" | EDS |
| WD 60857 | 58WB HWD / DWT | 0013994 | 049,20 | 108,00 | 7 | 11,90 | EDS |
| WD 60087 | HWD | | 049,20 | 112,00 | 7 | 10,75 | obsolete --on request |
| WD 60227 | 7C HWD | 0016562 | 049,20 | 117,50 | 7 | 13,50 | DANA |
| WD 60230 | 7C HWD | | 049,20 | 117,50 | 0 | 13,50 | DANA service free |
| WD 61217 | 7C HWD | | 049,20 | 117,50 | 7 | 13,50 | DANA double key |
| WD 60297 | 7C HWD | 0016562 | 049,20 | 117,50 | 7 | 13,50 | EDS |
| WD 62297 | 7C HWD | | 049,20 | 117,50 | 7 | 13,50 | GMB |
| WD 63297 | 7C HWD | | 049,20 | 117,50 | 7 | 13,50 | ROCKFORD on request |
| WD 60902 | 7C HWD | | 049,20 | 117,50 | 2 | 13,5-1/2 " | DANA |
| WD 60980 | 7C HWD | | 049,20 | 117,50 | 0 | 13,50 | EDS |
| WD 622214 | 7C HWD | | 049,20 | 117,50 | 7 / 45° | 13,50 | DANA MAN |
| WD 61097 | 7C HWD KOYO | | 049,20 | 117,50 | 7 | 11,00 | EDS special bolt holes |
| WD 60247 | 7C HWD / LWT | 0013773 | 049,20 | 117,50 | 7 | 13,5 - 7/16" | GMB |
| WD 61087 | 7C HWD / LWD | | 049,20 | 117,50 | 7 | 13,5/11,5 | GMB |
| WD 60257 | 7C LWD / LWT | 0016536 | 049,20 | 117,50 | 7 | 11,5 - 7/16" | GMB |
| WD 60407 | 7C LWT | 0013749 | 049,20 | 117,50 | 7 | 7/16" | GMB |

**WING STYLE U - JOINTS**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE | BOLTS | COMMENT |
|--|---------------------|---------|-----------------|-----------------|---------|--------------|---------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | | |
| WD 60667 | 7C LWD | | 049,20 | 117,50 | 7 | 13,50 | GMB |
| WD 60167 | 8C HWD / LWT | 0013774 | 049,20 | 174,60 | 7 | 13,5 - 7/16" | EDS |
| WD 60177 | 8C LWT | 0014925 | 049,20 | 174,60 | 7 | 7/16" | DANA |
| WD 60190 | 8C HWD | | 049,20 | 174,60 | 0 | 13,50 | DANA |
| WD 60207 | 8C HWD | 0013771 | 049,20 | 174,60 | 7 | 13,50 | DANA |
| WD 61157 | 8C HWD | | 049,20 | 174,60 | 7 | 13,50 | center hole 72mm |
| WD 62157 | 8C LWT | | 049,20 | 174,60 | 7 | 12x1,5 | center hole 72mm |
| WD 60577 | 8C LWT / LWD | 0015418 | 049,20 | 174,60 | 7 | 13,5 - 7/16" | GMB |
| WD 60757 | 8C HWD | | 049,20 | 174,60 | 7 | 13,50 | GMB |
| WD 61037 | 8C LWD | 0011879 | 049,20 | 174,60 | 7 | 13,50 | GMB |
| WD 60554 | KOMATSU HWD | | 050,00 | 181,00 | 4 | 13,50 | EDS KOMATSU |
| WD 61137 | LWT 10x1,25 | | 052,00 | 118,00 | 7 | 10x1,25 | EDS |
| WD 61017 | PEGASO | | 055,00 | 174,60 | 7 | 13,50 | PEGASO , under request |
| WD 60025 | ISUZU LWT | | 056,00 | 140,20 | 5 | 12x1,25 | GMB |
| WD 60035 | FURUKAWA HWD | | 059,80 | 105,20 | 5 | 12,20 | MATSUI |
| WD 62117 | 180M146 HWD | | 060,00 | 146,00 | 7 | 13,00 | DANA |
| WD 65117 | 180M146 HWD | 0016036 | 060,00 | 146,00 | 7 | 13,00 | EDS |
| WD 60967 | 8,5C HWD - 180M146 | | 60,00 / 71,40 | 146,00 / 123,80 | 5 | 13,00 | EDS conversion kit |
| WD 60645 | ISUZU LWT | | 060,10 | 159,00 | 5 | 12x1,25 | GMB |
| WD 60057 | TDJ 170 HWD | 0011892 | 062,00 | 125,20 | 7 | 13,50 | AEC |
| WD 60107 | 8,5C HWD / TDJ170 | | 62,00 / 71,40 | 125,20 / 123,80 | 7 | 13,50 | AEC conversion kit |
| WD 60097 | 210M168 HWD | 0011893 | 070,00 | 168,00 | 7 | 17,00 | EDS |
| WD 62097 | 210M168 HWD | 0011893 | 070,00 | 168,00 | 7 | 17,00 | DANA |
| WD 60215 | 8,5C HWD | 0013980 | 071,40 | 123,80 | 5 | 13,50 | DANA |
| WD 63215 | 8,5C HWD | | 071,40 | 123,80 | 5 | 13,50 | ROCKFORD on request |
| WD 60477 | 8,5C LWD | 0011894 | 071,40 | 123,80 | 7 | 13,50 | DANA |
| WD 60635 | 8,5C HWD / HWT | | 071,40 | 123,80 | 5 | 13,5 - 1/2" | DANA |
| WD 60765 | 8,5C DWT | | 071,40 | 123,80 | 5 | 1/2" | EDS |
| WD 60767 | 8,5C DWT | | 071,40 | 123,80 | 7 | 1/2" | EDS |
| WD 607614 | 8,5C DWT | | 071,40 | 123,80 | 14 | 1/2" | DANA |
| WD 60805 | 8,5C HWD | | 071,40 | 123,80 | 5 | 13,50 | EDS |
| WD 61195 | 8,5C HWD CV | | 071,40 | 123,80 | 5 | 13,50 | DANA double key |
| WD 60802 | 8,5C HWD | | 071,40 | 123,80 | 2 | 13,50 | EDS DOOSAN |
| WD 60810 | 8,5C HWD | | 071,40 | 123,80 | 0 | 13,50 | DANA |
| WD 60827 | 8,5C LWD | | 071,40 | 123,80 | 7 | 13,50 | EDS |
| WD 60875 | 8,5C HWD / DWT | | 071,40 | 123,80 | 5 | 13,5 - 1/2" | EDS |
| WD 60915 | 8,5C LWT | | 071,40 | 123,80 | 5 | 1/2"-20 | GMB |
| WD 61007 | 8,5C HWD / LWT | 0011897 | 071,40 | 123,80 | 7 | 13,5 - 1/2" | GMB |
| WD 60187 | 9C HWD | 0013765 | 071,40 | 168,20 | 7 | 13,50 | DANA |
| WD 63187 | 9C HWD | | 071,40 | 168,20 | 7 | 1/2" - 20 | ROCKFORD on request |
| WD 60547 | 9C HWT | 0015414 | 071,40 | 168,20 | 7 | 1/2" - 20 | DELTA |
| WD 60707 | 9C HWD | | 071,40 | 168,20 | 7 | 13,50 | EDS |
| WD 60730 | 9C HWD | | 071,40 | 168,20 | 0 | 13,50 | DANA |
| WD 60947 | 9C HWD / LWT | | 071,40 | 168,20 | 7 | 13,5 - 1/2" | GMB |
| WD 60955 | 9C HWD | | 071,40 | 168,20 | 5 | 1/2"-20 | EDS HD version |
| WD 61107 | 9C LWT | | 071,40 | 168,20 | 7 | 13,50 | GMB |
| WD 60997 | 9C LWD | 0011904 | 071,40 | 168,20 | 7 | 13,50 | GMB |
| WD 60607 | TDJ 310 HWD | | 071,40 | 168,30 | 7 | 13,50 | TWIN DISC TDJ310 |
| WD 61167 | 8,5C HWD / S-990 | | 71,40 / 72,00 | 123,80 / 138,00 | 7 | 13,50 | EDS 8.5C / S-990 conversion kit |
| WD 60977 | 9C HWD / S-990 | | 71,40 / 72,00 | 168,20 / 138,00 | 7 | 13,5/17,0 | EDS 9C / S-990 conversion kit |
| WD 60847 | S-990 HWD | 0011909 | 072,00 | 138,00 | 7 | 17,00 | DANA |
| WD 60897 | S-1100 HWD | | 072,00 | 158,00 | 7 | 17,00 | EDS |
| WD 60127 | 11,5C HWD - 246M210 | 0011916 | 082,00 | 198,00 | 7 | 17,00 | DANA |
| WD 62127 | 11,5C HWD - 246M210 | 0011916 | 082,00 | 198,00 | 7 | 17,00 | EDS |
| WD 60117 | TDJ 490 HWD | 0014583 | 088,90 | 172,70 | 7 | 17,00 | EDS TDJ 490 |
| WD 60137 | 11C / 11,5C HWD | | 088,90 | 172,70 | 7 | 20,00 | DANA 11C |
| WD 60157 | TDJ 600 HWD | 0011921 | 088,90 | 172,70 | 7 | 19,50 | USA |
| WD 60627 | 280M220 HWD | 0011924 | 092,00 | 227,00 | 7 | 19,00 | DANA |
| WD 60147 | 10C HWD | 0018119 | 092,10 | 165,10 | 7 | 17,00 | DANA |
| WD 60617 | 10C LWD | 0011926 | 092,10 | 165,10 | 7 | 17,00 | EDS |
| WD 60717 | 10C HWD | 0014924 | 092,10 | 165,10 | 7 | 17,00 | EDS obsolete ---see WD 62717 |
| WD 60740 | 10C HWD | | 092,10 | 165,10 | 0 | 17,00 | DANA |
| WD 60777 | KOMATSU HWD | | 092,10 | 165,10 | 7 | 15,00 | DANA KOMATSU 15mm holes |
| WD 60787 | 10C KOMATSU | | 092,10 | 165,10 | 7 | 15,0/17,0 | KOMATSU/10C conversion kit |
| WD 608314 | KOMATSU HWD | | 092,10 | 165,10 | 7 / 45° | 17,00 | DANA KOMATSU |
| WD 62717 | 10C | 0014924 | 092,10 | 165,10 | 7 | 17,00 | EDS |
| WD 60727 | 12C HWD | | 092,10 | 241,30 | 7 | 19,50 | EDS |
| WD 62727 | 12C HWD | | 092,10 | 241,30 | 7 | 19,50 | DANA |
| WD 61187 | 12C HWD Komatsu | | 092,10 | 241,30 | 7/45° | 15,00 | EDS center hole |
| WD 60537 | 15C/J800 HWD | 0018278 | 100,00 | 199,94 | 7 | 19,50 | DANA |

**WING STYLE U - JOINTS**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE | BOLTS | COMMENT |
|--|-------------------|---------|-----------------|---------|--------|-------|------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | | |
| WD 60937 | 15C/J800 HWD | | 100,00 | 199,94 | 7 | 20,50 | EDS M20x2,5 bolts |
| WD 60587 | 14,5C/310M230 HWD | 0011938 | 107,00 | 252,00 | 7 | 23,50 | DANA |
| WD 61225 | TDJ1200 | | 117,90 | 225,60 | 5 | 23,00 | TWIN DISC TDJ1200 on request |
| WD 60795 | 14C/339M140 HWD | | 134,88 | 269,50 | 5 | 19,00 | DANA |

INSIDE / OUTSIDE SNAP RING (CIRCLIPS)

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE / LUB. | COMMENT |
|--|---------------|---------|-----------------|----------------------|---------------|---------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 70041 | | | 20,00 / 35,00 | 56,8**35,00/38,00 I | 1 | USA |
| WD 70061 | | | 026,97 | 61,9**37,50/41,50 I | 1 | USA |
| WD 70080 | CLEVELAND S55 | 0013991 | 026,97 | 81,7**52,50/55,50 I | 0 | USA |
| WD 70097 | PUJ 431 | 0016704 | 026,97 | 81,7**67,60/70,30 I | 7 | USA |
| WD 70107 | | | 027,00 | 92,0**67,60/70,70 I | 7 | USA |
| WD 70167 | M 151 | | 027,00 | 83,0**60,00/64,00 I | 7 | M151 |
| WD 70127 | | | 030,20 | 106,2**74,70/79,20 I | 7 | USA |
| WD 70015 | | 0013807 | 26,97 / 25,40 | 61,9**38,80/43,60 I | 5 | USA |
| WD 70137 | | 0013792 | 26,97 / 25,40 | 81,7**54,40/59,40 I | 7 | USA |
| WD 70057 | | | 26,97 / 27,40 | 81,7**49,40/53,90 I | 7 | USA |
| WD 70077 | | 0013809 | 26,97 / 28,60 | 81,7**55,20/60,00 I | 7 | USA |
| WD 70027 | | 0017182 | 26,97 / 28,60 | 81,7**60,20/64,90 I | 7 | USA |
| WD 70147 | | 0015409 | 26,97 / 28,60 | 92,0**60,20/64,90 I | 7 | USA , chemical coat |
| WD 70151 | 1330 | 0015403 | 26,97 / 28,60 | 92,0**60,20/64,90 I | 1 | USA |
| WD 70197 | | | 26,97 / 28,60 | 92,0**61,20/65,30 I | 7 | EDS |
| WD 70117 | | 0013806 | 26,97 / 28,60 | 92,0**65,80/70,30 I | 7 | USA |
| WD 70187 | | | 28,60 / 29,67 | 82,6**57,40/60,00 I | 7 | USA |
| WD 70177 | | | 30,20 / 28,60 | 92,0**60,20/64,90 I | 7 | USA |
| WD 70037 | | | 30,20 / 31,30 | 106,2**71,20/76,10 I | 7 | USA |

**STEER AXLE U - JOINTS**

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|-------------|----------|-----------------|---------|--------|--------|------------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | | |
| WD 80640 | 300 series | 0017985 | 023,80 | 062,50 | 0 | | EDS |
| WD 80655 | B300 | | 023,80 | 062,50 | 5 | | BTB B300 |
| WD 81040 | 403.300 | | 023,80 | 062,61 | 0 | | ELBE |
| WD 80810 | B300H | | 023,80 | 135,00 | 0 | | BTB B300H HURTH |
| WD 80820 | 453.300 | | 024,00 | 061,80 | 0 | | ELBE |
| WD 80680 | 369.03 | | 024,00 | 077,00 | 0 | 4 | GWB |
| WD 80930 | 169.10 | Obsolete | 024,00 | 087,20 | 0 | | GWB obsolete |
| WD 80570 | 215 series | | 026,97 | 081,80 | 0 | | EDS |
| WD 80166 | | | 026,98 | 071,00 | 6 | | EDS |
| WD 80450 | | | 026,98 | 071,00 | 0 | | STC |
| WD 80560 | | | 026,98 | 071,00 | 0 | 5 | DANA |
| WD 80355 | | 0013879 | 027,00 | 070,00 | 5 | | DANA |
| WD 80350 | 458.300 | | 027,00 | 070,00 | 0 | | ELBE |
| WD 80360 | | 0016471 | 027,00 | 070,00 | 0 | | EDS |
| WD 80366 | | | 027,00 | 070,60 | 6 | | EDS |
| WD 806110 | | 0011966 | 027,00 | 070,00 | 10 | | EDS |
| WD 80385 | B310 | 0018298 | 027,00 | 071,00 | 5 | | DANA |
| WD 80390 | B310 | 0017986 | 027,00 | 071,00 | 0 | | BTB |
| WD 80396 | B310 | | 027,00 | 071,00 | 6 | | EDS |
| WD 81390 | BTB B310 | 0013986 | 027,00 | 071,00 | 0 | | EDS |
| WD 80620 | B210 | 0018835 | 027,00 | 074,60 | 0 | | BTB B210 |
| WD 80920 | | | 027,00 | 081,70 | 0 | 4,5 | BTB |
| WD 80912 | | | 027,00 | 082,00 | 2 | 6,4 | EDS |
| WD 80905 | ZF | | 027,00 | 083,00 | 5 | | ZF 0 501 203 690 |
| WD 80530 | 369.04 | 0016398 | 027,00 | 087,00 | 0 | 5 | DANA KRAMER 0022610669 |
| WD 80176 | 408.300/500 | | 028,50 | 070,70 | 6 | | ELBE |
| WD 80296 | 509.300 | 0016648 | 030,00 | 079,00 | 6 | 5 | ELBE |
| WD 81296 | 509.300 | 0016648 | 030,00 | 079,00 | 6 | 5 | EDS |
| WD 80690 | 409.300/500 | | 030,00 | 083,00 | 0 | | EDS |
| WD 80696 | 409.300/500 | | 030,00 | 083,00 | 6 | | EDS |
| WD 80250 | GEWES 41 | | 030,00 | 086,70 | 0 | 7 | GEWES |
| WD 80300 | KLEIN 18 | 0016530 | 030,00 | 091,00 | 0 | 8 | KLEIN KRAMER 0022610869 |
| WD 80186 | 411.300 | 0013826 | 030,00 | 094,00 | 6 | | ELBE |
| WD 80540 | 369.10 | 0014256 | 030,00 | 096,00 | 0 | 6 | GWB |
| WD 80750 | KLEIN 17 | | 030,00 | 097,60 | 0 | 8 | KRAMER, obsolete |
| WD 80700 | BTB B220 | | 030,17 | 092,00 | 0 | | EDS |
| WD 80706 | BTB B220 | | 030,17 | 092,00 | 6 | | EDS |
| WD 80400 | BTB B320 | 0017987 | 030,20 | 082,00 | 0 | | DANA |
| WD 80415 | BTB B320 | 0012531 | 030,20 | 082,00 | 5 | | EDS |
| WD 81415 | BTB B320 | | 030,20 | 082,00 | 5 | | BTB |
| WD 80590 | 320 series | | 030,20 | 082,00 | 0 | | |
| WD 80606 | 320 series | | 030,20 | 082,00 | 6 | | |
| WD 80980 | CARRARO | | 030,20 | 082,00 | 0 | | ELBE |
| WD 80370 | | | 030,20 | 092,10 | 0 | | |
| WD 80522 | 469.10 | 0011981 | 032,00 | 082,00 | 2 | 7 | EDS |
| WD 80970 | | | 032,00 | 086,00 | 0 | 7 | EDS |
| WD 80310 | KRAMER 019 | | 032,00 | 100,00 | 0 | 7 | KRAMER 0000801574 |
| WD 80760 | 369.20 | 0013586 | 032,00 | 110,70 | 0 | 7 | EDS |
| WD 80096 | 511.300 | 0014921 | 034,00 | 096,00 | 6 | 6,5 | ELBE |
| WD 80848 | 412.400 | | 034,00 | 097,00 | 8 | | ELBE |
| WD 81018 | STC330 | | 034,00 | 097,00 | 8 | | EDS |
| WD 80830 | 411.300 | 0016433 | 034,00 | 099,00 | 0 | | ELBE 411 HD obsolete not available |
| WD 80196 | 412.300 | 0014920 | 034,00 | 105,00 | 6 | | ELBE |
| WD 80666 | 269.30 | 0014535 | 034,60 | 130,00 | 6 | 2 | EDS |
| WD 80676 | 269.30 | 0014006 | 034,60 | 130,00 | 6 | 2 | EDS threaded wing bearings |
| WD 80430 | | | 034,92 | 093,00 | 0 | | |
| WD 80076 | 510.300 | 510021 | 035,00 | 087,00 | 6 | 7 | ELBE |
| WD 80087 | 510.300 | 510021 | 035,00 | 087,00 | 7 | 7 | ELBE ZF |
| WD 80426 | B330 | | 035,00 | 093,00 | 6 | | BTB |
| WD 80445 | B330 | 0011987 | 035,00 | 093,00 | 5 | | BTB |
| WD 81445 | | | 035,00 | 093,00 | 5 | | JCB |
| WD 80870 | B330 | | 035,00 | 093,00 | 0 | | BTB |
| WD 80106 | 511.300 | 0011988 | 035,00 | 096,00 | 6 | 6 | ELBE |
| WD 81100 | 435 series | 0013859 | 035,00 | 096,00 | 0 | 7 | EDS |
| WD 80020 | 469.20 | 0017430 | 035,00 | 096,50 | 0 | 8 | EDS |
| WD 80330 | KLEIN 23 | 0011988 | 035,00 | 096,50 | 0 | 8 | KLEIN |
| WD 80587 | B235 | | 035,00 | 096,80 | 7 | | EDS |
| WD 80630 | B235 | | 035,00 | 096,80 | 0 | | EDS |
| WD 80960 | GEWES 61 | | 035,00 | 097,00 | 0 | 8 | GEWES |
| WD 80320 | KLEIN 023 | | 035,00 | 110,70 | 0 | 7 | KLEIN please use WD 80010 |



STEER AXLE U - JOINTS

| EDS P/N | SERIES | UC Nr. | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|-------------|---------|-----------------|---------|--------|--------|---------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | | |
| WD 80010 | 369.21 | 0013587 | 035,00 | 110,70 | 0 | 7 | GWB |
| WD 80032 | 469.30 | 0013859 | 038,00 | 104,50 | 2 | 9 | DANA |
| WD 80340 | KLEIN 025 | | 038,00 | 104,50 | 0 | 8 | KLEIN |
| WD 81032 | 469.30 | 0013859 | 038,00 | 104,50 | 2 | 9 | EDS |
| WD 80711 | 413.300 | 0015198 | 038,00 | 106,00 | 1 | | ELBE |
| WD 80858 | 413.400 | | 038,00 | 106,00 | 8 | | ELBE |
| WD 80116 | 512.300 | 0013830 | 038,00 | 107,00 | 6 | 7,5 | ELBE additional plastic flinger |
| WD 80486 | 512.300 | 0013830 | 038,00 | 107,00 | 6 | 7,5 | ELBE standart 512 |
| WD 81486 | 512.300 | 0013830 | 038,00 | 107,00 | 6 | 7,5 | EDS |
| WD 82486 | 512.300 | 0013830 | 038,00 | 107,00 | 6 | 7,5 | please use WD81486 |
| WD 80040 | 369.30 | 0013855 | 038,00 | 119,00 | 0 | 9 | DANA |
| WD 80206 | 414.300 | 0013833 | 038,00 | 122,00 | 6 | | ELBE |
| WD 80740 | 369.35 | 0014009 | 038,00 | 129,00 | 0 | | GWB 369.35 , under request |
| WD 80460 | B340 | | 039,60 | 105,00 | 0 | | BTB under request |
| WD 80475 | B340 | | 039,60 | 105,00 | 5 | | BTB under request |
| WD 80510 | B245 | 0011994 | 039,60 | 106,30 | 0 | | EDS |
| WD 80556 | 39B110 | | 039,60 | 110,00 | 6 | 9 | DANA |
| WD 80240 | GEWES 51 | 0018608 | 040,00 | 104,30 | 0 | 8 | GEWES |
| WD 80260 | 569.32 | | 040,00 | 104,30 | 0 | 8 | EDS service free |
| WD 80770 | GEWES 51 | | 040,00 | 104,30 | 0 | 9 | GEWES SISU on request |
| WD 80882 | 569.32 | | 040,00 | 104,30 | 2 | 8 | EDS 2xend lub |
| WD 81020 | 412.500 | | 040,00 | 105,60 | 0 | | ELBE |
| WD 80950 | 512.300 new | | 040,00 | 107,00 | 0 | 7,5 | ELBE |
| WD 80952 | 512 | | 040,00 | 107,00 | 2 | 7,5 | EDS |
| WD 80126 | 513.300 | 0014548 | 042,00 | 110,00 | 6 | 7,5 | ELBE |
| WD 80506 | 513.300 | 0014548 | 042,00 | 110,00 | 6 | 7,5 | EDS |
| WD 80216 | 415.300 | 0013865 | 042,00 | 122,00 | 6 | | ELBE |
| WD 80050 | 369.37 | 0013857 | 044,00 | 134,00 | 0 | 10 | DANA IVECO diff side |
| WD 80860 | 369.37 | 0014010 | 044,00 | 134,00 | 0 | 10 | DANA IVECO wheel side |
| WD 80226 | 416.300 | 0016110 | 045,00 | 121,50 | 6 | | ELBE |
| WD 80136 | 515.300 | 0016064 | 045,00 | 125,00 | 6 | 8 | ELBE |
| WD 80496 | 515.300 | 0016064 | 045,00 | 125,00 | 6 | 8 | EDS |
| WD 80236 | 418.300 | 0013853 | 045,00 | 152,00 | 6 | | ELBE |
| WD 80730 | GEWES 71 | 0011997 | 045,50 | 114,10 | 0 | 10 | GEWES |
| WD 80270 | 569.38 | | 045,50 | 120,00 | 0 | 10 | BTB |
| WD 80780 | GEWES 81 | | 045,50 | 130,10 | 0 | 10 | GEWES |
| WD 80282 | 469.40 | 0011998 | 047,00 | 127,50 | 2 | 10 | |
| WD 80060 | 369.40 | 0013858 | 047,00 | 142,00 | 0 | 11 | |
| WD 80146 | 516.300 | 0013854 | 050,00 | 134,00 | 6 | 10 | ELBE |
| WD 80156 | 518.300 | 0014511 | 050,00 | 152,00 | 6 | 10 | ELBE |
| WD 80890 | 369.50 | | 055,00 | 168,00 | 0 | 13 | GWB |
| WD 81006 | 969.20 | | 058,00 | 085,00 | 0 | 6 | GWB |
| WD 80995 | | | 058,00 | 158,80 | 0 | 5 | GOTTWALD |
| WD 80946 | 969.50 | | 068,00 | 125,00 | 6 | | EDS 969.50 |
| WD 80796 | 166.31 | 0014397 | | | 6 | 5 | MERCEDES |
| WD 80806 | 166.31 | 0014398 | | | 6 | 5 | MERCEDES |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|-----------------|-----------------|---------|--------|--------|------------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 10010 | | 074,00 | 217,00 | 0 | | SKF service free |
| WD 10015 | 83 series | 074,00 | 217,00 | 5 | | GEWES |
| WD 10019 | 83 series | 074,00 | 217,00 | 9 | | GEWES |
| WD 10025 | 587.60 | 083,00 | 231,40 | 5 | | GWB |
| WD 10035 | S255.5 | 065,00 | 157,00 | 5 | | EDS |
| WD 10039 | S225.5 | 065,00 | 157,00 | 9 | | EDS |
| WD 10045 | S250.5 | 074,00 | 179,90 | 5 | | VOITH |
| WD 10055 | | 074,00 | 195,00 | 5 | | INA |
| WD 10058 | | 074,00 | 195,00 | 8 | | INA |
| WD 10065 | | 083,00 | 220,00 | 5 | | INA |
| WD 10075 | | 095,00 | 250,00 | 5 | | INA |
| WD 10085 | | 110,00 | 275,00 | 5 | | EDS |
| WD 10089 | | 110,00 | 275,00 | 9 | | EDS |
| WD 10090 | 587.48 - 687.65 | 065,00 | 172,00 | 0 | | GWB |
| WD 10095 | 687.65 | 065,00 | 172,00 | 5 | | GWB HIGH TEMP |
| WD 10105 | 687.45/47 | 052,00 | 147,20 | 5 | | GWB HT |
| WD 10115 | 687.40 | 047,60 | 135,20 | 5 | | GWB |
| WD 10120 | 687.60 | 059,00 | 167,60 | 0 | | GWB |
| WD 10130 | 687.45/47 | 052,00 | 147,20 | 0 | | GWB , VOLVO 1068247 |
| WD 10140 | 687.40 | 047,60 | 135,20 | 0 | | GWB |
| WD 10150 | 687.35 | 042,00 | 119,40 | 0 | | GWB |
| WD 10160 | 687.55 | 057,00 | 152,00 | 0 | | GWB |
| WD 10175 | 687.60 | 059,00 | 167,60 | 5 | | INA , EDS alternative WD14085 |
| WD 10185 | 687.60 | 059,00 | 167,60 | 5 | | GWB |
| WD 10195 | 687.55 | 057,00 | 152,00 | 5 | | GWB |
| WD 10205 | 687.50 | 049,20 | 154,70 | 5 | | GWB |
| WD 10215 | 687.45/47 | 052,00 | 147,20 | 5 | | GWB |
| WD 10225 | 687.40 | 047,60 | 135,20 | 5 | | GWB |
| WD 10235 | 687.35 | 042,00 | 119,40 | 5 | | GWB |
| WD 10240 | 587.42 | 057,00 | 152,00 | 0 | | SKF |
| WD 10255 | 587.50 | 072,00 | 185,00 | 5 | | GWB |
| WD 10265 | 587.48 - 687.65 | 065,00 | 172,00 | 5 | | GWB |
| WD 10270 | 587.48 - 687.65 | 065,00 | 172,00 | 0 | | SKF |
| WD 10275 | 587.48 - 687.65 | 065,00 | 172,00 | 5 | | INA |
| WD 10285 | 587.35/36 | 057,00 | 144,00 | 5 | | GWB |
| WD 10295 | 587.35/36 | 057,00 | 144,00 | 5 | | INA |
| WD 10300 | 587.20 | 048,00 | 116,50 | 0 | | GWB service free |
| WD 10305 | 587.20 | 048,00 | 116,50 | 5 | | GWB |
| WD 10315 | 587.20 | 048,00 | 116,50 | 5 | | INA |
| WD 10322 | 587.30 | 052,00 | 133,00 | 2 | | GWB |
| WD 10325 | 587.30 | 052,00 | 133,00 | 5 | | GWB |
| WD 10335 | 587.30 | 052,00 | 133,00 | 5 | | INA |
| WD 10345 | 587.15 | 042,00 | 104,50 | 5 | | GWB |
| WD 10355 | 587.15 | 042,00 | 104,50 | 5 | | INA |
| WD 10365 | 587.42 - 687.55 | 057,00 | 152,00 | 5 | | GWB |
| WD 10375 | 587.42 - 687.55 | 057,00 | 152,00 | 5 | | INA |
| WD 10385 | 286.37 | 053,00 | 135,00 | 5 | | GWB , EDS alternative WD16385 |
| WD 10395 | 286.33/ELBE 158 | 048,00 | 126,00 | 5 | | INA |
| WD 10405 | 286.22 | 042,00 | 106,00 | 5 | | INA EDS alternative WD16405 |
| WD 10415 | 286.37 | 053,00 | 135,00 | 5 | | SKF |
| WD 10425 | 286.33 | 048,00 | 126,00 | 5 | | SKF |
| WD 10430 | 286.22 | 042,00 | 106,00 | 0 | | SKF |
| WD 10435 | 286.22 | 042,00 | 106,00 | 5 | | SKF |
| WD 10445 | 680 | 057,00 | 172,00 | 5 | | INA |
| WD 10455 | 490 | 048,00 | 135,40 | 5 | | INA or SKF EDS alternative WD16455 |
| WD 10467 | 1480/SPL55 | 034,90 | 106,40 | 7 | | DANA HD |
| WD 10477 | GS 606 | 039,60 | 116,00 | 5 | | EDS |
| WD 10485 | 687.30 | 034,90 | 106,40 | 5 | | SIC |
| WD 10495 | 1075 | 048,00 | 131,00 | 5 | | INA |
| WD 10500 | SPL90/100 | 041,30 | 126,10 | 0 | | DANA |
| WD 10517 | 1310 | 026,97 | 081,70 | 7 | | EDS |
| WD 10527 | 1350 | 030,18 | 092,05 | 7 | | EDS |
| WD 10537 | 1300 | 026,97 | 074,61 | 7 | | EDS |
| WD 10547 | 1140 | 023,82 | 061,29 | 7 | | EDS |
| WD 10557 | 1550/SPL70 | 034,90 | 126,10 | 7 | | EDS |
| WD 10560 | 1310 | 026,97 | 081,70 | 0 | | DANA , EDS alternative WD16560 |
| WD 10577 | IC-UG | 032,00 | 095,60 | 7 | | EDS |
| WD 10580 | 1480/SPL55 | 034,90 | 106,40 | 0 | | DANA |
| WD 10590 | 801.00 | 026,00 | 069,60 | 0 | | GMB |
| WD 10605 | GS 906 | 059,00 | 167,60 | 5 | | EDS |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|-------------------|-----------------|---------|--------|--------|---|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 10615 | 287.10 | 030,00 | 082,40 | 5 | | GEWES |
| WD 10625 | 287.20 | 035,00 | 096,80 | 5 | | GEWES |
| WD 10635 | 687.65 | 065,00 | 172,00 | 5 | | GWB LOW TEMP |
| WD 10647 | FENDT | 038,00 | 112,00 | 7 | | EDS FENDT F281301080010 |
| WD 10655 | KLEIN 200 | 038,00 | 089,20 | 5 | | UNIMOG |
| WD 10665 | 387.20 - ELBE 113 | 038,00 | 105,80 | 5 | | EDS alternative to WD 11385 |
| WD 10675 | 487.30 | 050,00 | 131,00 | 5 | | EDS |
| WD 10685 | 687.25 | 034,90 | 092,00 | 5 | | DANA |
| WD 10695 | SPL90/100 | 041,30 | 126,10 | 5 | | DANA |
| WD 10705 | 286.37 / ELBE117 | 053,00 | 135,00 | 5 | | INA |
| WD 10715 | 387.30 | 047,00 | 131,00 | 5 | | GMB |
| WD 10725 | VOITH WT315.8 | 130,00 | 301,60 | 5 | | VOITH WT350.9 EDS alternative WD 15725 |
| WD 10732 | 587.20 | 048,00 | 116,50 | 2 | | GWB |
| WD 10740 | S1125 | 025,00 | 064,00 | 0 | | DANA MITSUBISHI / VITARA / NISSAN/PIAGGIO |
| WD 10755 | 587.30 | 052,00 | 133,00 | 5 | | GWB HT |
| WD 10765 | 587.35/36 | 057,00 | 144,00 | 5 | | GWB HT |
| WD 10770 | 1210 | 026,97 | 061,90 | 0 | | DANA |
| WD 10781 | 1210 | 026,97 | 061,90 | 1 | | EDS |
| WD 10790 | 802.31 | 031,00 | 110,00 | 0 | | INA MERCEDES ATEGO service free |
| WD 10805 | 802.31 | 031,00 | 110,00 | 5 | | INA MERCEDES ATEGO |
| WD 10815 | 186.33/286.33 | 048,00 | 126,00 | 5 | | GWB |
| WD 10820 | 186.33/286.33 | 048,00 | 126,00 | 0 | | SKF |
| WD 10832 | 186.33/286.33 | 048,00 | 126,00 | 2 | | INA |
| WD 10840 | | 019,00 | 044,00 | 0 | | EDS |
| WD 10845 | | 019,00 | 044,00 | 5 | | GMB |
| WD 10851 | | 023,00 | 058,20 | 1 | | EDS |
| WD 10865 | 473.30 | 022,00 | 058,90 | 5 | | WET , EDS alternative WD 14865 |
| WD 10870 | 286.37 | 053,00 | 135,00 | 0 | | SKF service free |
| WD 10881 | 287.00 | 026,00 | 069,80 | 1 | | EDS |
| WD 10885 | 287.00 | 026,00 | 069,80 | 5 | | EDS |
| WD 10895 | 287.00 | 026,00 | 069,80 | 5 | | GMB |
| WD 10904 | 287.00 | 026,00 | 069,80 | 4 | | GMB |
| WD 10915 | 287.10 | 030,00 | 081,70 | 5 | | EDS |
| WD 10921 | 287.10 | 030,00 | 081,70 | 1 | | EDS |
| WD 10931 | 287.10 | 030,00 | 081,70 | 1 | | GMB |
| WD 10934 | 287.10 | 030,00 | 081,70 | 4 | | GMB |
| WD 10935 | 287.10 | 030,00 | 081,70 | 5 | | GMB |
| WD 10945 | ELBE 110 | 030,00 | 083,00 | 5 | | EDS |
| WD 10950 | TOYOTA | 020,00 | 057,00 | 0 | | GMB |
| WD 10951 | TOYOTA | 020,00 | 057,00 | 1 | | EDS |
| WD 10967 | TOYOTA | 034,00 | 106,80 | 7 | | GMB |
| WD 10975 | NISSAN | 025,00 | 077,60 | 5 | | GMB |
| WD 10981 | MAZDA | 020,02 | 055,00 | 1 | | GMB |
| WD 10997 | NISSAN | 025,00 | 077,80 | 7 | | GMB |
| WD 11001 | NISSAN | 027,00 | 065,30 | 1 | | GMB |
| WD 11010 | NISSAN | 025,00 | 063,80 | 0 | | GMB |
| WD 11011 | NISSAN | 025,00 | 063,80 | 1 | | EDS |
| WD 11025 | NISSAN | 038,00 | 104,00 | 5 | | GMB |
| WD 11035 | NISSAN | 028,50 | 078,00 | 5 | | GMB |
| WD 11045 | NISSAN | 030,00 | 078,20 | 5 | | EDS |
| WD 11057 | NISSAN | 025,00 | 076,50 | 7 | | GMB |
| WD 11061 | DAIHATSU | 020,02 | 054,60 | 1 | | GMB |
| WD 11065 | DAIHATSU | 020,02 | 054,60 | 5 | | EDS |
| WD 11075 | DAIHATSU 28x80 | 028,00 | 080,00 | 5 | | GMB |
| WD 11087 | ISUZU | 020,50 | 056,60 | 7 | | EDS |
| WD 11095 | ELBE 105 | 017,00 | 041,00 | 5 | | ELBE |
| WD 11102 | ELBE 105 | 017,00 | 041,00 | 2 | | ELBE |
| WD 11115 | ELBE 106 | 019,00 | 048,00 | 5 | | ELBE |
| WD 11122 | ELBE 106 | 019,00 | 048,00 | 2 | | ELBE |
| WD 11130 | ELBE 107 | 022,00 | 058,00 | 0 | | ELBE |
| WD 11132 | ELBE 107 | 022,00 | 058,00 | 2 | | ELBE |
| WD 11135 | ELBE 107 | 022,00 | 058,00 | 5 | | ELBE |
| WD 11145 | ELBE 107 | 022,00 | 058,00 | 5 | | GMB |
| WD 11146 | ELBE 105 | 017,00 | 041,00 | 6 | | ELBE |
| WD 11155 | ELBE 107 | 022,00 | 058,00 | 5 | | EDS |
| WD 11165 | 587.55 | 074,00 | 217,00 | 5 | | GWB |
| WD 11175 | ELBE 109 old | 028,00 | 071,50 | 5 | | EDS |
| WD 11185 | ELBE 109 | 028,50 | 070,90 | 5 | | ELBE |
| WD 11189 | ELBE 109 | 028,50 | 071,00 | 9 | | EDS |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|--------------|-----------------|-------------|---------|--------|---|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 11196 | ELBE 109 old | 028,00 | 071,50 | 6 | | EDS |
| WD 11202 | ELBE 109 old | 028,00 | 071,50 | 2 | | EDS |
| WD 11215 | 687.45/47 | 052,00 | 147,20 | 5 | | GWB LOW TEMP |
| WD 11220 | ELBE 109 | 028,50 | 070,90 | 0 | | ELBE new service free standard , see special WD 12820 |
| WD 11235 | ELBE 110 | 030,00 | 083,00 | 5 | | ELBE |
| WD 11246 | ELBE 110 | 030,00 | 083,00 | 6 | | ELBE |
| WD 11252 | ELBE 110 | 030,00 | 083,00 | 2 | | ELBE obsolete replaced by WD 11262 |
| WD 11262 | ELBE 110 | 030,00 | 083,00 | 2 | | ELBE |
| WD 11276 | ELBE 110 | 030,00 | 083,00 | 6 | | ELBE |
| WD 11285 | ELBE 112 old | 034,00 | 097,00 | 5 | | ELBE EDS alternative WD 15285 |
| WD 11296 | ELBE 112 old | 034,00 | 097,00 | 6 | | ELBE |
| WD 11302 | ELBE 112 old | 034,00 | 097,00 | 2 | | ELBE |
| WD 11315 | ELBE 112 new | 035,00 | 097,00 | 5 | | ELBE |
| WD 11322 | ELBE 112 new | 035,00 | 097,00 | 2 | | ELBE |
| WD 11330 | ELBE 112 new | 035,00 | 097,00 | 0 | | ELBE |
| WD 11335 | ELBE 112 new | 035,00 | 097,00 | 5 | | ELBE HD |
| WD 11346 | ELBE 112 new | 035,00 | 097,00 | 6 | | ELBE HD |
| WD 11355 | ELBE 113 | 038,00 | 106,00 | 5 | | ELBE obsolete , replaced by WD 11385 |
| WD 11366 | ELBE 113 | 038,00 | 106,00 | 6 | | ELBE |
| WD 11372 | ELBE 113 | 038,00 | 106,00 | 2 | | ELBE obsolete , replaced by WD 11392 |
| WD 11380 | ELBE 113 | 038,00 | 106,00 | 0 | | EDS SKF |
| WD 11385 | ELBE 113 | 038,00 | 106,00 | 5 | | INA |
| WD 11392 | ELBE 113 | 038,00 | 106,00 | 2 | | INA |
| WD 11405 | ELBE 115 | 042,00 | 123,00 | 5 | | INA |
| WD 11412 | ELBE 115 | 042,00 | 123,00 | 2 | | INA |
| WD 11425 | 58 series | 048,00 | 132,20 | 5 | | GEWES |
| WD 11435 | ELBE 116 | 045,00 | 131,00 | 5 | | ELBE |
| WD 11446 | ELBE 116 | 045,00 | 131,00 | 6 | | ELBE |
| WD 11452 | ELBE 116 | 045,00 | 131,00 | 2 | | ELBE |
| WD 11460 | VW-Syncro | 027,00 | 069,80 | 0 | | WET |
| WD 11475 | ELBE 118 | 045,00 | 152,00 | 5 | | EDS |
| WD 11486 | ELBE 118 | 045,00 | 152,00 | 6 | | EDS |
| WD 11492 | ELBE 118 | 045,00 | 152,00 | 2 | | EDS |
| WD 11509 | | 083,00 | 179,00 | 9 | | EDS |
| WD 11515 | ELBE 204 | 014,00 | 036,00 | 5 | | ELBE |
| WD 11521 | ELBE 208 | 022,00 | 063,00 | 1 | | EDS |
| WD 11530 | | 042,00 | 117,50 | 0 | | EDS |
| WD 11535 | ELBE 148 | 042,00 | 117,50 | 5 | | ELBE |
| WD 11545 | | 032,00 | 081,80 | 5 | | EDS |
| WD 11555 | ELBE 119 | 050,00 | 164,00 | 5 | | ELBE |
| WD 11564 | 287.20 | 035,00 | 096,80 | 4 | | INA |
| WD 11571 | LADA | 028,00 | 071,50 | 1 | | EDS |
| WD 11587 | SCANIA | 039,00 | 127,00 | 7 | | EDS |
| WD 11595 | ROCKWELL 1FR | 022,20 | 073,70 | 5 | | EDS |
| WD 11605 | ROCKWELL 3DR | 025,50 | 099,10 | 5 | | EDS KNURLED |
| WD 11615 | | 025,00 | 072,00 | 5 | | EDS |
| WD 11625 | 687.40 | 047,60 | 135,20 | 5 | | INA |
| WD 11635 | ROCKWELL 14N | 028,60 | 066,70 | 5 | | USA |
| WD 11641 | ROCKWELL 35N | 028,60 | 066,70 | 1 | | USA |
| WD 11645 | ROCKWELL 35N | 031,80 | 081,60 | 05. Jan | | USA |
| WD 11657 | SCANIA T60 | 044,00 | 149,00 | 7 | | DANA |
| WD 11665 | ROCKWELL 55N | 038,90 | 109,40 | 5 | | USA |
| WD 11677 | 1310/1330 | 026,97 | 81,70/92,00 | 7 | | DANA |
| WD 11687 | 1410/SPL41 | 030,18 | 106,30 | 7 | | AKK obsolete , replaced by WD13047 |
| WD 11697 | 1310/1350 | 26,97/30,20 | 81,70/92,00 | 7 | | USA |
| WD 11701 | 1310 | 026,97 | 081,70 | 1 | | USA |
| WD 11711 | 1350 | 030,18 | 092,05 | 1 | | EDS |
| WD 11727 | 1330 | 026,97 | 092,00 | 7 | | USA Chemical coat for aluminium shafts , obsolete |
| WD 11735 | 750N | 041,30 | 127,10 | 5 | | USA |
| WD 11745 | 850N | 049,20 | 150,80 | 5 | | USA |
| WD 11757 | SCANIA T70 | 050,00 | 164,00 | 7 | | EDS |
| WD 11765 | KLEIN 043 | 028,00 | 076,50 | 5 | | EDS |
| WD 11775 | KRAMER | 027,00 | 066,30 | 5 | | EDS |
| WD 11785 | KLEIN 123 | 034,00 | 089,00 | 5 | | UNIMOG |
| WD 11790 | KLEIN 196 | 038,00 | 110,00 | 0 | | UNIMOG |
| WD 11800 | KLEIN 195 | 038,00 | 110,00 | 0 | | MAN |
| WD 11810 | KLEIN 195 | 038,00 | 110,00 | 0 | | SKF |
| WD 11815 | KLEIN 197 | 038,00 | 110,00 | 5 | | IVECO |
| WD 11820 | KLEIN 200 | 038,00 | 089,20 | 0 | | UNIMOG |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|---------------------|-----------------|---------|--------|--------|--------------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 11830 | KLEIN 490 | 048,00 | 135,40 | 0 | | SKF |
| WD 11841 | 687.20 | 030,20 | 081,80 | 1 | | DANA |
| WD 11842 | 687.20 | 030,20 | 081,80 | 2 | | DANA |
| WD 11855 | 687.20 | 030,20 | 081,80 | 5 | | DANA |
| WD 11860 | 687.15 | 027,00 | 074,50 | 0 | | DANA |
| WD 11870 | 687.20 | 030,20 | 081,80 | 0 | | DANA |
| WD 11885 | SCANIA P600 | 065,00 | 190,00 | 5 | | INA EDS alternative WD15885 |
| WD 11895 | 687.15 | 027,00 | 074,50 | 5 | | DANA EDS alternative WD14005 |
| WD 11905 | 19.00.00 | 018,00 | 047,00 | 5 | | EDS |
| WD 11911 | | 018,00 | 047,00 | 1 | | EDS |
| WD 11925 | 500 | 019,04 | 051,95 | 5 | | EDS |
| WD 11930 | KLEIN 492 | 052,00 | 128,00 | 0 | | UNIMOG on request only |
| WD 11945 | | 022,00 | 050,20 | 5 | | EDS |
| WD 11955 | SCANIA P600 | 065,00 | 190,00 | 5 | | SKF |
| WD 11960 | | 022,00 | 050,20 | 0 | | EDS |
| WD 11975 | | 022,00 | 052,00 | 5 | | EDS |
| WD 11980 | | 022,00 | 054,80 | 0 | | EDS |
| WD 11995 | | 022,00 | 057,00 | 5 | | EDS |
| WD 12000 | ALFA | 024,00 | 063,30 | 0 | | ALFA Original OEM |
| WD 12010 | ALFA | 024,00 | 063,30 | 0 | | EDS |
| WD 12020 | NSU | 025,00 | 060,30 | 0 | | NSU obsolete not available |
| WD 12035 | 473.10 | 015,00 | 040,10 | 5 | | WET EDS alternative WD14365 |
| WD 12041 | | 027,00 | 074,60 | 1 | | EDS |
| WD 12055 | 587.20 | 048,00 | 116,50 | 5 | | GWB HIGH TEMP |
| WD 12062 | ELBE 204 | 014,00 | 036,00 | 2 | | ELBE |
| WD 12075 | BYPY 10.41 | 041,00 | 118,00 | 5 | | EDS |
| WD 12085 | 3.41 BYPY/11.03.00 | 026,98 | 070,00 | 5 | | EDS |
| WD 12090 | | 027,00 | 081,70 | 0 | | hole in center |
| WD 12100 | | 027,00 | 085,00 | 0 | | hole in center |
| WD 12110 | | 027,00 | 085,00 | 0 | | |
| WD 12121 | BYPY 4120G0012 | 030,20 | 080,00 | 1 | | EDS |
| WD 12125 | BYPY 5.41 | 030,20 | 080,00 | 5 | | EDS |
| WD 12130 | | 032,00 | 106,30 | 0 | | EDS |
| WD 12137 | FIAT TRUCK | 032,00 | 106,30 | 7 | | EDS |
| WD 12145 | BYPY 60.41 | 034,00 | 106,50 | 5 | | |
| WD 12155 | 287.20 | 035,00 | 096,80 | 5 | | DANA |
| WD 12165 | S225.8 | 074,00 | 170,00 | 5 | | VOITH |
| WD 12169 | S225.8 | 074,00 | 170,00 | 9 | | EDS |
| WD 12171 | | 022,00 | 058,00 | 1 | | |
| WD 12180 | MOTO GUZZI | 022,00 | 049,00 | 0 | | |
| WD 12191 | 473.20 | 019,00 | 048,00 | 1 | | |
| WD 12201 | | 023,84 | 061,30 | 1 | | |
| WD 12215 | | 024,00 | 062,50 | 5 | | |
| WD 12220 | | 024,00 | 066,00 | 0 | | |
| WD 12235 | | 026,00 | 072,10 | 5 | | |
| WD 12245 | | 026,98 | 074,60 | 5 | | replaced by WD 15035 |
| WD 12255 | 473.20 | 019,00 | 048,00 | 5 | | WET |
| WD 12261 | HYUNDAI | 027,00 | 080,00 | 1 | | |
| WD 12270 | FIAT 130 | 028,60 | 074,60 | 0 | | |
| WD 12280 | | 030,00 | 092,00 | 0 | | EDS |
| WD 12290 | 473.30 | 022,00 | 058,90 | 0 | | WET |
| WD 12307 | 1350 | 030,18 | 092,05 | 7 | | GMB |
| WD 12315 | | 030,20 | 086,70 | 5 | | |
| WD 12327 | 1410/SPL41 | 030,18 | 106,30 | 7 | | alternative EDS WD15327 or GMB 16327 |
| WD 12335 | 35.00.00 / WAL 2400 | 032,00 | 076,00 | 5 | | |
| WD 12345 | | 032,00 | 080,00 | 5 | | |
| WD 12355 | | 032,00 | 095,60 | 5 | | |
| WD 12360 | | 032,00 | 086,00 | 0 | | EDS |
| WD 12365 | | 032,00 | 086,00 | 5 | | EDS |
| WD 12367 | | 032,00 | 086,00 | 7 | | EDS |
| WD 12370 | | 019,04 | 051,95 | 0 | | GMB |
| WD 12381 | | 022,00 | 058,80 | 1 | | |
| WD 12390 | MOTO GUZZI | 020,00 | 044,00 | 0 | | |
| WD 12395 | GEWES 30 | 020,00 | 044,30 | 5 | | |
| WD 12405 | | 022,00 | 059,00 | 5 | | |
| WD 12415 | TYP20 | 023,84 | 061,30 | 5 | | |
| WD 12420 | 1140 | 023,82 | 061,29 | 0 | | GMB |
| WD 12435 | CITROËN | 025,00 | 056,90 | 5 | | GMB |
| WD 12445 | 84 series | 083,00 | 231,40 | 5 | | GEWES |
| WD 12457 | 1510 | 039,70 | 115,80 | 7 | | |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|-------------------|-----------------|---------------|--------|--------|---|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 12467 | 1410/SPL41 | 030,18 | 106,30 | 7 | | DANA , EDS alternative WD13047 |
| WD 12479 | 687.25 | 034,90 | 092,00 | 9 | | EDS |
| WD 12485 | KLEIN 260 | 045,00 | 118,10 | 5 | | on request only |
| WD 12490 | 1300 | 026,97 | 074,61 | 0 | | EDS |
| WD 12505 | BYPY 06.41 | 030,20 | 092,00 | 5 | | |
| WD 12511 | BYPY 41.20 | 022,00 | 054,00 | 1 | | EDS |
| WD 12515 | BYPY 1.41 | 022,00 | 054,00 | 5 | | EDS |
| WD 12525 | BYPY 09.41 | 041,00 | 108,00 | 5 | | |
| WD 12530 | MOTO GUZZI | 022,00 | 049,00 | 0 | | |
| WD 12540 | 687.45 | 052,00 | 147,20 | 0 | | SKF |
| WD 12545 | 687.45/47 | 052,00 | 147,20 | 5 | | INA |
| WD 12555 | 587.30 | 052,00 | 133,00 | 5 | | U756 obsolete |
| WD 12565 | 687.55 | 057,00 | 152,00 | 5 | | GWB HIGH TEMP |
| WD 12575 | 587.20 | 048,00 | 116,50 | 5 | | EDS |
| WD 12581 | TATRA | 047,00 | 156,00 | 1 | | |
| WD 12595 | TATRA | 047,00 | 156,00 | 5 | | |
| WD 12605 | 186.30 | 045,00 | 120,00 | 5 | | EDS |
| WD 12615 | 186.30 | 045,00 | 120,00 | 5 | | GWB MERCEDES 186.30 |
| WD 12620 | ZF | 027,00 | 081,85 | 0 | | obsolete---please use WD 80905 |
| WD 12637 | MITSUBISHI/TOYOTA | 028,57 | 078,00 | 7 | | GMB |
| WD 12640 | 1350 | 030,18 | 092,05 | 0 | | GMB |
| WD 12650 | 1300 | 026,97 | 074,61 | 0 | | DANA 1300 no bearing seal |
| WD 12660 | 1310 | 026,97 | 081,70 | 0 | | EDS , old service free version |
| WD 12671 | BYBY 4120M0012 | 034,92 | 106,50 | 1 | | EDS |
| WD 12675 | WAL 24.01.00 | 034,92 | 106,50 | 5 | | EDS |
| WD 12685 | 1300 | 026,97 | 074,61 | 5 | | EDS |
| WD 12695 | 287.40 | 050,00 | 153,00 | 5 | | EDS |
| WD 12705 | 387.40 | 055,00 | 164,00 | 5 | | EDS |
| WD 12715 | 687.60 | 059,00 | 167,60 | 5 | | GWB LOW TEMP |
| WD 12725 | 687.55 | 057,00 | 152,00 | 5 | | GWB LOW TEMP |
| WD 12735 | 687.50 | 049,20 | 154,70 | 5 | | GWB LOW TEMP obsolete |
| WD 12745 | CASE | 034,90 | 106,30 | 5 | | GWB for CASE obsolete with stock |
| WD 12755 | SCANIA /287.40 | 44,00/50,00 | 149,00/152,80 | 5 | | GWB on request only |
| WD 12765 | 287.30 | 044,00 | 124,80 | 5 | | EDS |
| WD 12777 | 57 series | 047,00 | 132,20 | 7 | | EDS |
| WD 12787 | 1310 | 026,97 | 081,70 | 7 | | DANA service option |
| WD 12797 | 1330 | 026,97 | 092,00 | 7 | | DANA , EDS alternative WD15797 |
| WD 12800 | 1330 / SPL25 | 026,97 | 092,00 | 0 | | DANA |
| WD 12801 | 1330 / SPL25 | 026,97 | 092,00 | 1 | | DANA |
| WD 12815 | 1535 | 039,70 | 116,20 | 5 | | EDS |
| WD 12825 | ELBE 109 | 028,50 | 070,90 | 5 | | ELBE 109 higher grease volume |
| WD 12830 | 1410/SPL41 | 030,18 | 106,30 | 0 | | DANA , service free EDS alternative WD15830 |
| WD 12847 | 1650 | 041,20 | 142,00 | 7 | | DANA |
| WD 12855 | GEWES 40 | 030,00 | 086,70 | 5 | | GEWES |
| WD 12865 | MITSUBISHI | 031,76 | 102,00 | 5 | | EDS |
| WD 12877 | 1880 | 055,50 | 205,60 | 7 | | DANA |
| WD 12885 | | 035,00 | 097,00 | 5 | | |
| WD 12897 | | 024,00 | 066,20 | 7 | | DANA obsolete |
| WD 12902 | 687.15 | 027,00 | 074,50 | 2 | | DANA |
| WD 12910 | OPEL U 705 | 029,00 | 075,50 | 0 | | GMB |
| WD 12920 | OPEL U 706 | 029,00 | 076,00 | 0 | | GMB |
| WD 12937 | 1410/SPL41 | 030,18 | 106,30 | 7 | | DANA HD |
| WD 12941 | 473.20 | 019,00 | 048,00 | 1 | | WET |
| WD 12951 | 473.30 | 022,00 | 058,90 | 1 | | WET |
| WD 12965 | 287.00 | 026,00 | 069,80 | 5 | | WET INA |
| WD 12971 | 287.00 | 026,00 | 069,80 | 1 | | WET INA |
| WD 12985 | | 030,00 | 082,60 | 5 | | WET |
| WD 12991 | | 030,00 | 082,60 | 1 | | WET INA |
| WD 12992 | | 030,00 | 082,60 | 2 | | WET INA |
| WD 12994 | | 030,00 | 082,60 | 4 | | WET INA |
| WD 13000 | | 035,00 | 096,80 | 0 | | INA |
| WD 13001 | 287.20 | 035,00 | 096,80 | 1 | | INA |
| WD 13015 | 587.12 | 038,00 | 104,50 | 5 | | EDS |
| WD 13025 | CLAAS | 027,00 | 084,00 | 5 | | ELBE |
| WD 13032 | ELBE 148 | 042,00 | 117,50 | 2 | | ELBE |
| WD 13047 | 1410/SPL41 | 030,18 | 106,30 | 7 | | EDS |
| WD 13051 | 1410/SPL41 | 030,18 | 106,30 | 1 | | EDS |
| WD 13064 | 587.50 | 072,00 | 185,00 | 4 | | GWB alternative INA WD 14329 |
| WD 13075 | WT250.8 | 095,00 | 220,00 | 5 | | VOITH RT250.8 |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|---------------|-----------------|---------|--------|--------|--|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 13085 | | 110,00 | 245,00 | 5 | | VOITH RT285.8 |
| WD 13097 | NISSAN | 030,17 | 092,05 | 7 | | GMB |
| WD 13107 | 1480 | 034,90 | 106,40 | 7 | | USA knurled brg cap |
| WD 13110 | | 020,00 | 055,00 | 0 | | |
| WD 13125 | ISUZU | 033,00 | 093,00 | 5 | | GMB |
| WD 13135 | 687.35 | 042,00 | 119,40 | 5 | | GWB HIGH TEMP |
| WD 13140 | 1140 | 023,82 | 061,29 | 0 | | DANA |
| WD 13155 | ELBE 117 | 053,00 | 135,00 | 5 | | ELBE 117 HT , available under request |
| WD 13165 | 80 series | 072,00 | 185,00 | 5 | | GEWES , available under request |
| WD 13171 | 687.30 | 034,90 | 106,40 | 1 | | DANA |
| WD 13180 | | 023,80 | 069,00 | 0 | | EDS center hole |
| WD 13190 | 1350 | 030,18 | 092,05 | 0 | | OEM |
| WD 13200 | 1550/SPL70 | 034,90 | 126,10 | 0 | | DANA |
| WD 13215 | 687.40 | 047,60 | 135,20 | 5 | | GWB LOW TEMP |
| WD 13224 | 186.33/286.33 | 048,00 | 126,00 | 4 | | INA |
| WD 13232 | 687.55/587.42 | 057,00 | 152,00 | 2 | | GWB |
| WD 13247 | 1550/SPL70 | 034,90 | 126,10 | 7 | | DANA SPL 70-1X HD |
| WD 13257 | NISSAN | 026,99 | 081,80 | 7 | | GMB |
| WD 13265 | 287.20 | 035,00 | 096,80 | 5 | | EDS |
| WD 13270 | | 26,97/28,60 | 081,70 | 0 | | DANA |
| WD 13280 | FORD USA | 26,97/28,60 | 092,00 | 0 | | DANA |
| WD 13290 | 687.25 | 034,90 | 092,00 | 0 | | DANA |
| WD 13300 | 687.30 | 034,90 | 106,40 | 0 | | DANA |
| WD 13315 | | 045,00 | 121,40 | 5 | | available under request |
| WD 13320 | SCANIA P600 | 065,00 | 190,00 | 0 | | SKF |
| WD 13335 | KLEIN 680 | 057,00 | 172,00 | 5 | | KLEIN |
| WD 13342 | ELBE 112 new | 035,00 | 097,00 | 2 | | ELBE HD |
| WD 13352 | 186.33/286.33 | 048,00 | 126,00 | 2 | | INA |
| WD 13362 | 687.25 | 034,90 | 092,00 | 2 | | DANA |
| WD 13375 | 687.25 | 034,90 | 092,00 | 5 | | DANA HIGH TEMP on request |
| WD 13380 | KLEIN 680 | 057,00 | 172,00 | 0 | | KLEIN service free |
| WD 13397 | 1350 | 030,20 | 092,00 | 7 | | USA chem. Coat on request |
| WD 13400 | | 020,00 | 052,40 | 0 | | |
| WD 13414 | ELBE 148 | 042,00 | 117,50 | 4 | | ELBE |
| WD 13424 | MAINA DD.022 | 065,00 | 197,00 | 4 | | MAINA DD.022 , see EDS alternative WD 15424 |
| WD 13435 | | 030,00 | 088,00 | 5 | | |
| WD 13445 | UNIMOG | 025,00 | 076,50 | 5 | | |
| WD 13450 | | 030,17 | 105,30 | 0 | | service free center hole |
| WD 13465 | 687.30 | 034,90 | 106,40 | 5 | | DANA HIGH TEMP on request |
| WD 13470 | | 027,00 | 081,70 | 0 | | replaced by WD 12090 |
| WD 13480 | | 022,00 | 048,00 | 0 | | EDS |
| WD 13485 | | 022,00 | 048,00 | 5 | | |
| WD 13490 | | 042,00 | 119,40 | 0 | | SKF |
| WD 13495 | 687.35 | 042,00 | 119,40 | 5 | | INA |
| WD 13500 | ALFA | 022,00 | 055,00 | 0 | | |
| WD 13515 | VOITH | 022,00 | 055,60 | 5 | | |
| WD 13525 | 587.50 | 072,00 | 185,00 | 5 | | WELTE ESSEN |
| WD 13535 | 687.20 | 030,20 | 081,80 | 5 | | replaced by WD 14015 |
| WD 13545 | ELBE 122 | 065,00 | 172,00 | 5 | | ELBE |
| WD 13555 | GMB | 023,00 | 058,20 | 5 | | GMB |
| WD 13565 | INA | 030,00 | 082,40 | 5 | | INA |
| WD 13575 | WT 440.8 | 175,00 | 377,00 | 5 | | VOITH WT 440.8 WT440.9 |
| WD 13585 | S.350.8 | 130,00 | 268,00 | 5 | | VOITH RT315.8 |
| WD 13599 | VOITH 225.7 | 065,00 | 172,00 | 9 | | VOITH 225.7 |
| WD 13607 | HYUNDAI | 027,00 | 080,00 | 7 | | INA |
| WD 13617 | 1310 | 026,97 | 081,70 | 7 | | DANA GS 1315 (B65), EDS alternative WD 14117 |
| WD 13625 | S.390.9 | 145,00 | 336,00 | 5 | | VOITH WT390.9 |
| WD 13639 | 687.35 | 042,00 | 119,40 | 9 | | GWB |
| WD 13649 | 687.40 | 047,60 | 135,20 | 9 | | GWB |
| WD 13659 | 687.45/47 | 052,00 | 147,20 | 9 | | GWB |
| WD 13669 | 687.55 | 057,00 | 152,00 | 9 | | GWB |
| WD 13679 | 587.15 | 042,00 | 104,50 | 9 | | GWB |
| WD 13689 | 587.20 | 048,00 | 116,50 | 9 | | GWB |
| WD 13699 | 587.30 | 052,00 | 133,00 | 9 | | GWB |
| WD 13709 | 587.35/36 | 057,00 | 144,00 | 9 | | GWB |
| WD 13719 | 687.30 | 034,90 | 106,40 | 9 | | DANA |
| WD 13725 | ISUZU | 035,00 | 103,92 | 5 | | GMB |
| WD 13737 | NISSAN | 035,50 | 119,20 | 7 | | GMB |
| WD 13749 | 587.55 | 074,00 | 217,00 | 9 | | EDS |
| WD 13759 | 587.60 | 083,00 | 231,40 | 9 | | GWB 4xend lub |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|----------------------|-----------------|-----------------|--------|--------|---|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 13765 | ELBE 107 | 022,00 | 058,00 | 5 | | ELBE |
| WD 13779 | ELBE 110 | 030,00 | 083,00 | 9 | | ELBE |
| WD 13787 | 1300 | 026,97 | 074,61 | 7 | | EDS |
| WD 13797 | | 027,00 | 085,00 | 7 | | DANA |
| WD 13809 | ELBE 112 new | 035,00 | 097,00 | 9 | | ELBE 4xend lub+ central grease |
| WD 13810 | HONDA | 022,00 | 065,00 | 0 | | GMB |
| WD 13829 | ELBE 112 old | 034,00 | 097,00 | 9 | | ELBE 4xend lub+ central grease |
| WD 13835 | | 020,00 | 050,00 | 5 | | |
| WD 13847 | 1310 | 026,97 | 081,70 | 7 | | DANA |
| WD 13847 | 1310 | 026,97 | 081,70 | 7 | | DANA |
| WD 13850 | 1350 | 030,18 | 092,05 | 0 | | EDS alternative to WD13190 |
| WD 13857 | 1350 | 030,18 | 092,05 | 7 | | DANA , CASE 1349244C1 obsolete, use WD14417 |
| WD 13865 | | 030,20 | 090,00 | 5 | | |
| WD 13875 | 587.15 | 042,00 | 104,50 | 5 | | GWB HIGH TEMP |
| WD 13889 | 687.15 | 027,00 | 074,50 | 9 | | DANA |
| WD 13897 | | 039,60 | 116,00 | 7 | | GMB |
| WD 13907 | FIAT | 039,00 | 116,40 | 7 | | |
| WD 13911 | BYPY | 027,00 | 100,00 | 1 | | |
| WD 13924 | ELBE 112 HD | 035,00 | 097,00 | 4 | | ELBE HD 4xend lub+ central grease |
| WD 13934 | | 042,00 | 117,50 | 4 | | Frankenthal with center hole |
| WD 13947 | S1120 - 1140 HD | 023,82 | 061,29 | 7 | | DANA MITSUBISHI/SUZUKI/PIAGGIO, repl. by WD10547 |
| WD 13956 | UNIMOG | 037,00 | 103,00 | 6 | | UNIMOG obsolete not available , 2xB5 |
| WD 13962 | 287.20 | 035,00 | 096,80 | 2 | | INA |
| WD 13975 | ELBE 110 | 030,00 | 083,00 | 5 | | ELBE HIGH TEMP |
| WD 13987 | 1330/1350 | 26,97/30,18 | 092,05 | 7 | | EDS 1330/1350 combination kit |
| WD 13995 | SPL90/100 | 041,30 | 126,10 | 5 | | EDS |
| WD 14005 | 687.15 | 027,00 | 074,50 | 5 | | EDS |
| WD 14015 | 687.20 | 030,20 | 081,80 | 5 | | EDS |
| WD 14025 | 687.25 | 034,90 | 092,00 | 5 | | EDS |
| WD 14032 | 687.30 | 034,90 | 106,40 | 2 | | EDS |
| WD 14034 | 687.30 | 034,90 | 106,40 | 4 | | EDS |
| WD 14035 | 687.30 | 034,90 | 106,40 | 5 | | EDS |
| WD 14045 | 687.35 | 042,00 | 119,40 | 5 | | EDS |
| WD 14055 | 687.40 | 047,60 | 135,20 | 5 | | EDS |
| WD 14065 | 687.45/47 | 052,00 | 147,20 | 5 | | EDS |
| WD 14075 | 687.55 | 057,00 | 152,00 | 5 | | EDS |
| WD 14085 | 687.60 | 059,00 | 167,60 | 5 | | EDS |
| WD 14095 | 587.48 - 687.65 | 065,00 | 172,00 | 5 | | EDS |
| WD 14105 | 587.15 | 042,00 | 104,50 | 5 | | EDS |
| WD 14117 | BTB BC 215 | 026,97 | 081,70 | 7 | | EDS |
| WD 14125 | 587.30 | 052,00 | 133,00 | 5 | | EDS |
| WD 14135 | 587.35/36 | 057,00 | 144,00 | 5 | | EDS |
| WD 14147 | ISUZU | 022,06 | 061,20 | 7 | | EDS ISUZU |
| WD 14159 | 286.37 | 053,00 | 135,00 | 9 | | ELBE 117 / DC 286.37 |
| WD 14165 | WT225.8/ST250.8/MT25 | 083,00 | 179,00 | 5 | | VOITH RT208.8 |
| WD 14169 | WT225.8/ST250.8/MT25 | 083,00 | 179,00 | 9 | | VOITH RT208.8 |
| WD 14175 | ELBE 112 | 035,00 | 097,00 | 5 | | ELBE HT 180°C |
| WD 14185 | VOITH S490.9 | 188,00 | 420,00 | 5 | | VOITH WT440.9 |
| WD 14195 | VOITH S550.9 | 215,00 | 467,00 | 5 | | VOITH WT550.9 |
| WD 14205 | VOITH WT350.8 | 145,00 | 296,00 | 5 | | VOITH RT350.8 |
| WD 14215 | VOITH WT390.8 | 160,00 | 328,00 | 5 | | VOITH RT390.8 |
| WD 14220 | 587.35/36 | 057,00 | 144,00 | 0 | | GWB |
| WD 14235 | 186.33/286.33 | 048,00 | 126,00 | 5 | | EDS |
| WD 14240 | 587.30 | 052,00 | 133,00 | 0 | | GWB /SKF |
| WD 14255 | | 035,00 | 080,00 | 5 | | EDS |
| WD 14263 | MAINA DD 125 | 065,00 | 306,50 | 3 | | EDS c/hole 125mm tunneltype, EDS alternative WD 14433 |
| WD 14279 | KEMPF 106/115 | 083,00 | 195,00 | 9 | | KEMPF |
| WD 14285 | ELBE 112 | 34,00 / 35,00 | 097,00 | 5 | | ELBE conversion kit |
| WD 14295 | KLEIN 490 - 687.40 | 47,60 /48,00 | 135,20 | 5 | | KLEIN conversion kit |
| WD 14300 | | 028,00 | 090,60 | 0 | | service free with center hole |
| WD 14310 | 587.15 | 042,00 | 104,50 | 0 | | GWB or SKF |
| WD 14329 | 587.50 | 072,00 | 185,00 | 9 | | EDS |
| WD 14335 | 587.30 - DC 286.37 | 52,00/53,00 | 133,00 / 135,00 | 5 | | GWB conversion kit |
| WD 14340 | | 027,00 | 074,50 | 0 | | CITROEN with center hole |
| WD 14350 | KLEIN 375 | 048,00 | 116,50 | 0 | | service free |
| WD 14360 | 473.10 | 015,00 | 040,10 | 0 | | EDS |
| WD 14365 | 473.10 | 015,00 | 040,10 | 5 | | EDS |
| WD 14377 | 1550 HR | 034,93 | 126,08 | 7 | | EDS ROCKFORD 550R |
| WD 14385 | CP750 | 041,32 | 128,50 | 5 | | EDS |
| WD 14390 | CP850 | 049,24 | 150,88 | 0 | | EDS |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|--------------------|-----------------|---------------|--------|--------|--|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 14400 | CP950 | 063,55 | 196,24 | 0 | | EDS , bolted center hole considered as SF |
| WD 14415 | 1350 | 030,18 | 092,05 | 5 | | FORD |
| WD 14425 | 587.42 | 057,00 | 152,00 | 5 | | SKF |
| WD 14433 | MAINA DD 125 | 065,00 | 306,50 | 3 | | EDS c/hole 125mm tunneltype |
| WD 14445 | SCANIA P600 | 065,00 | 190.00/172.00 | 5 | | Scania P600 - 587.48 Conversion kit |
| WD 14457 | MITSUBISHI | 027,00 | 081,50 | 7 | | GMB MITSUBISHI |
| WD 14465 | MITSUBISHI | 036,00 | 104,00 | 5 | | GMB |
| WD 14471 | MITSUBISHI | 026,00 | 068,00 | 1 | | GMB |
| WD 14485 | ISUZU | 040,00 | 115,00 | 5 | | GMB |
| WD 14494 | MAINA EA22 | 057,00 | 285,50 | 4 | | MAINA EA 22 , tunneltype |
| WD 14505 | | 023,00 | 052,25 | 5 | | |
| WD 14515 | ELBE 109 new | 028,50 | 070,90 | 5 | | ELBE 109 new HT 180 °C central grease, under request |
| WD 14525 | ELBE 109 new | 028,50 | 070,90 | 5 | | ELBE 109 new HT 250 °C central grease, under request |
| WD 14534 | MAINA DD.018 | 057,00 | 151,00 | 4 | | MAINA DD.018 |
| WD 14547 | HINO Trucks | 036,00 | 115,60 | 7 | | GMB |
| WD 14559 | ELBE 113 | 038,00 | 106,00 | 9 | | ELBE 113 new 4xend lube + central grease |
| WD 14561 | | 020,00 | 050,00 | 1 | | 1xend lube , see central grease WD 13835 |
| WD 14577 | GEWES 60 | 045,00 | 126,20 | 7 | | EDS |
| WD 14585 | COMER | 035,00 | 106.00/113.80 | 5 | | on request |
| WD 14595 | 80 series | 072,00 | 185,00 | 5 | | GEWES viton seal HIGH TEMP |
| WD 14605 | POLARIS | 022,06 | 053,90 | 5 | | |
| WD 14610 | ARCTIC CAT | 019,10 | 045,80 | 0 | | |
| WD 14625 | ELBE 107 old | 021,00 | 056,00 | 5 | | EDS |
| WD 14635 | 688,65 | 065,00 | 172,00 | 5 | | Railway application |
| WD 14645 | 688,55 | 057,00 | 152,00 | 5 | | Railway application |
| WD 14655 | SIMSON | 017,00 | 036,00 | 5 | | |
| WD 14665 | TOYOTA | 033,40 | 096,00 | 5 | | GMB |
| WD 14674 | SWC225 | 090,00 | 192,00 | 4 | | WUXI |
| WD 14684 | SWC250 | 100,00 | 214,00 | 4 | | WUXI |
| WD 14694 | SWC285 | 115,00 | 243,00 | 4 | | WUXI |
| WD 14704 | SWC315 | 130,00 | 269,00 | 4 | | WUXI |
| WD 14714 | SWC350 | 145,00 | 293,00 | 4 | | WUXI |
| WD 14724 | SWC390 | 165,00 | 333,00 | 4 | | WUXI |
| WD 14731 | MERCEDES | 023,00 | 058,90 | 1 | | Steering application with center hole |
| WD 14747 | NG45 | 035,00 | 089,20 | 7 | | IFA agricultur |
| WD 14750 | ELBE 120 series | 057,00 | 152,00 | 0 | | |
| WD 14760 | DAF | 057,00 | 152,00 | 0 | | KLEIN 620 series |
| WD 14775 | VOLVO | 052,00 | 124,00 | 5 | | INA |
| WD 14782 | | 030,00 | 082,40 | 2 | | EDS |
| WD 14785 | | 030,00 | 082,40 | 5 | | EDS alternative to WD10915 |
| WD 14795 | ELBE 117 | 053,00 | 135,00 | 5 | | HT 250° |
| WD 14802 | BYPY 4120 | 030,20 | 106,00 | 2 | | |
| WD 14815 | | 021,00 | 044,00 | 5 | | Ligier |
| WD 14827 | 1480 HR | 034,90 | 106,40 | 7 | | EDS ROCKFORD 480R |
| WD 14834 | KSWC520 | 145,00 | 478,00 | 4 | | WUXI |
| WD 14844 | SWC440 | 185,00 | 377,00 | 4 | | EDS |
| WD 14854 | SWC490 | 210,00 | 419,00 | 4 | | EDS |
| WD 14865 | WET 75 | 022,00 | 058,90 | 5 | | EDS |
| WD 14870 | | 026,97 | 081,70 | 0 | | EDS Gleitlagerung auf Anfrage |
| WD 14885 | ST315.9 | 110,00 | 275,00 | 5 | | VOITH |
| WD 14897 | 1410 HR | 030,18 | 106,30 | 7 | | EDS ROCKFORD 410R |
| WD 14901 | ROCKWELL L10N | 022,22 | 063,55 | 1 | | EDS |
| WD 14915 | | 050,00 | 138,00 | 5 | | |
| WD 14925 | | 031,00 | 090,00 | 5 | | EDS |
| WD 14935 | DAEWOO | 030,00 | 090,00 | 5 | | EDS |
| WD 14945 | BYPY | 035,00 | 093,50 | 5 | | EDS |
| WD 14955 | | 074,00 | 185,00 | 5 | | EDS |
| WD 14964 | SWC180 | 072,00 | 154,00 | 4 | | EDS |
| WD 14974 | SWC550 | 240,00 | 472,00 | 4 | | EDS |
| WD 14984 | SWC620 | 265,00 | 526,00 | 4 | | EDS |
| WD 14999 | 492.80 | | | | | GWB |
| WD 15005 | BYPY 30.41 | 029,00 | 080,00 | 5 | | |
| WD 15015 | 10.01.2000 | 022,00 | 054,80 | 5 | | |
| WD 15025 | 20.00.00 | 024,00 | 061,20 | 5 | | |
| WD 15035 | WAL 21.00.00/TYP40 | 027,00 | 074,50 | 5 | | |
| WD 15045 | 36.00.00 | 036,00 | 089,00 | 5 | | |
| WD 15055 | 23.00.00 | 030,20 | 106,50 | 5 | | |
| WD 15065 | BYPY 7.89 | 034,90 | 094,00 | 5 | | |
| WD 15085 | 26.00.00 | 042,00 | 104,00 | 5 | | |
| WD 15107 | BYPY 7.89 | 049,00 | 135,00 | 7 | | BYPY 7.89 |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|-------------------|-----------------|----------------|--------|--------|--|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 15115 | WEASLER 335 | 031,75 | 081,73 | 5 | | EDS WEASLER 335 |
| WD 15121 | BYPY | 023,80 | 086,00 | 1 | | |
| WD 15125 | BYPY | 023,80 | 086,00 | 5 | | |
| WD 15134 | MAINA EA.31 | 095,00 | 400,00 | 4 | | MAINA EA.31 Tunnel Type 4xend lube |
| WD 15141 | BYPY 4120N0012 | 042,00 | 107,50 | 1 | | EDS |
| WD 15155 | BYPY 4120S0012 | 042,00 | 130,00 | 5 | | EDS |
| WD 15165 | JOHN DEERE | 044,00 | 121,60 | 5 | | EDS |
| WD 15195 | | 030,20 | 099,40 | 5 | | BYPY |
| WD 15200 | ST285.9/WT250.9 | 083,00 | 220,00 | 0 | | SKF |
| WD 15205 | ST285.9/WT250.9 | 083,00 | 220,00 | 5 | | VOITH |
| WD 15210 | ST315.9/WT285.9 | 095,00 | 249,70 | 0 | | VOITH |
| WD 15225 | W3700 | 039,70 | 092,00 | 5 | | WALTERSCHEID |
| WD 15230 | TRIUMPH | 023,82 | 054,80 | 5 | | EDS |
| WD 15245 | ELBE 113 | 038,00 | 106,00 | 5 | | ELBE HT 180° |
| WD 15250 | 1410/1480 | 30,18/34,92 | 106,30 | 0 | | conversion kit |
| WD 15265 | YUTONG BUS | 52,00/49,20 | 133,00/157,00 | 5 | | 58730/1710HR conversion kit |
| WD 15277 | HINO Trucks | 036,00 | 110,30 | 7 | | GMB |
| WD 15285 | ELBE 112 old | 034,00 | 097,00 | 5 | | EDS ELBE 112 old , see original WD 11285 |
| WD 15295 | HINO Trucks | 033,00 | 099,00 | 5 | | GMB |
| WD 15300 | KN590 | 052,00 | 147,20 | 0 | | KLEIN |
| WD 15310 | Peugeot | 024,00 | 060,24 | 0 | | EDS center hole |
| WD 15327 | 1410/SPL41 | 030,18 | 106,30 | 7 | | EDS |
| WD 15335 | 688.65 | 065,00 | 172,00 | 5 | | DANA LOW TEMP |
| WD 15340 | 1350/1410 | 030,18 | 92,05 / 106,20 | 0 | | conversion kit |
| WD 15365 | W2280 | 22,00/23,82 | 77,00/61,29 | 5 | | EDS |
| WD 15375 | W2380 | 23,80/26,97 | 91,00/74,61 | 5 | | EDS |
| WD 15385 | W2480 | 26,97/32,00 | 94,00/76,00 | 5 | | EDS |
| WD 15395 | W2580 | 32,00/36,00 | 106,00/89,00 | 5 | | EDS |
| WD 15409 | MAINA B39 | 145,00 | 341,00 | 9 | | EDS |
| WD 15415 | V20 | 023,82 | 74,10/82,10 | 5 | | EDS |
| WD 15424 | MAINA DD.022 | 065,00 | 197,00 | 4 | | EDS |
| WD 15435 | V40 | 027,00 | 85,80/91,20 | 5 | | EDS |
| WD 15445 | V60 | 030,20 | 95,40/101,40 | 5 | | EDS |
| WD 15455 | V80 | 035,00 | 106,30/113,80 | 5 | | EDS |
| WD 15467 | 1480/SPL55 | 034,90 | 106,40 | 7 | | EDS |
| WD 15475 | V80/T80 | 035,00 | 106,50 | 5 | | EDS |
| WD 15535 | 148 series | 042,00 | 117,50 | 5 | | EDS INA |
| WD 15545 | AKK | 053,00 | 147,20 | 5 | | INA |
| WD 15605 | ST250.9 / WT225.9 | 074,00 | 179,00 | 9 | | VOITH |
| WD 15729 | WT315.8 | 130,00 | 301,60 | 9 | | EDS |
| WD 15764 | 287.30 | 044,00 | 124,80 | 4 | | 15mm center hole |
| WD 15773 | GEWES 67 | 047,00 | 132,20 | 3 | | GEWES |
| WD 15785 | 123 series | 035,00 | 089,00 | 5 | | EDS |
| WD 15797 | 1330 | 026,97 | 092,00 | 7 | | EDS |
| WD 15800 | 1330 | 026,97 | 092,00 | 0 | | EDS |
| WD 15830 | 1410/SPL41 | 030,18 | 106,30 | 0 | | EDS |
| WD 15847 | 1310 | 026,97 | 081,70 | 7 | | DANA |
| WD 15870 | 287.10 | 030,00 | 081,80 | 0 | | EDS |
| WD 15885 | SCANIA P600 | 065,00 | 190,00 | 5 | | EDS |
| WD 15995 | | 022,00 | 057,00 | 5 | | on request only |
| WD 16035 | 687.30 TRS | 035,00 | 106,40 | 5 | | INA |
| WD 16050 | | 074,00 | 195,00 | 0 | | EDS |
| WD 16069 | WT350.8 | 145,00 | 296,00 | 9 | | EDS |
| WD 16079 | WT250.8 | 095,00 | 220,00 | 9 | | EDS INA |
| WD 16089 | W285.8 / S315.8 | 110,00 | 245,00 | 9 | | INA |
| WD 16095 | ELBE122 | 065,00 | 172,00 | 5 | | ELBE circlips 1.4122 |
| WD 16101 | CITROEN | 026,99 | 060,30 | 1 | | GMB |
| WD 16139 | HS440 | 180,00 | 377,00 | 9 | | EDS |
| WD 16140 | 687.40 | 047,60 | 135,20 | 0 | | SF HT |
| WD 16175 | ELBE 112 | 035,00 | 097,00 | 5 | | HT 250° |
| WD 16189 | S490 | 188,00 | 420,00 | 9 | | EDS |
| WD 16199 | S550 | 215,00 | 467,00 | 9 | | EDS |
| WD 16205 | | 049,20 | 154,80 | 5 | | EDS |
| WD 16219 | WT390.8 | 160,00 | 328,00 | 9 | | EDS |
| WD 16225 | 688.40 | 047,60 | 135,20 | 5 | | railway application |
| WD 16285 | 109 | 028,50 | 070,90 | 5 | | EDS |
| WD 16327 | 1410/SPL41 | 030,18 | 106,30 | 7 | | GMB |
| WD 16385 | 286.37 | 053,00 | 135,00 | 5 | | EDS |
| WD 16405 | 286.22 | 042,00 | 106,00 | 5 | | EDS |
| WD 16455 | 490 series | 048,00 | 135,40 | 5 | | EDS |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|---------------------|-----------------|-----------------|--------|--------|------------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 16500 | | 083,00 | 220,00 | 0 | | EDS |
| WD 16504 | | 083,00 | 220,00 | 4 | | EDS chrome/nickel plated |
| WD 16517 | 1310 | 026,97 | 081,70 | 7 | | AKK obsolete , use WD 10517 |
| WD 16549 | | 130,00 | 301,60 | 9 | | |
| WD 16560 | 1310 | 026,97 | 081,70 | 0 | | EDS |
| WD 16589 | S350.8 | 130,00 | 268,00 | 9 | | EDS |
| WD 16629 | S390.9 | 145,00 | 336,00 | 9 | | EDS |
| WD 16749 | 587.55 | 074,00 | 217,00 | 9 | | INA |
| WD 16830 | 1410 | 030,18 | 106,30 | 0 | | CNH |
| WD 16901 | 2015 | 027,00 | 074,60 | 1 | | EDS |
| WD 16975 | 110 series | 030,00 | 083,00 | 5 | | ELBE HT 250° |
| WD 20017 | 190.50 | 065,00 | 144,00 | 7 | | GWB no longer available |
| WD 20027 | 190.55 | 074,00 | 154,00 | 7 | | GWB |
| WD 20037 | 190.60 | 083,00 | 175,00 | 7 | | GWB |
| WD 20047 | 190.65 | 095,00 | 190,00 | 7 | | GWB |
| WD 20057 | 190.70 | 110,00 | 210,00 | 7 | | GWB |
| WD 20067 | 190.75 | 120,00 | 235,00 | 7 | | GWB |
| WD 20077 | 190.80 | 130,00 | 262,00 | 7 | | GWB obsolete |
| WD 20085 | 385.60 - 802.68 | 068,00 | 89,00 / 96,00 | 5 | | SKF |
| WD 20095 | 390.60 | 083,00 | 129,00 | 5 | | GWB |
| WD 20105 | 390.65 | 095,00 | 139,00 | 5 | | GWB |
| WD 20115 | 390.70 | 110,00 | 160,00 | 5 | | GWB |
| WD 20125 | 390.75 | 120,00 | 176,00 | 5 | | GWB |
| WD 20135 | 390.80 | 130,00 | 196,00 | 5 | | GWB |
| WD 20140 | 392.50 | 074,00 | 129,00 | 0 | | GWB |
| WD 20145 | 392.50 | 074,00 | 129,00 | 5 | | GWB |
| WD 20155 | 392.55 | 083,00 | 139,00 | 5 | | GWB |
| WD 20165 | 392.60 | 095,00 | 160,00 | 5 | | GWB |
| WD 20169 | 392.60 | 095,00 | 160,00 | 9 | | GWB |
| WD 20175 | 392.65 | 110,00 | 176,00 | 5 | | GWB |
| WD 20185 | 392.70 | 120,00 | 196,00 | 5 | | GWB |
| WD 20189 | 392.70 | 120,00 | 196,00 | 9 | | GWB |
| WD 20195 | 392.75 | 130,00 | 216,00 | 5 | | GWB |
| WD 20199 | 392.75 | 130,00 | 216,00 | 9 | | GWB |
| WD 20205 | 185.20 DB | 038,00 | 57,20 / 62,00 | 5 | | DANA |
| WD 20215 | MINISUBISHI | 030,00 | 71,20 / 74,20 | 5 | | EDS |
| WD 20220 | 385.60 - 802.68 | 068,00 | 89,00 / 96,00 | 0 | | SKF |
| WD 20235 | 802.79 | 068,00 | 117,00 / 123,00 | 5 | | SKF |
| WD 20240 | 802.79 | 068,00 | 117,00 / 123,00 | 0 | | SKF |
| WD 20257 | MERCEDES | 028,00 | 49,00 / 53,00 | 7 | | GMB |
| WD 20267 | TOYOTA | 026,00 | 53,30 / 55,80 | 7 | | GMB |
| WD 20271 | TOYOTA | 026,00 | 42,00 / 46,80 | 1 | | GMB |
| WD 20287 | TOYOTA 32x61l | 032,00 | 61,00 / 63,80 | 7 | | GMB |
| WD 20295 | TOYOTA 29x49l | 029,00 | 49,00 / 52,00 | 5 | | GMB , see EDS alternative WD 22295 |
| WD 20301 | TOYOTA 29x49l | 029,00 | 49,00 / 52,00 | 1 | | GMB , see EDS alternative WD 22301 |
| WD 20310 | NISSAN | 025,00 | 40,00 / 42,80 | 0 | | EDS |
| WD 20311 | NISSAN | 025,00 | 40,00 / 42,80 | 1 | | EDS |
| WD 20321 | SUZUKI | 020,01 | 35,00 / 38,00 | 1 | | GMB |
| WD 20337 | NISSAN | 028,00 | 53,10 / 56,10 | 7 | | GMB |
| WD 20347 | R55 | 030,20 | 60,40 / 64,90 | 7 | | USA |
| WD 20357 | NISSAN | 025,01 | 52,00 / 54,40 | 7 | | GMB |
| WD 20360 | NISSAN | 027,00 | 46,10 / 49,10 | 0 | | GMB |
| WD 20361 | NISSAN | 027,00 | 46,10 / 49,10 | 1 | | EDS |
| WD 20375 | MAZDA | 032,00 | 57,00 / 60,00 | 5 | | GMB |
| WD 20381 | MAZDA | 028,00 | 56,10 / 59,10 | 1 | | GMB |
| WD 20387 | MAZDA | 028,00 | 56,10 / 59,10 | 7 | | EDS |
| WD 20391 | MAZDA | 025,00 | 41,20 / 43,60 | 1 | | EDS |
| WD 20401 | MAZDA | 026,50 | 48,00 / 50,40 | 1 | | GMB |
| WD 20411 | MAZDA | 022,50 | 35,20 / 37,70 | 1 | | GMB |
| WD 20425 | MINISUBISHI/HYUNDAI | 030,00 | 55,10 / 58,10 | 5 | | EDS |
| WD 20437 | DAIHATSU | 028,60 | 60,10 / 64,70 | 7 | | GMB |
| WD 20441 | DAIHATSU | 022,50 | 34,90 / 37,20 | 1 | | GMB |
| WD 20457 | SUBARU | 028,00 | 52,60 / 55,60 | 7 | | GMB |
| WD 20465 | SUZUKI | 025,00 | 38,80 / 42,80 | 5 | | GMB |
| WD 20475 | 392.80 - 393.80 | 154,00 | 250,00 | 5 | | GWB |
| WD 20479 | 392.80 - 393.80 | 154,00 | 250,00 | 9 | | GWB |
| WD 20487 | ISUZU | 029,00 | 50,00 / 53,10 | 7 | | EDS |
| WD 20490 | FORD | 031,00 | 45,10 / 48,10 | 0 | | GMB |
| WD 20501 | KIA | 026,50 | 48,00 / 50,40 | 1 | | GMB |
| WD 20505 | KIA | 026,50 | 48,00 / 50,70 | 5 | | 495982E000 / 495983E000 OEM |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|--------------------|-----------------|---------------|--------|--------|--|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 20510 | DETROIT 7260 | 028,60 | 63,50 / 66,50 | 0 | | EDS |
| WD 20517 | DETROIT 7260 | 028,60 | 63,50 / 66,50 | 7 | | USA |
| WD 20527 | ARO | 030,00 | 57,00 / 60,00 | 7 | | |
| WD 20531 | NISSAN | 020,09 | 30,00 / 32,64 | 1 | | RDL replacement for staked u-joint |
| WD 20541 | TOYOTA | 028,58 | 49,00 / 53,80 | 1 | | GMB |
| WD 20555 | GEWES 90 | 095,00 | 139,00 | 5 | | GEWES |
| WD 20565 | ROCKWELL 12N | 026,97 | 42,15 / 46,10 | 5 | | USA |
| WD 20575 | | 033,40 | 66,10 / 70,90 | 5 | | USA |
| WD 20571 | | 034,40 | 66,10 / 70,90 | 1 | | GMB |
| WD 20581 | | 024,60 | 33,70 / 36,70 | 1 | | GMB |
| WD 20585 | | 024,60 | 33,70 / 36,70 | 5 | | USA or EDS |
| WD 20595 | DETROIT 5160 | 031,30 | 46,00 / 50,80 | 5 | | USA |
| WD 20600 | GM HIGH FORCE | 028,60 | 60,20 / 64,90 | 0 | | USA |
| WD 20600AAM | GM OEM | 028,60 | 60,20 / 64,90 | 0 | | AAM |
| WD 20611 | MARINE / 7260 | 027,40 | 50,80 / 53,90 | 1 | | EDS |
| WD 20627 | MARINE / 7260 | 027,40 | 50,80 / 53,90 | 7 | | EDS |
| WD 206212 | MARINE / 7260 | 027,40 | 50,80 / 53,90 | 12 | | EDS |
| WD 20630 | JEEP | 030,20 | 52,40 / 55,50 | 0 | | EDS |
| WD 20631 | JEEP | 030,20 | 52,40 / 55,50 | 1 | | EDS |
| WD 20647 | DETROIT 5380 | 031,30 | 72,20 / 76,10 | 7 | | USA |
| WD 20650 | R 3R/ DETROIT 7260 | 028,60 | 64,90 / 66,50 | 0 | | USA conversion kit |
| WD 20657 | R 3R/ DETROIT 7260 | 028,60 | 64,90 / 66,50 | 7 | | USA conversion kit |
| WD 20661 | | 026,97 | 52,45 / 55,50 | 1 | | USA |
| WD 20675 | AEC 501 | 023,80 | 34,60 / 37,60 | 5 | | USA |
| WD 20685 | | 023,80 | 34,50 / 37,40 | 5 | | USA |
| WD 20691 | SP1000 | 023,80 | 34,50 / 37,40 | 1 | | EDS |
| WD 20695 | SP1000 | 023,80 | 35,00 / 37,90 | 5 | | USA |
| WD 20705 | GEWES 85/86 | 083,00 | 129,00 | 5 | | INA |
| WD 20709 | GEWES 85/86 | 083,00 | 129,00 | 9 | | INA |
| WD 20717 | GM | 028,60 | 60,20 / 64,90 | 7 | | EDS |
| WD 207112 | GM | 028,60 | 60,20 / 64,90 | 12 | | EDS |
| WD 20727 | BW 5R | 033,40 | 79,25 / 84,00 | 7 | | USA |
| WD 20737 | | 028,60 | 77,60 / 82,40 | 7 | | USA |
| WD 20745 | | 024,60 | 38,60 / 42,90 | 5 | | USA |
| WD 20750 | KAWASAKI | 020,00 | 29,00 / 31,20 | 0 | | GMB |
| WD 20751 | KAWASAKI | 020,00 | 29,00 / 32,00 | 1 | | EDS |
| WD 20765 | 185.22 | 042,00 | 66,40 / 72,00 | 5 | | |
| WD 20771 | NISSAN | 020,01 | 35,00 / 38,00 | 1 | | GMB NISSAN |
| WD 20787 | 190.50 | 065,00 | 144,00 | 7 | | EDS |
| WD 20789 | 190.50 | 065,00 | 144,00 | 9 | | EDS |
| WD 20790 | 1310 | 026,97 | 52,45 / 55,50 | 0 | | DANA JEEP 8308126637 |
| WD 20807 | FORD | 028,00 | 44,00 / 48,20 | 7 | | |
| WD 20811 | FORD | 024,00 | 40,00 / 44,00 | 1 | | |
| WD 20820 | OPEL | 024,00 | 34,40 / 39,30 | 0 | | GMB |
| WD 20821 | OPEL | 024,00 | 34,40 / 39,30 | 1 | | GMB |
| WD 20830 | OPEL | 029,00 | 51,90 / 56,20 | 0 | | GMB |
| WD 20841 | | 030,00 | 43,00 / 46,00 | 1 | | Obsolete , on request |
| WD 20855 | OPEL | 034,00 | 51,30 / 56,00 | 5 | | GMB |
| WD 20865 | DKW | 031,25 | 51,00 / 55,00 | 5 | | GMB |
| WD 20870 | MERCEDES | 029,50 | 53,00 / 56,00 | 0 | | EDS c/w center hole |
| WD 20881 | | 026,50 | 43,00 / 46,00 | 1 | | |
| WD 20895 | | 048,00 | 78,00 / 86,00 | 5 | | Löbro--on request only |
| WD 20907 | DODGE | 034,90 | 73,70 / 76,20 | 7 | | EDS or GMB |
| WD 20917 | 190.55 | 074,00 | 154,00 | 7 | | GEWES |
| WD 20927 | 190.60 | 083,00 | 175,00 | 7 | | GEWES |
| WD 20935 | MERCEDES | 042,00 | 66,40 / 72,00 | 5 | | MERCEDES 185.22 genuine -- as stock last |
| WD 20947 | 190.70 | 110,00 | 210,00 | 7 | | WELTE ESSEN |
| WD 20957 | 190.75 | 120,00 | 235,00 | 7 | | WELTE ESSEN |
| WD 20963 | 190.80 | 130,00 | 262,00 | 3 | | WELTE ESSEN |
| WD 20967 | 190.80 | 130,00 | 262,00 | 7 | | WELTE ESSEN |
| WD 20975 | 392.55 - 291.55 | 083,00 | 139,00 | 5 | | GEWES |
| WD 20979 | 392.55 - 291.55 | 083,00 | 139,00 | 9 | | GEWES |
| WD 20981 | FORD | 022,02 | 043,81 | 1 | | USA replacement for staked u-joint |
| WD 20991 | OPEL | 025,40 | 38,80 / 43,70 | 1 | | GKN |
| WD 21007 | | 25,40 / 28,60 | 54,60 / 59,40 | 7 | | USA |
| WD 21010 | MERCEDES | 028,00 | 49,00 / 53,00 | 0 | | GMB with center hole |
| WD 21020 | | 025,40 | 54,60 / 59,40 | 0 | | |
| WD 21027 | | 025,40 | 54,60 / 59,40 | 7 | | |
| WD 21030 | 1310 | 026,97 | 52,45 / 55,50 | 0 | | DANA , JEEP CHEROKEE axle 8308126637 |
| WD 21045 | TCM | 022,00 | 37,40 / 40,60 | 5 | | |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|-----------------|-----------------|-----------------|--------|--------|------------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 21055 | OPEL | 028,00 | 42,00 / 45,20 | 5 | | GMB |
| WD 21065 | 390.70 | 110,00 | 160,00 | 5 | | GEWES |
| WD 21069 | 390:70 | 110,00 | 160,00 | 9 | | GEWES |
| WD 21071 | MAZDA | 022,02 | 038,48 | 1 | | USA replacement for staked u-joint |
| WD 21081 | NISSAN | 024,69 | 041,68 | 1 | | USA replacement for staked u-joint |
| WD 21091 | DAIHATSU | 024,09 | 048,26 | 1 | | USA replacement for staked u-joint |
| WD 21101 | NISSAN | 027,89 | 050,67 | 1 | | USA replacement for staked u-joint |
| WD 21115 | | 037,00 | 60,00 / 65,00 | 5 | | EDS |
| WD 21125 | 187.30 | 044,00 | 79,00 / 84,00 | 5 | | Obsolete with stock available |
| WD 21137 | NISSAN | 032,00 | 64,00 / 68,00 | 7 | | GMB |
| WD 21147 | GM | 028,60 | 60,20 / 64,20 | 7 | | USA |
| WD 21151 | NISSAN / SUBARU | 022,02 | 035,51 | 1 | | USA replacement for staked u-joint |
| WD 21161 | NISSAN | 024,09 | 041,68 | 1 | | USA replacement for staked u-joint |
| WD 21177 | 190.60 | 083,00 | 175,00 | 7 | | WELTE ESSEN |
| WD 21185 | 392.50 - 291.50 | 074,00 | 129,00 | 5 | | WELTE ESSEN |
| WD 21189 | 392.50 - 291.50 | 074,00 | 129,00 | 9 | | WELTE ESSEN 4xG1/4"-18NPT |
| WD 21195 | 392.60 - 291.60 | 095,00 | 160,00 | 5 | | WELTE ESSEN |
| WD 21199 | 392.60 - 291.60 | 095,00 | 160,00 | 9 | | WELTE ESSEN |
| WD 21205 | 392.65 - 291.65 | 110,00 | 176,00 | 5 | | GEWES |
| WD 21209 | 392.65 - 291.65 | 110,00 | 176,00 | 9 | | GEWES |
| WD 21217 | 190.65 | 095,00 | 190,00 | 7 | | WELTE ESSEN |
| WD 21225 | MAZDA | 037,00 | 67,00 / 72,00 | 5 | | GMB |
| WD 21230 | YAMAHA | 020,00 | 37,00 / 40,00 | 0 | | |
| WD 21241 | DANA | 026,97 | 37,50 / 41,50 | 1 | | DANA |
| WD 21255 | DAIHATSU | 030,00 | 55,10 / 61,10 | 5 | | GMB |
| WD 21260 | KAWASAKI | 016,00 | 24,50 / 27,00 | 0 | | GMB |
| WD 21275 | MITSUBISHI | 022,00 | 37,60 / 39,60 | 5 | | EDS |
| WD 21285 | MERCEDES | 026,01 | 45,20 / 47,70 | 5 | | GMB |
| WD 21299 | 392.55 - 291.55 | 083,00 | 139,00 | 9 | | GEWES |
| WD 21307 | RDL 7R | 041,30 | 104,50 / 110,80 | 7 | | USA |
| WD 21315 | 392.70 - 291.70 | 120,00 | 196,00 | 5 | | WELTE ESSEN |
| WD 21329 | 392.65 | 110,00 | 176,00 | 9 | | GWB |
| WD 21330 | TOYOTA 29x49l | 029,00 | 49,00 / 52,00 | 0 | | TOYOTA |
| WD 21340 | SUZUKI | 025,00 | 38,80 / 41,40 | 0 | | SUZUKI |
| WD 21359 | 392.60 | 095,00 | 160,00 | 9 | | GWB |
| WD 21369 | 392.50 | 074,00 | 129,00 | 9 | | GWB |
| WD 21373 | 190.80 | 130,00 | 262,00 | 3 | | GWB |
| WD 21389 | 390.70 | 110,00 | 160,00 | 9 | | GWB |
| WD 21397 | ISUZU | 029,00 | 69,00 / 72,20 | 7 | | |
| WD 21403 | 190.55 | 074,00 | 154,00 | 3 | | GWB |
| WD 21411 | CHRYSLER | 030,20 | 52,40 / 55,50 | 1 | | USA |
| WD 21423 | 190.60 | 083,00 | 175,00 | 3 | | GWB |
| WD 21433 | 190.65 | 095,00 | 190,00 | 3 | | WELTE ESSEN |
| WD 21443 | 190.60 | 083,00 | 175,00 | 3 | | EDS |
| WD 21459 | 390.65 | 095,00 | 139,00 | 9 | | GWB |
| WD 21469 | 390.60 | 083,00 | 129,00 | 9 | | GWB |
| WD 21473 | 190.70 | 110,00 | 210,00 | 3 | | WELTE ESSEN |
| WD 21483 | 190.65 | 095,00 | 190,00 | 3 | | GWB |
| WD 21493 | 190.70 | 110,00 | 210,00 | 3 | | GWB |
| WD 21503 | 292.50 | 065,00 | 235,00 | 3 | | GWB Tunnel type |
| WD 21507 | 292.50 | 065,00 | 235,00 | 7 | | GWB Tunnel type |
| WD 21510 | | 023,80 | 34,60 / 37,60 | 0 | | USA |
| WD 21529 | 390.75 | 120,00 | 176,00 | 9 | | GWB |
| WD 21539 | 390.80 | 130,00 | 196,00 | 9 | | GWB |
| WD 21549 | 392.70 | 120,00 | 196,00 | 9 | | GWB |
| WD 21553 | 190.75 | 120,00 | 235,00 | 3 | | GWB |
| WD 21569 | 392.75-291.75 | 130,00 | 216,00 | 9 | | WELTE ESSEN |
| WD 21573 | 190.75 | 120,00 | 235,00 | 3 | | WELTE ESSEN |
| WD 21589 | 392.50 - 291.50 | 074,00 | 129,00 | 9 | | GWB with VITON seals |
| WD 21595 | 392.85 - 393.85 | 170,00 | 276,00 | 5 | | GWB |
| WD 21609 | 390.65 | 095,00 | 139,00 | 4 | | GWB with VITON seals |
| WD 21613 | 190.55 | 074,00 | 154,00 | 3 | | EDS |
| WD 21629 | 392.50 - 291.50 | 074,00 | 129,00 | 9 | | EDS |
| WD 21639 | 390.60 | 083,00 | 129,00 | 9 | | EDS |
| WD 21649 | 392.55 - 291.55 | 083,00 | 139,00 | 9 | | EDS M10x1AS |
| WD 21654 | 390.65 | 095,00 | 139,00 | 4 | | EDS |
| WD 21669 | 392.60 - 291.60 | 095,00 | 160,00 | 9 | | EDS |
| WD 21671 | SUBARU | 025,01 | 39,21 / 44,00 | 1 | | GMB |
| WD 21685 | 392.55 - 291.55 | 083,00 | 139,00 | 5 | | WELTE ESSEN Rota245 |
| WD 21699 | 392.65 - 291.65 | 110,00 | 176,00 | 4 | | WELTE ESSEN |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|----------------------|-----------------|---------------------|--------|--------|---|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 21707 | | 26,97 / 27,40 | 57,7/62,0*52,4/55,5 | 7 | | GMB |
| WD 21719 | 392.55 - 291.55 | 083,00 | 139,00 | 9 | | WELTE ESSEN Viton seals , chromium surface |
| WD 21729 | 392.60 - 291.60 | 095,00 | 160,00 | 9 | | WELTE ESSEN Viton seals , chromium surface |
| WD 21730 | DETROIT 7260 | 028,60 | 60,20 / 63,50 | 0 | | GMB conversion kit |
| WD 21745 | 393.90 | 195,00 | 315,00 | 5 | | GWB |
| WD 21751 | | 020,05 | 35,20 / 38,20 | 1 | | YAMAHA |
| WD 21761 | | 025,04 | 40,90 / 43,90 | 1 | | YAMAHA |
| WD 21771 | | 025,04 | 40,00 / 43,00 | 1 | | SUZUKI |
| WD 21781 | | 020,06 | 29,60 / 32,60 | 1 | | SUZUKI |
| WD 21791 | | 020,06 | 30,80 / 33,80 | 1 | | SUZUKI |
| WD 21801 | | 020,06 | 31,10 / 34,10 | 1 | | SUZUKI |
| WD 21811 | | 022,06 | 33,00 / 36,20 | 1 | | SUZUKI |
| WD 21821 | | 020,06 | 36,90 / 39,90 | 1 | | SUZUKI |
| WD 21831 | | 027,06 | 42,15 / 46,70 | 1 | | POLARIS |
| WD 21841 | | 025,04 | 40,20 / 43,20 | 1 | | ARCTIC CAT |
| WD 21851 | | 022,05 | 31,05 / 34,30 | 1 | | KAWASAKI |
| WD 21861 | | 024,00 | 36,10 / 39,10 | 1 | | KAWASAKI |
| WD 21871 | | 025,04 | 40,80 / 43,80 | 1 | | KAWASAKI |
| WD 21881 | | 020,06 | 37,00 / 40,00 | 1 | | ARCTIC CAT |
| WD 21897 | | 026,97 | 55,60 / 59,50 | 7 | | |
| WD 21901 | | 023,84 | 35,00 / 38,00 | 1 | | POLARIS |
| WD 21915 | GMB | 028,00 | 48,40 / 51,80 | 5 | | KIA |
| WD 21925 | 390.70 | 110,00 | 160,00 | 5 | | viton seals, chromium surface |
| WD 21932 | | 044,00 | 088,00 | 2 | | TATRA |
| WD 21949 | | 083,00 | 129,00 | 9 | | WELTE ESSEN |
| WD 21955 | 393.83 | 170,00 | 254,00 | 5 | | |
| WD 21965 | | 028,00 | 49,10 / 51,80 | 5 | | 68841-14140 KUBOTA |
| WD 21975 | | 083,00 | 139,00 | 5 | | WELTE ESSEN |
| WD 21985 | | 083,00 | 139,00 | 5 | | WELTE ESSEN viton seals, chromium surface |
| WD 22074 | | 110,00 | 340,00 | 4 | | GWB |
| WD 22085 | 385.60 - 802.68 | 068,00 | 89,00 / 96,00 | 5 | | EDS |
| WD 22155 | KIA | 026,50 | 48,00 / 50,70 | 5 | | 495982E300 HT-version |
| WD 22180 | SUBARU | 023,00 | 44,60 / 47,00 | 0 | | GMB |
| WD 22190 | ISEKI | 020,00 | 34,00 / 37,00 | 0 | | EDS |
| WD 22205 | 185.20 DB | 038,00 | 57,20 / 62,00 | 5 | | |
| WD 22210 | MERCEDES | 032,00 | 52,30 / 57,00 | 0 | | EDS c/w center hole |
| WD 22235 | | 034,00 | 71,00 / 77,50 | 5 | | EDS |
| WD 22295 | TOYOTA | 029,00 | 49,00 / 52,00 | 5 | | EDS |
| WD 22301 | TOYOTA | 029,00 | 49,00 / 52,00 | 1 | | EDS |
| WD 22360 | | 026,97 | 46,10 / 49,10 | 0 | | GMB |
| WD 22425 | mitsubishi / HYUNDAI | 030,00 | 55,10 / 58,11 | 5 | | GMB |
| WD 22589 | 39250 | 074,00 | 129,00 | 9 | | GWB HD |
| WD 22487 | ISUZU | 029,00 | 50,00 / 53,10 | 7 | | GMB |
| WD 22600 | GMB HIGH FORCE | 028,60 | 60,20 / 64,90 | 0 | | |
| WD 22617 | | 028,60 | 074,80 | 7 | | USA 4 Threaded Bearings + 4 brass hex. nuts |
| WD 22630 | CHRYSLER | 030,20 | 52,40 / 55,50 | 0 | | DANA |
| WD 22640 | | 011,50 | 18,00 / 20,00 | 0 | | 128VC |
| WD 23565 | S1 | 130,00 | 216,00 | 5 | | GEWES |
| WD 23600 | 7260 Detroit | 028,60 | 60,2/64,9 | 0 | | USA |
| WD 25095 | 12.00.00 | 034,00 | 52,50/55,60I | 5 | | GMB |
| WD 30017 | 1610 | 047,60 | 134,90 | 7 | | DANA |
| WD 30027 | 1710 | 049,20 | 154,70 | 7 | | DANA |
| WD 30037 | 1760 | 049,20 | 177,80 | 7 | | DANA |
| WD 30047 | 1810 | 049,20 | 191,80 | 7 | | DANA |
| WD 30057 | 1880 | 055,50 | 205,60 | 7 | | DANA |
| WD 30067 | 1610 | 047,60 | 134,90 / 134,90 | 7 | | DANA |
| WD 30077 | 1710 | 049,20 | 154,70 / 157,10 | 7 | | DANA |
| WD 30087 | 1760 | 049,20 | 177,80 / 180,10 | 7 | | DANA |
| WD 30097 | 1810 | 049,20 | 191,80 / 194,10 | 7 | | DANA |
| WD 30100 | VOLVO NK 300 | 044,00 | 126,00 | 0 | | DANA NK service free |
| WD 30115 | VOLVO NK 400 | 050,00 | 152,60 | 5 | | DANA NK VOLVO 1651032 |
| WD 30120 | VOLVO NK 500 | 057,00 | 152,60 | 0 | | DANA NK service free VOLVO 1067293 |
| WD 30135 | VOLVO NK 500 | 057,00 | 152,60 | 5 | | DANA NK VOLVO 1657229 |
| WD 30147 | | 039,70 | 115,90 | 7 | | GMB |
| WD 30157 | STRAP U 56 | 034,90 | 126,03 | 7 | | USA |
| WD 30167 | VOLVO NK 200 | 039,00 | 113,00 | 7 | | NK 200 , available under request |
| WD 30175 | VOLVO NK 300 | 044,00 | 126,00 | 5 | | DANA VOLVO 23458 |
| WD 30185 | VOLVO NK 300 | 044,00 | 126,00 | 5 | | |
| WD 30195 | VOLVO NK 400 | 050,00 | 152,60 | 5 | | |
| WD 30205 | VOLVO NK 500 | 057,00 | 152,60 | 5 | | |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|-------------------|-----------------|-----------------|--------|--------|----------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 30210 | VOLVO NK 500 | 057,00 | 152,60 | 0 | | |
| WD 30225 | | 059,00 | 167,70 | 5 | | loose plates |
| WD 30237 | | 039,69 | 115,95 | 7 | | EDS |
| WD 30247 | | 059,00 | 167,60 | 7 | | |
| WD 30257 | DANA 5-54X | 071,48 | 223,00 | 7 | | EDS |
| WD 30267 | | 049,00 | 135,00 | 7 | | |
| WD 30277 | 1700 | 049,20 | 154,80 | 7 | | loose plates |
| WD 30287 | ROCKWELL 7N | 050,80 | 150,80 / 156,60 | 7 | | USA |
| WD 30295 | LIAZ | 052,00 | 154,00 | 5 | | GWB |
| WD 30307 | 1610 FIAT | 047,60 | 134,90 | 7 | | w/o plates |
| WD 30317 | | 049,00 | 155,00 | 7 | | w/o plates |
| WD 30327 | ROCKWELL 6N | 049,20 | 130,05 | 7 | | USA |
| WD 30337 | DANA 1800 | 059,00 | 167,40 | 7 | | DANA |
| WD 30345 | MITSUBISHI | 052,00 | 153,85 | 5 | | GMB |
| WD 30355 | NISSAN | 055,00 | 164,00 | 5 | | GMB |
| WD 30367 | ISUZU | 036,00 | 097,00 | 7 | | GMB |
| WD 30377 | VOLVO | 039,98 | 118,00 | 7 | | GMB |
| WD 30385 | FURUKAWA | 032,00 | 107,00 | 5 | | GMB |
| WD 30395 | ISUZU | 045,98 | 136,00 | 5 | | ISUZU |
| WD 30405 | 1610 | 047,60 | 134,90 | 5 | | DANA METRIC FOR CAT 4E9324 |
| WD 30415 | MITSUBISHI | 046,00 | 148,00 | 5 | | GMB |
| WD 30427 | FIAT 690 | 060,00 | 170,00 | 7 | | |
| WD 30435 | HINO STRAP | 058,00 | 175,00 | 5 | | GMB |
| WD 30445 | MITSUBISHI | 044,00 | 129,00 | 5 | | GMB |
| WD 30455 | MITSUBISHI | 052,00 | 171,00 | 5 | | GMB |
| WD 30465 | ISUZU | 042,00 | 125,00 | 5 | | GMB |
| WD 30475 | NISSAN | 043,00 | 135,90 | 5 | | GMB |
| WD 30487 | BELKARD | 062,00 | 173,00 | 7 | | |
| WD 30497 | BELKARD | 068,00 | 192,00 | 7 | | |
| WD 30507 | DANA 1950 | 077,80 | 255,10 | 7 | | DANA supplied with straps |
| WD 30515 | HINO STRAP | 046,80 | 130,20 / 124,00 | 5 | | GMB |
| WD 30525 | 1710 GU500 | 049,20 | 154,80 | 5 | | EDS loose plates |
| WD 30535 | KINGLONG | 047,00 | 140,00 | 5 | | EDS w/o straps |
| WD 30545 | HINO STRAP | 047,00 | 144,00 | 5 | | GMB |
| WD 30555 | MITSUBISHI | 046,00 | 142,00 | 5 | | GMB |
| WD 30567 | JOHN DEERE | 034,93 | 106,31 | 0 | | EDS |
| WD 31017 | 1610 | 047,60 | 134,90 | 7 | | EDS |
| WD 31027 | 1710 | 049,20 | 154,70 | 7 | | EDS |
| WD 31037 | 1760 | 049,20 | 177,80 | 7 | | EDS |
| WD 31047 | 1810 | 049,20 | 191,80 | 7 | | EDS |
| WD 31135 | VOLVO NK 500 | 057,00 | 152,60 | 5 | | EDS |
| WD 31185 | VOLVO NK 300 | 044,00 | 126,00 | 5 | | GMB |
| WD 31195 | VOLVO NK 400 | 050,00 | 152,60 | 5 | | EDS |
| WD 35015 | SPL140 | 049,20 | 138,60 | 5 | | DANA |
| WD 35035 | SPL170 | 055,00 | 163,90 | 5 | | DANA |
| WD 35055 | SPL250 | 060,00 | 162,80 | 5 | | DANA |
| WD 40011 | 801.21 | 031,00 | 088,00 | 1 | | EDS |
| WD 40020 | 801.15 | 027,00 | 074,00 | 0 | | EDS |
| WD 40030 | 801.10 | 024,00 | 074,50 | 0 | | EDS |
| WD 40040 | TOYOTA | 022,00 | 057,50 | 0 | | GMB |
| WD 40050 | NISSAN | 020,07 | 052,40 | 0 | | GMB |
| WD 40060 | MAZDA | 022,06 | 061,70 | 0 | | GMB |
| WD 40070 | MAZDA | 024,06 | 071,40 | 0 | | GMB |
| WD 40080 | MITSUBISHI | 022,00 | 065,00 | 0 | | GMB |
| WD 40090 | SUZUKI | 020,06 | 059,80 | 0 | | GMB |
| WD 40100 | 801.21 | 031,00 | 088,00 | 0 | | EDS |
| WD 40110 | 801.17 | 024,00 | 088,00 | 0 | | EDS NCV3 |
| WD 40120 | MERCEDES | 024,00 | 061,50 | 0 | | OEM |
| WD 40130 | 801.18 | 027,00 | 088,00 | 0 | | EDS NCV3 |
| WD 40140 | FORD TRANSIT | 027,00 | 071,00 | 0 | | EDS |
| WD 40150 | | 015,00 | 040,00 | 0 | | GMB |
| WD 40160 | | 015,00 | 038,00 | 0 | | GMB |
| WD 40160 | | 015,00 | 038,00 | 0 | | GMB |
| WD 40170 | FORD | 022,00 | 067,50 | 0 | | GMB |
| WD 40180 | BMW | 019,00 | 044,40 | 0 | | OEM |
| WD 40190 | FORD / MITSUBISHI | 022,00 | 064,50 | 0 | | GMB |
| WD 40200 | OPEL | 024,00 | 064,50 | 0 | | DANA |
| WD 40210 | | 016,00 | 038,00 | 0 | | GMB |
| WD 40220 | | 016,00 | 040,00 | 0 | | GMB |
| WD 40230 | FORD | 024,00 | 078,00 | 0 | | |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|--------------------|-----------------|-------------------|--------|--------|---|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 40240 | | 022,00 | 056,50 | 0 | | |
| WD 40250 | 801.10 | 024,00 | 074,50 | 0 | | GKN , please use WD 40030 or 41030 |
| WD 40260 | BMW | 024,06 | 062,40 | 0 | | GMB |
| WD 40270 | | 022,00 | 057,00 | 0 | | |
| WD 40280 | 184.10 | 027,00 | 080,00 | 0 | | VW-LT original obsolete, replaced by WD 40310 |
| WD 40290 | | 022,06 | 064,25 | 0 | | Obsolete not available, replaced by WD 40190 |
| WD 40305 | ZF | 019,00 | 048,00 | 5 | | GMB steering joint |
| WD 40310 | TRANSIT / VW-LT | 027,00 | 080,00 | 0 | | EDS |
| WD 40320 | BMW | 019,00 | 049,40 | 0 | | OEM |
| WD 40330 | FORD TRANSIT | 029,98 | 092,00 | 0 | | INA |
| WD 40340 | | 024,00 | 074,50 | 0 | | OEM VITO + passenger car application |
| WD 40350 | | 024,00 | 088,00 | 0 | | OEM passenger car application |
| WD 40360 | BMW X3 | 024,00 | 056,50 | 0 | | OEM |
| WD 40370 | NISSAN | 024,00 | 062,50 | 0 | | EDS |
| WD 40380 | ZF | 015,00 | 046,00 | 0 | | EDS |
| WD 40390 | IVECO | 030,00 | 106,00 | 0 | | OEM |
| WD 40400 | IVECO | 027,00 | 082,00 | 0 | | OEM |
| WD 40410 | DACIA | 019,00 | 051,95 | 0 | | OEM |
| WD 40420 | NISSAN | 025,00 | 064,00 | 0 | | EDS |
| WD 40430 | NISSAN | 029,00 | 077,00 | 0 | | EDS |
| WD 40440 | | 020,00 | 047,20 | 0 | | EDS |
| WD 40450 | FORD | 027,00 | 096,00 | 0 | | replacement for staked OEM u-joint |
| WD 41020 | | 027,00 | 074,50 | 0 | | OEM SPRINTER |
| WD 41030 | | 024,00 | 074,50 | 0 | | OEM NCV1 |
| WD 41100 | 801.21 | 031,00 | 088,00 | 0 | | OEM |
| WD 41110 | | 024,00 | 088,00 | 0 | | OEM NCV3 |
| WD 41130 | | 027,00 | 088,00 | 0 | | OEM NCV3 |
| WD 41240 | | 022,00 | 056,50 | 0 | | EDS |
| WD 50017 | 7C HWD / 1650 | 041,30 | 117,50 / 142,00 | 7 | | DANA |
| WD 50027 | 4C LWD | 028,57 | 77,60 / 82,40 I | 7 | | USA |
| WD 50037 | 9C HWD / 1880 | 055,60 | 168,30 / 205,80 | 7 | | DANA |
| WD 50047 | 6C HWD / 1550 | 034,90 | 114,30 / 126,10 | 7 | | DANA |
| WD 50057 | 5C HWD / 1480 | 034,90 | 88,90 / 106,30 | 7 | | DANA |
| WD 50067 | 4C HWD / 1410 | 030,18 | 87,30 / 106,30 | 7 | | DANA |
| WD 50077 | 8,5C HWD / 1710 | 049,20 | 123,90 / 154,70 | 7 | | DANA |
| WD 50087 | 9C HWD / 1810 | 049,20 | 168,30 / 191,50 | 7 | | DANA |
| WD 50095 | 687.40 TELMA | 047,60 | 111,00 / 135,20 | 5 | | TELMA 687.40/GS706 , RVI 5000 803 672 |
| WD 50105 | 687.60 TELMA | 059,00 | 137,00 / 167,70 | 5 | | TELMA 687.60/GS906 |
| WD 50115 | 687.50 TELMA | 049,20 | 129,00 / 154,90 | 5 | | TELMA 687.50/GS806 |
| WD 50122 | 5C HWD | 038,00 | 106,00 | 2 | | ELBE |
| WD 50132 | 6C HWD | 038,00 | 106,00 | 2 | | ELBE 6C |
| WD 50147 | 6C HWD | 033,53 | 104,60 / 109,40 I | 7 | | EDS 6C KOMATSU 418-20-32620 |
| WD 50157 | 7C HWD | 041,30 | 104,30 / 110,80 I | 7 | | EDS 7C KOMATSU 14X-11-11-110 |
| WD 50167 | 5C HWD | 032,00 | 83,90 / 88,00 I | 7 | | GMB 5C KOMATSU |
| WD 50172 | 2C LWT | 026,97 | 081,70 | 2 | | EDS |
| WD 50187 | 5C HWD / 1410 | 030,18 | 88,90 / 106,30 | 7 | | DANA |
| WD 50197 | 3C LWT | 028,57 | 60,10 / 64,90 I | 7 | | GMB 3C |
| WD 50207 | 5C HWD | 033,40 | 79,20 / 84,00 I | 7 | | EDS 5C KOMATSU |
| WD 50217 | 5C LWT | 033,40 | 79,20 / 84,00 I | 7 | | USA |
| WD 50225 | GS 606 TELMA | 039,60 | 92,00 / 116,00 | 5 | | TELMA GS 606 on request only. |
| WD 50232 | 6C HWD/ELBE158/358 | 048,00 | 114,30 / 126,00 | 2 | | ELBE |
| WD 50240 | 2C LWD | 025,40 | 54,70 / 59,40 I | 0 | | GMB |
| WD 502412 | 2C LWD | 025,40 | 54,70 / 59,40 I | 12 | | GMB |
| WD 50250 | 5C HWD / 1480 | 034,90 | 88,90 / 106,30 | 0 | | DANA |
| WD 50260 | 6C HWD / SPL 70 | 034,90 | 114,30 / 126,10 | 0 | | DANA |
| WD 50277 | 6C LWT / 1550 | 034,90 | 114,30 / 126,10 | 7 | | DANA |
| WD 50287 | 5C LWT / 1480 | 034,90 | 88,90 / 106,30 | 7 | | GMB DANA |
| WD 502912 | 2C LWT | 025,40 | 54,70 / 59,40 I | 12 | | GMB |
| WD 50307 | 6C LWT | 033,34 | 105,08 / 114,30 | 7 | | EDS |
| WD 50311 | 2C LWT OPEL | 025,40 | 38,83 / 43,70 I | 1 | | GMB |
| WD 50327 | M 151 HWD | 26,97/31,80 | 42,00 / 45,00 I | 7 | | M 151 |
| WD 50332 | KOMATSU HWD | 35,00 / 49,00 | 147,00 / 158,00 I | 2 | | GMB |
| WD 50347 | FURUKAWA HWD | 041,00 | 104,60 / 111,50 I | 7 | | FURUKAWA |
| WD 50355 | 3C HWD | 028,57 | 60,10 / 64,90 I | 5 | | GMB |
| WD 50367 | MWD 72265 | 027,40 | 50,80 / 53,90 I | 7 | | AEC MWD 72265 COMBINATION KIT |
| WD 50377 | 4C HWD | 028,57 | 77,60 / 82,40 I | 7 | | GMB 4C |
| WD 50382 | KOMATSU HWD | 040,00 | 164,00 / 168,00 I | 2 | | KOMATSU |
| WD 50397 | 4C LWT | 028,57 | 77,60 / 82,40 I | 7 | | USA |
| WD 50407 | 6C HWD | 033,40 | 104,62 / 109,40 I | 7 | | USA |
| WD 50415 | 6C HWD | 038,00 | 106,00 | 5 | | ELBE |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|--------------------|-----------------|-------------------|--------|--------|---|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 50425 | VOLVO EY | 049,20 | 154,80 | 5 | | NK 2050 EY VOLVO 9517697 |
| WD 50437 | 8C HWD | 041,30 | 161,70 / 168,26 | 7 | | GMB |
| WD 50442 | 5C HWD CV | 038,00 | 88,90 / 106,30 | 2 | | ELBE 5C HWD CV |
| WD 50457 | 6C LWT | 033,40 | 104,62 / 109,40 l | 7 | | ROCKFORD 6C |
| WD 50460 | 4C HWD | 030,18 | 87,30 / 106,30 | 0 | | DANA |
| WD 50477 | 9C HWT / 1880 | 055,60 | 168,30 / 205,80 | 7 | | EDS |
| WD 50487 | 5C HWT | 033,32 | 79,20 / 84,00 | 7 | | HWT 10x1 FIAT |
| WD 50490 | MERITOR RPL20 | 052,32 | 174,75 | 0 | | MERITOR RPL20 original service free |
| WD 50500 | MERITOR RPL25 | 052,32 | 208,28 | 0 | | MERITOR RPL25 original service free |
| WD 50517 | 9C HWD / 1880 | 055,60 | 168,30 / 205,80 | 7 | | GMB |
| WD 50527 | 1550/58WB | 34,90/49,20 | 126,10 / 108,00 | 7 | | GMB conversion kit |
| WD 50537 | 7C HWT / 1650 | 041,30 | 117,50 / 142,00 | 7 | | GMB |
| WD 50547 | 6C HWD | 034,00 | 104,60 / 109,40 l | 7 | | EDS 6C KOMATSU 418-20-32620 |
| WD 50552 | 7C HWD / 1610 | 047,60 | 135,00 | 2 | | 7C HWD /1610HR and 2040 conversion |
| WD 50567 | 5C HWD | 034,90 | 106,40 | 7 | | EDS |
| WD 50572 | 7C HWD | 042,00 | 117,50 | 2 | | ELBE |
| WD 50587 | 5C LWD | 033,32 | 79,20 / 84,00 | 7 | | |
| WD 50590 | 2C LWD | 026,97 | 081,70 | 0 | | EDS |
| WD 50607 | 8,5C HWD / Komatsu | 053,00 | 165,00 | 7 | | c/w straps |
| WD 50617 | 4C LWT / 1410 | 030,18 | 87,30 /106,30 | 7 | | DANA |
| WD 51005 | SCANIA P50 | 057,00 | 152,00 / 164,00 | 5 | | SCANIA P50/587.42 4,5° conversion kit |
| WD 51017 | 7C HWD / 1650 | 042,30 | 117,50 /142,01 | 7 | | EDS |
| WD 51037 | 9C HWD / 1880 | 055,60 | 168,30 / 205,80 | 7 | | EDS |
| WD 51047 | 6C HWD / 1550 | 034,90 | 114,30 / 126,10 | 7 | | GMB |
| WD 51055 | SCANIA P30 | 038,00 | 148,00 | 5 | | INA straight bracket |
| WD 51095 | 687.40 TELMA | 047,60 | 111,00 / 135,20 | 5 | | EDS TELMA 687.40 obsolete |
| WD 51105 | SCANIA P30 | 038,00 | 148,00 | 5 | | INA 4,5° brackets |
| WD 51155 | SCANIA P300 | 038,00 | 148,00 | 5 | | SKF 4,5° brackets |
| WD 51160 | SCANIA P300 | 038,00 | 148,00 | 0 | | SKF service free 45° brackets |
| WD 51205 | SCANIA P40 | 048,00 | 161,00 | 5 | | INA straight brackets |
| WD 51240 | SCANIA P400 | 048,00 | 161,00 | 0 | | SKF 4,5° threaded brackets service free |
| WD 51255 | SCANIA P400 | 048,00 | 161,00 | 5 | | INA 4,5° brackets |
| WD 51265 | SCANIA P400 | 048,00 | 161,00 | 5 | | EDS 4,5° brackets |
| WD 51277 | 1550 / 6C HWT | 034,90 | 126,20 | 7 | | EDS conversion kit |
| WD 51305 | SCANIA P400 | 048,00 | 161,00 | 5 | | SKF 4,5° brackets |
| WD 51310 | SCANIA P400 | 048,00 | 161,00 | 0 | | SKF service free , 4,5° brackets |
| WD 51355 | SCANIA P50 | 057,00 | 164,00 | 5 | | INA straight brackets |
| WD 51405 | SCANIA P500 | 057,00 | 164,00 | 5 | | INA 4,5° brackets |
| WD 51415 | SCANIA P500 | 057,00 | 164,00 | 5 | | EDS 4,5° brackets |
| WD 51420 | SCANIA P500 | 057,00 | 164,00 | 0 | | SKF 4,5° threaded brackets service free |
| WD 51425 | SCANIA P500 | 057,00 | 164,00 | 5 | | INA 4,5° threaded brackets |
| WD 51455 | SCANIA P500 | 057,00 | 164,00 | 5 | | SKF 4,5° brackets |
| WD 51442 | 113 / 5C HWD CV | 038,00 | 88,90 / 106,00 | 2 | | EDS 5C HWD double key |
| WD 51460 | SCANIA P500 | 057,00 | 164,00 | 0 | | SKF 4,5° brackets service free |
| WD 51490 | MERITOR RPL20 | 052,32 | 174,75 | 0 | | EDS MERITOR RPL20 service free |
| WD 51500 | MERITOR RPL25 | 052,32 | 208,28 | 0 | | EDS MERITOR RPL25 service free |
| WD 53007 | FIAT | 033,32 | 79,20 / 84,00 | 7 | | CAMPAGNOLA |
| WD 60010 | DEUTZ HWD | 049,20 | 104,00 | 0 | | DANA |
| WD 60025 | ISUZU LWT | 056,00 | 140,20 | 5 | | |
| WD 60035 | FURUKAWA HWD | 059,80 | 105,20 | 5 | | MATSUBA |
| WD 60047 | R 58WB LWT | 049,20 | 108,00 | 7 | | USA , ROCKWELL 58WB |
| WD 60057 | TDJ 170 HWD | 062,00 | 125,20 | 7 | | USA |
| WD 60067 | R 58WB HWD | 049,20 | 108,00 | 7 | | USA , ROCKWELL 58WB |
| WD 60077 | HWD / HWT 10x1 | 049,20 | 104,00 | 7 | | DANA SIC |
| WD 60087 | HWD | 049,20 | 112,00 | 7 | | DANA SIC on request only |
| WD 60097 | 210M168 HWD | 070,00 | 168,00 | 7 | | EDS |
| WD 60107 | 8,5C HWD / TDJ170 | 62,00 / 71,40 | 125,20 / 123,80 | 7 | | AEC-384 |
| WD 60117 | TDJ 490 HWD | 088,90 | 172,70 | 7 | | EDS |
| WD 60127 | 246M210-11,5C HWD | 082,00 | 198,00 | 7 | | DANA |
| WD 60137 | 11C / 11,5C HWD | 088,90 | 172,70 | 7 | | DANA |
| WD 60147 | 10C HWD | 092,10 | 165,10 | 7 | | DANA |
| WD 60157 | TDJ 600 HWD | 088,90 | 172,70 | 7 | | USA |
| WD 60167 | 8C HWD / LWT | 049,20 | 174,60 | 7 | | EDS |
| WD 60177 | 8C LWT | 049,20 | 174,60 | 7 | | DANA |
| WD 60187 | 9C HWD | 071,40 | 168,20 | 7 | | DANA |
| WD 60190 | 8C HWD | 049,20 | 174,60 | 0 | | DANA |
| WD 60207 | 8C HWD | 049,20 | 174,60 | 7 | | DANA |
| WD 60215 | 8,5C HWD | 071,40 | 123,80 | 5 | | DANA |
| WD 60227 | 7C HWD | 049,20 | 117,50 | 7 | | DANA |
| WD 60230 | 7C HWD | 049,20 | 117,50 | 0 | | DANA |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|-------------------|-----------------|---------|---------|--------|--|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 60247 | 7C HWD / LWT | 049,20 | 117,50 | 7 | | GMB |
| WD 60257 | 7C LWD / LWT | 049,20 | 117,50 | 7 | | GMB |
| WD 60267 | 6C HWD | 042,90 | 114,30 | 7 | | DANA |
| WD 60270 | 6C HWD | 042,90 | 114,30 | 0 | | EDS |
| WD 60275 | 6C HWD | 042,90 | 114,30 | 5 | | EDS |
| WD 60277 | 6C HWD | 042,90 | 114,30 | 7 | | EDS |
| WD 60287 | 6C HWD / LWT | 042,90 | 114,30 | 7 | | GMB |
| WD 60297 | 7C HWD | 049,20 | 117,50 | 7 | | EDS |
| WD 60300 | 6C HWD | 042,90 | 114,30 | 0 | | DANA |
| WD 60317 | 4C LWD | 036,50 | 087,30 | 7 | | EDS |
| WD 60327 | 6C LWT | 042,90 | 114,30 | 7 | | EDS |
| WD 60337 | 6C LWD / LWT | 042,90 | 114,30 | 7 | | GMB |
| WD 60340 | 5C HWD | 042,90 | 114,30 | 0 | | EDS |
| WD 60347 | 5C HWD | 042,90 | 088,90 | 7 | | GMB |
| WD 60357 | 4C LWT | 036,50 | 087,30 | 7 | | GMB |
| WD 60367 | 5C HWD / LWT | 042,90 | 088,90 | 7 | | EDS |
| WD 603712 | 3C HWD | 036,50 | 069,90 | 12 | | GMB |
| WD 60387 | 5C HWD | 042,90 | 088,90 | 7 | | DANA |
| WD 60397 | 5C HWD / LWT | 042,90 | 088,90 | 7 | | DANA |
| WD 60407 | 7C LWT | 049,20 | 117,50 | 7 | | GMB |
| WD 60410 | 5C HWD | 042,90 | 088,90 | 0 | | DANA |
| WD 60427 | 5C LWT | 042,90 | 088,90 | 7 | | GMB |
| WD 60437 | 5C LWD / LWT | 042,90 | 088,90 | 7 | | EDS |
| WD 60447 | 4C HWD | 036,50 | 087,30 | 7 | | DANA |
| WD 60457 | 4C HWD | 036,50 | 087,30 | 7 | | EDS |
| WD 60460 | 4C HWD | 036,50 | 087,30 | 0 | | DANA |
| WD 60477 | 8,5C LWD | 071,40 | 123,80 | 7 | | DANA |
| WD 60487 | 4C HWD / LWT | 036,50 | 087,30 | 7 | | EDS |
| WD 60497 | 4C LWD / LWT | 036,50 | 087,30 | 7 | | EDS |
| WD 60507 | 3C LWT | 036,50 | 069,90 | 7 | | EDS |
| WD 60511 | 2C LWD | 033,30 | 059,50 | 1 | | EDS |
| WD 60521 | 2C LWD / LWT | 033,30 | 059,50 | 1 | | EDS |
| WD 60537 | 15C/J800 HWD | 100,00 | 199,94 | 7 | | DANA |
| WD 60547 | 9C HWT | 071,40 | 168,20 | 7 | | DELTA |
| WD 60554 | KOMATSU HWD | 050,00 | 181,00 | 4 | | EDS KOMATSU |
| WD 60560 | 2C LWT | 033,30 | 059,50 | 0 | | EDS |
| WD 60561 | 2C LWT | 033,30 | 059,50 | 1 | | EDS |
| WD 60567 | 2C LWT | 033,30 | 059,50 | 7 | | GMB |
| WD 60577 | 8C LWT / LWD | 049,20 | 174,60 | 7 | | GMB |
| WD 60587 | 14,5C/310M230 HWD | 107,00 | 252,00 | 7 | | DANA |
| WD 60597 | 6C HWD double key | 042,90 | 114,30 | 7 | | DANA 6C double key |
| WD 60607 | TDJ 310 HWD | 071,40 | 168,30 | 7 | | USA |
| WD 60617 | 10C LWD | 092,10 | 165,10 | 7 | | EDS |
| WD 60627 | 280M220 HWD | 092,00 | 227,00 | 7 | | DANA |
| WD 60635 | 8,5C HWD / HWT | 071,40 | 123,80 | 5 | | DANA |
| WD 60645 | LWT 12x1,25 | 060,10 | 159,00 | 5 | | EDS |
| WD 60657 | 6C LWD | 042,90 | 114,30 | 7 | | GMB |
| WD 60667 | 7C LWD | 049,20 | 117,50 | 7 | | GMB |
| WD 60677 | 5C LWD | 042,90 | 088,90 | 7 | | GMB |
| WD 60687 | TCM | 045,00 | 099,00 | 7 | | GMB TCM |
| WD 60697 | TCM | 046,00 | 108,00 | 7 | | GMB TCM |
| WD 60707 | 9C HWD | 071,40 | 168,20 | 7 | | EDS |
| WD 60717 | 10C HWD | 092,10 | 165,10 | 7 | | EDS obsolete-- replaced by WD 62717 |
| WD 60727 | 12C HWD | 092,10 | 241,30 | 7 | | EDS |
| WD 60730 | 9C HWD | 071,40 | 168,20 | 0 | | DANA service free |
| WD 60740 | 10C HWD | 092,10 | 165,10 | 0 | | DANA service free |
| WD 60757 | 8C HWD | 049,20 | 174,60 | 7 | | GMB |
| WD 60765 | 8,5C DWT | 071,40 | 123,80 | 5 | | EDS |
| WD 60767 | 8,5C DWT | 071,40 | 123,80 | 7 | | EDS |
| WD 607614 | 8,5C DWT | 071,40 | 123,80 | 14 | | DANA |
| WD 60777 | KOMATSU HWD | 092,10 | 165,10 | 7 | | DANA KOMATSU 15mm bolt hole |
| WD 60787 | 10C KOMATSU | 092,10 | 165,10 | 7 | | DANA 10C/ KOMATSU conversions kit 15/17mm hole |
| WD 60795 | 14C/339M140 HWD | 134,88 | 269,50 | 5 | | DANA |
| WD 60805 | 8,5C HWD | 071,40 | 123,80 | 5 | | EDS |
| WD 60802 | 8,5C HWD | 071,40 | 123,80 | 2 | | EDS DOOSAN |
| WD 60810 | 8,5C HWD | 071,40 | 123,80 | 0 | | DANA service free |
| WD 60827 | 8,5C LWD | 071,40 | 123,80 | 7 | | EDS |
| WD 608314 | KOMATSU HWD | 092,10 | 165,10 | 7 / 45° | | DANA KOMATSU grease nipple 45° |
| WD 60847 | S-990 HWD | 072,00 | 138,00 | 7 | | EDS |
| WD 60857 | R 58WB HWD / DWT | 049,20 | 108,00 | 7 | | USA |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|---------------------|-----------------|----------------------|---------|--------|--|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 60862 | LWT / LWD | 036,60 | 057,00 | 2 | | DANA |
| WD 60875 | 8,5C HWD / DWT | 071,40 | 123,80 | 5 | | EDS |
| WD 60887 | 5C HWD / LWD | 042,90 | 088,90 | 7 | | EDS |
| WD 60897 | S-1100 HWD | 072,00 | 158,00 | 7 | | EDS |
| WD 60902 | 7C HWD | 049,20 | 117,50 | 2 | | EDS |
| WD 60915 | 8,5C LWT | 071,40 | 123,80 | 5 | | GMB |
| WD 60922 | 7x1 LWT | 036,60 | 057,00 | 2 | | DANA 7x1 |
| WD 60937 | 15C/J800 HWD | 100,00 | 199,94 | 7 | | EDS M20x2,5 bolts |
| WD 60947 | 9C HWD / LWT | 071,40 | 168,20 | 7 | | GMB |
| WD 60955 | 9C HWD | 071,40 | 168,20 | 5 | | EDS |
| WD 60967 | 8,5C HWD - 180M146 | 60,00 / 71,40 | 146,00 / 123,80 | 5 | | EDS conversion kit |
| WD 60977 | 9C HWD / S-990 | 71,40 / 72,00 | 168,20 / 138,00 | 7 | | EDS conversion kit |
| WD 60980 | 7C HWD | 049,20 | 117,50 | 0 | | EDS service free c/w plug in center |
| WD 60997 | 9C LWD | 071,40 | 168,20 | 7 | | GMB |
| WD 61007 | 8,5C HWD / LWT | 071,40 | 123,80 | 7 | | GMB |
| WD 61017 | PEGASO | 055,00 | 174,60 | 7 | | PEGASO |
| WD 61027 | 3C LWD / LWT | 036,50 | 069,90 | 7 | | GMB |
| WD 61037 | 8C LWD | 049,20 | 174,60 | 7 | | GMB |
| WD 61047 | 4C HWD / LWD | 036,50 | 087,30 | 7 | | GMB |
| WD 61051 | HWD | 032,00 | 067,00 | 1 | | EDS obsolete with stock |
| WD 61067 | 7C HWD/ 6C LWT | 42,90 / 49,20 | 114,30 / 117,50 | 7 | | EDS conversion kit 6C/7C |
| WD 61077 | 3C LWD | 036,50 | 069,90 | 7 | | GMB |
| WD 61087 | 7C HWD / LWD | 049,20 | 117,50 | 7 | | GMB |
| WD 61097 | 7C HWD KOYO | 049,20 | 117,50 | 7 | | EDS special bolt holes |
| WD 61107 | 9C LWT | 071,40 | 168,20 | 7 | | GMB |
| WD 61112 | HWD | 036,60 | 069,90 | 2 | | with center hole |
| WD 61122 | HWD | 036,60 | 078,00 | 2 | | EDS |
| WD 61137 | LWT 10x1,25 | 052,00 | 118,00 | 7 | | |
| WD 61145 | LWT | 042,90 | 073,00 | 5 | | Ferrari |
| WD 61162 | LWT | 036,60 | 047,00 | 2 | | Maserati LWT 6x1 |
| WD 61157 | 8C HWD | 049,20 | 174,60 | 7 | | EDS with center hole 72mm |
| WD 61167 | 8,5C - S-990 | 71,40 / 72,00 | 123,80 / 138,00 | 7 | | EDS |
| WD 61187 | 12C HWD Komatsu | 092,10 | 241,30 | 7/45° | | EDS with center hole |
| WD 61195 | 8,5C HWD CV | 071,40 | 123,80 | 5 | | DANA double key |
| WD 61207 | 58WB DWT | 049,20 | 108,00 | 7/16" | | EDS |
| WD 61217 | 7C HWD | 049,20 | 117,50 | 7 | | DANA double key |
| WD 61225 | TDJ1200 | 117,90 | 225,60 | 5 | | TWIN DISC TDJ1200 on request |
| WD 61300 | 6C HWD | 042,90 | 114,30 | 0 | 10,50 | ELBE as stock last |
| WD 61567 | 2C LWT | 033,30 | 059,50 | 7 | | GMB |
| WD 62010 | DEUTZ HWD | 049,20 | 104,00 | 0 | | EDS |
| WD 62097 | 210M168 HWD | 070,00 | 168,00 | 7 | | DANA |
| WD 62117 | 180M146 HWD | 060,00 | 146,00 | 7 | | DANA |
| WD 62127 | 11,5C HWD - 246M210 | 082,00 | 198,00 | 7 | | EDS |
| WD 62157 | 8C LWT 12x1,5 | 049,20 | 174,60 | 7 | | EDS with center hole 72mm |
| WD 622214 | 7C HWD | 049,20 | 117,50 | 7 / 45° | | DANA MAN BUS |
| WD 62297 | 7C | 049,20 | 117,50 | 7 | | GMB |
| WD 62717 | 10C | 092,10 | 165,10 | 7 | | EDS |
| WD 62727 | 12C HWD | 092,10 | 241,30 | 7 | | DANA |
| WD 65117 | 180M146 HWD | 060,00 | 146,00 | 7 | | EDS |
| WD 70015 | | 26,97 / 25,40 | 61,9**38,80/43,60 I | 5 | | USA |
| WD 70027 | | 26,97 / 28,60 | 81,7**60,20/64,90 I | 7 | | USA |
| WD 70037 | | 30,20 / 31,30 | 106,2**71,20/76,10 I | 7 | | USA |
| WD 70041 | | 020,00 | 56,8**35,00/38,00 I | 1 | | USA |
| WD 70057 | | 26,97 / 27,40 | 81,7**49,40/53,90 I | 7 | | USA |
| WD 70061 | | 026,97 | 61,9**37,50/41,50 I | 1 | | USA |
| WD 70077 | | 26,97 / 28,60 | 81,7**55,20/60,00 I | 7 | | USA |
| WD 70080 | CLEVELAND S55 | 026,97 | 81,7**52,50/55,50 I | 0 | | USA |
| WD 70097 | PUJ 431 | 026,97 | 81,7**67,60/70,30 I | 7 | | USA |
| WD 70107 | | 027,00 | 92,0**67,60/70,70 I | 7 | | USA |
| WD 70117 | | 26,97 / 28,60 | 92,0**65,80/70,30 I | 7 | | USA |
| WD 70127 | | 030,20 | 106,2**74,70/79,20 I | 7 | | USA |
| WD 70137 | | 26,97 / 25,40 | 81,7**54,40/59,40 I | 7 | | USA |
| WD 70147 | | 26,97 / 28,60 | 92,0**60,20/64,90 I | 7 | | USA , chemical coat for aluminium shafts |
| WD 70151 | 1330 | 26,97 / 28,60 | 92,0**60,20/64,90 I | 1 | | USA |
| WD 70167 | M 151 | 027,00 | 83,0**60,00/64,00 I | 7 | | M151 |
| WD 70177 | | 30,20 / 28,60 | 92,0**60,20/64,90 I | 7 | | USA |
| WD 70187 | | 28,60 / 29,67 | 82,6**57,40/60,00 I | 7 | | USA |
| WD 70197 | | 26,97 / 28,60 | 92,0**61,20/65,30 I | 7 | | EDS |
| WD 80010 | 369.21 | 035,00 | 110,70 | 0 | 7 | EDS |
| WD 80020 | 469.20 | 035,00 | 096,50 | 0 | 8 | EDS |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|------------|-----------------|---------|--------|--------|---|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 80032 | 469.30 | 038,00 | 104,50 | 2 | 9 | DANA EDS alternative WD 81032 |
| WD 80040 | 369.30 | 038,00 | 119,00 | 0 | 9 | DANA |
| WD 80050 | 369.37 | 044,00 | 134,00 | 0 | 10 | DANA |
| WD 80060 | 369.40 | 047,00 | 142,00 | 0 | 11 | DANA |
| WD 80076 | ELBE 510 | 035,00 | 087,00 | 6 | 7 | ELBE |
| WD 80087 | ELBE 510 | 035,00 | 087,00 | 7 | 7 | ELBE |
| WD 80096 | ELBE 511 | 034,00 | 096,00 | 6 | 6,5 | ELBE |
| WD 80106 | ELBE 511 | 035,00 | 096,00 | 6 | 6 | ELBE |
| WD 80116 | ELBE 512 | 038,00 | 107,00 | 6 | 7,5 | ELBE c/w plastic flingers EDS alternative WD 81486 |
| WD 80126 | ELBE 513 | 042,00 | 110,00 | 6 | 7,5 | ELBE EDS alternative WD 80506 |
| WD 80136 | ELBE 515 | 045,00 | 125,00 | 6 | 8 | ELBE EDS alternative WD 80496 |
| WD 80146 | ELBE 516 | 050,00 | 134,00 | 6 | 10 | ELBE |
| WD 80156 | ELBE 518 | 050,00 | 152,00 | 6 | 10 | ELBE |
| WD 80166 | ELBE 408 | 026,98 | 071,00 | 6 | | EDS |
| WD 80176 | ELBE 408 | 028,50 | 070,70 | 6 | | ELBE |
| WD 80186 | ELBE 411 | 030,00 | 094,00 | 6 | | ELBE |
| WD 80196 | ELBE 412 | 034,00 | 105,00 | 6 | | ELBE |
| WD 80206 | ELBE 414 | 038,00 | 122,00 | 6 | | ELBE |
| WD 80216 | ELBE 415 | 042,00 | 122,00 | 6 | | ELBE |
| WD 80226 | ELBE 416 | 045,00 | 121,50 | 6 | | ELBE |
| WD 80236 | ELBE 418 | 045,00 | 152,00 | 6 | | ELBE |
| WD 80240 | GEWES 51 | 040,00 | 104,30 | 0 | 8 | GEWES EDS alternatives WD 80260 or WD 80882 |
| WD 80250 | GEWES 41 | 030,00 | 086,70 | 0 | 7 | GEWES |
| WD 80260 | 569.32 | 040,00 | 104,30 | 0 | 8 | EDS |
| WD 80270 | 569.38 | 045,50 | 120,00 | 0 | 10 | DANA |
| WD 80282 | 469.40 | 047,00 | 127,50 | 2 | 10 | DANA |
| WD 80296 | ELBE 509 | 030,00 | 079,00 | 6 | 5 | ELBE EDS alternative WD 81296 |
| WD 80300 | KLEIN 018 | 030,00 | 091,00 | 0 | 8 | KLEIN KRAMER |
| WD 80310 | KLEIN 019 | 032,00 | 100,00 | 0 | 7 | KLEIN KRAMER |
| WD 80320 | KLEIN 023 | 035,00 | 110,70 | 0 | 7 | KLEIN please use WD 80010 |
| WD 80330 | KLEIN 23 | 035,00 | 096,50 | 0 | 8 | KLEIN please use WD 80022 |
| WD 80340 | KLEIN 25 | 038,00 | 104,50 | 0 | 8 | KLEIN please use WD 81032 |
| WD 80350 | 458.300 | 027,00 | 070,00 | 0 | | ELBE |
| WD 80355 | | 027,00 | 070,00 | 5 | | DANA |
| WD 80360 | | 027,00 | 070,00 | 0 | | EDS |
| WD 80366 | | 027,00 | 070,60 | 6 | | EDS |
| WD 80370 | 220 series | 030,20 | 092,10 | 0 | | EDS |
| WD 80385 | B310 | 027,00 | 071,00 | 5 | | BTB |
| WD 80390 | B310 | 027,00 | 071,00 | 0 | | GMB alternative WD 81390 |
| WD 80396 | B310 | 027,00 | 071,00 | 6 | | EDS |
| WD 80400 | B320 | 030,20 | 082,00 | 0 | | DANA |
| WD 80415 | B320 | 030,20 | 082,00 | 5 | | BTB B320 DANA alternative WD 81415 |
| WD 80426 | B330 | 035,00 | 093,00 | 6 | | BTB B330 |
| WD 80430 | 330 series | 034,92 | 093,00 | 0 | | EDS |
| WD 80445 | B330 | 035,00 | 093,00 | 5 | | BTB B330 |
| WD 80450 | | 026,98 | 071,00 | 0 | | EDS |
| WD 80460 | B340 | 039,60 | 105,00 | 0 | | BTB B340, under request |
| WD 80475 | B340 | 039,60 | 105,00 | 5 | | BTB B340, under request |
| WD 80486 | ELBE 512 | 038,00 | 107,00 | 6 | 7,5 | ELBE standart versions use EDS alternative WD 81486 |
| WD 80496 | ELBE 515 | 045,00 | 125,00 | 6 | 8 | EDS |
| WD 80506 | ELBE 513 | 042,00 | 110,00 | 6 | 7,5 | EDS |
| WD 80510 | B245 | 039,60 | 106,30 | 0 | | EDS |
| WD 80522 | 469.10 | 032,00 | 082,00 | 2 | 7 | EDS |
| WD 80530 | 369.04 | 027,00 | 087,00 | 0 | 5 | DANA KRAMER 0022610669 |
| WD 80540 | 369.10 | 030,00 | 096,00 | 0 | 6 | DANA |
| WD 80556 | B200 | 039,60 | 110,00 | 6 | 9 | DANA |
| WD 80560 | | 026,98 | 071,00 | 0 | 5 | DANA |
| WD 80570 | S215 | 026,97 | 081,80 | 0 | | |
| WD 80587 | B235 | 035,00 | 096,80 | 7 | | EDS |
| WD 80590 | 320 series | 030,20 | 082,00 | 0 | | EDS |
| WD 80606 | 320 series | 030,20 | 082,00 | 6 | | EDS |
| WD 806110 | | 027,00 | 070,00 | 10 | | EDS |
| WD 80620 | B210 | 027,00 | 074,60 | 0 | | BTB B210 |
| WD 80630 | B235 | 035,00 | 096,80 | 0 | | BTB B235 |
| WD 80640 | 300 series | 023,80 | 062,50 | 0 | | EDS |
| WD 80655 | B300 | 023,80 | 062,50 | 5 | | BTB |
| WD 80660 | 269.30 | 034,60 | 130,00 | 0 | 2 | EDS |
| WD 80670 | 269.30 | 034,60 | 130,00 | 0 | 2 | EDS threaded brackets |
| WD 80680 | 369.03 | 024,00 | 077,00 | 0 | 4 | |
| WD 80696 | ELBE 409 | 030,00 | 083,00 | 6 | | |

**UNIVERSAL JOINTS BY EDS P/N**

| EDS P/N | SERIES | BEARING Ø mm | SPAN mm | GREASE | STAND. | COMMENT |
|--|--------------|-----------------|---------|--------|--------|--|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | | | |
| WD 80700 | B220 | 030,17 | 092,00 | 0 | | EDS |
| WD 80706 | B220 | 030,17 | 092,00 | 6 | | BTB B220 |
| WD 80716 | ELBE 413 | 038,00 | 106,00 | 6 | | ELBE |
| WD 80730 | GEWES 71 | 045,50 | 114,10 | 0 | 10 | GEWES |
| WD 80740 | 369.35 | 038,00 | 129,00 | 0 | | GWB 369.35 , under request |
| WD 80750 | KLEIN 017 | 030,00 | 097,60 | 0 | 8 | KLEIN KRAMER, obsolete not available |
| WD 80760 | 369.20 | 032,00 | 110,70 | 0 | 7 | EDS |
| WD 80770 | GEWES 51 | 040,00 | 104,30 | 0 | 9 | GEWES SISU service free, under request |
| WD 80780 | GEWES 81 | 045,50 | 130,10 | 0 | 10 | GEWES |
| WD 80796 | 166.31 | | | 6 | 5 | under request |
| WD 80806 | 166.31 | | | 6 | 5 | threaded, under request |
| WD 80810 | B300H | 023,80 | 135,00 | 0 | | BTB B300H HURTH |
| WD 80820 | ELBE 453 | 024,00 | 061,80 | 0 | | ELBE |
| WD 80830 | ELBE 410HD | 034,00 | 099,00 | 0 | | ELBE obsolete |
| WD 80848 | ELBE 412.400 | 034,00 | 097,00 | 8 | | ELBE |
| WD 80858 | ELBE 413.400 | 038,00 | 106,00 | 8 | | ELBE |
| WD 80860 | 369.37 | 044,00 | 134,00 | 0 | 10 | IVECO wheel side u-joint |
| WD 80870 | B330 | 035,00 | 093,00 | 0 | | BTB B330 |
| WD 80882 | 569.32 | 040,00 | 104,30 | 2 | 8 | EDS |
| WD 80890 | 369.50 | 055,00 | 168,00 | 0 | 13 | EDS |
| WD 80905 | | 027,00 | 083,00 | 5 | | ZF 0 501 203 690 |
| WD 80912 | | 027,00 | 082,00 | 2 | 6,4 | |
| WD 80920 | | 027,00 | 081,70 | 0 | 4,5 | |
| WD 80930 | 169.10 | 024,00 | 087,20 | 0 | | GWB obsolete |
| WD 80946 | 969.50 | 068,00 | 125,00 | 6 | | GWB |
| WD 80950 | ELBE 512 new | 040,00 | 107,00 | 0 | 7,5 | ELBE |
| WD 80952 | 512 | 040,00 | 107,00 | 2 | 7,5 | EDS |
| WD 80960 | GEWES 61 | 035,00 | 097,00 | 0 | 8 | GEWES |
| WD 80970 | | 032,00 | 086,00 | 7 | | EDS |
| WD 80980 | ELBE | 030,20 | 082,00 | 0 | | CARRARO 0046221 |
| WD 80995 | | 058,00 | 158,80 | 5 | | GOTTWALD |
| WD 81006 | 969.20 | 058,00 | 085,00 | 6 | | GWB |
| WD 81018 | 411 | 034,00 | 097,00 | 8 | | EDS |
| WD 81020 | 412.500 | 040,00 | 105,60 | 0 | | ELBE |
| WD 81032 | 469.30 | 038,00 | 104,50 | 2 | 9 | EDS |
| WD 81040 | 403 | 023,80 | 062,61 | 0 | 0 | ELBE |
| WD 81076 | 510 | 035,00 | 087,00 | 6 | 7 | EDS |
| WD 81100 | 511 | 035,00 | 096,00 | 0 | 7 | EDS |
| WD 81296 | 509 | 030,00 | 079,00 | 6 | 5 | EDS |
| WD 81390 | BTB B310 | 027,00 | 071,00 | 0 | | GMB |
| WD 81415 | BTB B320 | 030,20 | 082,00 | 5 | | BTB |
| WD 81445 | | 035,00 | 093,00 | 5 | | JCB |
| WD 81486 | 512 | 038,00 | 107,00 | 6 | 7,5 | EDS |
| WD 82486 | 512 | 038,00 | 107,00 | 6 | 7,5 | please use WD 80486 |



| 473.10 - 15,00x40,10 | | |
|---|-------------------|---|
| Dimensions | EDS Part Number | Comments |
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 58/4-5 H61 28x1,5 30° | 7473100400000 | |
| DIN 65/4-6,6 H61 28x1,5 30° | 7473100400003 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 58/4-5 H159/035 28x1,5 30° 22x2x19 DIN 5482 | 7473100100000 | in separate parts , relube |
| DIN 65/4-6 H159/035 28x1,5 30° 22x2x19 DIN 5482 | 7473100100030 | in separate parts , relube |
| DIN 58/4-5 H165/210 28x1,5 30° 22x2x19 DIN 5482 | 74731007003000380 | in separate parts , relube , H351 splined bar,no rilsan |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 50/4-6,6 H29 30° | 2473102000114 | SETRA |
| DIN 58/4-5 H29 30° | 2473102000000 | |
| DIN 58/4-5 H32 30° | 2473102700000 | |
| DIN 65/4-6 H29 30° | 2473102300000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H32 28x1,5 30° | 2473104000000 | |
| H32 base 15mm 30° | 2473104000182 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H83 30° | 2473103000095 | 22x2x19 DIN5482 . Slip yoke included seal kit |
| H86 30° | 2473103000082 | 22x2x19 DIN5482 . Slip yoke no required seal kit |
| H96 30° | 2473103000000 | 22x2x19 DIN5482 . Slip yoke included seal kit , Standard |
| H50 30° Ø20 H7 | 2473103200086 | End yoke |
| H50 30° 22x2x19 DIN5482 | 2473103000128 | Splined bar |
| DICHTUNG-Dichtung / Seal kit / Joint poussiere / Guardapolvo conjunto / Guarnizione / Прокладка | | |
| Seal kit 473.10 for sleeve yokes | 1473101217270 | splined dust cap 1473101000000 + seal 1473102000000 |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H114 28x1,5 | 2473101000000 | 22x2x19 DIN5482 , no rilsan |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H091 30° 22x2x19 DIN 5482 no rilsan | 2473107100074 | 22x2x19 DIN 5482 no rilsan , no full spline for dust cover |
| H106 30° 22x2x19 DIN 5482 no rilsan | 2473107000131 | 22x2x19 DIN 5482 no rilsan , no full spline for dust cover |
| H126 30° 22x2x19 DIN 5482 no rilsan | 2473107100092 | 22x2x19 DIN 5482 no rilsan , no full spline for dust cover |
| H126 30° 22x2x19 DIN 5482 no rilsan | 2473107000020 | 22x2x19 DIN 5482 no rilsan , full spline for standard slip yoke |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H75 28x1,5 22x2x19 DIN 5482 splined bar | 2473108016911 | Splined bar , dust cap included |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| H0555 22x2x19 DIN 5482 | 2473101900203 | 22x2x19 DIN 5482 |
| DINHÜV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H75 | 64731009154760070 | incl.seal and adaptor |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| 28x1,5 | Tube 28x1,5 | 473.10/ELBE 105 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| Lz 210/35 DIN 58/4-5 30° 22x2x19 DIN 5482 | 101109300000L0210 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / Крестовина | | |
| 15,00x40,10 central grease | WD 12035 | WET |
| 15,00x40,10 central grease | WD 14365 | EDS |
| 15,00x40,10 service free | WD 14360 | EDS |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Воськола / Опорная втулка; втулка подшипника в комплекте | | |
| Ø 15 INA | 6473100600000 | INA |

| 473.20 - 19,00x48,00 | | |
|--|-------------------|---|
| Dimensions | EDS Part Number | Comments |
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 65/4-6 H72 38x2,5 25° | 7473200400000 | WD 12255 , in separate parts |
| DIN 65/4-6 H72 38x2,5 25° | 7473200400003 | WD 12255 , in separate parts |
| DIN 65/4-6 H78 38x2,5 35° | 7473200400040 | WD 12255 , in separate parts |
| DIN 75/6-6 H72 38x2,5 25° | 7473200407010 | WD 12255 , in separate parts |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 65/4-6 H170/040 38x2,5 25° 25x22 DIN 5482 | 7473200100000 | WD 12255 , in separate parts , no rilsan |
| DIN 65/4-6 H170/040 38x2,5 25° 25x22 DIN 5482 | 7473200100003 | WD 12941 , in separate parts , no rilsan |
| DIN 65/4-6 H198/235 38x2,5 35° 25x22 DIN 5482 | 74732007003030415 | WD 12941 , in separate parts , no rilsan, splined bar |
| DIN 65/4-6 H198/400 38x2,5 35° 25x22 DIN 5482 | 74732007003030580 | WD 12255 , in separate parts , no rilsan, splined bar |
| DIN 65/4-6 H198/235 38x2,5 35° 25x22 DIN 5482 | 74732007006000415 | WD 12255 , in separate parts , no rilsan, splined bar |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 65/4-6 H32 25° | 2473202000000 | |
| DIN 65/4-6 H38 35° | 2473202700000 | |
| DIN 75/6-6 H32 25° | 2473202300000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H40 38x2,5 35° | 2473204000000 | |
| H40 40x2,0 35° | 2473204400000 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H085 25° 25x2x22 DIN 5482 | 2473203000007 | 25x2x22 DIN5482 .slip yoke WET included seal ,relube |
| H120 25° 22x2x19 DIN 5482 | 2473203000055 | 22x2x19 DIN5482 .slip yoke WET included seal kit , relube |
| H120 25° 25x2x22 DIN 5482 | 2473203000000 | 25x2x22 DIN5482 .slip yoke WET included seal kit , relube |
| H075 Ø 25 H7 key | 2473203200075 | End yoke |
| H060 25° 25x2x22 DIN 5482 | 2473203000135 | splined bar |
| H060 45° 25x2x22 DIN 5482 | 2473203000223 | splined bar |
| DICHTUNG-Dichtung / Seal kit / Joint poussiere / Guardapolvo conjunto / Guarnizione / Прокладка | | |
| 25x2x22 DIN 5482 473.20 -473.30 seal kit | 6473200900000 | 473.20/30,splined cap 1473201000000 + Seal 1473202000000 |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H110 25x2x22 38x2,5 or 36x1,5 DIN 5482 | 2473201000000 | |

**473.20 - 19,00x48,00**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H106 30° 25x2x22 DIN 5482 | 2473207100059 | 25x2x22 DIN 5482 , WET |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| NH H88 38x2,5 25x22 DIN 5482 | 2473208000000 | seal kit included , relube, use for splined bar |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| H555 25x2x22 DIN5482 | 2473301900550 | |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H100 | 6473200900000 | |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| 36,00x1,50 | Tube 36x1,5 | |
| 38,00x2,50 | Tube 38x2,5 | on request |
| DOM-Doppelmitnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H060 50° | 2473209000139 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN 65/4-6 Lz.188/025 30° 25x22 DIN 5482 | 101209300202L0188 | WD 12941 ATN1000 |
| DIN 65/4-6 Lz.215/040 25° 25x22 DIN 5482 | 101209300202L0215 | WD 12255 |
| DIN 65/4-6 Lz.235/040 25° 25x22 DIN 5482 | 101209300202L0235 | WD 12255 |
| DIN 65/4-6 Lz.240/040 25° 25x22 DIN 5482 | 101209300202L0240 | WD 12941 AT2000 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / Крестовина | | |
| 19,00x48,00 central grease nipple | WD 12255 | WET |
| 19,00x48,00 1xend lub | WD 12941 | WET |
| 19,00x48,00 1xend lub | WD 12191 | EDS |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Воскола / Опорная втулка; втулка подшипника в комплекте | | |
| Ø 19 INA Standard | 6473200600000 | |
| Ø 19 INA 1x end lube | 6473200600020 | |

473.30 - 22,00x58,90

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 75 blank H89 40x2,0 25° | 7473300400020 | WD 10865 in separate parts |
| DIN 75/6-6 H79 40x2,0 25° | 7473300400000 | WD 10865 in separate parts |
| DIN 75/6-6 H79 50x1,8 25° | 7473300407001 | WD 10865 in separate parts, special tube |
| DIN 75/6-6 H82 40x2,0 35° | 7473300401240 | WD 10865 in separate parts |
| DIN 75/6-6 H85 40x2,0 35° | 7473300400400 | WD 12951 in separate parts |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 75 blank H198/040 40x2,0 25° 25x22 DIN 5482 | 7473300100220 | in separate parts |
| DIN 75/6-6 H198/040 40x2,0 25° 25x22 DIN 5482 | 7473300100000 | in separate parts |
| DIN 75/6-6 H198/040 40x2,0 25° 25x22 DIN 5482 | 7473300100200 | in separate parts |
| DIN 75/6-6 H193/040 50x1,8 25° 25x22 DIN 5482 | 7473300714798 | in separate parts , special tube |
| DIN 75/6-6 H204/040 40x2,0 35° 25x22 DIN 5482 | 7473300100403 | in separate parts |
| DIN 75/6-6 H204/040 40x2,0 35° 25x22 DIN 5482 | 7473300100400 | in separate parts , rilsan |
| DIN 75/6-6 H207/235 40x2,0 35° 25x22 DIN 5482 | 74733007003000430 | in separate parts , no rilsan , splined bar |
| DIN 75/6-6 H207/400 40x2,0 35° 25x22 DIN 5482 | 74733007003000600 | in separate parts , no rilsan , splined bar |
| DIN 75/6-6 H207/400 40x2,0 35° 25x22 DIN 5482 | 74733007156560628 | in separate parts , rilsan , splined bar |
| DIN 90/4-8 H198/040 40x2,0 35° 25x22 DIN 5482 | 7473300104001 | in separate parts , no rilsan |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 075/4-8 H39 30° | 2473302016321 | |
| DIN 075/6-6 H39 30° | 2473302000000 | |
| DIN 075/6-6 H45 35° | 2473302700000 | |
| DIN 090/4-8 H32 25° | 2473302600000 | |
| DIN 090/4-8 H39 30° | 2473302300000 | |
| DIN 100/6-8 H42 35° | 2473302800000 | |
| SAE 088/4-8 H32 25° | 2473302400100 | |
| SAE 088/4-8 H39 30° | 2473302400000 | |
| SAE 097/4-9.6 H39 30° | 2473302400200 | |
| DIN 075 Blank H39 30° | 3473302000000 | |
| DIN 075 Blank H45 35° | 3473302700000 | on request |
| DIN 090 Blank H39 30° | 3473302300000 | |
| SAE 088 Blank H39 30° | 3473302400000 | |
| DIN 100 Blank H42 35° | 3473302800000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H40 40x2,0 35° | 2473304000000 | |
| H40 50x1,8 25° | 2473304400100 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H110 25x2x22 45° | 2473303000042 | slip yoke for stub shaft 2473301000000 |
| H077 Ø 29,98 conical | 2473303000041 | HOLDER end yoke |
| H080 Ø36xØ32x6x8Z Meiller | 2473303000100 | MEILLER end yoke |
| H115 30x27 45° 15Z/16Z (one double) | 2473313300274 | special for yoke shaft *2473317000000 |
| H060 Ø 25 H7 35° | 2473303000141 | |
| H080 Ø 25 H7 45° | 2473303200166 | |
| H080 Ø 30 H7 45° | 2473303200168 | |
| H080 Ø 30 H7 key | 2473303300178 | |
| H080 Ø 32 H7 | 2473303200378 | |
| H060 25x2x22 30° | 2473303300225 | splined bar |
| H110 25x2x22 45° | 2473303000042 | splined bar |
| DICHTUNG-Dichtung / Seal kit / Joint poussiere / Guardapolvo conjunto / Guarnizione / Прокладка | | |
| 25x2x22 DIN 5482 473.20 - 473.30 | 6473200900000 | 473.20/30, dust cap 1473201000000 + seal 1473202000000 |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H130 40x2 25x2x22 DIN 5482 no rilsan | 2473301000000 | no rilsan , for slip yoke 2473303000042 |

**473.30 - 22,00x58,90**

| Dimensions | EDS Part Number | Comments |
|--|---------------------|---|
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H203 30x27 DIN 5482 30° 15Z/16Z (one double) | 2473317000000 | for sleeve 2473318000100 or slip yoke 2473313300274 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H88 40x2,0 25x22 | 2473308000000 | splined bar , included seal kit , relube |
| H89 50x1,8 30x27 | 2473318000100 | yoke shaft 2473317000000 , no dust + seal 30x27, relube |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| H0555 25x2x22 DIN5482 | 2473301900550 | H615, spline length 550mm |
| DHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H100 | 6473300900000 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| 40x2 | Tube 40x2 | 473.30 standard 25x2x22 DIN 5482 splines combinations |
| 50x2 | Tube 50x2 or 50x1,8 | 287.00 /ELBE 109 / 473.30 special 30x27 DIN 5482 |
| DOM-Doppelmitnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H040 30° | 2473309000000 | obsolete |
| H055 40° | 2473309000100 | obsolete , stock available |
| H066 60° | 2473309000200 | obsolete |
| DG-Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | |
| DIN 75/6-6 L.150 | 101309500404L0150 | LH 725001808 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN 75/4-8 Lz. 250/040 25° 25x2x22 DIN 5482 | 101309300303L0250 | ATN2000 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 22,00x58,90 central grease | WD 10865 | WET |
| 22,00x58,90 central grease | WD 14865 | EDS |
| 22,00x58,90 service free | WD 12290 | WET |
| 22,00x58,90 1x end lube | WD 12951 | WET |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Воскола / Опорная втулка; втулка подшипника в комплекте | | |
| Ø 22 INA | 6473300600000 | INA standard |
| Ø 22 INA 1xend lube | 6473300600020 | INA |

287.00 - 26,00x69,50

| Dimensions | EDS Part Number | Comments |
|--|-----------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 90/4-8 H92 50x2 20° relube | 7287000400000 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 90/4-8 H237/060 50x2 35° 32x2 DIN 5480 relube | 7287000100000 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 075/6-6 H42 25° | 2430302000070 | u-joint 26,00x72,00 |
| DIN 090/4-8 H35 17° | 2287002600000 | |
| DIN 090/4-8 H40 20° | 2287002000010 | |
| DIN 090/4-8 H42 20° | 2287002000000 | |
| DIN 090/4-8 H52 35° | 2287002700010 | |
| DIN 090/6-8 H40 20° | 2287002000090 | |
| DIN 090/6-8 H52 30° | 2287002700090 | |
| DIN 100/6-8 H40 20° | 2287002300010 | |
| DIN 100/6-8 H42 20° | 2287002300010 | |
| DIN 100/6-8 H52 30° | 2287002800000 | |
| DIN 100/6-8 H52 30° | 2287002800100 | obsolete , replaced by 2287002800000 |
| DIN 100/4-8 H52 30° | 2287002800010 | ATLAS |
| DIN 120/8-10 H50 25° | 2287002800130 | |
| DIN 120/8-8 H42 20° | 2287002300140 | |
| DIN 120/8-8 H50 25° | 2287002800120 | |
| SAE 088/4-8 H39 20° | 2287002400060 | |
| SAE 088/4-8 H52 35° | 2287002400080 | |
| SAE 097/4-10 H35 17° | 2287002400270 | 27x71 u-joint |
| SAE 097/4-10 H40 20° | 2287002400110 | |
| SAE 097/4-10 H52 35° | 2287002400090 | |
| SAE 116/4-12 H50 25° | 2287002400120 | |
| DIN 090 Blank H40 20° | 3287002000000 | |
| DIN 090 Blank H52 35° | 3287002700100 | |
| DIN 100 Blank H52 35° | 3287002800100 | |
| DIN 120 Blank H50 30° | 3287002800120 | |
| SAE 116 Blank H50 25° | 3287002400120 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H48 50x2,0 35° | 2287004000000 | |
| H50 50x2,0 35° | 2287004000100 | |
| H48 60x3,0 25° | 2287004400101 | |
| H48 80x1,8 20° | 2287004400394 | on request |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H084 32x2 DIN 5480 25° | 2287003010202 | slip yoke , relube + no seal kit required |
| H105 32x2 DIN 5480 25° | 2287003000238 | slip yoke , relube + seal kit included |
| H109 32x2 DIN 5480 25° | 2287003010203 | slip yoke , relube + no seal kit required |
| H130 32x2 DIN 5480 25° | 2287003010234 | slip yoke , relube + no seal kit required |
| H130 32x2 DIN 5480 35° | 2287003000224 | slip yoke , relube + seal kit included |
| H134 32x2 DIN 5480 35° | 2287003700252 | slip yoke , relube + seal kit included |
| H085 Ø 25 H7 20° | 2287003200243 | end yoke |
| H085 Ø 28x1,2 Pitchx21T Inv. 26x69,5 | 2287003000259 | end yoke BMW Marine application, relube,on request |
| H085 Ø 30 H7 20° | 2287003200246 | end yoke relube |
| H090 Ø 30 H7 25° | 2287003200367 | end yoke relube |
| H085 Ø 36x32x6x8 20° MEILLER | 2287003300363 | end yoke |
| H090 Ø 40 H7 20° | 2287003200369 | end yoke |

**287.00 - 26,00x69,50**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H060 32x2 DIN 5480 25° | 2287003000360 | splined bar |
| H085 32x2 DIN 5480 35° | 2287003000361 | splined bar |
| H085 35x2 DIN 5480 35° spline 287.10 | 2287003000362 | splined bar 287.10 series spline 35x2 DIN 5480 |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| 32x2 DIN 5482 | 1287001000040 | GWB |
| 32x2 DIN 5480 | 1287001000100 | WET |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / Уплотняющее (прокладочное) кольцо | | |
| 32x2 DIN 5482 | 1287002000040 | GWB, GKN 12057, splined seal option |
| 32x2 DIN 5480 | 1287002000100 | |
| 32x2 DIN 5480 | 1287002300000 | GKN 12060, splined seal obsolete not available |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| 32x2 DIN 5482 | 1287003000040 | GKN 12063 standard splined washer |
| 32x2 DIN 5480 | 1287003000100 | WET |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H160 50x2 32x2 DIN 5480 | 2287001000223 | for slip yoke H130 or H134. |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H085 20° 32x2 DIN 5480 | 2287007100218 | |
| H110 25° 32x2 DIN 5480 | 2287007100235 | |
| H135 25° 32x2 DIN 5480 | 2287007100227 | |
| H165 25° 32x2 DIN 5480 | 2287007000225 | |
| H200 35° 32x2 DIN 5480 | 2287007000226 | |
| H240 35° 32x2 DIN 5480 | 2287007000293 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H105 50x2,0 32x2 DIN 5480 relube, for splined bar | 2287008000040 | |
| H115 50x2,0 32x2 DIN 5480 no rilsan, service free | 2287008000370 | |
| H126 80x1,8 32x2 DIN 5480 | 2287008000360 | obsolete |
| H168 50x2,0 32x2 DIN5480 rilsan, relube | 2287008000350 | |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| H0380 32x2x380 DIN5480 | 22870019002000380 | |
| H0430 32x2x430 DIN5480 | 22870019001000430 | |
| H0560 32x2x560 DIN5480 | 22870019004000560 | |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H150 | 6287000900150 | |
| H200 | 6287000900200 | |
| VERSCHIEB-Verschlussscheibe/ Welch plug / Capsule d'étanchéité / Cápsula de Retención / Disco di chiusura / Колпачок | | |
| 32x2 DIN 5480 Slip yoke plug | 1287001400040 | GWB |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H193/040 50x2 35° 32x2 DIN 5480 relube no rilsan | 6287001037100 | |
| H195/060 50x2 35° 32x2 DIN 5480 rilsan | 6287007080200 | EDS |
| H243/110 50x2 35° 32x2 DIN 5480 rilsan | 6287007080250 | EDS |
| WMUNMV-Well. Nab. Volls./Slip assy ysa/Ens.Coul.TC/Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H170/020 20° 32x2 DIN 5480 | 62870071331000126 | yoke shaft H125 + slip yoke H130 32x2 + dust cover H150 |
| H180/040 20° 32x2 DIN 5480 | 02870071301000146 | |
| H210/040 20° 32x2 DIN 5480 | 62870071301000176 | slip yoke H130 no seal kit +yoke shaft H200+dust cover H150 |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| 50x2 287.00 / ELBE 109 / 473.30 / 1140 series | Tube 50x2 | Tube 287.00 / ELBE 109 / 473.30 / 1140 |
| ZWUZUWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| DIN 90/4-8 H85 50x2 C/bearing WDL 9055 not included | 6287001652001 | for other sizes please see 1310 series section |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø35x168x27 RL H57,2 | WDL 9055 | |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| M20x1,5 | 1000008102071 | 287.00-287.10-687.15 |
| DOM-Doppelmitnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H055 40° | 2287009000100 | obsolete, please ask sales team for alternative |
| MR-Mitnehmerring / Double yoke / Joint double / Junta doble palier / Corpo centrale / Сдвоенная вилка | | |
| H060 36° | 2287009500000 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN 90/4-8 Lz 300/040 20° 32x2 DIN 5480 9.03 relube | 102009100505L0300 | IVECO 4201 0012 |
| Note: for other lengths or OEM numbers please contact WELTE sales team | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / Крестовина | | |
| 26,00x69,80 central grease nipple | WD 10885 | EDS |
| 26,00x69,80 central grease nipple | WD 10895 | GMB |
| 26,00x69,80 central grease nipple | WD 12965 | INA |
| 26,00x69,80 service free | WD 12960 | INA |
| 26,00x69,80 1xend lube | WD 10881 | EDS |
| 26,00x69,80 4xend lube | WD 10904 | EDS |
| 26,00x69,80 1xend lube | WD 12971 | INA |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Vocola / Опорная втулка; втулка подшипника в комплекте | | |
| LBV Ø 26 standard | 6287000600000 | INA |
| LBV Ø 26 end lube | 6287000600020 | INA |

**287.10 - 30,00x81,80**

| Dimensions | | EDS Part Number | Comments |
|--|--------------------------------|-----------------|--------------------------------------|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | | |
| XS 100/4-9 | H58 35° | 2287102000500 | MULTICAR |
| XS 120/4-11 | H58 35° | 22871023000500 | |
| DIN 090/4-8 | H58 35° | 22871027000090 | |
| DIN 090/4-8 | H48 18° c/hole Ø 36 | 2287102011070 | |
| DIN 090/6-8 | H48 18° | 2287102092100 | |
| DIN 090/6-10 | H48 18° | 2287102092200 | |
| DIN 100/4-8 | H58 35° c/hole Ø 40 | 22871027000060 | |
| DIN 100/6-8 | H58 35° | 22871027000010 | |
| DIN 100/6-8 | H58 35° c/hole Ø 40 | 22871027000020 | |
| DIN 100/6-8 | H58 35° | 22871027000050 | WET |
| DIN 100/6-8 | H48 18° | 2287102000010 | WET |
| DIN 100/6-8 | H48 18° c/hole Ø 36 | 2287102000000 | |
| DIN 100/8-8 | H58 35° | 2287102700120 | |
| DIN 100/8-8 | H48 17° | 2287102017100 | 287.11 obsolete |
| DIN 100/8-8 | H48 18° | 2287102000310 | VW-LT obsolete |
| DIN 120/8-8 | H48 18° c/hole Ø40 | 2287102300020 | |
| DIN 120/8-8 | H60 30° | 2287102800200 | |
| DIN 120/8-10 | H48 18° c/hole Ø40 | 2287102300010 | |
| DIN 120/8-10 | H60 30° | 2287102800100 | |
| SAE 088/4-8 | H48 18° | 2287102400165 | |
| SAE 097/4-9,6 | H58 35° | 2287102400095 | |
| SAE 097/4-10 | H48 18° | 2287102410110 | |
| SAE 097/4-10 | H58 35° | 2287102400160 | |
| SAE 100/4-10 | H58 35° spigot Ø60 | 2287102410070 | KAMAZ |
| SAE 116/4-11 | H48 18° | 2287102400080 | |
| SAE 116/4-11 | H60 35° | 2287102400305 | |
| SAE 116/4-12 | H48 18° | 2287102400090 | |
| SAE 116/4-12 | H48 25° | 2287102300070 | |
| SAE 116/4-12 | H54 30° spigot Ø 72 | 2287102300050 | JOHN DEERE |
| SAE 116/4-12 | H60 35° | 2287102400205 | |
| SAE 116/6-12 | H46 20° spigot Ø57 male w/key | 2287102300030 | |
| SAE 116/6-12 | H48 20° spigot Ø57 male | 2287102300040 | |
| SAE 117/3+3-12 | H46 20° spigot Ø70 c/hole Ø 36 | 2287102470100 | MERLO |
| SAE 117/3+3-12 | H58 35° spigot Ø70 | 2287102470200 | MERLO |
| SAE 120/4-11,5 | H58 35° spigot Ø46M | 2287102446820 | TOYOTA |
| DIN 120/4-10 | H48 18° | 2287102317000 | SPRINTER NCV 2 |
| DIN 120/4-10 | H58 35° | 2287102817000 | SPRINTER NCV 2 |
| DIN 132/4-10 | H46 18° 112PCD | 2287102317100 | SPRINTER NCV 3 |
| DIN 142/4-12 | H46 18° 120PCD | 2287102317200 | SPRINTER NCV 3 EURO5 |
| DIN 090 Blank | H48 18° c/hole Ø 36 | 3287102011070 | |
| DIN 100 Blank | H48 17° c/hole Ø 40 | 3287102000000 | |
| DIN 100 Blank | H58 35° c/hole Ø 38 | 3287102700000 | |
| DIN 120 Blank | H48 18° c/hole Ø 40 | 3287102300010 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | | |
| H55 50x3 35° | | 2287104000000 | |
| H61 50x3 35° | | 2287104000100 | |
| H48 60x3 18° | | 2287104000070 | |
| H53 60x3 22° | | 2287104000050 | WET |
| H56 60x3 35° | | 2287104700000 | |
| H65 60x3 18° | | 2287104417100 | Obsolete , replaced by 2287104700000 |
| H48 70x3 18° | | 2287104400100 | |
| H51 70x3 18° | | 2287104400400 | Alternative to 2287104400100 |
| H55 70x3 18° | | 2287104400300 | |
| H48 80x2 18° | | 2287104400200 | |
| H54 84x1,7 18° | | 2287104400460 | |
| H48 89x2,4 18° | | 2287104400850 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | | |
| H110 35x2x16 DIN 5480 no seal , relube | | 2287103000234 | Slip yoke , relube + no seal kit |
| H110 35x2x16 DIN 5480 seal , relube | | 2287103000240 | Slip yoke , relube + seal kit |
| H130 35x2x16 DIN 5480 no seal , relube | | 2287103000236 | Slip yoke , relube + no seal kit |
| H130 35x2x16 DIN 5480 seal , relube | | 2287103000241 | Slip yoke , relube + seal kit |
| H134 35x2x16 DIN 5480 seal , relube | | 2287103000247 | Slip yoke , relube + seal kit |
| H145 35x2x16 DIN 5480 no seal , relube | | 2287103000222 | Slip yoke , relube + no seal kit |
| H145 35x2x16 DIN 5480 seal , relube | | 2287103000239 | Slip yoke , relube + seal kit |
| H149 35x2x16 DIN 5480 no seal , relube | | 2287103700231 | Slip yoke , relube + no seal kit |
| H158 VW-LT reverse reverse slip yoke | | 2287103016150 | obsolete |
| H159 35x31 DIN 5482 no seal | | 2287103002203 | reverse slip yoke KRAMER |
| H090 36x32x6x8 | | 2287103000220 | end yoke MEILLER |
| H090 Ø 20 H7 | | 2287103000331 | end yoke |
| H090 Ø 30 H7 | | 2287103000254 | end yoke |
| H090 Ø 35 H7 | | 2287103000257 | end yoke |
| H119 35x2x16 no seal , relube | | 2287103027000 | reverse slip yoke DEUTZ |
| H100 32/24Z no seal , relube | | 2287103027100 | reverse slip yoke DEUTZ |
| H131 32x1,24x24 DIN5480 no seal , relube | | 2287103027200 | reverse slip yoke DEUTZ |
| H124 35x2x16 DIN5480 no seal , relube | | 2287103027300 | reverse slip yoke DEUTZ |
| H101 32x2x14 DIN5480 no seal , relube | | 2287103027400 | reverse slip yoke DEUTZ |
| H100 Ø 38 H7 c/w keyway | | 2287103300200 | End yoke |
| H125 DIN9611/21T no seal , relube | | 2287103010000 | reverse slip yoke VALMET |
| H145 35x2x21T no seal , relube | | 2287103010235 | reverse slip yoke JOHN DEERE |
| H065 35x31 DIN 5482 | | 2287103300060 | Splined bar 287.10 old GWB spline |
| H080 35x2x16 DIN5480 | | 2287103300100 | splined bar |

**287.10 - 30,00x81,80**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| KAPPE Kappe / Dust cap / Jointe cache poussiere / Junta de estanqueidad / Coperchio / Колпачок | | |
| 35x31 DIN 5482 287.11 | 1287101000000 | GWB 287.10 dust cap spline steel |
| 35x2x16 DIN 5480 287.10 | 1287101000100 | WET 287.10 dust cap spline steel |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / Уплотняющее (прокладочное) кольцо | | |
| 35x2 DIN 5480 287.10 | 1287102000100 | WET |
| 35x31 DIN 5482 287.11 | 1287102300000 | GWB |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| 35x2 DIN 5480 287.10 | 1287103000100 | WET |
| 35x31 DIN 5482 287.10 | 1287103000000 | GWB |
| Ø 47 / Ø 12 / 9 mm for bolt M12x1x5x35 DIN 961 10.9 | 1801215017000 | 1310 / 287.10 / 801.21 SPRINTER VW-LT |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H160 50x3 32x2x31 DIN 5482 | 2287101000343 | |
| H160 60x3 35x2x31 DIN 5482 | 2287101000223 | |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H115 18° 35x2x31 DIN 5482 no rilsan | 2287107100232 | |
| H143 18° 35x2x31 DIN 5482 no rilsan | 2287107100237 | |
| H148 18° 35x2x31 DIN 5482 no rilsan | 2287107000245 | |
| H164 18° 35x2x31 DIN 5482 no rilsan | 2287107100238 | |
| H173 18° 35x2x31 DIN 5482 no rilsan | 2287107000246 | |
| H215 18° 35x2x31 DIN 5482 no rilsan | 2287107000242 | |
| H262 18° 35x2x31 DIN 5482 no rilsan | 2287107000243 | |
| H220 38x2x18Z SPRINTER NCV1 | 2287107117220 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H125 60x3 35x2 DIN 5480 no rilsan relube seal cover kit | 2287108000200 | |
| H132 50x2 35x2 DIN 5480 rilsan relube | 2287108000410 | |
| H132 50x2 35x2 DIN 5480 no rilsan relube seal cover kit | 2287108000100 | |
| H188 50x3 35x2 DIN 5480 rilsan | 2287108000150 | IFA |
| H193 70x3 35x2 DIN 5480 rilsan | 2287108200300 | IFA |
| H183 60x3 35x2 DIN 5480 rilsan | 2287108000430 | GEWES |
| H215 60x3 35x2 DIN 5480 rilsan | 2287108200220 | GEWES |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевая стержень | | |
| 35x2x420 DIN5480 H0420 | 22871019001000420 | |
| 35x2x570 DIN5480 H0570 | 22871019002000570 | |
| 35x2x160 DIN5480 H0710 | 22871019003000710 | Special application , spline length 160mm |
| 35x2x31 DIN5482 H2800 Obsolete | 2287101900001 | cut to required length |
| 35x2x16 DIN5480 H2800 CK45 287.10 + 687.15 | 2287101900000 | cut to required length |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H084 | 6287100900084 | IFA |
| H105 | 6287100900100 | IFA |
| H120 | 6287100900120 | IFA |
| H144 | 6287100900144 | IFA |
| H145 | 6287100900145 | GEWES |
| H195 | 6287100900195 | GEWES |
| H200 | 6287100900200 | |
| VERSCHIEB-Verschlussscheibe/ Welch plug / Capsule d'etancheité / Cápsula de Retención / Disco di chiusura / Колпачок | | |
| WELCH PLUG 287.10 | 1287101400000 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H204/100 60x3 25° 35x2 DIN 5480 stub shaft + slip yoke | 6287101037100 | |
| H206/045 50x3 18° 35x2x31 DIN 5482 stub shaft + slip yoke | 6287101030000 | |
| H195/060 50x3 25° 35x2 DIN 5480 rilsan | 6287107180230 | |
| H205/060 60x3 35° 35x2 DIN 5480 rilsan | 6287107080200 | |
| H245/110 50x3 35° 35x2 DIN 5480 rilsan | 6287107180240 | |
| H245/110 60x3 35° 35x2 DIN 5480 rilsan | 6287107780210 | |
| H249/110 70x3 35° 35x2 DIN 5480 rilsan | 6287107180250 | |
| H245/110 89x2,4 35° 38x2 DIN 5480 rilsan | 6287107180270 | |
| H256/140 70x3 35° 35x2 DIN 5480 rilsan | 6287107180260 | |
| H280/160 60x3 35° 35x2 DIN 5480 rilsan | 6287107782220 | |
| H313/160 50x3 35° 38x2 rilsan | 6287107782230 | |
| H313/160 60x3 35° 38x2 rilsan | 6287107782240 | |
| H303/160 60x3 35° 38x2 rilsan | 6287107782250 | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H285/045 25° 35x31 DIN 5482 no rilsan , relube | 6287107030285 | obsolete , as stock last |
| H163/020 18° 38x2 DIN 5480 rilsan , relube | 6287107030163 | |
| H169/030 18° 35x2 DIN 5480 no rilsan , relube | 62871071331000133 | separate slip H130 + ysa H143 |
| H184/030 18° 35x2 DIN 5480 no rilsan , relube | 62871071330000148 | separate slip H136 + ysa H148 |
| H188/030 35° 38x2 DIN 5480 rilsan , relube | 6287107030188 | |
| H234/045 18° 35x2 DIN 5480 no rilsan , relube | 62871070301000198 | separate slip H145 + ysa H215 |
| H266/060 18° 35x2 DIN 5480 no rilsan , relube | 62871073300000230 | separate slip H150 + ysa H230 |
| H294/060 35° 38x2 DIN 5480 rilsan , relube | 6287107030294 | |
| H305/060 35° 35x2 DIN 5480 no rilsan , relube | 6287107030305 | rilsan |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| 50x3 | Tube 50x3 | 287.10 / ELBE 109 / ELBE 110 / 2C IC-UG / 4C IC-UG series tube |
| 60x3 | Tube 60x3 | 287.10 / 3C series tube |
| 70x3 | Tube 70x3 | 287.10 / 287.20 / ELBE 112 / 387.20 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H091 Ø 35 Ep 27 50,0x3,0 35x10T bolt 12x1,5x35 | 2501311600300 | bolt 12x1,5x35 + washer 1801215001000 |
| H091 Ø 35 Ep 27 60,0x3,0 35x10T bolt 12x1,5x35 | 2501311600500 | bolt 12x1,5x35 + washer 1801215001000 |
| H091 Ø 35 Ep 27 70,0x2,0 35x10T bolt 12x1,5x35 | 2501311600400 | bolt 12x1,5x35 + washer 1801215001000 |
| H110 Ø 35 Ep 27 50,0x3,0 M20x1,5 (52x4) | 2287101600100 | |
| H110 Ø 35 Ep 27 60,0x3,0 M20x1,5 | 2287101600000 | |
| H110 Ø 35 Ep 27 63,5x2,4 M20x1,5 | 2687151600000 | also used on 687.15/1310 |
| H110 Ø 35 Ep 27 76,2x2,4 M20x1,5 | 2687151600200 | also used on 687.15/1310 |

**287.10 - 30,00x81,80**

| Dimensions | EDS Part Number | Comments |
|--|-----------------|-----------------|
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| DIN 100/6-8 H60 35x2 DIN5480 | 2287105200100 | |
| SAE 97/4-10 H60 35x2 DIN5480 | 2287105200450 | |
| SAE 116/4-12 H60 35x2 DIN5480 | 2287105200400 | |
| DIN 100/4-10 H85 Unimog c/face keyway | 2287105200200 | on request only |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø35x168x27 RL H57,2 | WDL 9055 | |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediare / Tuerca puente central / Dado autobloccante / Гайка | | |
| M20x1,5 series 287.00-287.10-687.15-1310 | 1000008102071 | |
| SCHEIBE / Washer / Rondelle palier / Arandela puente central / Rondella cuscino / Шайба | | |
| Ø 47 / Ø 12 / 9 mm for bolt M12x1x5x35 DIN 961 10.9 | 1801215000100 | |
| ZWUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| DIN 100/6-8 H116 Ø35x27 50x3 35x16T NUT M20x1,5 | 6287101652001 | |
| DIN 100/6-8 H116 Ø35x27 60x3 35x16T NUT M20x1,5 | 6287101652002 | |
| DOM-Doppelmitnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H064 30° | 2287109000000 | |
| H070 30° | 2287109500070 | center yoke |
| H075 36° | 2287109000100 | Obsolete |
| H096 70° | 2287109700100 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / Крестовина | | |
| 30,00x82,40 central grease INA | WD 10615 | INA |
| 30,00x81,70 central grease EDS | WD 10915 | EDS |
| 30,00x81,70 central grease GMB | WD 10935 | GMB |
| 30,00x82,40 4xend lub | WD 12994 | INA |
| 30,00x82,40 1xend lube | WD 12991 | INA |
| 30,00x82,40 service free | WD 12990 | INA |
| 30,00x81,70 1xend lube GMB | WD 10931 | GMB |
| 30,00x81,70 1xend lube EDS | WD 10921 | EDS |
| 30,00x81,70 4xend lube GMB | WD 10934 | GMB |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Boccola / Опорная втулка; втулка подшипника в комплекте | | |
| Ø 30 standard | 6287100600400 | INA |
| Ø 30 1xend lube | 6287100600440 | INA |

287.20/587.10 - 35,00x96,80

| Dimensions | EDS Part Number | Comments |
|--|-----------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 120/8-10 H126 70x3 20° | 7287200400000 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 120/8-10 H308/060 70x3 20° 45x41 DIN 5482 | 728720011000000 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 120/4-11 H068 35° | 2287202700500 | |
| DIN 100/6-8 H065 25° | 2287202000100 | |
| DIN 100/8-8 H065 25° | 2287202000180 | |
| DIN 120/6-8 H058 22° | 2287202417000 | under request |
| DIN 120/6-8 H070 35° | 2287202417150 | |
| DIN 120/6-10 H060 25° 82,5M | 2802102400000 | Mercedes |
| DIN 120/6-10 H070 35° 82,5M | 2287202417100 | Mercedes |
| DIN 120/6-10 H062 20° KEY | 2287202000060 | DOPPSTADT |
| DIN 120/6-10 H070 35° KEY | 2287202702100 | KRAMER |
| DIN 120/6-10 H070 35° spigot Ø 72 | 2287202710120 | Zettermeyer / VCE |
| DIN 120/8-8 H056 20° | 2187202000010 | GWB obsolete , alternative 22872020000 |
| DIN 120/8-8 H056 20° | 2287202000000 | |
| DIN 120/8-8 H060 20° | 2287202000030 | |
| DIN 120/8-8 H064 25° | 2287202000110 | |
| DIN 120/8-8 H070 35° | 2287202700000 | |
| DIN 120/8-8 H072 35° | 2187202700010 | |
| DIN 120/8-10 H056 20° | 2287202000010 | |
| DIN 120/8-10 H060 20° | 2287202000050 | |
| DIN 120/8-10 H064 25° | 2287202000070 | |
| DIN 120/8-10 H070 35° | 2287202700010 | |
| DIN 120/8-10 H070 35° | 2287202700020 | |
| DIN 125/4-12 H060 25° spigot Ø72 8,5mm | 2287202372000 | JOHN DEERE |
| DIN 130/4-12 H056 18° | 2287202300300 | JOHN DEERE |
| DIN 150/6-17 H056 18° spigot Ø76,2 , BHC Ø120,32 | 2287202300380 | Marine application , under request |
| DIN 150/6-17 H095 44° spigot Ø120,65 | 2287332000120 | Marine application , under request |
| DIN 150/8-10 H056 20° | 2287202300000 | |
| DIN 150/8-10 H056 18° | 2187202300010 | GWB obsolete , alternative 2287202300000 |
| DIN 150/8-10 H060 15° | 2287202300200 | |
| DIN 150/8-10 H070 35° | 2287202800000 | Under request |
| DIN 150/8-12 H056 20° | 2287202300010 | |
| SAE 116/4-11 H55 15° | 2187202400120 | GWB obsolete , alternative 2287202400130 |
| SAE 116/4-11 H56 15° | 2287202400130 | |
| SAE 116/4-11 H70 35° | 2287202400200 | |
| SAE 116/4-12 H56 15° | 2287202400140 | |
| SAE 116/4-12 H60 15° | 2287202400060 | |
| SAE 116/4-12 H70 35° | 2287202400120 | |
| SAE 146/4-12,7 H56 20° | 2287202400070 | |
| SAE 146/4-12,7 H60 25° | 2287202400080 | |
| SAE 146/4-14 H60 25° | 2287202400090 | |
| SAE 146 Blank H60 25° | 3287202400100 | |

**287.20/587.10 - 35,00x96,80**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 100 Blank H65 25° | 3287202700100 | |
| DIN 120 Blank H56 15° | 3287202000010 | |
| DIN 120 Blank H60 20° | 3287202000050 | |
| DIN 150 Blank H56 15° | 3287202300000 | |
| DIN 120 Blank H72 35° | 3287202700000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H70 for short couple 9.01 style | 2287204700140 | Obsolete |
| H70 70x3,0 35° | 2287204700000 | |
| H72 70x3,0 35° | 2287204700100 | |
| H70 80x3,0 35° | 2287204400100 | |
| H65 90x2,5 25° | 2287204400000 | |
| H65 100x2 25° | 2287204400200 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H080 25° 35x2x24T | 2287203502100 | FENDT |
| H080 25° 38x34x19T DIN5482 | 2287203502000 | FENDT |
| H080 35° 49x45x2,5x18T | 2287203350200 | JOHN DEERE reverse slip yoke |
| H120 25° 42x2x20 H120 | 2287203350400 | JOHN DEERE reverse slip yoke |
| H124 25° 35x1,25x30x16T Involute spline | 2287203327200 | DEUTZ reverse slip yoke |
| H130 25° 35x32x25T DIN9611 | 2287203350600 | JOHN DEERE reverse slip yoke |
| H140 25° 37x2x17T DIN 5480 | 2287203350300 | JOHN DEERE reverse slip yoke |
| H145 25° 1 3/8"x21T Inv. | 2287203350100 | JOHN DEERE reverse slip yoke |
| H145 25° 36x40x37T | 2287203350500 | JOHN DEERE reverse slip yoke |
| H145 35° 45x2,5 DIN 5480 | 2287203000145 | Slip yoke , relube, no seal kit |
| H195 35° 45x2,5 DIN 5480 | 2287203000010 | Slip yoke , relube , seal kit |
| H080 25° 60x55x2x27T Inv 12/24 SMS1836 | 6287203310100 | HAGGLUNDS end yoke , zinc plated |
| H105 25° 35,5x31,90x 21T | 2287203327100 | DEUTZ reverse slip yoke , relube |
| H142 25° 35x1,25x30x26T DIN5480 | 2287203379100 | STEYR reverse slip yoke , relube |
| H082 25° 45x2,5 DIN5480 | 2287203300000 | End yoke , splined bar |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| 45x41 DIN 5482 | 1287201000000 | GWB |
| 45x2,5 DIN 5480 | 1287201000050 | WET |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / Уплотняющее (прокладочное) кольцо | | |
| 45x41 DIN 5482 | 11872020300000 | GWB |
| 45x2,5 DIN 5480 | 1287202000050 | WET |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| 45x41 DIN 5482 | 1287203000000 | GWB splined washer |
| 45x2,5 DIN 5480 | 1287203000050 | WET splined washer |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H225 70x3,5 45x41 DIN 5482 no rilsan | 2287201000120 | |
| H210 80x2,5 45x41 DIN 5482 no rilsan | 2287201000240 | on request |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| WM H260 45x2 DIN 5482 | 2287207000200 | |
| WM H245 45x2 DIN 5482 | 2287207000245 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H150 70x3,0 45x2,5x16T DIN 5480 SPLINED BAR, relube | 2287208000150 | |
| H150 70x3,0 45x2,5x16T DIN 5480 rilsan | 2587108000100 | |
| H175 70x3,0 45x2,5x16T DIN 5480 rilsan | 2287208000175 | |
| H175 90x2,5 45x2,5x16T DIN 5480 rilsan | 2587108000200 | |
| H195 80x3,0 45x2,5x16T DIN 5480 rilsan | 2587108000250 | |
| H230 70x3,0 45x2,5x16T DIN 5480 rilsan | 2587108000300 | |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| 45x2,5x16 DIN5480 H0440 | 22872019000000440 | |
| 45x2,5x16 DIN5480 H0655 | 22872019000000655 | |
| 45x2,5x16 DIN5480 H2800 CK45 | 2287201900100 | H2800 mm |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H140 | 6587100900100 | GEWES |
| H148 | 62872009000000148 | IFA |
| H150 | 6587100900200 | GEWES |
| H215 | 62872009003000215 | WET |
| VERSCHEI-Verschlussscheibe/ Welch plug / Capsule d'etancheité / Cápsula de Retención / Disco di chiusura / Колпачок | | |
| 287.20 | 1187201400000 | GWB |
| 287.20 | 1187201400050 | GWB |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H223/060 35° 70x3,0 45x2,5x16 DIN 5480 rilsan sleeve | 6287207780100 | |
| H244/120 35° 70x3,0 45x2,5x16 DIN 5480 rilsan sleeve | 6587107780200 | EDS |
| H303/160 35° 70x3,0 45x2,5x41 DIN 5480 rilsan sleeve | 6287207780300 | |
| H251/120 32° 70x3,0 45X2,5x41 DIN 5482 | 62872071802010270 | Obsolete slip + stub to be replaced by 6587107780200 |
| H252/060 20° 70x3,0 45x2,5x41 DIN 5482 | 6287201030001 | Obsolete slip + stub to be replaced by 6587107780200 |
| H263/110 35° 70x3,0 45x2,5x16 DIN 5480 rilsan sleeve | 6287207780200 | |
| H265/060 35° 70x3,0 45x2,5x41 DIN 5482 | 6287201037000 | Obsolete slip + stub to be replaced by '6587107780200 |
| H301/140 35° 80x3,0 45x2,5x16 DIN 5480 rilsan sleeve | 6587107780250 | |
| H263/110 35° 90x2,5 45x2,5x16 DIN 5480 rilsan sleeve | 6287207180210 | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H180/025 10° 45x2,5x41 DIN 5480 rilsan | 62872071330010127 | dust cover included |
| H205/030 18° 45x2,5x41 DIN 5480 rilsan | 62872071330020169 | Dust cover included |
| H253/030 18° 45x2,5x41 DIN 5482 no rilsan | 62872070310000209 | In separate parts , slip H158 + ysa H209 |
| H288/060 18° 45x2,5x41 DIN 5482 no rilsan | 62872070300000244 | In separate parts , slip H193 + ysa H244 |
| H338/080 20° 45x2,5x41 DIN 5480 rilsan | 6587107030338 | Dust cover included |

**287.20/587.10 - 35,00x96,80**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| 70,0x3,0 | Tube 70x3 | 287.10 / 287.20 / ELBE 112 /387.20 series |
| 80,0x2,5 | Tube 80x2,5 | Under request |
| 90,0x2,5 | Tube 90x2,5 | 286.22 / 287.20 series |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / Цанга под подвесной подшипник | | |
| H120 70x3 Ø 45 Ep18 STR.SPLINE 8T Nut32x1,5 | 2287201611060 | MAN cast housing ctr brg |
| H141 70x3 Ø 40 Ep27 40x2,5 DIN 5480 Nut27x1,5 | 2187201600110 | GWB |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| H70,7 120/8-10 40x2,5 DIN 5480 14 T | 3187205200110 | |
| H70,7 120/8-10 45x2,5 DIN 5482 16 T for 2187205284110 | 3387205200100 | |
| H70,7 120/8-10 45x2,5 DIN 5482 16 T for 2187205284110 | 3387205227080 | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø40x168x22 LL H62,7 VOLVO | WDL 9032 | VOLVO 0298 2504 / 3953472 |
| Ø45x168x18 LL H58,0 IVECO | WDL 9034 | IVECO |
| Ø45x200x18 RL H69,0 MAN | WDL 9016 | 81 39400 6089 MAN GWB obsolete replaced by WDL 9054 |
| Ø45x200x18 RL H69,0 MAN | WDL 9054 | 81 39400 6089 MAN aftermarket |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| M27x1,5x22 | 1000008102066 | |
| ZWUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| DIN 120/8-10 H130 70x3 45x2,5 DIN 5480 Nut27x1,5 | 6187201652001 | |
| SAE116/4-12 H131 70x3 45x2,5 DIN 5480 Nut27x1,5 | 6187201652007 | on request |
| DOM-Doppelmitnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| No H-pieces available on 287.20 series , please see ELBE 112 series | | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN150/8-12 Lz.445/040 DIN120/8-10 20° | 201109101210L0445 | LIEBHERR 725240890 |
| DIN150/6-10 Lz.475/070 | 10220916P2P2L0475 | DB 405 410 0906 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / Крестовина | | |
| 35,00x96,80 central grease | WD 10625 | INA |
| 35,00x96,80 central grease | WD 13265 | EDS |
| 35,00x96,80 4xend lube | WD 11564 | INA |
| 35,00x96,80 service free | WD 13000 | INA |
| 35,00x96,80 1xend lube | WD 13001 | INA |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement á aiguilles / Dado agujas / Вocola / Опорная втулка; втулка подшипника в комплекте | | |
| Ø 35 standart | 6287200600400 | Under request |
| Ø 35 1xend lube | 6287200600420 | INA |
| Ø 35 INA | 6587100600040 | INA |

**587.12 - 38,00x104,50 Obsolete**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 120/8-10 H75 35° | 2587122700000 | |
| DIN 120/4-11 H70 24° Klingelberg/spiral UNIMOG | 2587122017090 | Obsolete |
| SAE 146 Blank.H56 30° | 3587122400100 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H80 60x4 24° | 2587124017070 | obsolete |
| H90 Ø 50 24° for short couple 9.01 | 2587124017080 | UNIMOG obsolete |
| H70 70x4 25° | 2587124000100 | WET obsolete |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H148 45x2x41 DIN 5482 rilsan , relube | 25871233000900148 | Obsolete with stock available |
| H190 45x2x41 DIN 5482 rilsan , relube | 25871233000900190 | Obsolete with stock available |
| H210 45x2x41 DIN 5482 rilsan , relube | 2587123000017 | Obsolete |
| VERSCHIE-Verschlusssscheibe/ Welch plug / Capsule d'étanchéité / Cápsula de Retención / Disco di chiusura / Колпачок | | |
| Welch plug 587.12 | 1587121417060 | Obsolete with stock |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H208 70x3 45x2x41 DIN5482 | 2587121000100 | WET , Obsolete not available |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H162 20° 45x2x41 DIN 5482 | 25871270170600162 | Obsolete |
| H320 25° 45x2x41 DIN 5482 | 25871270170600320 | UNIMOG obsolete |
| H320 35° 45x2x41 DIN 5482 | 25871270170800320 | UNIMOG obsolete |
| H410 35° 45x2x41 DIN 5482 | 25871272170800410 | Obsolete , recondition only |
| H530 35° 45x2x41 DIN 5482 | 25871272170700530 | Obsolete , recondition only |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H155 60x4 25° 45x2,5 DIN 5480 relube | 2587128017070 | please use 287.20 WET seal kit |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H210/020 20° 45x2,5 DIN 5480 | 65871271330010162 | obsolete with stock ,rilsan , relube - no dust cover |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| 60x5 | Tube 60x5 | replace 60x4,5 tube |
| 70x4 UNIMOG | Tube 70x4 | 6C / ELBE 113 / UNIMOG 587.12 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 38,00x104,50 central grease | WD 13015 | INA |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Восkola / опорная втулка; втулка подшипника в комплекте | | |
| Ø 38 INA | 6587120600110 | INA |
| Ø 38 INA 1xend lube | 6587120600140 | INA |

587.15 - 42,00x104,50

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 120/8-10 H159 80x3,5 35° | 7587150401400 | |
| DIN 150/8-10 H164 80x3,5 35° | 7587150401415 | |
| DIN 150/8-12 H164 80x3,5 35° | 7587150401410 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 120/8-10 H374/110 80x3,5 35° 52x2,5 DIN 5480 rilsan | 75871507017000297 | |
| DIN 150/8-10 H397/110 80x3,5 35° 52x2,5 DIN 5480 rilsan | 75871507017150297 | |
| DIN 150/8-12 H379/110 80x3,5 35° 52x2,5 DIN 5480 rilsan | 75871507017100297 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 120/4-11 H075 35° | 2587152700520 | |
| XS 150/4-13 H080 35° | 2587152800500 | |
| DIN 120/8-8 H070 24° | 2587152000120 | obsolete |
| DIN 120/8-8 H075 35° | 2587152700070 | |
| DIN 120/8-10 H060 25° | 201 253 15403 | obsolete |
| DIN 120/8-10 H070 24° | 2587152000000 | GWB obsolete |
| DIN 120/8-10 H075 35° | 2587152700000 | EDS |
| DIN 120/8-10 H075 35° | 2587152700100 | |
| DIN 130/8-10 H070 25° 82,5M | 2587152417100 | MERCEDES |
| DIN 130/8-10 H080 35° 82,5M | 2587152417090 | MERCEDES |
| DIN 150/8-10 H062 22° | 2587152300100 | |
| DIN 150/8-10 H070 24° | 2587152300070 | Obsolete replaced by 2587152300100 |
| DIN 150/8-10 H080 35° | 2587152800070 | |
| DIN 150/8-12 H062 22° | 2587152300050 | |
| DIN 150/8-12 H070 24° | 2587152300000 | GWB obsolete replaced by 2587152300050 |
| DIN 150/8-12 H080 35° | 2587152800000 | |
| DIN 160/8-12 H080 30° 95,28 spigot 139,70PCD | 2587152800160 | Marine application |
| DIN 162/4-13 H080 35° | 2587152800130 | Special TATRA , available under request c/hole Ø50 spigot Ø 80 |
| DIN 180/8-14 H080 35° | 2587152800180 | EDS |
| SAE 116/4-11 H080 35° | 2587152400050 | |
| SAE 130/4-11,5 H080 35° 63,50 spigot 107,9PCD | 2587152463010 | Marine application ZF63 |
| SAE 146/6-16 H080 35° 77,17 spigot 120,6PCD | 2587152800600 | Marine application |
| SAE 146/6-M16 H080 35° 77,17 spigot 120,6PCD | 2587152800609 | Marine application |
| SAE 150/4-12,7 H062 18° | 2587152400200 | |
| SAE 150/4-14 H062 18° | 2587152400160 | |
| SAE 150/4-12,7 H070 30° | 2587152400070 | GWB obsolete replaced by 2587152400100 |
| SAE 150/4-12,7 H080 35° | 2587152400100 | |
| SAE 150/4-14 H080 35° | 2587152400120 | |
| SAE 178/6-19 H080 30° TWIN DISC | 2587152895178 | Marine application , TWIN DISC gearbox |
| SAE 174/8-9,6 H080 35° | 2587152400170 | |
| SAE 174/8-10 H080 30° 135,1mmSpigot | 2587152400180 | |
| SAE 174/8-10 H080 35° | 2587152400150 | |
| DIN 120/4-10 H075 35° spiralverz./ klingelberg | 201 255 03883 | UNIMOG |
| DIN 120/6-10 H060 25° Keil / Keyway | 201 253 04015 | Obsolete no replacement |

**587.15 - 42,00x104,50**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 120 Blank H075 35° | 3587152700000 | |
| DIN 150 Blank H062 22° | 3587152300000 | |
| DIN 150 Blank H080 35° | 3587152800000 | |
| DIN 180 Blank H080 25° | 3587152800180 | |
| SAE 146 Blank H080 35° | 3587152400000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H84 52x4,0 35° | 208 253 01446 | UNIMOG |
| H75 80x3,5 35° | 2587154700100 | EDS |
| H84 80x3,5 35° | 2587154700000 | |
| H84 90x4,0 35° | 2587154700150 | |
| H84 Ø 70,3 35° for short couple 9.01 | 2587154700060 | under request |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H168 35° 52x2,5 DIN 5480 | 25871533002000168 | GWB rilsan, relube , no seal kit |
| H231 35° 52x2,5 DIN 5480 | 25871533001600231 | GWB rilsan, relube , no seal kit |
| H132 25° 35x1,25x26T DIN 5480 | 25871533272000132 | DEUTZ reverse slip yoke , relube |
| H132 25° 35x1,25x26T DIN 5480 | 25871533271000132 | DEUTZ reverse slip yoke , relube with pinhole |
| H110 25° 52x2,5 DIN 5480 | 25871533001500110 | for splined bar , obsolete |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| 287.30 / 587.15 | 1287301000000 | |
| 287.30 / 587.15 | 1287301000040 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| 287.30 / 587.15 | 1287302000040 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| 287.30 / 587.15 | 1287303000040 | |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| 587.15 GWB | 1587151400000 | standard |
| 587.15 GWB | 1587151400060 | no valve plug |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| VALVE-PLUG ALL GWB 587 SERIES | 1000008608020 | rubber |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H210 80x3,5 52x2,5 DIN 5480 rilsan | 2587158000000 | |
| H195 80x3,5 52x2,5 DIN 5480 rilsan , relube M10x1 | 2587158000150 | relube for splined bar for 587.15 and 587.20 (adaptor Ø73/Ø75) |
| H254 80x3,5 52x2,5 DIN 5480 rilsan | 2587158200165 | GEWES |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| 52x2,5x20 DIN5480 H2700 | 2587201900060 | 587.15 / 587.20 H 2700 mm , cut to required length |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H148 | 65871509001000148 | |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| MUFF CAN SEAL 587.15 | 1000008508060 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H280/110 20° 80x3,5 52x2,5 DIN 5480 rilsan | 6587157780100 | |
| H281/110 25° 90x4,0 52x2,5 DIN 5480 rilsan | 6587157780150 | |
| H299/110 35° 80x3,5 52x2,5 DIN 5480 rilsan | 65871577802000297 | |
| H328/160 35° 80x3,5 52x2,5 DIN 5480 rilsan | 65871577822000375 | |
| H393/250 35° 80x3,5 52x2,5 DIN 5480 rilsan | 65871577822500450 | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC/Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H240-H180/020 15° 52x2,5 DIN 5480 rilsan | 6587157636240 | Dust cover and welch plug included |
| H250/030 35° rilsan | 65871577333250 | dust cover included |
| H380/110 35° rilsan | 6587157733380 | dust cover included |
| H345-H240/110 34° 52x2,5 DIN 5480 rilsan | 6587157733000297 | dust cover not included --- please order separately |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| 80,00x3,50 | Tube 80x3,5 | 587.15 / 687.30 SPECIAL / KLEIN253 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H141 Ø 45 Ep 25 80x3,5 45x2,5 DIN 5480 Nut 27x1,5 | 2587151616060 | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 150/4-13 H77,0 45x2,5 DIN 5480 | 2587155200520 | |
| XS 150/4-13 H82,0 45x2,5 DIN 5480 | 2587155200540 | |
| DIN 120/8-10 H70,7 45x2,5 DIN 5480 IVECO | 2587155200080 | obsolete with stock |
| DIN 150/8-12 H70,7 45x2,5 DIN 5480 IVECO | 3587155200070 | obsolete with stock |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø45x193x19 LL H69 IVECO | WDL 9035 | 0468 2902 / 4253 6523 IVECO |
| Ø45x200x18 RL H69 MAN | WDL 9054 | 81 39400 6089 MAN |
| Ø45x200x18 H69 MAN | WDL 9016 | 81 39400 6089 MAN , alternative also WDL 9054 |
| Ø45x200x27 RL H69 IVECO | WDL 9037 | 4200 2121 / 0447 3105 IVECO |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuercas puente central / Dado autobloccante / Гайка | | |
| 27x1,5x22 | 1000008102066 | 687.15/20 / 287.20 / 587.10/587.12/587.15 |
| ZWZUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| DIN 120/8-10 H129 80x3,5 IVECO WDL 9037 | 6587151652002 | |
| DIN 120/8-10 H129 80x3,5 MAN WDL 9016 | 6587151652010 | |
| DIN 150/8-10 H128 80x3,5 IVECO WDL 9037 | 6587151652004 | obsolete , on request |
| DIN 150/8-12 H129 80x3,5 IVECO WDL 9037 | 6587151652008 | |
| SAE 174/8-10 H129 80x3,5 RVI /VOLVO | 6587151652003 | Obsolete , on request |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| XS 150/4-13 Lz 410/030 35° 52x2,5 DIN 5480 | 201159303232L0410 | MAN 81 39106 6533 |
| DIN 150/8-12 Lz 530/110 35° 52x2,5 DIN 5480 | 201159101212L0530 | IVECO 4200 2727 |
| Note: for other lengths or OEM part number please contact WELTE sales service | | |

**587.15 - 42,00x104,50**

| Dimensions | EDS Part Number | Comments |
|--|-----------------|-------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 42,00x104,5 central grease | WD 10345 | GWB |
| 42,00x104,5 central grease | WD 10355 | INA |
| 42,00x104,5 central grease | WD 13875 | GWB HT on request |
| 42,00x104,5 4xend lube + central grease | WD 13679 | |
| 42,00x104,5 central grease | WD 14105 | EDS |
| 42,00x104,5 service free | WD 14310 | SKF |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Воскола / опорная втулка; втулка подшипника в комплекте | | |
| Ø 42 standard central grease | 6587150600000 | INA |
| Ø 42 standard central grease | 6802420601160 | SKF |
| Ø 42 1xend lube | 6587150600040 | INA |
| Ø 42 standard central grease | 6587150600130 | GWB |
| Ø 42 1xend lube 687.35 / 587.15 | 6687350600030 | GWB |

587.20 - 48,00x116,50

| Dimensions | EDS Part Number | Comments |
|---|-----------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 150/8-12 H171 85x5 35° | 7587200411419 | In separate parts , WD 10305 |
| DIN 180/8-14 H171 85x5 35° | 7587200406412 | In separate parts , WD 10305 |
| ZG CV Zapfengelenk / CV-fixed joint / Joint fixe homo. / Junta fija homocinética / Giunto fisso homo. / Фланец в сборе с вилкой в трубу CV | | |
| XS 150/4-13 H265/115 85x5,0 42° CV | 9587200500560 | |
| XS 150/4-13 H265/115 85x5,0 42° CV | 9587200500590 | service free |
| DIN 150/8-12 H262/115 85x5,0 42° CV | 9587200500340 | |
| DIN 150/8-12 H262/115 85x5,0 42° CV | 9587200500400 | service free |
| SAE 174/8-9,6 H262/115 70,3Ø 42° CV 9.01 | 9587200500360 | |
| SAE 174/8-9,6 H262/115 85x5,0 42° CV | 9587200500370 | |
| 6C H262/115 80x3,5 42° CV | 9587200500160 | HANOMAG/KOMATSU obsolete -- please use 7880060800162 |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS 150/4-13 H490/110 35° 85x5 55x2,5 DIN5480 CV | 9587200500420 | |
| SAE174/8-10 H490/110 35° 85x5 55x2,5 DIN5480 CV | 9587200500410 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 120/4-11 H76 25° UNIMOG | 2587202017120 | obsolete with stock |
| XS 120/4-11 H75 25° UNIMOG | 2587202017200 | |
| XS 120/4-13 H75 25° UNIMOG | 2587202017300 | |
| XS 150/4-13 H86 35° | 2587202700500 | |
| XS 150/4-13 H76 24° CV | 2587202000500 | |
| DIN 120/8-10 H76 24° CV | 2587202000140 | obsolete |
| DIN 130/8-10 H75 24° CV MERCEDES | 2587202417060 | |
| DIN 150/6-12 H86 35° | 2587202856060 | |
| DIN 150/8-10 H86 35° | 2587202800000 | |
| DIN 150/8-12 H75 24° CV | 2587202000150 | |
| DIN 150/8-12 H75 24° CV with pin | 2587202000220 | obsolete |
| DIN 150/8-12 H75 25° | 25872020311070 | |
| DIN 150/8-12 H81 30° | 2587202700100 | Alternative to 2587202811060 |
| DIN 150/8-12 H86 35° | 2587202811060 | |
| DIN 165/8-16 H75 24° | 2587202300070 | obsolete with stock |
| DIN 165/8-16 H75 25° CV | 2587202300210 | obsolete with stock |
| DIN 165/8-16 H86 35° | 2587202800070 | obsolete , replaced by 2587202811070 |
| DIN 165/8-16 H86 35° | 2587202811070 | Alternative to 2587202811070 |
| DIN 165/8-16 H95 43° GTS70 old casting | 2587202800200 | |
| DIN 180/8-12 H86 35° | 2587202800100 | obsolete replaced by blank 3587202800020 to drill |
| DIN 180/8-14 H75 24° | 2587202300110 | obsolete |
| DIN 180/8-14 H86 35° | 2587202800110 | |
| DIN 180/8-15 H86 35° m.Keil / Facekey | 2587202200100 | obsolete with stock |
| DIN 180/8-16 H75 24° | 2587202300120 | obsolete |
| DIN 180/8-16 H86 35° | 2587202800230 | obsolete replaced by 2587202800110 to drill |
| DIN 180/10-16 H86 35° | 2587202800160 | obsolete with stock |
| SAE 150/4-12,7 H74 24° | 2587202400150 | obsolete with stock |
| SAE 150/4-12,7 H84 35° | 2587202400070 | obsolete with stock |
| SAE 174/8-9,6 H75 24° | 2587202400180 | obsolete |
| SAE 174/8-9,6 H86 35° | 2587202400080 | |
| SAE 174/8-10 H75 24° | 2587202400270 | obsolete |
| SAE 174/8-10 H86 35° | 2587202400120 | |
| SAE 174/8-10 H95 43° | 2587202400160 | obsolete , replaced by 2587202400120 (35°) |
| SAE 203/8-9,6 H86 35° | 2587202400090 | obsolete with stock |
| SAE 203/8-10 H86 35° | 2587202400100 | obsolete replaced by '2587202400090 to drill |
| SAE 203/12-10 H86 35° | 2587202400190 | |
| XS 120/4-13 H76 25° KLINGELBERG UNIMOG | 2587202017130 | |
| XS 120/4-13 H76 25° KLINGELBERG UNIMOG | 2587202017150 | |
| XS 150/4-15 H86 35° KLINGELBERG UNIMOG | 2587202800210 | obsolete with stock |
| 6C H75 24° CV | 2587202000110 | obsolete |
| DIN 150 Blank H82 35° | 3587202700100 | Alternative to 3587202700000 |
| DIN 150 Blank H86 35° | 3587202811060 | |
| DIN 180 Blank H86 35° | 3587202800020 | |



587.20 - 48,00x116,50

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H70 60,3x4,5 25° | 2587204017110 | |
| H85 85,0x5,0 35° | 2587204700600 | |
| H85 85,0x5,0 35° | 208 375 01464 | |
| H72 Ø70,3 24° for short couple 9.01-CV | 2587204000670 | under request |
| H75 Ø 60-70 24° for short couple 9.01-CV | 2587204017090 | |
| H80 Ø 52,3 24° for short couple 9.01 | 2587204017070 | |
| H85 80x5 35° for short couple 9.01 | 2587204700680 | |
| H85 80x5 Ø14 in 35° for short couple 9.01 | 2587204700180 | |
| H85 80x5 Ø14 in 43° for short couple 9.01 | 2587204700130 | |
| H72 85,0x5,0 24° CV | 2587204000600 | replaces 2587204000100 |
| H72 80,0x3,5 24° CV | 2587204000610 | replaces 2587204000110 |
| H72 100x3,0 24° CV | 2587204000650 | |
| H70 Ø 49,60 24° Solid bar | 208 375 16499 | |
| H70 Ø 53,00 24° Solid bar | 208 375 01466 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H287 35° 52x2,5 DIN 5480 rilsan slip yoke | 2587203300000287 | obsolete |
| H105 25° 19T end yoke | 222 375 03911 | UNIMOG under request |
| H100 25° 19T end yoke | 222 375 15494 | UNIMOG A000 552 0045 |
| H100 25° 18T end yoke | 222 375 16081 | UNIMOG A000 552 0203 |
| H125 44° 52x2,5 DIN 5480 splined bar | 25872033001500125 | splined bar end yoke under request |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap 587.20 | 1287301000040 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal 587.15/20 | 1287302000040 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer 587.20 | 1287303000040 | |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| Plug-cap 587.20 | 1587201400060 | |
| Plug-cap 587.20 | 1587201400070 | |
| ELUEVEN-Entlüftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| Valve-plug all GWB 587 SERIES | 1000008608020 | |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H173/020 15° 50x2,5 DIN5480 | 25872070170900173 | UNIMOG |
| H272/070 24° 50x2,5 DIN 5480 | 25872077000000200 | obsolete with stock |
| H284/070 24° 50x2,5 DIN 5480 | 25872070150600284 | obsolete with stock |
| H284 CV | 25872070150700200 | FENDT on request |
| H320 24° 50x2,5 DIN 5480 | 25872070170800320 | UNIMOG |
| H260 25° 38x2x34 DIN 5482 | 25872070171400260 | UNIMOG |
| H320 25° 45x2x21 DIN 5482 | 25872070171000320 | obsolete with stock |
| H567 25° 50x2,5 DIN 5480 | 25872072171100567 | UNIMOG |
| H760 25° 1 3/8"x16 | 25872072170900760 | UNIMOG obsolete with stock |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H115 85x5 52x2,5 DIN 5480 | 2587208017250 | UNIMOG |
| H225 85x5 52x2,5 DIN 5480 rilsan | 25872080000000225 | |
| H248 85x5 52x2,5 DIN 5480 rilsan | 25872082001200248 | obsolete with stock |
| H280 85x5 52x2,5 DIN 5480 rilsan | 25872082002000200 | |
| H170 Ø70 52x2,5 DIN 5480 short couple 9.01 | 25872080001200170 | obsolete with stock |
| H208 Ø70 52x2,5 DIN 5480 short couple 9.01 | 25872080002600208 | obsolete with stock |
| H280 Ø70 52x2,5 DIN 5480 short couple 9.01 | 25872082002200280 | on request |
| PROST-Profilstange / Spined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| 52x2,5x20 DIN5480 H2700 | 2587201900060 | under request |
| 55x2,5x20 DIN5480 H2800 CK45 | 2587201900000 | Lz 2800 mm cut to requested length |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| 65872009002000155 | 65872009002000155 | |
| 65872009002100210 | 65872009002100210 | |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| MUFF CAN SEAL 587.20 | 1000008508046 | |
| WMUNHV- Wellen.u.Nabenh. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H250/110 85x5 25° 55x2,5 DIN 5480 sleeve+stubshaft | 6587201180002 | |
| H279/110 85x5 25° 55x2,5 DIN 5480 w/dust cover | 6587207780300 | obsolete |
| H312/110 85x5 35° 55x2,5 DIN 5480 w/dust cover | 65872077802000318 | |
| H318/110 85x5 35° 55x2,5 DIN 5480 w/dust cover | 6587207780250 | EDS |
| H367/180 85x5 43° 55x2,5 DIN 5480 no dust cover | 65872077822030390 | obsolete |
| H300/110 85x5 35° 52x2,5 DIN 5480 no dust cover | 65872070800970200 | CV |
| H318/105 Ø 70 35° 55x2,5 DIN 5480 no dust cover-9.01 | 65872077800000300 | 9.01 short couple obsolete with stock available |
| WMUNMV-Weil. Nab.Voils./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H248/110 24° 52x2,5 DIN5480 w/dust cover | 65872077330000100 | obsolete no stock replaced by 6587207030260 |
| H260-H225/110. 10° 55x2,5 DIN 5480 w/dust cover (*) | 6587207030260 | Alternative dust cover included for 6587207033021 / 000195 |
| H355/090 24° 52x2,5 DIN5480 no dust cover | 65872077330010292 | obsolete no stock |
| H374-240/110-40 25° 55x2,5 DIN 5480 w/dust cover | 65872077330000318 | |
| H650/040 Ø 50 35° 55x2,5 DIN 5480 | 65872071330170590 | Unimog solid bar design |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| 85,00x5,00 | Tube 85x5 | 587.20 / 687.35 SPECIAL / KLEIN 375 series |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H155 85x5 Ø 55 Ep 34 55x2,5 DIN 5480 Nut 40x1,5 | 2113551600060 | |
| H155 85x5 Ø 55 | 2113551611060 | MAN for cast ctr brg WDL9226 |
| H155 85x5 Ø 55 Ep 34 55x2,5 DIN 5480 Nut 40x1,5 | 2387301600170 | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 150/4-13 H82,0 55x2,5 DIN 5480 | 2587205200050 | |
| DIN 165/8-16 H77,0 55x2,5 DIN 5480 DAF / IVECO | 2587205279060 | obsolete with stock |
| SAE 174/8-9,6 H78,5 55x2,5 DIN 5480 DAF | 224 376 02235 | KLEIN |

**587.20 - 48,00x116,50**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø 55x193x36,6LL H71,5 IVECO | WDL 9039 | 0248 3546 IVECO |
| Ø 55x200x36,6LL H71,5 IVECO | WDL 9059 | 0447 3129 IVECO genuine GWB |
| Ø 55x200x18 RL H71,5 IVECO | WDL 9045 | 9316 3091 IVECO 687.45/47 / 587.20 |
| Ø 55x200x36 RL H71,5 MAN / IVECO | WDL 9017 | 81 39410 6010 MAN ORIGINAL / IVECO , alternative WDL 9317 |
| Ø 55x200x36 RL H71,5 MAN / IVECO | WDL 9317 | 81 39410 6010 MAN / IVECO alternative to original WDL 9017 |
| Ø 55x200x36 LL H71,5 DAF | WDL 9065 | 102203 DAF ORIGINAL GWB |
| Ø 60x200x36 LL H80 | WDL 9291 | UNIMOG on request |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| NUT 40x1,5 | 1000008102067 | 587.20/587.30 /587.35 /286.37 /687.40 /687.45/47 /KLEIN 590-375 |
| ZWZUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| XS 150/4-13 H147 85x5 Ø 55 Ep 37 55x2,5 | 125 376 11728 | KLEIN 375 DAF incl. Ctr brg |
| DIN 150/8-12 H142 85x5 Ø 55 Ep 37 55x2,5 | 6387301652001 | DAF replacement for 6387301652038 / 6387301652048,in sepa. |
| DIN 150/8-12 H142 85x5 Ø 55 Ep 37 55x2,5 | 6387301652048 | IVECO obsolete replaced by 6387301652001 |
| DIN 150/8-12 H142 85x5 Ø 55 Ep 37 55x2,5 | 6387301652038 | DAF obsolete replaced by 6387301652001 |
| DIN 150/8-12 H142 90x5,5 Ø 55 Ep 37 55x2,5 | 6387301652004 | 587.20/30 special.available in separate parts. see 587.30 series |
| DIN 165/8-16 H142 85x5 Ø 55 Ep 37 55x2,5 | 6387301652039 | DAF in separate (comp 2587205279060 + mid 2113551600060) |
| WMUZWFL - BUS / Mid end assy/ Machoire emb.+bride palier /Barrón eje+brida puente/Grupo innesto con flangia / Вал под подвесной подшипник | | |
| DIN 150/8-12 H187/045 IVECO BUS | 65872070522000187 | IVECO BUS |
| DIN 150/8-12 H322/045 IVECO BUS | 65872070521000322 | IVECO BUS |
| MR-Mitnehmerring / Center yoke / Bol / Junta Doble palier / Corpo centrale / Сдвоенная вилка | | |
| H115 88° double CV-joint | 2587209500100 | |
| MANSCH - Manschette / Boot / Souffle / Fueelle / Anello di tenuta / манжета | | |
| Boot CV 587.20/687.30 | 1587204700020 | |
| Boot CV 587.20/687.30 | 1587204700030 | highspeed low angle version |
| GELAG - Gelenklager / Ball / Bille articulation / Bola / Sfera / Шаровой шарнир | | |
| ball 587.20/687.30 | 1587205600020 | |
| SPANNSCH - Spannschelle / Clamp / Collier / Abrazadera / Filo de tenuta / Хомут | | |
| Clamp 587.20/687.30 | 1000008403020 | CV boot |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 48,00x116,50 central grease nipple | WD 10305 | GWB |
| 48,00x116,50 central grease nipple | WD 12055 | GWB HT |
| 48,00x116,50 central grease nipple | WD 10315 | INA |
| 48,00x116,50 central grease nipple | WD 12575 | EDS |
| 48,00x116,50 2xend lube | WD 10732 | |
| 48,00x116,50 4xend lube + central grease nipple | WD 13689 | |
| 48,00x116,50 service free | WD 10300 | GWB or SKF |
| 48,00x116,50 service free | WD 14350 | KLEIN |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Voccoia / опорная втулка; втулка подшипника в комплекте | | |
| Ø 48 standart | 6587200600000 | GWB |
| Ø 48 end lube 10x1 | 6587200600040 | GWB |
| Ø 48 LT | 6587200600050 | GWB LT |
| Ø 48 HT | 6587200600070 | GWB HT |
| Ø 48 end lube 10x1 | 6286330617040 | INA |
| Ø 48 | 6286330617000 | SKF |

587.30/31 - 52,00x133,00

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 150/8-12 H184 90x5,5 35° | 7587300406470 | |
| DIN 150/8-12 H184 92x6,5 35° | 7587300406407 | |
| DIN 180/8-14 H184 92x6,5 35° | 7587300406419 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 150/8-12 H420/110 92x6,5 35° 62x2,5 DIN 5480 | 7587300706700300 | |
| DIN 165/8-16 H420/110 92x6,5 35° 62x2,5 DIN 5480 | 75873007067010344 | |
| DIN 180/8-14 H420/110 92x6,5 35° 62x2,5 DIN 5480 | 75873007067190344 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 150/4-13 H072 25° | 2587302000540 | |
| XS 150/4-13 H076 25° | 2587302000520 | |
| XS 150/4-13 H090 35° | 2587302700520 | |
| XS 150/4-13 H095 35° | 201 490 15597 | |
| XS 180/4-13 H078 24° SPIRAL SERRATION | 2587302300560 | SPIRAL SERRATION , available under request |
| XS 180/4-15 H090 35° | 2587302800590 | |
| XS 180/4-15 H095 35° | 201 490 15882 | |
| DIN 150/8-12 H068 15° | 2587302000120 | |
| DIN 150/8-12 H078 24° forging | 2587302000030 | EDS |
| DIN 150/8-12 H090 35° | 2587302700430 | EDS |
| DIN 150/8-12 H095 35° | 201 410 01093 | |
| DIN 150/8-14 H090 37° | 2587302727060 | |
| DIN 150/12-12 H090 35° | 2587302700040 | obsolete replaced by 2587302700440 |
| DIN 150/12-12 H095 35° | 2587302700440 | |
| DIN 150/6-16 H095 35° 120,6PCD 76,2Spigot | 2587302767039 | ZF Marine |
| DIN 165/8-14 H095 35° | 2587302700000 | EDS |
| DIN 165/8-16 H100 43° | 2587302700240 | obsolete with stock |
| DIN 165/8-16 H068 15° | 2587302000470 | |
| DIN 165/8-16 H068 15° | 2587302079060 | |
| DIN 165/8-16 H078 15° | 2587302000160 | |
| DIN 165/8-16 H080 24° | 2587302000460 | |
| DIN 165/8-16 H090 35° | 2587302700460 | |
| DIN 165/8-16 H095 35° | 201 460 03959 | |

**587.30/31 - 52,00x133,00**

| Dimensions | | EDS Part Number | Comments |
|---|---------------|-------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | | |
| DIN 180/8-12 | H066 15° | 2587302300210 | obsolete replaced by 2587302379080 |
| DIN 180/8-12 | H066 15° | 2587302379080 | |
| DIN 180/8-12 | H066 15° | 2587302379100 | obsolete replaced by 2587302379080 |
| DIN 180/8-12 | H078 24° | 2587302300070 | |
| DIN 180/8-12 | H090 35° | 2587302800140 | obsolete replaced by 2587302800040 |
| DIN 180/8-12 | H095 35° | 2587302800040 | |
| DIN 180/8-14 | H080 24° | 2587302300060 | |
| DIN 180/8-14 | H090 35° | 2587302800020 | |
| DIN 180/8-16 | H100 43° | 2587302800160 | obsolete |
| DIN 180/8-16 | H080 24° | 2587302300000 | |
| DIN 180/8-16 | H092 35° | 2587302800000 | |
| DIN 180/8-16/4-20 | H078 24° | 2587302500060 | available under request |
| DIN 180/10-16 | H100 43° | 2587302800190 | obsolete |
| DIN 180/10-16 | H078 24° | 2587302300130 | cast |
| DIN 180/10-16 | H080 24° | 2587302300180 | obsolete replaced by 2587302300130 |
| DIN 180/10-16 | H090 35° | 2587302800060 | |
| DIN 180/10-16 | H090 35° | 2587302800290 | obsolete replaced by 2587302800060 |
| DIN 180/10-16 | H090 35° | 2587302827060 | obsolete replaced by 2587302800060 |
| DIN 180/12-14 | H080 24° | 2587302300220 | available under request |
| DIN 180/12-16 | H080 24° | 2587302300160 | available under request |
| DIN 225/8-16 | H095 25° | 2587302800225 | EDS |
| SAE 167/4-16,5 | H090 25° 108M | 2587302400230 | KingLong / Yutong |
| SAE 174/8-9,6 | H095 35° | 201 495 15235 | alternative 2587302410060 |
| SAE 174/8-9,6 | H092 35° | 2587302410060 | |
| SAE 174/8-9,6 | H076 24° | 2587302400070 | |
| SAE 174/8-9,6 | H068 15° | 2587302400060 | obsolete replaced by 2587302400070 , |
| SAE 174/8-10 | H092 35° | 2587302400220 | |
| SAE 203/8-9,6 | H080 24° | 2587302400140 | obsolete with stock |
| SAE 203/8-9,6 | H065 15° | 2587302400280 | obsolete replaced by 2587302400140 |
| SAE 203/8-10 | H080 24° | 2587302400150 | obsolete replaced by 2587302400140 (Ø 9,6) to drill |
| SAE 203/8-10 | H093 30° | 201 495 15200 | |
| SAE 203/12-11 | H095 35° | 2587302400210 | |
| SAE 203/12-10 | H080 24° | 2587302400130 | |
| SAE 203/12-10 | H093 35° | 201 495 15002 | alternative to GWB 2587302400180 = 2587302400130 |
| SAE 203/12-10 | H080 24° | 2587302400130 | obsolete with stock , see alternative KLEIN 201 495 15002 |
| SAE 203/12-10 | H080 24° | 2587302400180 | obsolete replaced by 2587302400130 or 201 495 15002 |
| SAE 203/12-10 | H065 15° | 2587302400330 | obsolete |
| SAE 203/12-10 | H100 43° | 2587302400200 | obsolete replaced by 201 495 15002 |
| DIN 150 Blank | H090 35° | 3587302700420 | |
| DIN 150 Blank | H095 35° | 3587302700030 | |
| DIN 165 Blank | H090 35° | 3587302700000 | obsolete , on request |
| DIN 180 Blank | H078 24° | 3587302300000 | |
| DIN 180 Blank | H095 35° | 3587302800000 | |
| SAE 203 Blank | H095 30° | 201 495 15738 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | | |
| H089 92x6,5 and 90x5,5 35° | | 208 411 01474 | |
| H094 92x6,5 | | 2587304700600 | |
| H100 100x4 35° | | 2587304400100 | Special tube size |
| H100 100x5 35° | | 2587304400200 | Special tube size |
| H86 120x4 30° | | 2587304400300 | Special tube size |
| H89 92x6,5 35° 9.01 | | 208 411 01488 | |
| H94 Ø 74,3 43° 9.01 | | 2587304700670 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | | |
| H138 24° 75x2,5 DIN5480 slip yoke , no rilsan, relube | | 25873133000600100 | obsolete |
| H188 24° 75x2,5 DIN5480 slip yoke , no rilsan, relube | | 25873133000700188 | obsolete |
| H188 24° 75x2,5 DIN5480 slip yoke ,rilsan | | 25873133000000100 | |
| H150 35° 65x2,5 DIN5480 splined bar end yoke | | 25873033001500150 | splined bar end yoke |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | | |
| Dust cap new 287.40 / 587.30/ 587.35/36 | | 1287401000000 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | | |
| Seal GWB 587.30 | | 1587302300020 | obsolete |
| Seal KLEIN 411 / 461 / 491 / 495 | | 212 400 15643 | KLEIN dust cover , old version |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | | |
| Washer 587.30 / 31 | | 1287403000000 | obsolete with stock available |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | | |
| Plug-cap (65x2,5 DIN 5480) | | 1587301400000 | |
| Plug-cap (65x2,5 DIN 5480) | | 158730411106B | 587.30 replacement |
| Plug-cap (75x2,5 DIN 5480) | | 1587351400100 | |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | | |
| Vave-plug all GWB 587 SERIES | | 1000008608020 | |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | | |
| H214 18° 65x2,5 DIN 5480 | | 25873077000000214 | obsolete with stock |
| H289 24° 65x2,5 DIN 5480 | | 25873070001200289 | obsolete with stock |
| H154 15° 75x2,5 DIN 5480 | | 25873171000600154 | obsolete |
| H200 18° 75x2,5 DIN 5480 | | 25873171000000200 | |

**587.30/31 - 52,00x133,00**

| Dimensions | | EDS Part Number | Comments |
|---|---|-------------------|---|
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | | |
| H170 120x3 | 65x2,5x24 DIN 5480 rilsan | 2587308000120 | EDS conversion to 120x3 tube -- as stock last |
| H220 90x5,5 | 65x2,5x24 DIN 5480 rilsan | 242 411 03988 | |
| H230 90x5,5 | 65x2,5x24 DIN 5480 rilsan | 2587308000060 | |
| H254 90x5,5 | 65x2,5x24 DIN 5480 rilsan | 242 411 15203 | |
| H200 Ø 70,0 in | 65x2,5x24 DIN 5480 rilsan 9.01 | 2587308000240 | obsolete with stock |
| H230 Ø 74,3 in | 65x2,5x24 DIN 5480 rilsan 9.01 | 25873080002400230 | obsolete with stock |
| H215 90x5,5 | 65x2,5x24 DIN 5480 splined bar | 2587308000150 | under request , for splined bar |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | | |
| 65x2,5x24 DIN5480 | H2700 587.30 / 587.35 | 2587301900000 | under request H2700 cut to requested length |
| 65x2,5x24 DIN5480 | H2800 CK45 | 2587301900100 | H2800 mm cut to requested length |
| See also ELBE 117 series for sleeve 1 117 501 015 (tube 100x5) | | | |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | | |
| H130 Ø 88/80 | | 65873009002000130 | shorten 65873009002000166 |
| H166 Ø 88/80 | | 65873009002000166 | |
| H180 Ø 88/80 | | 65873009002100180 | obsolete with stock |
| H210 Ø 88/80 | | 65873009002100210 | obsolete with stock |
| H166 Ø 98/90 | | 65873609002000166 | 587.31 / 587.35/36 |
| H160 KLEIN | | 116 411 20585 | KLEIN 411 /461 /491 / 495 series , old P/N 216 460 15644 |
| H203 KLEIN | | 116 411 20584 | KLEIN 411 /461 /491 / 495 series , old P/N 216 411 15202 |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стирпеп | | | |
| Muff seal 587.30 | | 1000008508047 | obsolete not available , see DIHUV full assembly |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | | |
| H330/110 92x6,5 35° | 65x2,5 DIN5480 rilsan | 65873077802050344 | on request , rehub |
| H330/110 92x6,5 35° | 65x2,5 DIN5480 rilsan | 65873077802000344 | standart |
| H342/160 92x6,5 35° | 65x2,5 DIN5480 rilsan | 6587307782260 | alternative with 160mm slip |
| H358/180 92x6,5 35° | 65x2,5 DIN 5480 rilsan | 151 411 11672 | |
| H390/210 92x6,5 35° | 65x2,5 DIN5480 rilsan | 65873077822000370 | |
| H330/110 92x6,5 35° | 65x2,5 DIN5480 rilsan 9.01 | 65873077800210344 | short couple 9.01, 65873077802000344+NH25873080002400230 |
| H638/145 92x6,5 35° | 65x2,5 DIN5480 solid bar IVECO | 65873077802020620 | IVECO Interaxle IVECO 447 3211 on request |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | | |
| H195-H257/20-40 25° | 75x2,5 DIN 5480 rilsan | 65873071330020214 | |
| H205/020 15° | 65x2,5 DIN 5480 nitrified , no plug-cap | 65873171330010154 | obsolete -- please use 65873171332000200 |
| H210/025 15° | 75x2,5 DIN 5480 rilsan | 65873171330010160 | obsolete -- please use 65873171332000200 |
| H225/040 25° | 65x2,5 DIN 5480 rilsan | 65873171330000174 | obsolete -- please use 65873171332000200 |
| H245-H400/40-110 25° | 65x2,5 DIN 5480 rilsan | 6587307733400 | dust cover and plug cap included |
| H250/050 15° | 75x2,5 DIN 5480 rilsan | 65873171332000200 | new production , incl. dust cover and plug |
| H280/020 24° | 65x2,5 DIN 5480 rilsan | 65873077330000224 | obsolete to be replaced by 6587307733400 to shorten |
| H310/030 24° | 65x2,5 DIN 5480 rilsan | 65873077330000254 | obsolete to be replaced by 6587307733400 to shorten |
| H320/040 24° | 65x2,5 DIN 5480 rilsan | 65873077330000264 | obsolete to be replaced by 6587307733400 to shorten |
| H360/080 24° | 65x2,5 DIN 5480 rilsan | 65873077330000294 | obsolete to be replaced by 6587307733400 to shorten |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | | |
| 90x5,5 | | Tube 90x5,5 | |
| 92x6,5 | | Tube 92x6,5 | |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | | |
| H160 92x6,5 Ø 60 Ep 34 | 60x2,5 DIN 5480 NUT 40x1,5 | 2187401600160 | DAF |
| H155 92x6,5 Ø 55 Ep 35 | 55x2,5 DIN 5480 NUT 40x1,5 | 2387301600160 | IVECO - MAN |
| H180 92x6,5 Ø 60 Ep 68 | 58x53 DIN 5482 NUT 40x1,5 | 2587301611060 | MAN for WDL 9227 rigid cast housing |
| H155 92x6,5 Ø 60 Ep 37 | 60x2,5 DIN 5480 NUT 40x1,5 | 2587301632060 | IVECO-RVI |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | | |
| DIN 150/8-12 | H077 55x2,5x22 DIN5480 IVECO-MAN-DAF | 3387305200100 | replacement for obsolete 3387305279070 IVECO -MAN - DAF |
| DIN 150/8-12 | H077 55x2,5x22 DIN5480 IVECO - MAN | 3387305279070 | obsolete to be replaced by 3387305200100 |
| DIN 180/8-14 | H077 55x2,5x22 DIN5480 IVECO - MAN | 3387405200100 | |
| DIN 180/8-14 | H082 60x2,5x22 DIN5480 IVECO - DAF | 3387405200110 | |
| DIN 180/10-16 | H079 60x2,5x22 DIN5480 IVECO | 3387405200140 | |
| DIN 180/10-16 | H080 60x2,5x22 DIN5480 DAF | 3387405284060 | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | |
| Ø 55x200x36 RL H71,5 MAN - IVECO | | WDL 9017 | 81 39410 6010 MAN ORIGINAL / IVECO , see alternative WDL 9317 |
| Ø 55x200x36 RL H71,5 MAN - IVECO | | WDL 9317 | 82 39410 6010 MAN / IVECO alternative to WDL 9017 |
| Ø 60x200x36 LL H80,0 IVECO - RVI | | WDL 9040 | 0480 3933 IVECO ORIGINAL / 5000 838 696 RVI |
| Ø 60x200x37 LL H80,0 DAF | | WDL 9068 | 102204 DAF |
| Ø 60 rigid casting MAN | | WDL 9227 | 81 39400 6087 MAN , for midship 2587301611060 Ep 68 mm |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuercas puente central / Dado autobloccante / Гайка | | | |
| NUT 40x1,5 | | 1000008102067 | 587.20/587.30 /587.35 /286.37 /687.40 /687.45/47 /KLEIN 590-375 |
| ZWUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | | |
| XS 180/4-13 | H150 Ø 60x30 92x6,5 60x2,5 DIN 5480 | 6187401652039 | VOLVO obsolete with stock , no nut included, WDL 9119 / 9120 |
| DIN 150/8-12 | H161 Ø 55x35 92x6,5 55x2,5 DIN 5480 M4 | 6387301652004 | IVECO - MAN , MID.2387301600160+CF3387305200100 |
| DIN 165/8-16 | H160 Ø 60x30 92x6,5 60x2,5 DIN 5480 | 6187401652031 | STEYR - DAF no nut included |
| DIN 180/8-14 | H147 Ø 60x36 92x6,5 60x2,5 DIN 5480 | 6187401652011 | IVECO - DAF |
| DIN 180/10-16 | H158 Ø 60x36 100x6 60x2,5 DIN 5480 | 6187401652009 | |
| WMUZWFL - BUS / Mid end assy/ Machoire emb.+bride palier /Barrón eje-brida puente/Gruppo innesto flangia / Вал под подвесной подшипник | | | |
| XS 150/4-13 L200 BUS | | 65873077520010271 | BUS application |
| DIN 165/8-16 L200 BUS | | 65873070520030204 | BUS application , obsolete |
| MR-Mitnehmerring / Center yoke / Bol / Junta Doble palier / Corpo centrale / Сдвоенная вилка | | | |
| H110/H130 86° | | 2587309500100 | Obsolete not available |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | | |
| XS 150/4-13 Lz.342 | | 201319363232L0342 | MERCEDES 662 410 6902 |
| DIN 150/8-12 Lz 510 | | 201309301212L0510 | MERCEDES 385 410 6607 |
| DIN 150/8-12 Lz.910 | | 201309101212L0910 | IVECO 0447 3211 |
| DIN 165/8-16 Lz 470 | | 201309301414L0470 | MAN 81.39105-6911 |
| DIN 180/8-14 Lz.560 KOMATSU 2945350M91 | | 201309301616L0560 | KOMATSU 2945350M91 |
| Note : for other lengths or application please contact WELTE sales team | | | |

**587.30/31 - 52,00x133,00**

| Dimensions | EDS Part Number | Comments |
|--|-----------------|-------------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 52,00x133,00 central grease | WD 10325 | GWB |
| 52,00x133,00 central grease | WD 10335 | INA |
| 52,00x133,00 central grease HT | WD 10755 | GWB HT |
| 52,00x133,00 central grease old | WD 12555 | EDS please use new version WD 14125 |
| 52,00x133,00 central grease new | WD 14125 | EDS |
| 52,00x133,00 4xend lube + central grease | WD 13699 | |
| 52,00x133,00 service free | WD 14240 | |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Boccola / опорная втулка; втулка подшипника в комплекте | | |
| Ø 52 | 6687450600000 | GWB |
| Ø 52 | 6687450600050 | GWB LOW TEMP |
| Ø 52 | 6687450600070 | GWB HIGH TEMP |
| Ø 52 end lub | 6687450600030 | GWB |
| Ø 52 1xend lube | 6587300600150 | INA |

587.35/36 - 57,00x144,00

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 180/8-14 H203 100x6 35° | 7587350411415 | |
| DIN 180/10-16 H203 100x6 35° | 7587350401490 | |
| DIN 180/10-16 H203 100x6 35° | 7587360401414 | |
| DZG-Doppelzapfengelenk / CV-fixed joint / Joint fixe homo. / Junta fija homocinética / Giunto fisso homo. / Фланец в сборе с вилкой в трубу CV | | |
| DIN 180/8-14 H320 100x6 42° | 9587350500240 | |
| DIN 180/8-16 H320 100x6 42° | 9587350500100 | |
| DIN 180/8-16 H320 100x6 42° service free | 9587350500250 | |
| DIN 180/10-16 H320 100x6 42° | 9587350500290 | |
| DIN 180/8-16 H320 120x4 42° service free | 9587350500440 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 180/8-14 H448/110 100x6 35° 75x2,5 DIN 5480 | 75873507117150364 | |
| DIN 180/10-16 H448/110 100x6 35° 75x2,5 DIN 5480 | 75873607017140364 | |
| DIN 225/8-16 H448/110 100x6 35° 75x2,5 DIN 5480 | 75873507012100364 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 150/4-13 H100 35° | 201 600 15896 | |
| XS 180/4-13 H100 35° SPIRAL SERRATION | 2587352000500 | industrial application |
| XS 180/4-15 H100 35° | 2587362700500 | |
| XS 225/4-14 H100 24° SPIRAL SERRATION | 25873523000500 | industrial application |
| DIN 150/8-12 H100 35° | 2587352700150 | Yutong Bus |
| DIN 165/8-16 H100 35° | 2587362700180 | |
| DIN 180/8-12 H100 35° | 2587352700130 | obsolete replaced by blank 3587352700000 to drill |
| DIN 180/8-14 H085 25° | 2587352000130 | obsolete replaced by 2587352000060 |
| DIN 180/8-14 H085 25° | 2587352000060 | |
| DIN 180/8-14 H090 24° CV | 2587352000320 | |
| DIN 180/8-14 H100 35° | 2587352711070 | |
| DIN 180/8-16 H085 24° | 2587352000000 | replacement of obsoletes 2587352000290/100 , under request |
| DIN 180/8-16 H085 24° | 2587352000290 | casting obsolete replaced by GWB forging 2587352000000 |
| DIN 180/8-16 H085 24° GTS70 | 2587352000100 | casting obsolete replaced by GWB forging 2587352000000 |
| DIN 180/8-16 H090 24° CV | 2587352000230 | |
| DIN 180/8-16 H100 35° | 2587352700000 | obsolete replaced by 2587352700440 |
| DIN 180/8-16 H100 35° | 2587352700440 | |
| DIN 180/8-16 H100 35° spigot Ø.135 | 2587352700230 | |
| DIN 180/8-16 H115 43° | 2587352500090 | industrial application ,obsolete no replacement |
| DIN 180/10-16 H085 24° | 2587352000090 | |
| DIN 180/10-16 H090 24° CV | 2587352000270 | |
| DIN 180/10-16 H100 35° | 2587362700080 | |
| DIN 180/10-16 H100 35° | 2587352700060 | MAN obsolete replaced by KLEIN 201 600 04014 |
| DIN 180/10-16 H100 35° | 201 600 04014 | |
| DIN 180/5+5-16 H100 35° | 2587362727060 | Special IVECO pattern |
| DIN 225/8-16 H100 24° | 2587352300100 | EDS |
| DIN 225/8-16 H085 24° | 2587352300000 | EDS |
| DIN 225/10-12 H085 24° | 2587352300080 | |
| DIN 225/10-16 H100 24° | 2587352300050 | EDS |
| DIN 225/12-16 H085 24° | 2587352300060 | EDS |
| SAE 203/8-9,6 H080 24° | 2587352400320 | |
| SAE 203/8-10 H100 35° | 2587352400270 | |
| SAE 203/12-10 H080 24° | 2587352400230 | obsolete replaced by 2587352400240 |
| SAE 203/12-10 H100 35° | 2587352447070 | obsolete with stock , replaced by 2587352400240 |
| SAE 203/12-10 H100 35° | 2587352400240 | |
| SAE 203/12-11 H080 24° | 2587352400130 | obsolete with stock , replaced by 2587352400360 |
| SAE 203/12-11 H085 24° CV | 2587352456080 | |
| SAE 203/12-11 H100 35° | 2587352400360 | |
| SAE 203/12-12 H080 24° | 2587352400420 | |
| SAE 203/14-12 H080 24° | 2587352474100 | SAE special pattern |
| SAE 203/14-12 H100 35° | 2587352474110 | SAE special pattern |
| DIN 180/8-M14 H090 24° | 2587352000250 | DIN special |
| DIN 180/8-15 H085 25° key15 | 2587352200150 | DIN special pattern |
| DIN 180 Blank H100 35° | 3587352700000 | EDS |
| DIN 225 Blank H085 24° | 3587352300150 | EDS |
| DIN 225 Blank H100 30° | 3587352300000 | |

**587.35/36 - 57,00x144,00**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H103 100x6 and 104x8 35° | 2587354000600 | |
| H103 100x6 and 104x8 35° | 208 600 01500 | |
| H130 140x5 | 208 600 01520 | |
| H103 Ø82,4 35° short couple 9.01 | 2587354700640 | |
| H103 100x6 and 104x8 35° Ø 14 ins.short couple 9.01 | 2587354000005 | |
| H090 100x6 and 104x8 25° CV | 2587354000640 | |
| H090 120x4 CV | 2587354000650 | |
| H135 100x5 35° balance weight groove | 2587354200136 | on request |
| H140 110x5 35° balance weight groove | 2587354200140 | on request |
| H142 110x5 35° balance weight groove | 2587354200116 | on request |
| H150 110x5 44° balance weight groove | 2587354200076 | on request |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H288 24° 75x2,5x28 DIN5480 rilsan slip yoke | 25873633000000288 | |
| H170 15° 55x2,5x22 DIN5480 end yoke | 202 600 16786 | end yoke MAN-Bus , dowel pin for midship 244 000 16590 |
| H150 35° 70x2 DIN5482 splined bar end yoke | 25873533002500150 | end yoke splined bar obsolete replaced by 2587353300350 |
| H150 35° 75x2,5x28 DIN5480 splined bar end yoke | 2587353300350 | end yoke for splined bar 75x2.5 DIN5480 |
| KAPPE Kappe / Dust ap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap new 287.40 / 587.30/31 / 587.35/36 | 1287401000000 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal 587.35 / 36 GWB | 1587352300010 | obsolete |
| Seal 587.35/36 / KLEIN 600 / KLEIN 680 | 212 600 04008 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer 587.35 / 36 old | 1287403000000 | obsolete with stock available replaced by new 1587355000000 |
| Washer 587.35 / 36 new | 1587355000000 | 587.35/36 new |
| Washer for mid stub | 261 000 03642 | |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| Plug-cap | 1587351400100 | 587.31 and 587.35/36 |
| Plug-cap | 1587351400150 | no valve plug hole |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| Vave-plug all GWB 587 SERIES | 1000008608020 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H240 100,0x6,00 75x2,5x28 DIN5480 rilsan | 2587358000030 | |
| H240 140,0x5,00 75x2,5x28 DIN5480 rilsan | 242 600 15481 | |
| H325 100,0x6,00 75x2,5x28 DIN5480 rilsan | 242 600 15898 | |
| For splined bar non existing combinatios GWB 587.36 / 42 PROST + NH (Splined bar + sleeve) , see ELBE 120 series combinations 75x2,5x28 DIN 5480 | | |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| 65x2,5x24 DIN5480 H2700 587.30 / 587.35 spline | 2587301900000 | obsolete old 287.40 spline |
| 75x2,5x28 DIN5480 H2800 587.36 / 587.42 spline | 2587351900000 | sleeve non available,see ELBE 120 SPLINED + SLEEVE |
| For splined bar non existing combinatios GWB 587.36 / 42 PROST + NH (Splined bar + sleeve) , see ELBE 120 series combinations 75x2,5x28 DIN 5480 | | |
| WZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| H0363/0080 110x6 75x2,5x24 DIN5480 | 0 120 093 012 | ELBE 120 / 587.36 spline with tube 110x6 |
| H0515/0240 110x6 75x2,5x24 DIN5480 | 0 120 093 002 | ELBE 120 / 587.36 spline with tube 110x6 |
| H0615/0340 110x6 75x2,5x24 DIN5480 | 0 120 093 003 | ELBE 120 / 587.36 spline with tube 110x6 |
| H0835/0560 110x6 75x2,5x24 DIN5480 | 0 120 093 005 | ELBE 120 / 587.36 spline with tube 110x6 |
| H0920/0670 110x6 75x2,5x24 DIN5480 | 0 120 093 006 | ELBE 120 / 587.36 spline with tube 110x6 |
| H270/180 100x6 25° 75x2,5 DIN5480 rilsan | 6587351180001 | stubshaft+sleeve (matching dust cover 65873609002100186) |
| DIHU-Dichthülse / Dust cover / Manchon sans joint / Guardapolvos sin junta / Protezione scanalato senza guarn. / Пыльник | | |
| Dust cover H218 | 116 600 20592 | KLEIN 600, old PN 216 600 15793 |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H166 Ø 98/90 587.31 / 587.35 / 36 | 65873609002000100 | |
| H186 Ø 98/90 587.35 / 36 | 65873609002100186 | |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| Muff seal 587.35 /36 | 1000008508048 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H348/110 100x6 35° 75x2,5 DIN5480 rilsan | 65873670802000364 | |
| H348/170 100x6 35° 75x2,5 DIN5480 rilsan | 65873670802030423 | obsolete |
| H420/180 100x6 35° 75x2,5 DIN5480 rilsan | 151 600 11630 | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H428-H248/110-20 24° 75x2,5 DIN 5480 rilsan | 65873570332000364 | alternative incl. Dust cover and welch plug |
| H428-H280/110-25 24° 75x2,5 DIN 5480 rilsan | 65873670330000364 | please order dust cover separately,obsolete , as stock last |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| 100,00x6,00 | Tube 100x6 | 587.35/VOLVO NK500/8,5C |
| 104,00x8,00 | Tube 104x8 | 587.36 |
| 140,00x5,00 | Tube 140x5 | 587.48/587.42HD/385.60/286.37/KLEIN 600 /KLEIN680 |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H140 Ø 65 Ep 24 100x6 65x2 DIN 5480 NUT 40x1,5 | 2113651600100 | MAN |
| H150 Ø 60 Ep 18 100x6 55x2,5 DIN 5480 DOWEL PINx2 | 225 600 16787 | MAN BUS w/dowel pinx2 244 000 16590 |
| H171 Ø 60 Ep 34 100x6 60x2,5 DIN 5480 NUT 40x1,5 ind | 2187401600170 | IVECO -RVI - indu. hard. for CF H79-82 DIN 180/XS/SAE |
| H171 Ø 60 Ep 34 100x6 60x2,5 DIN 5480 NUT 40x1,5 no ind | 2587351600210 | DAF same as 2187401600170 but without induction hardness |
| H180 Ø 60 Ep 68 100x6 58x53 DIN 5482 NUT 40x1,5 | 2587351611060 | MAN old for cast ctr brg |
| H277 Ø 80 Ep 55 100x6 75x2,5 DIN 5480 NUT 45x1,5 | 2587351600000 | industrial application , under request |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 180/4-15 H79,0 55x2,5 DIN 5480 | 2587365200590 | |
| XS 180/4-15 H82,0 60x2,5 DIN 5480 | 2587365200570 | midships 2187401600170 (IVECO) / 2587351600210 (DAF,no ind) |
| SAE 203/8-9,6 H83,3 60x2,5 DIN 5480 | 2587355200120 | on request only |
| SAE 203/12-11 H83,3 60x2,5 DIN 5480 | 2587355200180 | RVI obsolete with stock available for midship *2187401600170 |
| DIN 180/10-16 H79,0 55x2,5x22 DIN 5480 | 3387405200140 | MAN-IVECO for midship 225 600 16787 |
| DIN 180/8-14 H82,0 60x2,5 DIN 5480 | 3387405200110 | midships 2187401600170 (IVECO-MAN) / 2587351600210 (DAF) |

**587.35/36 - 57,00x144,00**

| Dimensions | EDS Part Number | Comments |
|--|-----------------|--|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø 60x200x36 LL H80,0 IVECO - RVI | WDL 9040 | 0480 3933 IVECO ORIGINAL / 5000 838 696 RVI |
| Ø 60x200x37 LL H80,0 DAF | WDL 9068 | 102204 DAF |
| Ø 65x225x23 RL H85,8 MAN | WDL 9018 | 81 39410 6019 MAN |
| Ø 75x220x20 RL H85,0 MAN KLEIN | WDL 9027 | 81 39400 6107 MAN ORIGINAL KLEIN |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut 40x1,5 587.20 / 587.30 / 587.35 / 286.37 / 687.40 / 687.4 | 1000008102067 | |
| Nut 45x1,5 587.35/587.42 | 1000008102073 | |
| Nut 40x1,5 KLEIN 600 | 243 0000 3642 | required washer 261 0000 03642 |
| ZWZUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| XS 180/4-15 H158 Ø 60x37 100x6 60x2,5 DIN 5480 Nut 40 | 6587351652014 | DAF-IVECO obsolete, in separate CF H82 + MID H171(DAF ind) |
| DIN 165/8-16 H157 Ø 60x36 100x6 60x2,5 DIN 5480 Nut 40 | 6587351652006 | on request |
| DIN 180/8-14 H165 Ø 60x37 100x6 60x2,5 DIN 5480 Nut 40 | 6187401652012 | IVECO-DAF |
| DIN 180/8-14 H215 Ø 60x37 100x6 60x2,5 DIN 5480 Nut 40 | 6587351652900 | obsolete , replaced by 6187401652012 alternative |
| DIN 180/8-14 H220 Ø 75x30 100x6 75x2,5 DIN 5480 Nut 45 | 6587351652011 | on request only |
| DIN 180/8-14 H267 Ø 80x48 100x6 75x2,5 DIN 5480 Nut 40 | 6587351652000 | on request only |
| DIN 180/10-16 H158 Ø 60x36 100x6 60x2,5 DIN 5480 Nut 40 | 6187401652004 | IVECO |
| DIN 180/10-16 H171 Ø 60x36 100x6 60x2,5 DIN 5480 Nut 40 | 6587351652016 | |
| SAE 203/12-11 H170 Ø 60x37 100x6 60x2,5 DIN 5480 Nut 40 | 6187401652016 | RVI obsolete , available in separate parts CF H 83,3 |
| SAE 203/12-11 H170 Ø 60x37 100x6 60x2,5 DIN 5480 Nut 40 | 6187401652026 | RVI obsolete , available in separate parts CF H 83,3 |
| MR-Mitnehmerring / Center yoke / Bol / Junta Doble palier / Corpo centrale / Сдвоенная вилка | | |
| H140 70° | 2587359500100 | |
| MANSCH - Manschette / Boot / Souffle / Fueelle / Anello di tenuta / манжета | | |
| Boot 587.35/36 for CV shafts | 1587354700010 | |
| GELAG - Gelenklager / Ball / Bille articulation / Bola / Sfera / Шаровой шарнир | | |
| CV ball on 587.35/36 series | 1587355600020 | |
| SPANNSCH - Spannschelle / Clamp / Collier / Abrazadera / Filo de tenuta / Хомут | | |
| Clamp 587.35/36 | 1000008403021 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 57,00x144,00 central grease LT | WD 10285 | GWB LT |
| 57,00x144,00 central grease | WD 10295 | INA |
| 57,00x144,00 central grease HT | WD 10765 | GWB HT |
| 57,00x144,00 central grease | WD 14135 | EDS |
| 57,00x144,00 4xend lube + central grease | WD 13709 | GWB |
| 57,00x144,00 service free | WD 10280 | GWB |
| 57,00x144,00 service free | WD 14220 | SKF |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Boccola / опорная втулка; втулка подшипника в комплекте | | |
| Ø 57 standard | 6687550600000 | GWB |
| Ø 57 1xend lube | 6687550600030 | GWB |
| Ø 57 LT | 6687550600050 | GWB LT |
| Ø 57 HT | 6687550600070 | GWB HT |
| Ø 57 service free | 6687550600160 | GWB |

587.42 - 57,00x152,00

| Dimensions | EDS Part Number | Comments |
|--|-------------------|-----------------------------------|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| XS 180/4-15 H211 110x6 or 111,5x6,75 24° | 7587420408025 | |
| DIN 180/10-16 H211 110x6 or 111,5x6,75 24° MAN | 7587420408000 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS 180/4-15 H500/110 110x6 24° 80x2,5 DIN5480 dust cd | 75874207082250434 | |
| DIN 180/10-16 H500/110 110x6 24° 80x2,5 DIN5480 dust cd | 75874207172000434 | MERCEDES |
| DIN 180/10-16 H500/110 110x6 24° 80x2,5 DIN5480 dust cd | 75874207082000434 | |
| DIN 225/8-16 H500/110 110x6 24° 80x2,5 DIN5480 dust cd | 75874207082260434 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 180/4-15 H059 08° | 2587422100501 | |
| XS 180/4-15 H062 08° | 2587422100500 | |
| XS 180/4-15 H095 25° | 2587422000500 | DC obsolete |
| XS 180/4-15 H095 25° | 2587422000510 | |
| DIN 170/12-16 H100 20° special 115F | 2587422700170 | Marine application |
| DIN 180/8-14 H085 18° | 2587422600070 | |
| DIN 180/8-14 H095 25° | 2587422000100 | |
| DIN 180/8-16 H095 25° | 2587422000080 | |
| DIN 180/10-16 H085 18° | 2587422600060 | |
| DIN 180/10-16 H090 24° Key | 2587422200180 | obsolete with stock |
| DIN 180/10-16 H095 25° | 2587422000020 | |
| DIN 180/10-16 H095 25° | 2587422000000 | |
| DIN 180/10-16 H095 25° | 2587422017090 | |
| DIN 225/8-16 H085 10° | 2587422300000 | |
| DIN 225/8-16 H095 25° | 2587422300060 | |
| DIN 225/8-16 H100 25° | 2587422300065 | |
| DIN 225/8-20,2 H100 25° Ø 152,4 c/holes Ø 190,5 | 2587422300120 | Marine application Spigot Ø 152,4 |
| DIN 225/8-22,6 H100 25° Ø 152,4 c/holes Ø 190,5 | 2587422300110 | Marine application Spigot Ø 152,4 |
| DIN 225/10-16 H090 25° | 2587422300100 | |
| DIN 225/12-16 H096 25° | 2587422300070 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 250/8-18 H100 20° | 2587422800250 | |
| DIN 275/10-14 H100 20° | 2587422600090 | obsolete , on request |
| SAE 203/10-18 H100 20° | 2587422800310 | |
| SAE 203/12-10 H060 10° | 2587422410100 | |
| SAE 203/12-10 H095 20° | 2587422400060 | |



587.42 - 57,00x152,00

| Dimensions | | EDS Part Number | Comments |
|--|--|--------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | | |
| SAE 203/12-10 | H57,5 08° | 2587422410020 | |
| SAE 203/12-11 | H57,5 07° | 2587422410000 | |
| SAE 203/12-11 | H095 25° | 2587422400070 | |
| SAE 203/12-11 | H100 20° | 2587422410075 | |
| SAE 244/8-16/2-18 | H100 20° | 2587422400170 | |
| DIN 180 Blank | H095 25° | 3587422000000 | |
| DIN 225 Blank | H096 25° | 3587422300060 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | | |
| H116 110x6 or 111,5x6,75 25° | | 2587424017090 | |
| H116 110x6 or 111,5x6,75 25° | | 2587424000100 | |
| H108 140x5 | 25° | 2587424417090 | MERCEDES |
| H113 Ø 93,4 | 25° for short couple 9.01 | 2587424000570 | MERCEDES |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | | |
| H147 80x2,5 DIN 5480 | | 2587423600000147 | obsolete stock available |
| H151 80x2,5 DIN 5480 | | 2587423600000151 | obsolete stock available |
| H181 80x2,5 DIN 5480 | | 2587423600000181 | obsolete stock available |
| H211 80x2,5 DIN 5480 | | 2587423600000211 | obsolete stock available |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | | |
| dust cap for 587.42 series | | | |
| VERKA-Verschlußkappe / Welch Plug / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | | |
| Welch Plug for short couple GWB 587.42 series | | 1587421400060 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | | |
| H293 110x6 or 111,5x6,75 80x2,5 DIN 5480 rilsan | | 2587428000000 | MAN |
| H293 110x6 or 111,5x6,75 80x2,5 DIN 5480 rilsan | | 6587420817060 | MERCEDES welded end plug |
| H293 110x6 or 111,5x6,75 80x2,5 DIN 5480 rilsan | | 6587420817100 | alternative MERCEDES welded end plug |
| H288 140x5 | 80x2,5 DIN 5480 rilsan | 6385600817110 | MERCEDES welded end plug |
| H275 Ø 91 | 80x2,5 DIN 5480 rilsan 9.01 | 25874280001200275 | |
| H255 110x6 | 75x2,5 DIN5480 w/seal cover | 1 120 500 003 | ELBE 120 splined bar for 587.36 spline and 587.42 splined bar |
| For splined bar non existing combinations GWB 587.36 / 42 PROST + NH (splined bar + sleeve) , see ELBE 120 series combinations 75x2,5x28 DIN 5480 | | | |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | | |
| 75x2,5x28 DIN5480 H2800 CK45 587.36 / 587.42 | | 2587351900000 | non sleeve ,see ELBE 120 combinations (*) |
| (*) For splined bar non existing combinatio GWB 587.36 / 42 PROST + NH (Splined bar + sleeve) , see ELBE 120 series combinations 75x2,5x28 DIN 5480 to be assembled with sleeve ELBE 120 (1 120 500 003) spline 75x2,5x28 DIN 5480 | | | |
| WZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | | |
| H0363/0080 110x6 75x2,5x24 DIN5480 | | 0 120 093 012 | |
| H0515/0240 110x6 75x2,5x24 DIN5480 | | 0 120 093 002 | |
| H0615/0340 110x6 75x2,5x24 DIN5480 | | 0 120 093 003 | |
| H0835/0560 110x6 75x2,5x24 DIN5480 | | 0 120 093 005 | |
| H0920/0670 110x6 75x2,5x24 DIN5480 | | 0 120 093 006 | |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | | |
| H150 | | 65874209170600150 | obsolete ,shorten longer version |
| H170 | | 65874209170600170 | |
| H180 | | 65874209170600180 | used on 802.68 |
| H210 | | 65874209170600210 | |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | | |
| Muff seal 587.42 | | 1000008508030 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | | |
| H400/160 140x5 25° | 80x2,5x30 DIN5480 | 65874271802090434 | DB on request |
| H400/160 140x5 25° | 80x2,5x30 DIN5480 | 65874271802030434 | MAN on request |
| H405/150 110x6 25° | 80x2,5x30 DIN5480 | 65874271802040434 | obsolete , replaced by 65874271808050434 |
| H405/160 110x5 25° | 80x2,5x30 DIN5480 | 65874271802000434 | obsolete , replaced by 65874271808050434 |
| H405/180 110x6 25° | 80x2,5x30 DIN5480 | 65874271808050434 | |
| H415/140 120x6 25° | 75x2,5 DIN5480 | 6587427180300 | obsolete with stock |
| H406/110 Ø 101,3 25° | 80x2,5x30 DIN5480 9.01 rilsan | 65874271808040434 | obsolete w/dust cover |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC/Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | | |
| H175/015 | 10° 80x2,5 DIN5480 w/dust cover | 6587427636175 | |
| H180/015 | 10° 80x2,5 DIN5480 w/dust cover | 6587427636180 | |
| H185/015 | 10° 80x2,5 DIN5480 w/dust cover | 6587427636185 | |
| H190/020 | 10° 80x2,5 DIN5480 w/dust cover | 6587427636190 | |
| H200/020 | 10° 80x2,5 DIN5480 w/dust cover | 6587427636200 | |
| H210/030 | 10° 80x2,5 DIN5480 w/dust cover | 6587427636210 | |
| H210/040 | 10° 80x2,5 DIN5480 no dust cover | 65874276362000167 | obsolete --replaced by 6587427636210 |
| H215/030 | 10° 80x2,5 DIN5480 w/dust cover | 6587427636215 | |
| H220/025 | 10° 80x2,5 DIN5480 no dust cover | 65874276360000177 | obsolete, stock available |
| H225/040 | 10° 80x2,5 DIN5480 w/dust cover | 6587427636225 | |
| H230/040 | 10° 80x2,5 DIN5480 no dust cover | 658742763600030187 | obsolete, stock available |
| H240/040 | 10° 80x2,5 DIN5480 no dust cover | 65874276360000197 | obsolete, stock available |
| H250/035 | 10° 80x2,5 DIN5480 no dust cover | 658742763600030207 | obsolete, stock available |
| H255/030 | 10° 80x2,5 DIN5480 w/dust cover | 6587427636255 | |
| H275/050 | 10° 80x2,5 DIN5480 w/dust cover | 6587427636275 | |
| H280/060 | 10° 80x2,5 DIN5480 no dust cover | 65874276360000237 | obsolete , replaced by 66875570306000253 |
| H285/060 | 10° 80x2,5 DIN5480 w/dust cover | 6587427636285 | |
| H300/080 | 10° 80x2,5 DIN5480 no dust cover | 65874276360000257 | obsolete , replaced by 66875570306000253 |
| H305/070 | 10° 80x2,5 DIN5480 w/dust cover | 6587427636305 | |
| H333/110 | 27° 78x2 DIN 5480 no dust cover | 66875570306000253 | |
| H345/060 | 10° 80x2,5 DIN5480 no dust cover | 65874271360010302 | obsolete replaced by 687.55 66875570306000253 |
| H390/070 | 10° 80x2,5 DIN5480 no dust cover (*) | 65874271360010347 | obsolete , use 6587427030505 shortenning it to 390 mm |
| H400/070 | 10° 80x2,5 DIN5480 no dust cover (*) | 65874271360010357 | obsolete , use 6587427030505 shortenning it to 390 mm |
| H485/110 | 33° 80x2,5 DIN5480 w/dust cover | 6587427130485 | EDS |
| H505-H335/110-25 25° | 80x2,5 DIN5480 dust cover | 6587427030505 | EDS |

**587.42 - 57,00x152,00**

| Dimensions | EDS Part Number | Comments |
|--|-----------------|---|
| ROHR - Rohr / Tube / Tubo / Труба | | |
| 110,0x6,00 | Tube 110,0x6,00 | 587.42/ 802.68 / ELBE 120 / ELBE 9C / KLEIN 650 series tube |
| 111,5x6,75 | Tube 111,5x6,75 | 587.42 |
| 140,0x5,00 | Tube 140,0x5,00 | 587.48 / 587.42HD / 385.60 / 286.37 / KLEIN 600 / KLEIN680 tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H140 Ø 65 Ep 24 110x6 65x2,5 DIN5480 | 2113651600090 | MAN |
| H141 Ø 65 Ep 24 140x5 65x2,5 DIN5480 | 2113651600140 | MAN |
| H150 Ø 70 Ep 25 110x6 70x2,5 DIN5480 | 2113701617080 | MERCEDES-MAN-IVECO-DAF 587.42 bolt M20x1,5x80 |
| H195 Ø 60 Ep 35 110x6 60x2,5 DIN5480 NUT 40x1,5 | 2113601673070 | DAF-IVECO-MAN |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 180/4-15 H097,0 70x2,5 DIN 5480 | 2587425200500 | DAF-IVECO |
| XS 180/4-15 H098,5 70x2,5 DIN 5480 | 2113705217500 | MERCEDES A645 411 0045 / A 645 410 0030 |
| DIN 180/8-16 H097,0 70x2,5 DIN 5480 | 2587425200100 | obsolete with stock , also available in midship assy |
| DIN 180/10-16 H097,0 70x2,5 DIN 5480 | 2113705200060 | DC 395 410 0130 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø65x225x23 RL H85,8 MAN | WDL 9018 | OEM 81 39410 6019 MAN |
| Ø65x225x23 RL H85,8 MAN | WDL 9013 | EDS |
| Ø70x220x20 RL H86,0 DAF | WDL 9046 | 701756 DAF |
| Ø70x220x20 RL H85,8 IVECO | WDL 9077 | IVECO |
| Ø70x247x25 BHC50 MERCEDES | WDL 9015 | DB |
| SCHEIBE-Scheibe / Flingers - spacers-washers center bearings / Rondelles palier / Arandela puente / Rondella cuscino / Шайба | | |
| Flinger U-Form WDL 9015 | 1113701917060 | |
| Flinger L-Form WDL 9015 - WDL 9069 | 1113701917100 | A395 413 0061 |
| Spacer for ctr brg WDL 9015 - WDL 9069 | 1113705017060 | A389 411 0062 |
| Washer 587.36/587.42/587.48 | 1587425000060 | old for bolt-nut M12x40 P/N 1000008002156 |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuercas puente central / Dado autobloccante / Гайка | | |
| Nut 45x1,5 587.35/587.42 | 1000008102073 | |
| Bolt M20x1,5x80 445Nm 587.42 / 385.60 / 802.68 | 1113708217060 | MERCEDES |
| Bolt M12x40 + required washer 1587425000060 | 1000008002156 | |
| ZWUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| XS 180/4-15 H161 Ø70x20 110x6 70x2,5 DIN5480 | 6587421652003 | obsolete + old bolt-nut M12x20 + washer, in separate parts |
| DIN180/8-16 H161 Ø70x20 110x6 70x2,5 DIN5480 | 6587421652009 | |
| DIN180/10-16 H200 Ø60x60 110x6 60x2,5 DIN5480 | 6587421611060 | MAN old cast ctr brg WDL9227 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 57,00x152,00 central grease nipple | WD 10365 | GWB |
| 57,00x152,00 central grease nipple | WD 10375 | INA |
| 57,00x152,00 service free | WD 10240 | SKF |
| 57,00x152,00 2xend lube | WD 13232 | GWB |
| 57,00x152,00 4xend lube + central grease nipple | WD 13669 | GWB |
| 57,00x152,00 central grease nipple | WD 14075 | EDS |
| 57,00x152,00/164,00 4,5° central grease nipple | WD 51005 | P500/587.42 CONVERSION KIT |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Boccola / опорная втулка; втулка подшипника в комплекте | | |
| Ø 57 INA | 6587420617020 | INA |
| Ø 57 1xend lube GWB | 6687550600030 | GWB |
| Ø 57 1xend lube INA/SKF | 6587420617040 | INA |
| Ø 57 SKF | A395 410 0742 | SKF |

587.48 - 65,00x172,00

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---------------------------------------|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 180/10-16 H225 142x6 30° | 7587480401400 | in separate parts , WD 10265 |
| DIN 180/8-16 H225 142x6 30° | 7587480401412 | in separate parts , WD 10265 |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS 180/4-15 H522/140-150 142x6 22° 90x2,5 DIN5480 | 75874807012010454 | in separate parts , WD 10265 |
| DIN 180/10-16 H532/140-150 142x6 30° 90x2,5 DIN5480 | 75874807017000454 | in separate parts , WD 10265 |
| DIN 225/8-16 H532/140-150 140x5 30° 90x2,5 DIN5480 | 75874807017120454 | in separate parts , WD 10265 |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 179/4-15 H100 22° | 2587482017500 | MERCEDES |
| XS 180/4-15 H100 22° | 2587482000500 | |
| DIN 180/8-14 H110 35° | 2587482700030 | |
| DIN 180/8-16 H110 35° | 2587482700060 | |
| DIN 180/10-16 H110 30° | 2587482727100 | |
| DIN 180/10-16 H110 30° | 201 700 15360 | |
| DIN 180/10-17 H110 30° FACE KEY | 2587482200070 | |
| DIN 180/5+5-16 H110 30° | 2587482727120 | IVECO special |
| DIN 185/6-20 H110 30° spigot 95.25 | 2587482077008 | Marine application TWINDISC MG5295SC |
| DIN 185/12-18 H110 30° spigot 120.00 | 2587482077006 | Marine application |
| DIN 204/10-18 H110 30° | 2587482077004 | Marine application |
| DIN 225/4-17 H110 30° SPIRAL VERSION | 2587482872510 | on request |
| DIN 225/8-16 H110 30° | 2587482800060 | EDS |
| DIN 225/8-17 H110 30° FACE KEY | 2587482200100 | |
| DIN 250/8-18 H110 25° spigot Ø 190 female | 2587482800150 | EDS |
| DIN 250/8-18 H110 25° spigot Ø 190 male | 2587482800140 | EDS |
| DIN 225/8-22,2 H110 30° spigot Ø 152,4 PCD 190,5 | 2587482800151 | Marine application |
| DIN 225/8-20,2 H110 30° spigot Ø 152,4 PCD 190,5 | 2587482077010 | Marine application TwinDisc MGX5135SC |
| DIN 225/8-M22x2,5 H110 30° spigot Ø 152,4 PCD 190,5 | 2587482800152 | Marine application |
| DIN 225/12-16 H110 30° | 2587482800000 | EDS |
| DIN 225/14-16 H110 30° | 2587482872010 | on request |
| SAE 203/12-11 H110 35° | 2587482400020 | EDS |
| SAE 203/12-12 H110 35° | 2587482400030 | GWB on request |

**587.48 - 65,00x172,00**

| Dimensions | | EDS Part Number | Comments |
|---|------------|---|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | | |
| SAE 244/8-16 H110 25° | | 2587482400190 | DANA 1880 +Marine application |
| SAE 244/8-16 H110 25° | | 2587482400110 | DANA 1880 |
| SAE 250/12-12 H110 35° | | 2587482400160 | GS1900 |
| SAE 276/8-16 H111 25° | | 2587482400170 | HS1900 |
| DIN 180 Blank H110 30° | | 3587482727100 | |
| DIN 225 Blank H110 30° | | 3587482800000 | |
| DIN 250 Blank H110 30° | | 3587482800120 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | | |
| H110 140x5 25° | | 2587484700100 | |
| H115 140x5 25° | | 2587484700000 | |
| H100 Ø125,9 20° short couple 9.01 | | 208 700 15560 | |
| H115 120x6 30° | | 1 122 330 001 | |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | | |
| Plug-cap 587.48 | | 1587484111111 | L-shape for short couple assy's |
| Plug-cap 587.48 | | 158748411111B | U-shape for short couple assy's |
| ELUEVEN-Entlüftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | | |
| Valve-plug all GWB 587 SERIES | | 1000008608020 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | | |
| NH H293 140x5 90x2,5 DIN5480 rilsan coated | | 2587488000000 | |
| For splined bar non existing combinatios GWB 587.48 PROST + NH (Splined bar + sleeve) , see ELBE 122 series combinations 75x2,5x28 DIN 5480 | | | |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | | |
| 90x2,5x34 DIN5480 | | 2587501900000 | 2,8m cut to required length |
| ZUNHV / Spl. bar-sleeve / Barre can.+coul. / Barra estr.+corr. / Sbarra scan.+Mani. / Шлицевая втулка | | | |
| For splined bar non existing combinations on GWB 587.48 PROST + NH (Splined bar + sleeve) , see ELBE 122 series combinations 90x2,5x34 DIN 5480 | | | |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | | |
| H210 Ø 110 | | 65874809170000210 | |
| H195 Ø 110 | | 116 700 20593 | new PN , old part number 216 700 15746 |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | | |
| Muff seal 587.48 | | 212 700 15747 | old version dust cover |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | | |
| H413/150 140x5 35° 90x2,5 DIN 5480 | | 151 700 11498 | |
| H421/200 140x5 25° 90x2,5 DIN 5480 | | 6587487780250 | |
| H422/150 140x5 35° 90x2,5 DIN 5480 | | 65874877802000454 | |
| H308/110 140x5 27° 88x2,5 DIN 5480 w/dust cover 9.01 | | 66876570802000315 | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC/Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | | |
| H280-248/50-30 25° 90x2,5 DIN5480 w/dust cover rilsan | | 6587487636280 | |
| H290-248/60-30 25° 90x2,5 DIN5480 w/dust cover rilsan | | 6587487636290 | |
| H525-325/150-40 25° 90x2,5 DIN5480 w/dust cover rilsan | | 6587487733200 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | | |
| 140x5 | Tube 140x5 | 587.48 / 587.42HD / 385.60 / 286.37 / KLEIN 600 / KLEIN680 series | |
| 142x6 | Tube 142x6 | 687.65 / 10C IC-UG / 587.48 series | |
| 120x6 | Tube 120x6 | 687.55 / ELBE 122 / 190.50 / GS906 / KLEIN 620 / 587.48 splined bar | |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | | |
| H165 Ø70x19 140x5 70x2,5 DIN5480 Tap. 2bolts+washer | | 2587481600500 | tapping (2 bolts M12x40 + washer) |
| H197 Ø70x18 140x5 70x2,5 DIN5480 Nut 55x1,5 | | 225 700 15479 | DAF - IVECO |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | | |
| XS 180/4-15 H85,5 70x2,5 DIN5480 DAF | | 224 700 15821 | see full mid end assy |
| DIN 180/10-16 H85,5 70x2,5 DIN5480 IVECO | | 224 700 15556 | see full mid end assy |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | |
| Ø70x220x20 RL H86 | WDL 9046 | DAF-IVECO , 701756 DAF interchangeable with WDL 9071 | |
| Ø70x220x20 LL H86 | WDL 9071 | DAF , 1235569 / 0678426 DAF | |
| Ø70x220x43 LL H88 | WDL 9072 | 1288242 DAF | |
| Ø70x220x43 RL H88 Cast Bracket | WDL 9344 | EDS | |
| Ø70x220x43 RL H88 Cast Bracket | WDL 9044 | | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | | |
| Washer 587.42 / 587.48 for bolt-nut M12x40 | | 1587425000060 | |
| Washer 55mm | | 261 700 15477 | |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | | |
| Nut M55x1,5 | | 243 000 03641 | washer required |
| Bolt M12x40 | | 1000008002156 | |
| ZWZUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | | |
| XS 180/4-15 H176 Ø 70x20 140x5 70x2,5 DIN 5480 M12 x | | 6113701652002 | DAF-IVECO obsolete repaced by altern. 6587481652500 |
| XS 180/4-15 H167 Ø 70x25 140x5 70x2,5 DIN 5480 M12 x | | 6113701652007 | DAF-IVECO obsolete repaced by altern. 6587481652500 |
| XS 180/4-15 H180 Ø 70x19 140x5 70x2,5 DIN 5480 Nut + | | 6587481652500 | DAF-IVECO-DAF |
| DIN 180/10-16 H176 Ø 70x20 140x5 70x2,5 DIN 5480 M12 x | | 6113701652003 | IVECO-DAF obsolete , repaced by altern. 6587481652000 |
| DIN 180/10-16 H178 Ø 70x19 140x5 70x2,5 DIN 5480 Nut + | | 6587481652000 | IVECO-DAF |
| ZWG-Zwischenwellengelenk / Mid end assy/Ensemble palier/ Grupo puente comp./Gruppo supporto completo/Шлиц. вал под подв. подшипник | | | |
| XS 180/4-15 H181 140x5 | | 125 700 10371 | DAF on request |
| DIN 180/10-16 H182 140x5 | | 7113700900000 | DAF obsolete, WDL 9046 or WDL 9071 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | | |
| XS 180/4-15 Lz.700 | | 201489103333L0700 | IVECO 9844 9013 |
| DIN 180/10-16 Lz.700 | | 201489101717L0700 | IVECO 4207 9494 |
| For any other required length or application with different flange fittings please contact WELTE sales team | | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | |
| 65,00x172,00 central grease nipple | WD 10265 | GWB | |
| 65,00x172,00 central grease nipple | WD 13545 | SKF | |
| 65,00x172,00 central grease nipple | WD 10275 | INA | |
| 65,00x172,00 central grease nipple | WD 14095 | EDS | |
| 65,00x172,00 service free | WD 10090 | GWB | |
| 65,00x172,00 central grease nipple+4x brg cap lub | WD 13599 | | |
| 65,00x190,00/65,00x172,00 central grease nipple | WD 14445 | SCANIA P600/587.48**687.65 conversion kit | |

**587.48 - 65,00x172,00**

| Dimensions | EDS Part Number | Comments |
|--|-----------------|----------|
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Boccola / опорная втулка; втулка подшипника в комплекте | | |
| Ø 65 GWB service free | 6687650600160 | GWB |
| Ø 65 SKF | 6587480600000 | SKF |
| Ø 65 INA | 6587480617230 | INA |
| Ø 65 INA/SKF 1xend lube M10x1 | 6587480617240 | INA/SKF |

587.50 - 72,00x185,00

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 225/8-16 H246 144x7 24° | 7587500403025 | available in separate parts , WD 10255 |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 225/8-16 H471/110 144x7 24° 90x2,5 DIN5480 | 75875007022400396 | GWB , available in separate parts , WD 10255 |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 180/4-15 H108 24° | 2587502000500 | EDS |
| XS 200/4-15 H108 24° | 2587502000580 | under request |
| DIN 190/12xM18 H108 24° | 2587502000190 | Marine application |
| DIN 225/8-16 H108 24° | 2587502000000 | |
| DIN 225/8-16 H108 24° FACE KEY 32 E9 | 2587502200200 | |
| DIN 225/8-16 H108 24° FACE KEY 32 E9 | 2587502200100 | EDS |
| DIN 225/8-16**2M16 H108 24° | 2587502000100 | EDS |
| DIN 225/8-16**4-21 H108 24° DOWEL PIN | 2587502500000 | under request |
| DIN 225/12-16 H108 24° | 2587502000060 | |
| DIN 225/12-M22 H108 24° spigot Ø145 PCD Ø190,5 | 2587502000200 | Marine application |
| DIN 250/8-18 H108 24° | 2587502300320 | EDS |
| DIN 250/8-18 H111 24° | 2587502300080 | obsolete replaced by 2587502300320 |
| DIN 250/8-18 H108 24° FACE KEY 33x10 | 2587502200370 | special key size under request |
| DIN 250/8-24,5 H108 24° | 2587502300200 | under request |
| DIN 315/8-22 H108 18° | 2587502300240 | |
| DIN 275/10-14 H068 05° | 2587502600000 | short couple shafts 9.06 |
| DIN 285/8-20 H108 24° spigot Ø.125 | 2587502354060 | on request |
| DIN 285/8-20 H108 24° | 2587502300140 | |
| SAE 203/12-11 H108 24° | 2587502400090 | HS 1800 |
| SAE 203/16-12,2 H108 24° | 2587502054060 | Marine application |
| SAE 244/8-16 H108 24° | 2587502454130 | DS 1880 |
| SAE 244/8-16 H108 24° | 2587502400080 | DS 1880 + Marine application |
| SAE 250/12-12 H108 24° | 2587502400060 | GS 1900 |
| SAE 276,2/8-15,9 H108 24° | 2587502400150 | HS 1900 |
| SAE 287/16-12,8 H108 24° | 2587502400140 | HS 2000 |
| DIN 225 blank H108 24° | 3587502000100 | EDS |
| DIN 250 blank H108 24° | 3587502300100 | EDS |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H138 123,5x7,5 24° | 2587504200086 | can machined out of 2587504200600 |
| H138 140,0x6 24° | 2587504200146 | old version--replaced by 2587504200600 |
| H138 144,0x7 24° | 2587504200600 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H347/90 24° 90x2,5 DIN5480 for short couple 9.03 | 25875033000750300 | obsolete , replaced by 25875033001900347 |
| H347/90 24° 90x2,5 DIN5480 for short couple 9.03 | 25875033001900347 | |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap | 1587506300000 | u-joint flinger |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal 587.50 | 1587502300000 | under request |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer | 1587505000000 | under request |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| Plug-cap 587.50 threaded | 1587501400270 | |
| Plug-cap 587.50 welded | 1587501400320 | |
| ELUEVEN-Entlüftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| Vave-plug all GWB 587 SERIES | 1000008608020 | rubber |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H396/110 25° 80x2,5 DIN5480 0.02 shaft | 25875070003300396 | old spline design , obsolete with stock available |
| H289/075 24° 90x2,5 DIN5480 9.03 short couple | 25875070003600289 | |
| H239/075 24° 90x2,5 DIN5480 9.03 short couple | 25875070003600239 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H230 123,5x7,5 80x2,5 DIN 5480 rilsan | 2587408000160 | old spline, old tube 123,5x7,5 |
| H230 144,0x7,0 90x2,5x34 DIN 5482 rilsan ligh version | 25875080002500200 | |
| H230 143,5x7,5 90x2,5x34 DIN 5482 rilsan heavy version | 25875080002600200 | |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| 90x2,5x34 DIN5480 H2800 CK45 587.50 / ELBE 122 | 2587501900000 | use ELBE 122 for splined bar + sleeve tube 120x6 |
| WZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| H0655/0350 120x6 90x2,5x34 DIN 5480 rilsan | 0 122 093 003 | ELBE tube 120x6 ,use adaptor 1 122 530 001 |
| H0875/0570 120x6 90x2,5x34 DIN 5480 rilsan | 0 122 093 005 | ELBE tube 120x6 ,use adaptor 1 122 530 001 |
| H1005/0700 120x6 90x2,5x34 DIN 5480 rilsan | 0 122 093 006 | ELBE tube 120x6 ,use adaptor 1 122 530 001 |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H080 for 9.03 short couple | 65875009000300080 | |
| H160 for 0.02 driveshafts | 65875009000300160 | |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| Muff seal 587.50 / 190.50 (9.01) | 1000008508021 | under request |

**587.50 - 72,00x185,00**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H360/110 123,5x7,5 24° 90x2,5 DIN5480 | 65875070802580300 | obsolete replaced by 65875070803570396 (144x7) |
| H360/110 144,0x7,0 24° 90x2,5 DIN5480 | 65875070802590369 | obsolete replaced by 65875070803570396 |
| H360/110 144,0x7,0 24° 90x2,5 DIN5480 | 65875070803570396 | |
| H363/110 123,5x7,5 24° 80x2,5 DIN5480 | 65875070802000396 | use standart version and machine required tube size |
| H425/140 144,0x7,0 35° 90x2,5 DIN5480 | 6587507080210 | EDS |
| H490/160 144,0x7,0 24° 90x2,5 DIN5480 | 6587507080220 | |
| H502/230 144,0x7,0 24° 90x2,5 DIN5480 | 6587507080250 | |
| All models with groove for balancing weights (balancing weights also available under request and sold separately) | | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H269/030 05° 90x2,5 DIN5480 no dust cover | 65875076362020217 | please add 65875009000300160 |
| H269/030 05° 90x2,5 | 6587507636269 | |
| H279/040 05° 90x2,5 | 6587507636279 | |
| H284/045 05° 90x2,5 | 6587507636284 | |
| H334/080 05° 90x2,5 | 6587507636334 | |
| H334/060 24° 90x2,5 DIN5480 no dust cover | 65875070332310256 | please add 65875009000300160 |
| H387/075 24° 90x2,5 | 65875070332510289 | |
| H404/060 24° 90x2,5 | 65875070300000404 | |
| H434/080 24° 90x2,5 DIN5480 no dust cover | 65875070332500339 | please add 65875009000300160 |
| H434/100 24° 90x2,5 | 6587507030434 | |
| H444/110 24° 90x2,5 | 6587507030444 | |
| H480/090 24° 90x2,5 DIN5480 no dust cover | 65875070332500382 | please add 65875009000300160 |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| 123,5x8,0 | Tube 123,5x8 | 587.50 for 123,8x7,5 applications |
| 144,0x7,0 | Tube 144x7 | 587.50 / 802.79 / 10C / 11C IC-UG series tube |
| 120,0x6,0 | Tube 120x6 | 687.55 / ELBE 122 /190.50 / GS906 / KLEIN 620 /587.50 splined bar |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Pillow block bearings on request | | |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| M 45x1.5 | 1000008102073 | |
| ZWUZWF / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| SAE 250/12-12 H241 Ø75x33 123.5x7.5 | 6587501652000 | under request |
| DIN 225/8-16 H430 Ø80x25 144x7 | 6587501652590 | industrial application |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 72,00x185,00 central grease | WD 10255 | GWB |
| 72,00x185,00 central grease | WD 14595 | GEWES 80 viton seal |
| 72,00x185,00 central grease | WD 13165 | GEWES 80 standart |
| 72,00x185,00 central grease | WD 13525 | WELTE EDS |
| 72,00x185,00 4xend lube | WD 13064 | GWB |
| 72,00x185,00 4xend lube + central grease nipple | WD 14329 | EDS / INA |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Voccoia / опорная втулка; втулка подшипника в комплекте | | |
| Ø 72 standard | 6587500600000 | GWB |
| Ø 72 end lube | 6587500600040 | GWB |
| SPRING - Sicherungsring (Seegerring) / Circlips / Circlips / Arillos / Anello di sicurezza / стопорное кольцо | | |
| Circlip 72x3,000 DIN 472 | 72x3 | DIN 472 , other dimensions on request |
| WUST - Wuchtstück / Balance weight / Plaqueette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 31 gr. 190.50 / 587.50 series | 1190503500100 | |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| Flange bolts kit M16x50 DIN 931 10,9 DIN 225/8-16 | 6190500200020 | 295 Nm, DIN 225/8-16 190.50 / 587.50 series |
| Flange bolts kit M18x60 DIN 931 10,9 DIN 250/8-18 | 6190550200020 | 390 Nm, DIN 250/8-18 587.50/ 587.55/190.55/291.50 series |
| Flange bolts kit M14x55 DIN 931 10,9 XS 200/4-15 | 6587500200040 | 190 Nm, XS 200/4-15 / 802.79 / 587.50 series |

587.55 - 74,00x217,00

| Dimensions | EDS Part Number | Comments |
|--|-----------------|--------------------|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 250/8-18 H280 20° | 7587550400030 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 250/8-18 H510/100 20° 115x2,5 DIN 5480 | 7587550100230 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 225/12-M22 H125 20° | 2587552000350 | Marine application |
| DIN 225/15-M20 H125 20° spigot Ø 190 | 2587552000190 | Marine application |
| DIN 250/8-18 H125 20° | 2587552000000 | |
| DIN 250/8-18 H125 20° | 2587552000100 | WELTE |
| DIN 250/8-18/4-25 H125 20° DOWEL PIN CONNECTION | 2587552500000 | |
| DIN 285/8-20 H125 20° | 2587552300000 | |
| DIN 285/8-20 H125 20° | 2587552300100 | WELTE |
| DIN 285/8-20 H125 20° FACE KEY WITH PINS | 2587552300200 | |
| SAE 244/8-16 H125 20° | 2587552400100 | |
| DIN 250 Blank H125 20° | 3587552000000 | WELTE |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H155 162,0x9,85 20° | 2587554200100 | EDS |
| H155 168,8x7,30 24° | 2587554200000 | |
| H150 168,8x7,30 20° (*) | 2587554200300 | EDS |
| (*) Tube yoke 2587554200300 welded to sleeve assy 65875510802000240 = full sleeve assy 65875510302500410 H430/110 20° 168,8x7,3 128x2,5 DIN 5480 | | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di filtro / уплотняющее (прокладочное) кольцо | | |
| dust cover seal 390.60 / 392.50 / 587.55 / 587.60 | 1390602300000 | |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| Valve-plug M16x1,5 H33 | 1000008601125 | |

**587.55 - 74,00x217,00**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H198 168,8x7,3 115x2,5 DIN 5480 | 2587558000850 | GWB |
| H207 162,0x9,85 115x2,5 DIN 5480 rilsan coated | 2587558000207 | GEWES |
| WZUNHV / Spl. bar.+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| long slip versions use 190 series slip assy's | | |
| DIHU-Dichthülse / Dust cover / Manchon sans joint / Guardapolvos sin junta / Protezione scanalato senza guarn. / Пыльник | | |
| H130 390.60 /392.50 / 587.55 / 587.60 | 1390601300000130 | GWB , use dust cover seal (DIRI) 1390602300000 |
| WZUNHV- WelleN:u.nab.vollst./Slip assy/Ens. Coul./Junta corr./Scorrevole tubo/ Шлицевой вал и шлиц. втулка в сборе (с чехлом) | | |
| H280/110 168,8x7,30 20° 128x2,5 DIN5480 WELTE (*) | 65875510802000240 | WELTE ,seal,dust cover seal and valve M10x1 included to weld |
| (*) WELTE welded sleeve assy 65875510802000240 to tube yoke 2587554200300 = WMUNHV '65875510302500410 | | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H385/100 168,8x7,30 20° 115x2,5 DIN5480 GWB | 6587551180000 | +1390602300000 (seal),1390601300000130(dust) |
| H410/110 162,0x9,85 20° 115x2,5 DIN5480 GEWES | 65875510302000410 | GEWES , dust cover and valve included see WELTE alternat. |
| H430/110 168,8x7,30 20° 128x2,5 DIN5480 WELTE | 65875510302500430 | WELTE ,dust cover and valve M10x1 included |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H470/060 20° 115x2,5 DIN5480 | 6587557030470 | |
| H545/110 20° 115x2,5 DIN5480 | 6587557030545 | |
| H605/110 20° 115x2,5 DIN5480 | 6587557030605 | |
| All models with groove for balancing weights | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| 162,0x9,85 | Tube 162,9x9,85 | |
| 168,8x7,30 | Tube 168,8x7,30 | GWB 587.55 together with GEWES 83 162,9x9,85 |
| ZWZUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| DIN 250/8-18 H495 Ø 100mm | 6587551652590 | under request |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 74,00x217,00 central grease nipple | WD 11165 | GWB |
| 74,00x217,00 central grease nipple | WD 10015 | GEWES |
| 74,00x217,00 4xend lube + central grease | WD 13749 | EDS |
| SPRING-Sicherungsring (Seegerring) / Spacer or Circlips / Circlips / Arillo / Anello di sicurezza / стопорное кольцо | | |
| Circlip 74x3 | 74x3 | other sizes on request |
| WUST - Wuchtstück / Balance weight / Plaqueette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 42 gr. 190.55 / 587.55 / 587.60 / 390.60 | 1190553500100 | GWB |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M18x60 10.9 DIN 931 ME16 450 Nm for DIN 250/8-18 | 6190550200020 | 450 Nm for DIN 250/8-18 |
| M20x65 10.9 DIN 931 ME16 620 Nm for DIN 285/8-20 | 6190600200020 | 620 Nm for DIN 285/8-20 |

587.60 - 83,00x231,40

| Dimensions | EDS Part Number | Comments |
|--|------------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 285/8-20 H295 24° | 7587600400030 | |
| DIN 315/8-22 H295 24° | 7587600400040 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 285/8-20 H525/100 20° 167,7x9,8 115x2,5 DIN5480 | 7587600100230 | |
| DIN 315/8-22 H525/100 20° 167,7x9,8 115x2,5 DIN5480 | 7587600100240 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 285/8-20 H135 20° | 2587602000000 | |
| DIN 285/8-20 H135 20° | 2587602000100 | |
| DIN 285/8-20 H135 + 4x28H12 20° DOWEL PIN DIN15451 | 2587602000200 | DOWEL PIN CONNECTOR ACCORDING TO DIN 15451 |
| DIN 315/8-22 H135 20° | 2587602300000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H160 167,7x9,8 24° | 2587604200000 | |
| H158 162x9,85 24° | 2587604200100 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di filtro / уплотняющее (прокладочное) кольцо | | |
| dust cover seal 390.60 / 392.50 / 587.55 / 587.60 | 1390602300000 | GWB 587.55 / 587.60 / 390.60 / 392.50 |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| Valve-plug M16x1,5 H33 | 1000008601125 | GWB 587.55 / 587.60 / 390.60 / 392.50 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| sleeves available under request , please contact WELTE sales team | | |
| WZUNHV / Spl. bar.+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| Long slip versions use 190 series slip assy's | | |
| DIHU-Dichthülse / Dust cover / Manchon sans joint / Guardapolvos sin junta / Protezione scanalato senza guarn. / Пыльник | | |
| H130 390.60 /392.50 / 587.55 / 587.60 | 1390601300000130 | GWB , use dust cover seal (DIRI) 1390602300000 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H390/100 167,7x9,85 20° 115x2,5 DIN5480 | 6587601180000 | +1390602300000 (seal),1390601300000130(dust),1000008601125(valve). |
| H417/110 162,0x9,85 20° 115x2,5 DIN5480 | 6587601030200 | GEWES , dust cover and valve included |
| All models with groove for balancing weights (balancing weights also available under request and sold separately) | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| 162,0x9,85 | Tube 162,9x9,85 | 15C IC-UG / 587.55 / 587.60 |
| 167,7x9,8 | Tube 167,7x9,8 | 392.50 / 390.60 / 587.60 together with 168x10 (HD version) |
| 168,0x10,0 | Tube 168x10 | 587.60 HD version , this can replaced the original tube 167,7x9,8 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 83,00x231,40 central grease | WD 10025 | GWB |
| 83,00x231,40 central grease | WD 12445 | GEWES |
| 83,00x231,40 4xend lube + central grease | WD 13759 | GWB |
| SPRING-Sicherungsring (Seegerring) / Spacer or Circlips / Circlips / Arillo / Anello di sicurezza / стопорное кольцо | | |
| Circlip 83x3.00 587.60 | 83x3.000 | |
| WUST - Wuchtstück / Balance weight / Plaqueette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 42 gr. | 1190553500100 | GWB 390.60 / 587.60 / 392.55 |

**587.60 - 83,00x231,40**

| Dimensions | EDS Part Number | Comments |
|---|-----------------|-------------------------|
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M22x70 10.9 DIN 931 ME16 780 Nm for DIN 315/8-22 | 6190650200020 | 780 Nm for DIN 315/8-22 |
| M20x65 10.9 DIN 931 ME16 620 Nm for DIN 285/8-20 | 6190600200020 | 620 Nm for DIN 285/8-20 |

390.60 - 83,00x129,00

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 285/8-20 H295 15° | 7390600400030 | |
| DIN 315/8-22 H295 15° | 7390600400040 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 285/8-20 H525/100 15° 115x2,5 DIN5480 | 7390600100230 | |
| DIN 315/8-22 H525/100 15° 115x2,5 DIN5480 | 7390600100240 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 285/8-20 H135 15° | 2390602000000 | |
| DIN 285/8-20 +4x28H12 H135 15° | 2390602500000 | DOWEL PIN CONNECTION DIN 15451 , under request |
| DIN 315/8-22 H135 15° | 2390602300000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H175 167,7x9,8 15° | 2390604200000 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal 390.60 / 392.50 / 587.55 / 587.60 | 1390602300000 | |
| ELUEVEN-Entlüftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| Valve-plug M16x1,5 H33 | 1000008601125 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| 167,7x9,8 | 2390608000850 | |
| WZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| Long slip versions use 190 series slip assy's | | |
| DIHÜ-Dichthülse / Dust cover / Manchon sans joint / Guardapolvos sin junta / Protezione scanalato senza guarn. / Пыльник | | |
| H130 390.60 / 392.50 / 587.55 / 587.60 | 13906013000000130 | use dust cover seal (DIRI) 1390602300000 |
| WZUNM- Wellenzap. u. nab. / Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H390/100 167,7x9,8 15° 115x2,5 DIN5480 390.60/392.50 | 6390601180000 | +1390602300000 (seal),1390601300000130(dust),1000008601125(valve). |
| All models with groove for balancing weights (balancing weights also available under request and sold separately) | | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| Slip assy's ysa available on request | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| TUBE 167,7x9,80 390.60/392.50/587.60 | Tube 167,7x9,8 | TUBE 392.50 / 390.60 / 587.60 together with 168x10 |
| TUBE 168,0x10,0 390.60/392.50/587.60 | Tube 168x10 | 390.60 HD version , this can replaced the original tube 167,7x9,8 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| short couples 9.01 style on request | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 83,00x129,00 central grease | WD 20095 | GWB |
| 83,00x129,00 central grease | WD 20705 | GEWES INA |
| 83,00x129,00 4xend lube +central grease | WD 21469 | GWB |
| 83,00x129,00 4xend lube +central grease | WD 21639 | EDS |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Boccola / опорная втулка; втулка подшипника в комплекте | | |
| bearing caps on request | | |
| SPRING-Sicherungsring (Seegerring) / Spacer or Circlips / Circlips / Arillo / Anello di sicurezza / стопорное кольцо | | |
| Spacer 83x2,5 390.60 / 587.60 / 392.55 | 13906067000002500 | GWB |
| WUST - Wuchtstück / Balance weight / Plaqueette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 42 gr. | 1190553500100 | GWB 390.60 / 587.60 / 392.55 |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M22x70 10.9 DIN 931 ME16 780 Nm for DIN 315/8-22 | 6190650200020 | 780 Nm for DIN 315/8-22 |
| M20x65 10.9 DIN 931 ME16 620 Nm for DIN 285/8-20 | 6190600200020 | 620 Nm for DIN 285/8-20 |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр болт | | |
| 14x1,5x70 12.9 DIN 912 12.9 w/patch glue 390.60/392.50 | 1000008003353 | GWB |

390.65 - 95,00x139,00

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 315/8-22 H330 15° | 7390650400030 | |
| DIN 350/10-22 H330 15° | 7390650400040 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 315/8-22 H600/135 218,2x8,7 15° 150x3 DIN5480 | 7390650100230 | |
| DIN 350/10-22 H600/135 218,2x8,7 15° 150x3 DIN5480 | 7390650100240 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| FLM DIN 315/8-22 H150 15° | 2390652000000 | |
| FLM DIN 315/8-22 + 4x30 H12 H150 15° | 2390652500000 | DOWEL PIN CONNECTION DIN 15451 |
| FLM DIN 350/10-22 H150 15° | 2390652300000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H180 218,2x8,7 15° | 2390654200000 | |
| ELUEVEN-Entlüftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| Valve-plug M16x1,5 H45 | 1000008601127 | GWB 390.65 / 390.70 / 392.55 / 392.60 |
| WZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| long slip versions use 190 series slip assy's | | |
| DIHÜ-Dichthülse / Dust cover / Manchon sans joint / Guardapolvos sin junta / Protezione scanalato senza guarn. / Пыльник | | |
| H130 390.65 / 390.70 / 392.55 / 392.60 | 13907013000000165 | use dust cover seal (DIRI) 1390702300000 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H450/135 218,2x8,7 15° 150x3 DIN5480 390.65/392.55 | 6390651180000 | +1390702300000 (seal),1390701300000165(dust),1000008601127(valve). |
| All models with groove for balancing weights (balancing weights also available under request and sold separately) | | |

**390.65 - 95,00x139,00**

| Dimensions | EDS Part Number | Comments |
|--|-----------------|--|
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| Slip assy's ysa available on request | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| 218.2x8,7 390.65 /392.55 /14,5C IC-UG | Tube 218,2x8,7 | 390.65 /392.55 / 14,5C IC-UG series tube |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 95,00x139,00 central grease nipple | WD 20105 | GWB |
| 95,00x139,00 central grease nipple | WD 20555 | GEWES |
| 95,00x139,00 4xend lube HT w/Viton-seal | WD 21604 | GWB HIGH TEMP |
| 95,00x139,00 4xend lube + central grease | WD 21454 | GWB |
| 95,00x139,00 4xend lube + central grease | WD 21659 | EDS |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Boccola / опорная втулка; втулка подшипника в комплекте | | |
| bearing caps on request | | |
| SPRING-Sicherungsring (Seegerring) / Spacer or Circlips / Circlips / Arillo / Anello di sicurezza / стопорное кольцо | | |
| Circlip 95x2,5 390.65 / 392.60 | 95x2,5 | GWB 390.65 / 392.60 |
| WUST - Wuchtstück / Balance weight / Plaqueette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 148 gr. 390.65/190.60/392.55 | 1190603500100 | GWB 390.65 / 190.60 / 392.55 |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M22x70 10.9 DIN 931 ME16 780 Nm for DIN 315/8-22 | 6190650200020 | 780 Nm for DIN 315/8-22 |
| M22x75 10.9 DIN 931 ME16 780 Nm for DIN 350/10-22 | 6190700200020 | 780 Nm for DIN 350/10-22 |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр болт | | |
| M20x1,5x100 12.9 DIN912 w/ patch blue 390.75/392.65 | 1000008003358 | GWB 390.65 / 390.75 series |

390.70 - 110,00x160,00

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 350/10-22 H375 15° | 7390700400030 | |
| DIN 390/10-24 H375 15° | 7390700400040 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 350/10-22 H645/135 219x13,3 15° 150x3 DIN5480 | 7390700100230 | |
| DIN 390/10-24 H645/135 219x13,3 15° 150x3 DIN5480 | 7390700100240 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 350/10-22 H170 15° | 2390702000000 | |
| DIN 350/10-22 + 4 x 32H12 H170 15° | 2390702500000 | DOWEL PIN CONNECTION DIN 15451 |
| DIN 390/10-24 H170 15° | 2390702300100 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H205 219x13,3 15° | 2390704200000 | |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| Valve-plug M16x1,5 H45 | 1000008601127 | GWB 390.65 / 390.70 / 392.55 / 392.60 |
| WZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| long slip versions use 190 series slip assy's | | |
| DIHÜ-Dichthülse / Dust cover / Manchon sans joint / Guardapolvos sin junta / Protezione scanalato senza guarn. / Пыльник | | |
| H130 390.65 / 390.70 / 392.55 / 392.60 | 13907013000000165 | use dust cover seal (DIRI) 1390702300000 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H475/135 219x13,3 15° 150x3 DIN5480 | 6390701180800 | +1390702300000 (seal),1390701300000165(dust),1000008601127(valve). |
| All models with groove for balancing weights (balancing weights also available under request and sold separately) | | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| Slip assy's ysa available on request | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 219x13,3 | Tube 219x13,3 | 390.70 / 392.60 / 14C IC-UG / 14,5C-310M230 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 110,00x160,00 central grease | WD 20115 | GWB |
| 110,00x160,00 central grease | WD 21065 | GEWES |
| 110,00x160,00 4xend lube + central grease | WD 21389 | GWB |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Boccola / опорная втулка; втулка подшипника в комплекте | | |
| bearing caps on request | | |
| SPRING-Sicherungsring (Seegerring) / Spacer or Circlips / Circlips / Arillo / Anello di sicurezza / стопорное кольцо | | |
| Spacer or circlips 110x2,5 | 13907067000002500 | GWB |
| WUST - Wuchtstück / Balance weight / Plaqueette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 160 gr. | 1190603500100 | GWB 190.65/390.70/390.75/390.80/392.55/392.60/392.65/392.70/291.65 |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M22x1,5x75 10.9 DIN 931 190.70 / 390.70 / 190.65 | 6190700200020 | 0780 Nm for DIN 350/10-22 |
| M24x1,5x85 10.9 DIN 931 190.75 / 390.70 / 390.75 | 6190750200020 | 1000 Nm for DIN 350/10-24 |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр болт | | |
| M18x1,5x90 12.9 DIN 912 w/patch 390.70/392.60 GWB | 1000008003350 | GWB 390.70 / 392.60 series flanges |
| M16x1,5x65 12.9 DIN 912 w/patch GEWES NG95 | 10000080391216 | GEWES NG 95 series |

390.75 - 120,00x176,00

| Dimensions | EDS Part Number | Comments |
|--|-----------------|----------|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 390/10-24 H415 15° | 7390750400030 | |
| DIN 435/10-27 H415 15° | 7390750400040 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 390/10-24 H735/170 15° 185x5 DIN5480 | 7390750100230 | |
| DIN 435/10-27 H735/170 15° 185x5 DIN5480 | 7390750100240 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 390/10-24 H190 15° | 2390752000000 | |
| DIN 435/10-27 H190 15° | 2390752300100 | |

**390.75 - 120,00x176,00**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H225 273x13,5 15° | 2390754200000 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal 390.75 / 390.80 | 1390802300000 | |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| Valve-plug M16x1,5 H28 | 1000008601132 | |
| WZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| long slip versions use 190 series slip assy's | | |
| DIHÜ-Dichthülse / Dust cover / Manchon sans joint / Guardapolvos sin junta / Protezione scanalato senza guarn. / Пыльник | | |
| H200 390.75 / 390.80 / 392.65 / 392.70 | 13908013000000200 | use dust cover seal (DIRI) 1390802300000 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H450/170 218,2x8,7 15° 185x5 DIN5480 | 6390751180000 | +1390802300000 (seal),1390701300000200(dust),1000008601132(valve). |
| All models with groove for balancing weights (balancing weights also available under request and sold separately) | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 273x11,6 | Tube 273x11,6 | Under request , 390.75 series |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 120,00x176,00 central grease | WD 20125 | GWB 390.75 |
| 120,00x176,00 4xend lube + central grease | WD 21529 | GWB 390.75 , under request |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Boccola / опорная втулка; втулка подшипника в комплекте | | |
| bearing caps on request | | |
| SPRING-Sicherungsring (Seegerring) / Spacer or Circlips / Circlips / Arillo / Anello di sicurezza / стопорное кольцо | | |
| Spacer or circlips 120,00-130,00x2,5 | 13908067000002500 | GWB 390.75 / 390.80 / 392.65 / 392.70 |
| WUST - Wuchtstück / Balance weight / Plaquette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 160 gr. | 1190653500100 | GWB 190.65/390.70/390.75/390.80/392.50/392.60/392.65/392.70/291.65 |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M24x1,5x85 10:9 DIN931 190.75/390.70/390.75 | 6190750200020 | 1000 Nm for flange DIN 390/10-24 , under request |
| M26x1,5x95 10:9 DIN931 190.80/390.75/390.80 | 6190800200020 | 1500 Nm for flange DIN 435/10-27 , under request |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M20x1,5x100 12.9 DIN912 w/patch | 1000008003358 | GWB 390.75 / 392.65 series flanges for U-flanges brackets |
| M16x1,5x075 12.9 DIN912 w/patch | 10000080391217 | GEWES NG95 series |

390.80 - 130,00x196,00

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 435/10-27 H450 15° | 7390800400030 | |
| DIN 435/10-27/4-35 H450 15° DOWEL PIN | 7390800400040 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 435/10-27 H770/170 273x19,0 15° 185x5 DIN548 | 7390800100230 | |
| DIN 435/10-27/4-35H12 H770/170 273x19,0 15° 185x5 DIN54 | 7390800100240 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 435/10-27 H210 15° | 2390802000000 | |
| DIN 435/10-27/4-35 H210 15° | 2390802500100 | DOWEL PIN CONNECTION DIN 14541 |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H240 273x19,0 15° | 2390804200000 | GWB , under request |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| dust cover seal 390.75 / 390.80 | 1390802300000 | GWB |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| Valve-plug M16x1,5 H28 | 1000008601132 | GWB |
| WZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| long slip versions use 190 series slip assy's | | |
| DIHÜ-Dichthülse / Dust cover / Manchon sans joint / Guardapolvos sin junta / Protezione scanalato senza guarn. / Пыльник | | |
| H200 390.75 / 390.80 / 392.65 / 392.70 | 13908013000000200 | GWB , use dust cover seal (DIRI) 1390802300000 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H560/170 273x19,0 15° 185x5 DIN5480 | 6390801180000 | +1390802300000 (seal),1390701300000200(dust),1000008601132(valve). |
| All models with groove for balancing weights (balancing weights also available under request and sold separately) | | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| Slip assy's ysa available on request | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 273x19 | Tube 273x19 | Under request ,GWB 390.80 / 392.70 series |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 130,00x196,00 central grease | WD 20135 | GWB central grease nipple 390.80 |
| 130,00x196,00 4xend lube + central grease nipple | WD 21539 | GWB 4xend lube + central grease nipple 390.80 |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Boccola / опорная втулка; втулка подшипника в комплекте | | |
| bearing caps on request | | |
| SPRING-Sicherungsring (Seegerring) / Spacer or Circlips / Circlips / Arillo / Anello di sicurezza / стопорное кольцо | | |
| Spacer or circlips 120,00-130,00x2,5 | 13908067000002500 | GWB 390.75 / 390.80 / 392.65 / 392.70 |
| WUST - Wuchtstück / Balance weight / Plaquette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 160 gr. | 1190653500100 | GWB 190.65/390.70/390.75/390.80/392.50/392.60/392.65/392.70/291.65 |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M26x1,5x95 10:9 DIN931 190.80/390.75/390.80 | 6190800200020 | 1500 Nm for flange DIN 435/10-27 , under request |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M22x1,5x110 12.9 DIN912 w/patch 390.80 / 392.70 | 1000008003361 | GWB |

**392.50 - 74,00x129,00**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 225/8-17 H305 167,6x9,8 15° | 7392500400000 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 225/8-17 H535/100 167,7x9,8 15° 115x2,5 DIN 5480 | 7392500100200 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 225/8-17 H145 15° FACE KEY CONNECTION | 2392502200000 | |
| DIN 225/8-17 H145 15° FACE KEY CONNECTION | 6392500400000 | KEY included |
| DIN 250/8-19 H145 15° FACE KEY CONNECTION | 2392502300000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H160 167,7x9,8 15° | 2392504200000 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| dust cover seal 390.60 / 392.50 / 587.55 / 587.60 | 1390602300000 | GWB 390.60 / 392.50 / 587.55 / 587.60 |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| Valve-plug M16x1,5 H33 | 1000008601125 | GWB 587.55 / 587.60 / 390.60 / 392.50 |
| WZUNHV / Spl. bar-sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| long slip versions on request or use 190 series slip assy's | | |
| DIHÜ-Dichthülse / Dust cover / Manchon sans joint / Guardapolvos sin junta / Protezione scanalato senza guarn. / Пыльник | | |
| H130 390.60/392.50/587.55/587.60 | 1390601300000130 | GWB , use dust cover seal (DIRI) 1390602300000 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H390/100 167,7x9,8 15° 115x2,5 DIN5480 | 6390601180020 | +1390602300000 (seal),1390701300000130(dust),1000008601125(valve) |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| Slip assy's ysa available on request | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 167,7x9,80 | Tube 167,7x9,8 | TUBE 392.50 / 390.60 / 587.60 together with 168x10 |
| Tube 168,0x10,0 | Tube 168x10 | TUBE 587.60 HD / 390.60 HD / 392.50 HD , high torque capacity |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 74,00x129,00 central grease | WD 20145 | GWB |
| 74,00x129,00 4xend lube + central grease | WD 21369 | GWB |
| 74,00x129,00 4xend lube + central grease | WD 21189 | WELTE (KÜSEL) |
| 74,00x129,00 4xend lube + central grease w/viton seal | WD 21589 | GWB |
| 74,00x129,00 4xend lube + central | WD 21629 | EDS |
| SPRING-Sicherungsring (Seegerring) / Spacer or Circlips / Circlips / Arillo / Anello di sicurezza / стопорное кольцо | | |
| Spacer or circlips 74x2,0 | 13925067000002000 | GWB |
| WUST - Wuchtstück / Balance weight / Plaqueette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 160 gr. | 1190653500100 | GWB 190.65/390.70/390.75/390.80/392.50/392.60/392.65/392.70/291.65 |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M16x1,5x60 10.9 DIN931 DIN 225/8-17 | 6192500200020 | 295 Nm DIN 225/8-17 , GWB 190.50 / 392.50 / 291.50 series |
| M20x1,5x80 10.9 DIN931 DIN 250/8-19 | 6192550200020 | 390 Nm DIN 250/8-19 , GWB 190.55 / 392.50 / 291.55 series |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M14x1,5x70 12.9 DIN 912 12.9 w/ patch 390.60 / 392.50 | 1000008003353 | GWB 390.60 / 392.50 series |
| PASSFE - Passfeder / Key / Clavette / Chaveta / Chiavetta / призматическая шпонка | | |
| Key 32 E9 L.225 587.48 (obsolete) / 392.50 / 392.55 | 1392503700000 | GEWES , under request for DIN225/DIN 250 face key 392.50 |

392.55 - 83,00x139,00

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 250/8-19 H345 218,2x8,7 15° FACE KEY | 7392550400000 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 250/8-19 H615/135 218,2x8,7 15° 150x3 DIN 5480 | 7392550100200 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 250/8-19 H165 15° FACE KEY CONNECTION E40 | 2392552200000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H180 218,2x8,7 15° | 2392554200000 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal | 1390702300000 | GWB 390.65 / 390.70 / 392.55 / 392.60 |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| Vave-plug M16x1,5 H45 | 1000008601127 | GWB 390.65 / 390.70 / 392.55 / 392.60 |
| WZUNHV / Spl. bar-sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| long slip versions use 190 series slip assy's | | |
| DIHÜ-Dichthülse / Dust cover / Manchon sans joint / Guardapolvos sin junta / Protezione scanalato senza guarn. / Пыльник | | |
| H165 | 13907013000000165 | GWB , use dust cover seal (DIRI) 1390702300000 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H450/135 218,2x8,7 15° 150x3 DIN5480 | 6390651180010 | +1390702300000 (seal) ,1390701300000165(dust),1000008601127(valve). |
| All models with groove for balancing weights (balancing weights also available under request and sold separately) | | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| Slip assy's ysa available on request | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 218,2x8,7 | Tube 218,2x8,7 | 390.65 / 392.55 / 14,5C IC-UG series tube |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 83,00x139,00 central grease | WD 20155 | GWB |
| 83,00x139,00 central grease | WD 21685 | WELTE |
| 83,00x139,00 4xend lube + central grease | WD 21299 | GEWES |
| 83,00x139,00 4xend lube + central grease w/viton seal | WD 21719 | WELTE |
| 83,00x139,00 4xend lube + central grease | WD 21649 | EDS |

**392.55 - 83,00x139,00**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| SPRING-Sicherungsring (Seegerring) / Spacer or Circlips / Circlips / Arillo / Anello di sicurezza / стопорное кольцо | | |
| Spacer or circlips 74x2,0 392.50 / 587.55 | 13925067000002000 | GWB 392.50 / 587.55 |
| WUST - Wuchtstück / Balance weight / Plaqueette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 160 gr. | 1190653500100 | GWB 190.65/390.70/390.75/390.80/392.50/392.60/392.65/392.70/291.65 |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M16x1,5x60 10.9 DIN931 DIN 225/8-17 | 6192500200020 | 295 Nm DIN 225/8-17 , GWB 190.50 / 392.50 / 291.50 series |
| M20x1,5x80 10.9 DIN931 DIN 250/8-19 | 6192550200020 | 390 Nm DIN 250/8-19 , GWB 190.55 / 392.50 / 291.55 series |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M14x1,5x70 12.9 DIN 912 12.9 w/ patch 390.60 / 392.50 | 1000008003353 | GWB 390.60 / 392.50 series |
| PASSFE - Passfeder / Key / Clavette / Chaveta / Chiavetta / призматическая шпонка | | |
| Key 32 E9 L.225 587.48 (obsolete) / 392.50 / 392.55 | 1392503700000 | GEWES , under request for DIN225/DIN 250 face key 392.50 |

392.60 - 95,00x160,00

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 285/8-21 H385 219x13,3 15° | 7392600400000 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 285/8-21 H655/135 219x13,3 15° 150x3 DIN5480 | 7392600100200 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 285/8-21 H180 15° | 2392602200000 | |
| DIN 285/8-21 H180 15° FACE KEY 40 mm | 6392600400000 | |
| DIN 315/10-23 H180 15° FACE KEY 40 mm | 6392600400000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H205 219x13,3 15° | 2392604200000 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal | 1390702300000 | GWB 390.65 / 390.70 / 392.55 / 392.60 |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| Vave-plug M16x1,5 H45 | 1000008601127 | GWB 390.65 / 390.70 / 392.55 / 392.60 |
| ZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| long slip versions use 190 series slip assy's | | |
| DIHÜ-Dichthülse / Dust cover / Manchon sans joint / Guardapolvos sin junta / Protezione scanalato senza guarn. / Пыльник | | |
| H165 | 13907013000000165 | use dust cover seal (DIRI) 1390702300000 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H475/135 219x13,3 15° 150x3 DIN5480 | 6390701180020 | +1390702300000 (seal),1390701300000165(dust),1000008601127(valve). |
| All models with groove for balancing weights (balancing weights also available under request and sold separately) | | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| Slip assy's ysa available on request | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| 219x13,3 | Tube 219x13,3 | Tube 390.70 / 392.60 / 14C IC-UG / 14,5C-310M230 series |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 95,00x160,00 central grease | WD 20165 | GWB |
| 95,00x160,00 central grease | WD 21195 | WELTE |
| 95,00x160,00 4xend lube + central grease | WD 21359 | GWB |
| 95,00x160,00 4xend lube + central grease | WD 21669 | EDS |
| SPRING-Sicherungsring (Seegerring) / Spacer or Circlips / Circlips / Arillo / Anello di sicurezza / стопорное кольцо | | |
| Spacer or circlips 95x2,5 | 95x2,5 | GWB 390.65 / 392.60 |
| WUST - Wuchtstück / Balance weight / Plaqueette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 160 gr. | 1190653500100 | GWB 190.65/390.70/390.75/390.80/392.50/392.60/392.65/392.70/291.65 |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M20x1,5x80 10.9 DIN931 DIN 285/8-21 | 6192600200020 | 585 Nm DIN 285/8-21 , GWB 192.60/392.55/392.60/291.60 |
| M22x1,5x90 10.9 DIN931 DIN 315/10-23 | 6192650200020 | 780 Nm DIN 315/10-23 , GWB 192.60/392.55/392.60/291.60 |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M18x1,5x90 12.9 DIN912 w/patch 390.70/392.60 | 1000008003350 | GWB 390.70 / 392.60 |
| PASSFE - Passfeder / Key / Clavette / Chaveta / Chiavetta / призматическая шпонка | | |
| Key 40 E9 L.285 392.60/291.60 | 1392603700000 | GWB DIN 285 GWB 392.60 / 291.60 series |
| Key 40 E9 L.315 392.60/392.65/291.65 | 1392653700000 | GWB DIN 315 GWB 392.60 / 392.65 / 291.65 series |

392.65 - 110,00x176,00

| Dimensions | EDS Part Number | Comments |
|--|-----------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 315/10-23 H430 15° | 7392650400030 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 315/10-23 H750/135 273x11,6 15° 185x5 DIN5480 | 7392650100230 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 315/10-23 H205 15° | 2392652200000 | |
| DIN 315/10-23 H205 15° FACE KEY E40 E9 | 6392650400000 | |
| DIN 350/10-23 H205 15° | 2392652300100 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H225 273x11,6 15° | 2392654200000 | GWB , under request |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal 390.75 / 390.80 / 392.65 / 392.70 | 1390802300000 | GWB 390.75 / 390.80 / 392.65 / 392.70 series |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| Vave-plug M16x1,5 H28 | 1000008601132 | GWB 390.75 / 390.80 / 392.65 |

**392.65 - 110,00x176,00**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| WZUNHV / Spl. bar-sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| long slip versions use 190 series slip assy's | | |
| DIHU-Dichthülse / Dust cover / Manchon sans joint / Guardapolvos sin junta / Protezione scanalato senza guarn. / Пыльник | | |
| H200 | 13908013000000200 | use dust cover seal (DIRI) 1390802300000 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H545/170 273x11,6 15° 185x5 DIN5480 | 6390751180020 | +1390802300000 (seal),1390701300000200(dust),1000008601132(valve). |
| All models with groove for balancing weights (balancing weights also available under request and sold separately) | | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| Slip assy's ysa available at 392.65 series on request | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 273,00x11,60 | Tube 273x11,6 | 392.65 , under request |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 110,00x176,00 central grease nipple | WD 20175 | GWB |
| 110,00x176,00 central grease nipple | WD 21205 | WELTE |
| 110,00x176,00 4xend lube + central grease nipple | WD 21329 | GWB |
| SPRING-Sicherungsring (Seegerring) / Spacer or Circlips / Circlips / Arillo / Anello di sicurezza / стопорное кольцо | | |
| Spacer or circlip 110x2,5 390.65 / 392.65 | 13907067000002500 | GWB 390.65 / 392.65 |
| WUST - Wuchtstück / Balance weight / Plaqueette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 160 gr. | 1190653500100 | GWB 190.65/390.70/390.75/390.80/392.50/392.60/392.65/392.70/291.65 |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M22x1,5x090 10.9 DIN931 DIN 315/10-23 | 6192650200020 | 780 Nm, DIN 315/10-23 GWB 192.60 / 392.55 /392.60 / 291.65 series |
| M22x1,5x100 10.9 DIN931 DIN 350/10-23 | 6192700200020 | 780 Nm, DIN 350/10-23 GWB 392.65 / 291.70 |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M20x1,5x100 12.9 DIN912 w/patch | 1000008003358 | GWB 390.75 / 392.65 |
| PASSFE - Passfeder / Key / Clavette / Chaveta / Chiavetta / призматическая шпонка | | |
| Key E40 E9 L.350 392.65/392.70/291.70 | 1392703700000 | GWB, DIN 350, GWB 392.65 / 392.70 / 291.70 series |
| Key E40 E9 L.315 392.60/392.65 | 1392653700000 | GWB, DIN 315, GWB 392.60 / 392.65 series |

392.70 - 120,00x196,00

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 350/10-23 H465 273x19 15° | 7392700400030 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Junta Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 350/10-23 H785 273x19 15° 185x5 DIN5480 | 7392700100230 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 350/10-23 H225 15° | 2392702200000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H240 273x19 10° | 2392704200000 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| dust cover seal | 1390802300000 | GWB 390.75 / 390.80 / 392.65 / 392.70 series |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| Valve-plug M16x1,5 H28 | 1000008601125 | GWB 390.75 / 390.80 / 392.65 |
| WZUNHV / Spl. bar-sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| long slip versions use 190 series slip assy's | | |
| DIHU-Dichthülse / Dust cover / Manchon sans joint / Guardapolvos sin junta / Protezione scanalato senza guarn. / Пыльник | | |
| H200 | 13908013000000000 | use dust cover seal (DIRI) 1390802300000 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H785/170 273x19 15° 185x5 DIN5480 | 6390801180020 | +1390802300000 (seal),1390701300000000(dust cover) |
| All models with groove for balancing weights (balancing weights also available under request and sold separately) | | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| Slip assy's ysa available at 392.70 series on request | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 273,00x19,00 | Tube 273x19 | GWB 392.70 / 390.80,under request |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 120,00x196,00 central grease | WD 20185 | GWB |
| 120,00x196,00 central grease | WD 21315 | WELTE |
| 120,00x196,00 4end lube + central grease | WD 21549 | GWB |
| SPRING-Sicherungsring (Seegerring) / Spacer or Circlips / Circlips / Arillo / Anello di sicurezza / стопорное кольцо | | |
| Spacer or circlip 120-130x2,5 | 13908067000002500 | GWB 390.75 / 390.80 / 392.70 |
| WUST - Wuchtstück / Balance weight / Plaqueette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 160 gr. | 1190653500100 | GWB 190.65/390.70/390.75/390.80/392.50/392.60/392.65/392.70/291.65 |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M22x1,5x90 10.9 DIN931 DIN 315/10-23 | 6192650200020 | 780 Nm, GWB 192.60/392.55/392.60/392.65/291.65/392.70 series |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M22x1,5x110 12.9 DIN912 w/patch | 1000008003361 | GWB 390.80 / 392.70 series |
| PASSFE - Passfeder / Key / Clavette / Chaveta / Chiavetta / призматическая шпонка | | |
| Key E50 E9 L.350 | 1392703700000 | DIN 350, GWB 392.65 / 392.70 / 291.70 series + bolts |

**392.75 - 130,00x216,00**

| Dimensions | EDS Part Number | Comments |
|---|------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 390/10-25 H205 10° FACE KEY | 2393752200000 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H0908/170 2733,0x36,0 10° 185x5 DIN5480 | 6383751080000 | |
| All models with groove for balancing weights (supplied separately) +1000008506007 (dust cover seal) + 1393751300000 (dust cover) + 1000008601125 (valve). | | |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 273,00x36,00 | Tube 273,00x36,0 | GWB , under request + grease nipple 1000008601003 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 130,00x216,00 central grease | WD 20195 | |
| PASSFE - Passfeder / Key / Clavette / Chaveta / Chiavetta / призматическая шпонка | | |
| Key E70 E9 L.390 | 1192753700100 | GWB + bolts 1000008002061 |

392.80 / 393.80 - 154,00x250,00

| Dimensions | EDS Part Number | Comments |
|---|-----------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 435/16-28 H235 10° FACE KEY | 2393802200000 | GWB , under request |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H1030/170 323,9x36,0 10° 210x5 DIN5480 | 6383751080000 | GWB , under request + grease nipple 1000008601003 |
| All models with groove for balancing weights (supplied separately) +1000008506007 (dust cover seal) + 1393801300000 (dust cover) + 1000008601125 (valve). | | |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 323,9,0x36,00 | Tube 323,9x36,0 | GWB 392.80 / 393.80,under request |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 154,00x250,00 central grease | WD 20477 | GWB 392.80/393.80 |
| PASSFE - Passfeder / Key / Clavette / Chaveta / Chiavetta / призматическая шпонка | | |
| Key E80 E9 L.435 | 1192803700100 | GWB, under request + bolts 1000008003061 |

392.85 / 393.85 - 170,00x276,00

| Dimensions | EDS Part Number | Comments |
|---|-----------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 480/16-31 H265 10° FACE KEY | 2393852200000 | GWB , under request |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H1165/190 355,6x40 10° 210x5 DIN5480 | 63938510800001 | GWB , under request + grease nipple 1000008601003 |
| All models with groove for balancing weights (supplied separately) +1000008506007 (dust cover seal) + 1393851300000 (dust cover) + 1000008601125 (valve). | | |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 355,6x40,00 | Tube 355,6x40,0 | GWB ,under request |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 170,00x276,00 central grease | WD 21595 | GWB |
| PASSFE - Passfeder / Key / Clavette / Chaveta / Chiavetta / призматическая шпонка | | |
| Key E90 E9 L.480 | 1192853700100 | GWB , under request + bolts 1000008003183 |

393.90 - 195,00x315,00

| Dimensions | EDS Part Number | Comments |
|---|-----------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 550/16-31 H290 10° FACE KEY | 2393902200000 | GWB , under request |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H1305/210 406,4x45 10° 210x5 DIN5480 | 6393901080000 | GWB , under request + grease nipple 1000008601003 |
| All models with groove for balancing weights (supplied separately) +1000008506007 (dust cover seal) + 1393901300000 (dust cover) + 1000008601125 (valve). | | |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 406,4,6x45,00 | Tube 406,4x45,0 | GWB 393.90 ,under request |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 195,00x315,00 central grease | WD 21745 | GWB 393.90 , under request |
| PASSFE - Passfeder / Key / Clavette / Chaveta / Chiavetta / призматическая шпонка | | |
| Key E100 E9 L.550 | 1192903700100 | GWB, under request + bolts 1000008003037 |

**EDS WELTE ESSEN 190.50 - 65,00x144,00**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 225/8-16 H108 15° | 2190502000100 | WELTE (KÜSEL) |
| DIN 275/10-14 H68 05° DIN | 2587502600000 | GWB , for short couple 9.06 Lz 415 |
| DIN 225 Blank H108 15° | 3190502000100 | WELTE (KÜSEL) , under request |
| DIN 250 Blank H108 15° | 3190502300100 | WELTE (KÜSEL) , under request |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H145 120x6 15° | 2190504200100 | WELTE (KÜSEL) |
| KAPPE - Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| 190.50 dust cap slip yoke | 1190501100020 | GWB , as stock last |
| 190.50 dust cap slip yoke | 1190501100130 | WELTE (KÜSEL) |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Muff seal 587.50 / 190.50 (9.01) | 1000008508021 | GWB , under request for 9.01 DIN 275 Lz 415/ 040 |
| dust cap seal | 1190502100100 | GWB, available on stock for 0.01 shaft slip yoke |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| split washer | 1190503100100 | |
| VERSCHEI -Verschlusscheibe / Welch plug / Capsule d'étanchéité / Capsula de retención / Disco di chiusura / Колпачок | | |
| 190.50 welch plug - slip yoke | 1190501400000 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H300 80x74 DIN5482 splined bar | 2190508000100 | including dust cap kit |
| WZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| H370/400 120x6 80x74 DIN5480 | 6190501180140 | WELTE(KÜSEL) |
| H370/600 120x6 80x74 DIN5480 | 6190501180160 | WELTE(KÜSEL) |
| H370/800 120x6 80x74 DIN5480 | 6190501180180 | WELTE(KÜSEL) |
| DIHU-Dichthülse / Dust cover / Manchon sans joint / Guardapolvos sin junta / Protezione scanalato senza guarn. / Пыльник | | |
| Dust cover H078 for short couple 9.03 - 9.06 | 11905013000300078 | GWB,for slip assy ysa 587.50 (H279 and H334) |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| Muff seal 587.50 / 190.50 | 1000008508021 | GWB , under request only for 9.01 styls short couple |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H362/075 120x6 15° 80x74 DIN5482 | 619050113010 | WELTE(KÜSEL),w/dust cap kit included , 0.01 style |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H384/040 10° 80x74 DIN5482 w/dust cover 190.50 | 6190507030384 | WELTE(KÜSEL) |
| H434/075 10° 80x74 DIN5482 w/dust cover 190.50 | 6190507030434 | WELTE(KÜSEL) |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 120x6 | Tube 120x6 | 687.55 / ELBE 122 / 190.50 / GS906 / KLEIN 620 series tube |
| Tube 124x8 | Tube 124x8 | 190.50S / ELBE 122HD series tube |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| Lz 415 La 40 05° DIN 275/10-14 90x2,5 DIN 5480 587.50 | 9587500600000 | 587.50 |
| Lz 550 La 40 15° DIN 225/8-16 90x2,5 DIN 5480 587.50 | 9190500350000 | 587.50 |
| All shown short couple 190.50 series are based on 587.50 equivalent series possible combinations , for other lengths please contact WELTE sales team | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 65,00x144,00 lateral grease | WD 20017 | GWB 190.50 obsolete |
| 65,00x144,00 lateral grease | WD 20787 | WELTE EDS |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Boccole / опорная втулка; втулка подшипника в комплекте | | |
| Ø 65,00mm 190.50 | 6190500600100 | WELTE(KÜSEL) fits GWB as well |
| WUST - Wuchtstück / Balance weight / Plaqueette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 31gr. | 1190503500100 | 190.50 / 587.50 / 190.55 series balance weight |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M16x50 ME16 DIN 931 10,9 | 6192650200020 | 295 Nm for DIN 225/8-16 , GWB 190.50 / 587.50 / 190.55 series |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M14x1,5x45 12.9 RIBE | 1190508200000 | WELTE ESSEN |
| KLINGE / Insert tool adaptor allen bolts / Adaptateur clé vis allen etriés /Injerto estrellado tornillos allen / Lama dentellata per staffa / клинок | | |
| Insert tool adaptor | 1000009903001 | Tool adaptor to fit 190.50 special RIBE bolts |
| DRUSCHEI - Druckscheibe / Thrust washer / Rondelle en fon du roulement / Pastilla fondo muño cruz / Rondella di spinta / нажимная шайба | | |
| Thrust washer 190.50 2.6mm | 11905069000202600 | GWB |
| Thrust washer 190.50 2.8mm | 11905069000202800 | GWB |
| PASSFE - Passfeder / Key / Clavette / Chaveta / Chiavetta / призматическая шпонка | | |
| 32 E9 L.225 | 1392503700000 | Key 587.50 for flange DIN 225 FACE KEY short couple on 190.50 |

**GWB 190.55 - 74,00x154,00 obsolete**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 250/8-18 H130 15° | 2190552000000 | under request |
| DIN 285/8-20 H130 15° | 2190552300000 | |
| DIN 305/10-16 H080 05° | 2190552600010 | obsolete |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H175 143x7,5 15° | 2190554200000 | under request |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| 190.55 dust cap slip yoke | 1291501100130 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| dust cap seal | 1190552100100 | seal unified for same spline series 190.55 / 190.60 / 291.50 |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| split washer | 1190553100100 | |
| VERSCHIEI-Verschlussscheibe / Welch plug / Capsule d'étanchéité / Capsula de retención / Disco di chiusura / Колпачок | | |
| welch plug | 1190551400020 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H470/100 143,5x7,5 15° 100x94 DIN5482 | 6190551130157 | obsolete |
| H470/100 143,5x7,5 15° 100x94 DIN5482 TYPE 9.06 | | |
| H335/040 15° 100x94 DIN5482 TYPE 9.06 | 61905576360000275 | on request |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 152,4x14,2 WELTE | Tube 152,4x14,2 | WELTE(KÜSEL) tube for 190.55 / 291.50 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN 305/10-16 Lz 495/40 100x94 05° DIN5482 | 9190550650000 | on request |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 74,00x154,00 lateral grease | WD 20027 | GWB |
| 74,00x154,00 lateral grease | WD 20917 | GEWES |
| 74,00x154,00 4xend lube + lateral grease | WD 21403 | GWB on request |
| 74,00x154,00 4xend lube + lateral grease | WD 21613 | EDS |
| LBV Bearing cap / Roulement à aiguilles / Dado agujas / Vocola / опорная втулка; втулка подшипника в комплекте | | |
| Ø 74 190.55 standard | 6190550600000 | WELTE(KÜSEL), under request |
| WUST - Wuchtstück / Balance weight / Plaqueette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 31gr. | 1190503500100 | 190.50 / 587.50 / 190.55 series balance weight |
| Balance weight 42gr. | 1190553500100 | 190.55 / 587.55 / 587.60 / 390.60 series balance weight |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M18x60 10.9 DIN 931 DIN 250/8-18 | 6190550200020 | 450 Nm , DIN 250/8-18 587.50 / 587.55 / 190.55 series |
| M20x65 10.9 DIN 931 DIN 285/8-20 | 6190600200020 | 620 Nm, DIN 285 587.55/587.60/390.60/291.50/291.55/190.55/60 |
| M16x50 10.9 DIN 931 DIN 305/10-16 | 6190500200020 | 295 Nm 190.55 short couple "9190550350000 special |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M16x1,5x45 12.9 | 1190558200010 | GWB |
| M16x1,5x45 12.9 RIBE | 1190558200000 | WELTE ESSEN / RIBE |
| KLINGE / Insert tool adaptor allen bolts / Adaptateur clé vis allen étriers / Injerto estrellado tornillos allen / Lama dentellata per staffa / клинок | | |
| Insert tool adaptor | 1000009903002 | Tool adaptor to fit 190.55 special RIBE bolts |
| DRUSCHEI - Druckscheibe / Thrust washer / Rondelle en fon du roulement / Pastilla fondo muño cruz / Rondella di spinta / нажимная шайба | | |
| Thrust washer 190.55 2.8mm | 11905569000202800 | |

EDS WELTE ESSEN 190.60 - 83,00x175,00

| Dimensions | EDS Part Number | Comments |
|--|-----------------|--|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 285/8-20 H135 15° | 2190602000100 | WELTE(KÜSEL) |
| DIN 315/8-22 H135 15° | 2190602300100 | WELTE(KÜSEL) |
| DIN 348/10-18 H090 05° for short couple 9.06 | 2190602600010 | GWB , under request |
| DIN 285 Blank H135 15° | 3190602000100 | WELTE(KÜSEL) , under request |
| DIN 315 Blank H135 15° | 3190602300100 | WELTE(KÜSEL) , under request |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H190 165,1x14,2 or 162x9,8 15° | 2190604200100 | WELTE(KÜSEL) |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| 190.60 dust cap slip yoke | 1190601100130 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| dust cap seal | 1190602100100 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| split washer | 1190603100100 | |
| VERSCHIEI-Verschlussscheibe / Welch plug / Capsule d'étanchéité / Capsula de retención / Disco di chiusura / Колпачок | | |
| welch plug | 1190601400020 | |
| WZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| H480/400 165,1x14,2 15° 100x94 DIN 5482 | 6291501180140 | WELTE(KÜSEL) to weld tube yoke 2190604200100 |
| H480/600 165,1x14,2 15° 100x94 DIN 5482 | 6291501180160 | WELTE(KÜSEL) to weld tube yoke 2190604200100 |
| H480/800 165,1x14,2 15° 100x94 DIN 5482 | 6291501180180 | WELTE(KÜSEL) to weld tube yoke 2190604200100 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H509/100 161,5x9,00 15° 100x94 DIN 5482 | 6190601030000 | GWB obsolete |
| H485/100 165,1x14,2 15° 100x94 DIN 5482 | 6190601130100 | WELTE(KÜSEL),w/dust cap kit included |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H365/040 05° 100x94 DIN5482 9.06 style | 6190607030365 | WELTE (KÜSEL) , under request |
| H465/060 15° 100x94 DIN5482 9.03 style | 6190607030465 | WELTE (KÜSEL) , under request |
| H525/060 15° 100x94 DIN5482 9.03 style | 6190607030525 | WELTE (KÜSEL) , under request |
| H585/100 15° 100x94 DIN5482 9.03 style | 6190607030585 | WELTE (KÜSEL) , under request |

**EDS WELTE ESSEN 190.60 - 83,00x175,00**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN 348/10-18 Lz 545/40 100x94 05° DIN5482 | 919060060060303 | WELTE |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 83,00x175,00 lateral grease | WD 20037 | GWB 190.60 |
| 83,00x175,00 lateral grease | WD 20927 | GEWES |
| 83,00x175,00 lateral grease | WD 21177 | WELTE(KÜSEL) |
| 83,00x175,00 4xend lube + lateral grease | WD 21443 | EDS |
| 83,00x175,00 4xend lube + lateral grease | WD 21423 | GWB |
| LBV-Lagerbüchse voll/Bearing cap/Roulement à aiguilles/Dado agujas/Voccola/опорная втулка; втулка подшипника в комплекте | | |
| Ø 83 | 6190600600010 | WELTE(KÜSEL), under request |
| Ø 83 1xend lube | 6190600600110 | EDS WELTE, under request |
| WUST - Wuchtstück / Balance weight / Plaquette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 148 gr. | 1190603500100 | 390.65 / 190.60 / 392.55 series balance weight |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M20x65 10.9 DIN 931 580 Nm DIN 285/8-20 | 6190600200020 | 580 Nm, DIN 285/8-20 587.55/587.60/390.60/190.55/190.60 series |
| M22x70 10.9 DIN 931 780 Nm DIN 315/8-22 | 6190650200020 | 780 Nm, DIN 315/8-22 587.60 / 390.60 / 390.65 / 190.60 series |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M18x1,5x55 12.9 | 1190608200010 | GWB |
| M18x1,5x55 12.9 RIBE | 1190658200000 | WELTE(KÜSEL) |
| KLINGE / Insert tool adaptor allen bolts / Adaptateur clé vis allen étriés /Injerto estrellado tornillos allen / Lama dentellata per staffa / клинок | | |
| Insert tool adaptor | 1000009903003 | Tool adaptor to fit 190.60 special RIBE bolts |
| DRUSCHEI - Druckscheibe / Thrust washer / Rondelle en fon du roulement / Pastilla fondo muño cruz / Rondella di spinta / нажимная шайба | | |
| Thrust washer 190.60 3.4mm | 11906069000203400 | GWB |

EDS WELTE ESSEN 190.65 - 95,00x190,00

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 315/8-22 H150 15° | 2190652000100 | WELTE (KÜSEL) |
| DIN 350/10-22 H150 15° | 2190652300100 | WELTE (KÜSEL) , under request |
| DIN 360/10-18 H090 05° | 2190652600010 | GWB special , under request for 9.06 short couple |
| DIN 315 Blank H150 15° | 2190652000100 | WELTE (KÜSEL) , under request |
| DIN 350 Blank H150 15° | 3190652300100 | WELTE (KÜSEL) , under request |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H210 193,5x9 15° | 2190654200100 | WELTE (KÜSEL) |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| dust cap slip yoke | 1190651100130 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| dust cap seal | 1190652100100 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| split washer | 1190653100000 | |
| VERSCHIEI -Verschlusscheibe / Welch plug / Capsule d'étanchéité / Capsula de retención / Disco di chiusura / Колпачок | | |
| welch plug | 1190651400020 | |
| WZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| H480/200 193,7x14,2 15° 150x3 DIN5480 | 6291601180140 | WELTE(KÜSEL) to weld tube yoke 2190654200100 |
| H480/400 193,7x14,2 15° 150x3 DIN5480 | 6291601180160 | WELTE(KÜSEL) to weld tube yoke 2190654200100 |
| H480/600 193,7x14,2 15° 150x3 DIN5480 | 6291601180180 | WELTE(KÜSEL) to weld tube yoke 2190654200100 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H638/120 193,5x9,00 15° 130x3 DIN5480 | 6190651030000 | WELTE (KÜSEL) |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H390/040 05° 130x3 DIN5480 for 9.06 short couple | 6190657636000 | under request |
| H580/060 05° 130x3 DIN5480 | 6190657030580 | WELTE (KÜSEL) , under request |
| H650/060 15° 130x3 DIN5480 | 6190657030650 | WELTE (KÜSEL) , under request |
| H725/100 15° 130x3 DIN5480 | 6190657030725 | WELTE (KÜSEL) , under request |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 193,5x9 GWB 190.65 | Tube 193,5x9 | GWB 190.65 together with 193,7x14,2, available under request |
| Tube 193,7x14,2 WELTE(KÜSEL) 190.65/291.60 | Tube 193,7x14,2 | WELTE(KÜSEL) 190.65 / 291.60 series |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN 360/10-18 Lz 590-600/40 130x3 05° DIN5480 | 919065060606 | on request |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 95,00x190,00 lateral grease | WD 20047 | GWB |
| 95,00x190,00 lateral grease | WD 21217 | WELTE (KÜSEL) |
| 95,00x190,00 4xend lube + lateral grease | WD 21433 | WELTE (KÜSEL) |
| 95,00x190,00 4xend lube + lateral grease | WD 21483 | GWB |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Voccola/опорная втулка; втулка подшипника в комплекте | | |
| bearing caps available on request | | |
| WUST - Wuchtstück / Balance weight / Plaquette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 160 gr. | 1190653500100 | 190.65 / 390.70/390.75/390.80/392.50/392.60/392.65/392.70/291.65 series |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M22x1,5x70 10.9 DIN 931 DIN 315 and DIN350 M22 | 6190650200020 | 780 Nm for both DIN 315/8-22 and DIN 350/10-22 |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M20x1,5x70 12.9 | 1190658200010 | GWB |
| M20x1,5x70 12.9 RIBE | 1190658200000 | WELTE(KÜSEL)-RIBE , under request |
| KLINGE / Insert tool adaptor allen bolts / Adaptateur clé vis allen étriés /Injerto estrellado tornillos allen / Lama dentellata per staffa / клинок | | |
| Insert tool adaptor | 1000009903004 | Tool adaptor to fit 190.65 special RIBE bolts |
| DRUSCHEI - Druckscheibe / Thrust washer / Rondelle en fon du roulement / Pastilla fondo muño cruz / Rondella di spinta / нажимная шайба | | |
| Thrust washer 190.65 | 11906069000203400 | |

**EDS WELTE ESSEN 190.70 - 110,00x210,00**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 350/10-22 H170 15° | 2190702000100 | WELTE (KÜSEL) |
| DIN 390/10-24 H170 15° | 2190702300100 | WELTE (KÜSEL) |
| DIN 405/10-20 H108 05° | 2190702600010 | under request , special for 9.06 short couple shaft Lz 688 |
| DIN 350 Blank H170 15° | 3190702000100 | WELTE (KÜSEL) , under request |
| DIN 390 Blank H170 15° | 3190702300100 | WELTE (KÜSEL) , under request |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H177 219,1x16 15° | 2190704200100 | WELTE (KÜSEL) , under request |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| 190.70 dust cap slip yoke | 1190701100130 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| dust cap seal | 1190702100100 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| split washer | 1190703100000 | WELTE (KÜSEL) |
| VERSCHEI -Verschluss Scheibe / Welch plug / Capsule d'étanchéité / Capsula de retención / Disco di chiusura / Колпачок | | |
| welch plug | 1190701400020 | GWB |
| WZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| H480/400 219,1x16,0 15° 150x3 DIN5480 | 6291601180240 | WELTE(KÜSEL) to weld tube yoke 2190704200100 |
| H480/600 219,1x16,0 15° 150x3 DIN5480 | 6291601180260 | WELTE(KÜSEL) to weld tube yoke 2190704200100 |
| H480/800 219,1x16,0 15° 150x3 DIN5480 | 6291601180280 | WELTE(KÜSEL) to weld tube yoke 2190704200100 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H705/135 219,1x16,0 15° 150x3 DIN5480 | 6190701030100 | WELTE (KÜSEL) |
| WMUNMV-Well. Nab. Vollst./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| WMUNMV 472/055 05° 150x3 DIN5480 type 9.06 | 6190707636000 | under request for DIN 405/10-20 9.06 short couple |
| WMUNMV 640/070 15° 150x3 DIN5480 | 6190707030640 | WELTE(KÜSEL) , under request |
| WMUNMV 730/090 15° 150x3 DIN5480 | 6190707030730 | WELTE(KÜSEL) , under request |
| WMUNMV 820/135 15° 150x3 DIN5480 | 6190707030820 | WELTE(KÜSEL) , under request |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 218x10,5 | Tube 218x10,5 | 190.70 , see 219,1x16 190.70S |
| Tube 219,1x16 | Tube 219,1x16 | 190.70S / 291.65 see 190.70 tube 218x10,5 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN 405/10-20 Lz 0688/40 150x3 05° DIN5482 | 9190700600606 | GWB on request |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 110,00x210,00 lateral grease | WD 20057 | GWB |
| 110,00x210,00 lateral grease | WD 20947 | WELTE(KÜSEL) |
| 110,00x210,00 4xend lube + lateral grease | WD 21493 | GWB |
| 110,00x210,00 4xend lube + lateral grease | WD 21473 | WELTE (KÜSEL) |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Воскола/опорная втулка; втулка подшипника в комплекте | | |
| bearing caps available on request | | |
| WUST - Wuchtstück / Balance weight / Plaquette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 245 gr. | 1190703500100 | 190.70 / 291.70 series |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M22x1,5x75 10.9 DIN 931 | 6190700200020 | 0780 Nm , DIN 350/10-22 , 190.70 / 390.70 / 190.65 series |
| M24x1,5x85 10.9 DIN 931 | 6190750200020 | 1000 Nm , DIN 390/10-24 , 190.75 / 390.70 / 390.75 series |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M22x2x65 12.9 | 1190708200010 | GWB |
| M22x2x68 12.9 RIBE | 1190708200000 | WELTE(KÜSEL)-RIBE |
| KLINGE / Insert tool adaptor allen bolts / Adaptateur clé vis allen etriés /Injerto estrellado tornillos allen / Lama dentellata per staffa / клинок | | |
| Insert tool adaptor | 1000009903005 | Tool adaptor to fit 190.70 special RIBE bolts |
| DRUSCHEI - Druckscheibe / Thrust washer / Rondelle en fon du roulement / Pastilla fondo muño cruz / Rondella di spinta / нажимная шайба | | |
| Thrust washer 190.70 | 1190/069000203400 | GWB |

EDS WELTE ESSEN 190.75 - 120,00x235,00

| Dimensions | EDS Part Number | Comments |
|---|-----------------|--|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 390/10-24 H190 15° | 2190752000100 | WELTE (KÜSEL) |
| DIN 390/10-24 H190 15° FACE KEY 70E9 | 2190752500100 | WELTE (KÜSEL) , FACE KEY |
| DIN 390/10-24/4-32 H190 15° DOWEL PIN | 2190752500000 | WELTE (KÜSEL) , DOWEL PIN |
| DIN 435/10-27 H190 15° | 2190752300100 | GWB , under request |
| DIN 390 Blank H190 15° | 3190752000100 | WELTE (KÜSEL) , under request |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H240 267x25 15° | 2190754200100 | WELTE (KÜSEL) |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| 190.75 dust cap slip yoke | 1190751100040 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| dust cap seal | 1190752100100 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| split washer | 1190753100040 | WELTE (KÜSEL) |
| VERSCHEI -Verschluss Scheibe / Welch plug / Capsule d'étanchéité / Capsula de retención / Disco di chiusura / Колпачок | | |
| Welch plug | 1190751400020 | |
| WZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| H665/200 267x25 15° 180x5 DIN5480 190.75/190.80 | 6291701180220 | WELTE(KÜSEL) to weld tube yoke 2190754200100 |
| H665/400 267x25 15° 180x5 DIN5480 190.75/190.80 | 6291701180240 | WELTE(KÜSEL) to weld tube yoke 2190754200100 |
| H665/600 267x25 15° 180x5 DIN5480 190.75/190.80 | 6291701180260 | WELTE(KÜSEL) to weld tube yoke 2190754200100 |
| H665/800 267x25 15° 180x5 DIN5480 190.75/190.80 | 6291701180280 | WELTE(KÜSEL) to weld tube yoke 2190754200100 |
| WZUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H775/150 267x25 15° 170x5 DIN5480 190.75 | 6190751130100 | WELTE (KÜSEL) 190.75/190.80 TUBE w/dust cover kit , 0.01 style |

**EDS WELTE ESSEN 190.75 - 120,00x235,00**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| WMUNMV-Well. Nab.Voils./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H690/075 15° 170x5 DIN5480 | 6190757030690 | WELTE(KÜSEL) , under request |
| H790/090 15° 170x5 DIN5480 | 6190757030790 | WELTE(KÜSEL) , under request |
| H900/150 15° 170x5 DIN5480 | 6190757030900 | WELTE(KÜSEL) , under request |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| Tube 267x25 | Tube 267x25 | 190.75 / 190.80 tube |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| Please ask WELTE sales team | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 120,00x235,00 lateral grease | WD 20067 | GWB |
| 120,00x235,00 lateral grease | WD 20957 | WELTE (KÜSEL) |
| 120,00x235,00 4xend lube + lateral grease | WD 21553 | GWB |
| 120,00x235,00 4xend lube + lateral grease | WD 21573 | WELTE (KÜSEL) |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Воскола/опорная втулка; втулка подшипника в комплекте | | |
| bearing caps available on request | | |
| WUST - Wuchtstück / Balance weight / Plaqueette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 510 gr. | 119073500100 | 190.75 / 291.75 series balance weight |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M24x1,5x85 10.9 DIN931 | 6190750200020 | 1000 Nm , DIN 390/10-24 , 190.75 / 390.70 / 390.75 series |
| M26x1,5x95 10.9 DIN931 | 6190800200020 | 1500 Nm, DIN 435/10-27 , 190.75 / 190.80 / 390.75 / 390.80 series |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M24x2x70 12.9 | 1190758200010 | GWB |
| M24x2x78 12.9 RIBE | 1190758200110 | WELTE(KÜSEL) |
| KLINGE / Insert tool adaptor allen bolts / Adaptateur clé vis allen etriés /Injerto estrellado tornillos allen / Lama dentellata per staffa / клинок | | |
| Insert tool adaptor | 1000009903006 | Tool adaptor to fit 190.75 special RIBE bolts |
| DRUSCHEI - Druckscheibe / Thrust washer / Rondelle en fon du roulement / Pastilla fondo muño cruz / Rondella di spinta / нажимная шайба | | |
| Thrust washer 190.75 | 11907569000203800 | GWB |

EDS WELTE ESSEN 190.80 - 130,00x262,00

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 435/10-27 H210 15° | 2190802000100 | WELTE (KÜSEL) |
| DIN 435 Blank H210 15° | 3190802000100 | WELTE (KÜSEL) |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H252 267x25 15° | 2190804200100 | WELTE (KÜSEL) |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| dust cap slip yoke | 1190801100040 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di filtro / уплотняющее (прокладочное) кольцо | | |
| dust cap seal | 1190802100100 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| split washer | 1190803100100 | |
| WZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| H665/200 267x25 15° 170x5 DIN5480 190.75/190.80 | 6291701180220 | WELTE(KÜSEL) to weld tube yoke 2190804200100 |
| H665/400 267x25 15° 170x5 DIN5480 190.75/190.80 | 6291701180240 | WELTE(KÜSEL) to weld tube yoke 2190804200100 |
| H665/600 267x25 15° 170x5 DIN5480 190.75/190.80 | 6291701180260 | WELTE(KÜSEL) to weld tube yoke 2190804200100 |
| H665/800 267x25 15° 170x5 DIN5480 190.75/190.80 | 6291701180280 | WELTE(KÜSEL) to weld tube yoke 2190804200100 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H820/170 267x25 15° 170x5 DIN5480 190.80 | 6190801130100 | WELTE (KÜSEL) |
| WMUNMV-Well. Nab.Voils./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H690/075 15° 170x5 DIN5480 | 6190757030690 | WELTE(KÜSEL) , under request |
| H790/090 15° 170x5 DIN5480 | 6190757030790 | WELTE(KÜSEL) , under request |
| H900/150 15° 170x5 DIN5480 | 6190757030900 | WELTE(KÜSEL) , under request |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 267x25 | Tube 267x25 | 190.75 / 190.80 / 291.75 tube , available under request |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| Short couple shafts 9.03 style on request | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 130,00x262,00 lateral grease nipple | WD 20077 | GWB obsolete |
| 130,00x262,00 lateral grease | WD 20967 | WELTE (KÜSEL) |
| 130,00x262,00 4xend lube + lateral grease | WD 21373 | GWB obsolete |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Воскола/опорная втулка; втулка подшипника в комплекте | | |
| bearing caps available on request | | |
| WUST - Wuchtstück / Balance weight / Plaqueette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 375 gr. | 1190803500100 | 190.80 / 292.75 GWB series |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M26x1,5x95 10.9 DIN931 | 6190700200020 | 1500 Nm , DIN 435/10-27 , 190.75 / 190.80 / 390.75 / 390.80 |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M27x3,0x90 12.9 RIBE | 1190808200000 | WELTE(KÜSEL) Attention, different thread to GWB versions |
| M27x2,0x80 12.9 | 1190808200010 | GWB |
| KLINGE / Insert tool adaptor allen bolts / Adaptateur clé vis allen etriés /Injerto estrellado tornillos allen / Lama dentellata per staffa / клинок | | |
| Insert tool adaptor | 1000009903007 | Tool adaptor to fit 190.70 special RIBE bolts |
| DRUSCHEI - Druckscheibe / Thrust washer / Rondelle en fon du roulement / Pastilla fondo muño cruz / Rondella di spinta / нажимная шайба | | |
| Thrust washer 190.80 | 11908069000203800 | GWB |

**EDS WELTE ESSEN 291.50 - 74,00x129,00**

| Dimensions | EDS Part Number | Comments |
|--|-----------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 225/8-17 H307 10° FACE KEY 4xend lube + central grea | 7291500400100 | WELTE (KÜSEL) , WD 21189 |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 225/8-17 H0585/085 152,4x14,2 10° 100x94 DIN5482 FACE KEY w/dust cover | | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 225/8-17 H135 10° FACE KEY K32x18x224 | 2291502200100 | WELTE (KÜSEL) , key + 2 bolts non included (see separate parts) |
| DIN 250/8-18 H135 10° | 2291502300100 | WELTE (KÜSEL) |
| DIN 285/8-20 H135 10° | 2291502300110 | WELTE (KÜSEL) , under request |
| DIN 225 Blank H135 10° | 3291502000100 | WELTE (KÜSEL) |
| DIN 250 Blank H135 10° | 3291502300100 | WELTE (KÜSEL) , under request |
| DIN 285 Blank H135 10° | 3291502300110 | WELTE (KÜSEL) , under request |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H172 152,4x14,2 15° | 2291504200100 | WELTE (KÜSEL) , under request |
| H172 165,1x14,2 15° for short couple 9.01 | 2291504200110 | WELTE (KÜSEL) , under request |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap 292.50 GWB old | 1291501100040 | GWB |
| Dust cap WELTE 190.55 / 291.50 | 1291501100130 | WELTE |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| dust cap seal | 1291502100100 | WELTE |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| split washer | 1291503100100 | WELTE |
| VERSCHIEI-Verschlussscheibe / Welch plug / Capsule d'étanchéité / Capsula de retención / Disco di chiusura / Колпачок | | |
| welch plug | 1291501400020 | WELTE |
| WZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| H480/400 152,4x14,2 10° 100x94 DIN 5482 style 0.02 | 6291501180140 | WELTE(KÜSEL) to weld tube yoke 2291504200100 |
| H480/600 152,4x14,2 10° 100x94 DIN 5482 style 0.02 | 6291501180160 | WELTE(KÜSEL) to weld tube yoke 2291504200100 |
| H480/800 152,4x14,2 10° 100x94 DIN 5482 style 0.02 | 6291501180180 | WELTE(KÜSEL) to weld tube yoke 2291504200100 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H450/085 152,4x14,2 10° 100x94 DIN 5482 | 6291501130100 | WELTE (KÜSEL) 291.50 TUBE w/dust cover kit , 0.01 style |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| No slip assy ysa on 291.50 series (see combinations on equivalent series 190.65 - 190.70 series) . | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 152,4x14,2 190.55 / 291.50 series | Tube 152,4x14,2 | 190.55 / 291.50 series tube |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| No standard 9.03 or special short couples 9.06 style on 291.50 series please ask Welte sales team | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 74,00x129,00 central grease | WD 20145 | GWB |
| 74,00x129,00 4xend lube + central grease | WD 21189 | WELTE (KÜSEL) |
| 74,00x129,00 4xend lube + central grease | WD 21369 | GWB |
| 74,00x129,00 4xend lube + central grease + viton seal | WD 21589 | GWB |
| 74,00x129,00 4xend lube + central grease | WD 21629 | EDS |
| LBV-Lagerbüchse voll./Bearing cap/Roulement á aiguilles/Dado agujas/Воскола/опорная втулка; втулка подшипника в комплекте | | |
| bearing caps available on 291.50 series on request | | |
| WUST - Wuchtstück / Balance weight / Plaqueette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 42 gr. | 1190553500100 | 190.55 / 587.55 / 587.60 / 390.60 / 291.50 series balance weight |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M16x1,5x60 10.9 DIN931 DIN 225/8-17 | 6192500200020 | 295 Nm , DIN 225/8-17 , 192.50 / 392.50 / 291.50 series |
| M18x1,5x60 10.9 DIN 931 DIN 225/8-18 | 6190550200020 | 390 Nm , DIN 225/8-18 , 587.50 / 587.55 / 190.55 / 291.50 |
| M20x1,5x65 10.9 DIN 931 DIN 285/8-20 | 6190600200020 | 580 Nm , DIN 285/8-20 , 587.55/587.60/390.60/291.50/291.55/291.50 |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M12x1,5x55 12.9 DIN912 | 1291508200000 | WELTE(KÜSEL) |
| M12x1,5x60 12.9 DIN912 | 1292508200000 | GWB |
| DRUSCHEI - Druckscheibe / Thrust washer / Rondelle en fon du roulement / Pastilla fondo muño cruz / Rondella di spinta / нажимная шайба | | |
| Thrust washer 291.50 | 1291506900020 | GWB |
| PASSFE - Passfeder / Key / Clavette / Chaveta / Chiavetta / призматическая шпонка | | |
| key 32 E9 L.225 | 1392553700000 | GWB for face key connection flange 2291502200100 |
| ZYLSCHR - Passfederschraube / Key bolts / Vis clavette / Tornillos Chaveta / Bullone di chiavetta / призматическая шпонка/болт | | |
| M8x20 10.9 DIN912 | 1000008003059 | 2 bolts for FACE KEY 1392553700000 for flange 2291502200100 |

**EDS WELTE ESSEN 291.55 - 83,00x139,00**

| Dimensions | EDS Part Number | Comments |
|--|-----------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 250/8-19 H307 165,1x14,2 10° FACE KEY | 7291550400100 | WELTE (KÜSEL) , WD 20975 , FACE KEY |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 250/8-19 627/090 10° 165,1x14,2 100x94 DIN5482 | 7291550100100 | WELTE (KÜSEL) , WD 20975 , FACE KEY |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 250/8-19 H135 10° FACE KEY 40 | 2292552200000 | WELTE (KÜSEL) , key 40 + 2 bolts non included (see separate) |
| DIN 250/8-19 H135 10° | 2292552200100 | WELTE (KÜSEL) , under request |
| DIN 285/8-20 H135 10° | 2292552300100 | WELTE (KÜSEL) |
| DIN 285/8-20 H130 10° | 2291552300200 | Alternative |
| DIN 225/12-M22 H130 10° | 2291552200095 | Marine application |
| DIN 250 blank. H135 10° | 3292552200100 | WELTE (KÜSEL) , under request |
| DIN 285 blank. H135 10° | 3292552300100 | WELTE (KÜSEL) , under request |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H172 165,1x14,2 10° | 2291554200100 | GEWES |
| H196 193,7x14,2 10° | 2291604200100 | WELTE (KÜSEL) |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap | 1291551100040 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| dust cap seal | 1291552100100 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| split washer | 1291553100100 | |
| VERSCHIEI -Verschlusscheibe / Welch plug / Capsule d'étanchéité / Capsula de retención / Disco di chiusura / Колпачок | | |
| plug cap | 1291551400020 | |
| WZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| please use splined bar/sleeve assy's 291.50 series | | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H492/090 165,1x14,2 10 ° 100x94 DIN5482 | 6291501130100 | WELTE (KÜSEL) 291.55 TUBE w/dust cap kit , 0.01 style |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardanillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| slip assy ysa on 291.55 series on request | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 165,1x14,2 | Tube 165,1x14,2 | WELTE(KÜSEL) 291.55/190.60 see alternative 161,5x9 |
| Tube 161,5x9,00 | Tube 161,5x9,00 | Alternative 291.55 / 190.60 to original 165,1x14,2 , under request |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 83,00x139,00 central grease nipple | WD 21685 | WELTE (KÜSEL) |
| 83,00x139,00 central grease nipple | WD 20155 | GWB |
| 83,00x139,00 central grease nipple | WD 20975 | GEWES |
| 83,00x139,00 4xend lube + central grease Viton seal | WD 21719 | WELTE (KÜSEL) |
| 83,00x139,00 4xend lube + central grease | WD 21299 | GEWES |
| 83,00x139,00 4xend lube + central grease | WD 21649 | EDS |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Воскола/опорная втулка; втулка подшипника в комплекте | | |
| bearing caps available on 291.55 series on request | | |
| WUST - Wuchtstück / Balance weight / Plaquette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 148 gr. | 1190603500100 | 390.65 / 190.60 / 392.55 / 291.55 series balance weights |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M18x1,5x75 10.9 DIN 931 DIN 250/8-19 | 6192550200020 | 405 Nm , DIN 250/8-19 ; 392.50 / 291.55 series |
| M20x1,5x65 10.9 DIN 931 DIN 285/8-20 | 6190600200020 | 580 Nm , DIN 285/8-20 , 190.60/587.55/587.60/390.60/291.50/291.55 |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M12x1,5x55 12.9 DIN912 | 1291508200000 | WELTE(KÜSEL) |
| M12x1,5x60 12.9 DIN912 | 1292508200000 | GWB |
| DRUSCHEI - Druckscheibe / Thrust washer / Rondelle en fon du roulement / Pastilla fondo muño cruz / Rondella di spinta / нажимная шайба | | |
| Thrust washer 291.55 | 1291506900020 | GWB |
| PASSFE - Passfeder / Key / Clavette / Chaveta / Chiavetta / призматическая шпонка | | |
| Key 40 E9 L.250 | 1392553700000 | GWB for face key connection flange '2292552200000 |
| ZYLSCHR - Passfederschraube / Key bolts / Vis clavette / Tornillos Chaveta / Bullone di chiavetta / призматическая шпонка цилиндр. Болт | | |
| M8x20 10.9 DIN912 | 1000008003059 | 2 bolts for FACE KEY 1392553700000 for flange 2292552200000 |

**EDS WELTE ESSEN 291.60 - 95,00x160,00**

| Dimensions | EDS Part Number | Comments |
|--|-----------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 285/8-19 H351 193,7x14,2 10° | 7291600400100 | WELTE (KÜSEL) , WD 21669 |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 285/8-20 723/120 1193,7x14,2 10° 150x3 DIN5480 | 7291600100100 | WELTE (KÜSEL) , WD 21669 |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 285/8-20 H155 10° FACE KEY | 2291602200100 | WELTE (KÜSEL) , key 40 + 2 bolts non included (see separate) |
| DIN 285/8-20 H150 10° FACE KEY | 2292602200100 | GEWES 90 , alternative to WELTE (KÜSEL) 2291602200100 |
| DIN 285 Blank H150 10° | 3291602200100 | WELTE (KÜSEL) |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H196 193,7x14,2 10° | 2291604200100 | WELTE (KÜSEL) |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap | 1291601100040 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Dust cap seal | 1291602100100 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| split washer | 1291603100100 | |
| VERSCHIEB -Verschluss Scheibe / Welch plug / Capsule d'étanchéité / Capsula de retención / Disco di chiusura / Колпачок | | |
| plug cap | 1291601400020 | |
| WZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| H480/200 193,7x14,2 10° 150x3 DIN5480 291.60 | 6291601180120 | WELTE(KÜSEL) to weld tube yoke 2291604200100 |
| H480/400 193,7x14,2 10° 150x3 DIN5480 291.60 | 6291601180140 | WELTE(KÜSEL) to weld tube yoke 2291604200100 |
| H480/800 193,7x14,2 10° 150x3 DIN5480 291.60 | 6291601180180 | WELTE(KÜSEL) to weld tube yoke 2291604200100 |
| WMUNHV - Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H568/120 193,7x14,2 10° 150x3 DIN5480 291.60 , 0.01 | 6291601130100 | WELTE (KÜSEL) 291.60 TUBE w/dust cover kit , 0.01 style |
| WMUNMV -Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| slip assy ysa 291.60 series on request | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 193,7x14,2 | Tube 193,7x14,2 | WELTE(KÜSEL) 190.65 / 291.60 together with 193,5x9 , under request |
| Tube 193,5x9,00 | Tube 193,5x9 | Alternative 190.65 / 291.60 under request to standard 193,7x14,2 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 95,00x160,00 central grease | WD 21195 | WELTE (KÜSEL) |
| 95,00x160,00 central grease | WD 20165 | GWB |
| 95,00x160,00 4xend lube + central grease + viton seal | WD 21729 | WELTE (KÜSEL) |
| 95,00x160,00 4xend lube + central grease | WD 21359 | GWB |
| 95,00x160,00 4xend lube | WD 21664 | EDS |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Воскола/опорная втулка; втулка подшипника в комплекте | | |
| bearing caps available on 291.60 series on request | | |
| WUST - Wuchtstück / Balance weight / Plaqueette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 160 gr. | 1190653500100 | 190.65/390.70/390.75/390.80/392.50/392.60/392.65/392.70/291.60/291.65 |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M20x1,5x080 10.9 DIN931 DIN 285/8-19 | 6192600200020 | 585 Nm , DIN 285/8-19 ; 192.60/392.55/392.60/291.60 series |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M14x1,5x80 12.9 DIN912 | 1291608200110 | WELTE(KÜSEL) for '291.60 |
| DRUSCHEI - Druckscheibe / Thrust washer / Rondelle en fon du roulement / Pastilla fondo muño cruz / Rondella di spinta / нажимная шайба | | |
| Thrust washer 291.60 | 1291606900020 | GWB |
| PASSFE - Passfeder / Key / Clavette / Chaveta / Chiavetta / призматическая шпонка | | |
| Key 40 E9 L.285 | 1392603700000 | GWB for face key connection flange 2291602200100 |
| ZYLSCHR - Passfederschraube / Key bolts / Vis clavette / Tornillos Chaveta / Bullone di chiavetta / призматическая шпонка цилиндр. Болт | | |
| M8x20 10.9 DIN912 | 1000008003059 | 2 bolts for FACE KEY 1392603700000 'for flange 2291602200100 |

**EDS WELTE ESSEN 291.65 - 110,00x176,00**

| Dimensions | EDS Part Number | Comments |
|--|-----------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 315/8-23 H170 10° FACE KEY 40 mm | 2291652200000 | WELTE (KÜSEL) |
| DIN 315/10-23 H170 10° | 2291652000000 | WELTE(KÜSEL) , DIN , under request |
| DIN 315 Blank H170 10° | 3291652000100 | WELTE (KÜSEL) , under request |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H242 219,1x16 10° | 2291654200100 | WELTE (KÜSEL) |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap | 1291651100040 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Dust cap seal | 1291652100100 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| split washer | 1291653100100 | |
| VERSCHEI -Verschluss Scheibe / Welch plug / Capsule d'étanchéité / Capsula de retención / Disco di chiusura / Колпачок | | |
| plug cap | 1291651400020 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H480/400 219,1x16 10° 150x3 DIN5480 | 6291651180140 | WELTE(KÜSEL) to weld tube yoke (H -10 mm) 2291654200100 |
| H480/600 219,1x16 10° 150x3 DIN5480 | 6291651180160 | WELTE(KÜSEL) to weld tube yoke (H -10 mm) 2291654200100 |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| slip assy ysa 291.65 series on request | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 219,1x16 | Tube 219,1x16 | WELTE(KÜSEL) 190.70 / 291.65 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 110,00x176,00 central grease | WD 21195 | WELTE(KÜSEL) 392.65 / 291.65 |
| 110,00x176,00 central grease | WD 20165 | GWB 392.65 / 291.65 |
| 110,00x176,00 central grease | WD 21205 | GEWES 95 392.65 / 291.65 |
| 110,00x176,00 4xend lube + central grease nipple | WD 21699 | WELTE (KÜSEL) 392.65 / 291.65 |
| LBV - Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Воскола/опорная втулка;втулка подшипника в комплекте | | |
| bearing caps 291.65 series on request | | |
| WUST - Wuchtstück / Balance weight / Plaquette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 160 gr. | 1190653500100 | 190.65/390.70/390.75/390.80/392.50/392.60/392.65/392.70/291.60/291.65 |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M22x1,5x090 10.9 DIN931 | 6192650200020 | 780 Nm , DIN 315/10-23 ; 192.60/392.55/392.60/291.60 series |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M16x1,5x75 12.9 DIN912 | 1000008003352 | WELTE(KÜSEL) for '291.60 |
| DRUSCHEI - Druckscheibe / Thrust washer / Rondelle en fon du roulement / Pastilla fondo muño cruz / Rondella di spinta / нажимная шайба | | |
| Thrust washer | 1291656900020 | |
| PASSFE - Passfeder / Key / Clavette / Chaveta / Chiavetta / призматическая шпонка | | |
| Key 40 E9 L.315 | 1392603700000 | GWB for face key conn. flanges KÜSEL 2292652000000/2200000 |
| Key 50 E9 L.350 | 1392703700000 | GEWES for face key connection flanges GEWES 2292652300000 |
| ZYLSCHR - Passfederschraube / Key bolts / Vis clavette / Tornillos Chaveta / Bullone di chiavetta / призматическая шпонка/болт | | |
| M8x20 10.9 DIN912 | 1000008003059 | 2xKey 1392653700000 for 2292652000000/2200000/2300000 |

**EDS WELTE ESSEN 291.70 - 120,00x196,00**

| Dimensions | EDS Part Number | Comments |
|--|-----------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 315/10-23 H170 10° | 2291702200100 | WELTE (KÜSEL) , under request |
| DIN 350/10-23 H185 10° FACE KEY 50 | 2291702200100 | WELTE(KÜSEL) , FACE KEY |
| DIN 315 Blank H170 10° | 3291702000100 | WELTE (KÜSEL) , under request |
| DIN 350 Blank H185 10° | 2291702300000 | WELTE (KÜSEL) , under request |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H260 244x20 10° | 2291704200100 | WELTE (KÜSEL) |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap | 1291701100040 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| dust cap seal | 1291702100100 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| split washer | 1291703100100 | |
| VERSCHEI -Verschluss Scheibe / Welch plug / Capsule d'étanchéité / Capsula de retención / Disco di chiusura / Колпачок | | |
| plug cap | 1291701400020 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | |
| H665/200 244x20 10 ° 180x5 DIN 5480 | 6291701180120 | WELTE(KÜSEL) to weld tube yoke (H -10 mm) 2291704200100 |
| H665/400 244x20 10 ° 180x5 DIN 5480 | 6291701180140 | WELTE(KÜSEL) to weld tube yoke (H -10 mm) 2291704200100 |
| H665/600 244x20 10 ° 180x5 DIN 5480 | 6291701180160 | WELTE(KÜSEL) to weld tube yoke (H -10 mm) 2291704200100 |
| H665/800 244x20 10 ° 180x5 DIN 5480 | 6291701180180 | WELTE(KÜSEL) to weld tube yoke (H -10 mm) 2291704200100 |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 244x20 | Tube 244x20 | WELTE(KÜSEL) 291.70, under request |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| slip assy ysa 291.70 series on request | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 120,00x196,00 central grease | WD 21315 | WELTE (KÜSEL) 392.70 / 291.70 |
| 120,00x196,00 central grease + 4xend lube | WD 21549 | GWB 392.70 / 291.70 |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Boccola/опорная втулка;втулка подшипника в комплекте | | |
| bearing caps available on request | | |
| WUST - Wuchtstück / Balance weight / Plaque d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 245 grs | 1190703500100 | 190.70 / 291.70 series balance weight |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M22x1,5x100 10.9 DIN931 | 6192650200020 | 780 Nm , DIN 350/10-23 ; 392.65 / 291.70 series |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M20x1,5x88 12.9 DIN912 | 1291708200000 | WELTE(KÜSEL) for 291.70 |
| DRUSCHEI - Druckscheibe / Thrust washer / Rondelle en fon du roulement / Pastilla fondo muño cruz / Rondella di spinta / нажимная шайба | | |
| Thrust washer 291.70 | 1291706900020 | |
| PASSFE - Passfeder / Key / Clavette / Chaveta / Chiavetta / призматическая шпонка | | |
| Key 50 E9 L.350 | 1392703700000 | |
| ZYLSCHR - Passfederschraube / Key bolts / Vis clavette / Tornillos Chaveta / Bullone di chiavetta / призматическая шпонка/болт | | |
| M8x20 10.9 DIN912 | 1000008003059 | 2xKEY 1392703700000 for flange 2291702200100 |

**EDS WELTE ESSEN 291.75 - 130,00x216,00**

| Dimensions | EDS Part Number | Comments |
|--|-----------------|--|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 390/10-25 H205 10° FACE KEY 70 mm | 2291752200100 | WELTE (KÜSEL) , under request |
| DIN 390 Blank H205 10° | 3291752200100 | WELTE (KÜSEL) , under request |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H302 267x25 10° | 2291754200100 | WELTE (KÜSEL) |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap | 1291751100040 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Dust cap seal | 1291752100100 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Split washer | 1291753100100 | |
| VERSCHIEI -Verschlusscheibe / Welch plug / Capsule d'étancheité / Capsula de retención / Disco di chiusura / Колпачок | | |
| Plug cap | 1291751400020 | |
| WZUNHV / Spl. bar+sleeve / Barre can.+coul. / Barra estr.+ corr. / Sbarra scan.+Mani. / Шлицевой стержень+ Шлицевая втулка | | |
| H665/200 267x25 180x5 DIN 5480 , 0.02 | 6291701180120 | WELTE(KÜSEL) to weld tube yoke 2291754200100 |
| H665/400 267x25 180x5 DIN 5480 , 0.02 | 6291701180140 | WELTE(KÜSEL) to weld tube yoke 2291754200100 |
| H665/600 267x25 180x5 DIN 5480 , 0.02 | 6291701180160 | WELTE(KÜSEL) to weld tube yoke 2291754200100 |
| H665/800 267x25 180x5 DIN 5480 , 0.02 | 6291701180180 | WELTE(KÜSEL) to weld tube yoke 2291754200100 |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| slip assy ysa 291.75 series on request | | |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 267x25 | Tube 267x25 | WELTE(KÜSEL) 291.75, under request |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 130,00x216,00 4xend lube | 7392750600300 | GWB 393.75 / 291.75 |
| 130,00x216,00 4xend lube + central grease | WD 21569 | WELTE(KÜSEL) - GWB 291.75 |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Воскола/опорная втулка;втулка подшипника в комплекте | | |
| bearing caps available on request | | |
| WUST - Wuchtstück / Balance weight / Plaquette d'équilibrage / Pesos de equilibrado / Peso d'equilibratura / Балансировочные грузики | | |
| Balance weight 510 grs | 1190753500100 | 190.75 / 291.75 series balance weight |
| FLV - Flanschverschraubung / Flange bolts kit / Jeux des boulons / Juego de tornillos / Bullone di flangia / набор болтов для фланца | | |
| M24x1,5x110 10.9 DIN931 | 6192700200020 | 1000 Nm , DIN 390/10-25 ; 190.75 / 291.75 series |
| ZYLSCHR - Zylinderschraube / Allenhead bolt / Vis allen pontets / Tornillos allen platos / Dado per staffa / цилиндр. Болт | | |
| M22x2x88 12.9 DIN912 | 1291758200000 | WELTE(KÜSEL) for 291.75 |
| DRUSCHEI - Druckscheibe / Thrust washer / Rondelle en fon du roulement / Pastilla fondo muño cruz / Rondella di spinta / нажимная шайба | | |
| Thrust washer | 1291756900020 | |
| PASSFE - Passfeder / Key / Clavette / Chaveta / Chiavetta / призматическая шпонка | | |
| Key 70 E9 L.390 | 1291753700000 | |
| ZYLSCHR - Passfederschraube / Key bolts / Vis clavette / Tornillos Chaveta / Bullone di chiavetta / призматическая шпонка/болт | | |
| M8x20 10.9 DIN912 | 1000008003059 | 2xKEY 1392753700000 for flange '2291752200100 |

**687.15 - 27,00x74,50**

| Dimensions | | EDS Part Number | Comments |
|--|--------------------------------------|-------------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | | |
| DIN 90/4-8 | H103 52,0x3,5 35° | 7687150401401 | |
| DIN 90/4-8 | H100 63,5x2,4 25° | 7687150401003 | |
| DIN 100/6-8 | H107 52,0x3,5 35° | 7687150401400 | |
| DIN 100/6-8 | H098 63,5x2,4 18° | 7687150401002 | |
| DIN 100/6-8 | H098 63,5x2,4 25° | 7687150401000 | |
| SAE 96,8/4-10 | H090 50,8x2,4 20° PIAGGIO | 7687150450100 | PIAGGIO |
| H132 19Teeth/21 | Ø22 H182 50,8x2,4 20° | 7687150433100 | PIAGGIO reverse slip yoke |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | | |
| DIN 90/4-8 | H231/060 52,0x3,5 35° 36x1,5 DIN5480 | 76871507017010167 | |
| DIN 90/4-8 | H225/060 63,5x2,4 25° 36x1,5 DIN5480 | 76871507012030163 | |
| DIN 100/6-8 | H235/060 52,0x3,5 35° 36x1,5 DIN5480 | 76871507017000167 | |
| DIN 100/6-8 | H223/060 63,5x2,4 25° 36x1,5 DIN5480 | 76871507012000163 | |
| DIN 100/6-8 | H253/090 63,5x2,4 25° 36x1,5 DIN5480 | 76871507012010193 | |
| SAE 96,8/4-10 | H218/060 63,5x2,4 25° 36x1,5 DIN5480 | 76871507012070163 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | | |
| DIN 090/4-8 | H050 35° | 2687152700060 | |
| DIN 090/4-8 | H050 35° | 2687152700160 | |
| DIN 100/6-8 | H048 25° | 2687152000000 | |
| DIN 100/6-8 | H048 25° | 2687152000100 | EDS |
| DIN 100/8-8 | H048 25° | 2687152000080 | |
| DIN 100/6-8 | H054 35° | 2687152700010 | |
| DIN 117/6-12,3 | H045 25° | 2687152300117 | MERLO |
| DIN 120/8-10 | H043 25° | 2687152300000 | |
| DIN 120/8-10 | H043 25° | 2687152300100 | EDS |
| DIN 120/8-8 | H043 25° | 2687152300060 | |
| SAE 88/4-8 | H043 25° | 2687152400070 | |
| SAE 96,8/4-10 | H043 25° | 2687152400000 | |
| SAE 116/4-12 | H043 25° | 2687152400060 | |
| SAE 136/4-12,5 | H055 30° | 2687152465135 | NISSAN |
| DIN 100 Blank | H048 25° | 3687152000000 | |
| DIN 100 Blank | H054 35° | 3687152700010 | |
| DIN 120 Blank | H043 25° | 3687152300000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | | |
| H53 52,0x3,50 35° | | 2687154700000 | |
| H50 63,5x2,40 25° | | 2687154000000 | |
| H50 63,5x2,40 25° | | 2687154000200 | EDS |
| H50 76,2x1,64 24° | | 2687154400000 | |
| H50 76,2x2,40 24° | | 2687154400060 | |
| H53 88,9x1,64 24° | | 2687154400100 | obsolete |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | | |
| NM H128 25° solid Ø 32 | | 3687153000000 | on request |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | | |
| H110 63,5x2,4 36x1,5 DIN5480 rilsan coated | | 2687158000000122 | |
| H122 52,0x3,5 36x1,5 DIN5480 rilsan coated | | 26871580000500122 | |
| H150 52,0x3,5 36x1,5 DIN5480 rilsan coated | | 26871582000000150 | obsolete with stock |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | | |
| 35x2x16 DIN5480 H2800 CK45 287.10 + 687.15 | | '2287101900000 | 287.10 / 687.15 cut to required length |
| DHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | | |
| H084 | | 66871509000000084 | |
| H114 | | 66871509000000114 | |
| H155 | | 66871509000000155 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе (с чехлом) | | | |
| H175/060 63,5x2,40 25° 36x1,5 DIN5480 | | 66871570802000163 | |
| H162/060 52,0x3,50 35° 36x1,5 DIN5480 | | 6687157780250 | EDS |
| H181/060 52,0x3,50 35° 36x1,5 DIN5480 | | 66871577802000167 | |
| H205/090 63,5x2,40 25° 36x1,5 DIN5480 | | 66871570802100193 | |
| H245/130 63,5x2,40 35° 36x1,5 DIN5480 | | 66871570802120233 | |
| H245/130 63,5x2,40 35° 36x1,5 DIN5480 | | 6687157080220 | EDS |
| H190/090 63,5x2,4 incl. dust cover | | 6687151282190 | stub shaft/sleeve assy for conversions and BTB215 CV joints |
| H222/330 52,0x3,50 25° 35x2,0 DIN5480 no dust cover | | 66871570800000535 | alternative 287.10 splined bar solution 50x3 |
| H202/090 Ø 58,7 25° 36x1,5 DIN5480 no dust cover | | 66871570800000193 | 9.01, tube yoke '2687154000000 (H50) |
| WMUNHV-Strang/ Slip assy MIS / Ens. Coul. Mono. / Junta Corr. Mon. / Scorrevole con tubo Mono./ Шлицевая (с чехлом) для вала с пром. опорой | | | |
| H209/090 76,2x2,40 24° 36x1,5 DIN5480 Nissan w/defl. | | 66871571801990200 | Nissan Atleon , WDL 9147 , available under request |
| H245/090 76,2x1,64 25° 36x1,5 DIN5480 Iveco daily | | 66871571800990233 | Iveco Daily , WDL 9034 , obsolete |
| H245/090 88,9x1,64 25° 36x1,5 DIN5480 Iveco daily | | 66871571802990200 | Iveco Daily , WDL 9034 , obsolete |
| WMUNMV-Well. Nab. Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | | |
| H184/60 25° 36x1,5 DIN5480 no dust cover | | 66871570300000146 | use dust cover '66871509000000084 |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | | |
| Tube 52,0x3,50 | | Tube 52x3,5 | |
| Tube 63,5x2,40 | | Tube 63,5x2,4 | 687.15 / 1300 / 1310 / 1350 /4C DANA IC series tube |
| Tube 76,2x1,64 | | Tube 76,2x1,64 | 1310 / 687.15 / 1140 series tube |
| Tube 76,2x2,4 | | Tube 76,2x2,4 | 1350 /1410 / 687.15 / 687.20 /1510 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | | |
| H110 Ø35 Ep 27 63,5x2,40 35x10T straight M20x1,5 | | 2287101600160 | 287.10 / 687.15 / 1310 standard midship for DIN 100 CF |
| H123 Ø35 Ep 27 76,2x1,64 32x1,5 DIN5480 M27x1,5 | | 2687151632000 | LIEBHERR for SAE 1410 companion Flange |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | | |
| ZWFL DIN 100/6-8 H62 35x10T straight | | 2287105200100 | 1310 / 287.10 / 687.15 series for midship '2287101600160 |
| ZWFL SAE 116/4-12 H52 32x1,5 DIN5480 H39 | | 2687155232116 | LIEBHERR |

**687.15 - 27,00x74,50**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø35x126 H47,6 | WDL 9184 | LIEBHERR |
| Ø35x168x27 RL H57,2 | WDL 9055 | DANA standard 210090-1X 1310 , also used for 287.00 / 287.10 etc.. |
| Ø45x168x19 RL H58,0 | WDL 9147 | 5001857958 RVI Mascotte Monotr. /Nissan Atleon Monotr./Navara |
| Ø45x168x18 LL H58,0 | WDL 9034 | IVECO Daily Monotr. 9315 6460/4253 8439 for 687.15/20/1410BTB |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut M20x1,5 | 1000008102071 | 287.00/ 287.10/ 687.15 /1310 series nut |
| Nut M27x1,5 | 1000008117024 | 687.15/ 20 / 1310 - 1410 BTB series nut |
| ZWZUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| DIN 100/6-8 63,5x2,4 35x10T straight M20x1,5 | 6687151652000 | EDS , midship 2287101600160 + CF 2287105200100 (DIN) |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| HR ** HR Lz.225 | 301159107070L0225 | TR6 application |
| DIN 100/6-8 Lz.265 | 301159300606L0265 | FAUN |
| DIN 100/6-8 Lz.280 | 301159300606L0280 | |
| DIN 100/6-8 Lz.292 | 301159300606L0292 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 27,00x74,50 central grease | WD 11895 | DANA |
| 27,00x74,50 central grease | WD 14005 | EDS |
| 27,00x74,50 service free | WD 14000 | EDS |
| 27,00x74,50 service free | WD 11860 | DANA |
| 27,00x74,50 2xend lube | WD 12902 | |
| 27,00x74,50 4xend lube + central grease | WD 13889 | |
| LBV-Lagerbüchse voll./Bearing cap/Roulement á aiguilles/Dado agujas/Воскола/опорная втулка; втулка подшипника в комплекте | | |
| Ø 27 Standard 687.15 | 6687150600010 | |
| Ø 27 1xend lube | 6687150600040 | |

687.20 - 30,20x81,80

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| XS 120/4-11 H107 76x2,4 25° | 7687200401050 | |
| DIN 120/8-10 H107 76x2,4 25° | 7687200401000 | |
| SAE 116/4-12 H101 76x2,4 25° | 7687200401001 | |
| SAE 132/4-12,7 H101 76x2,4 25° service free | 7687200465100 | Nissan Atelon -Cabstar |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS 120/4-11 H247/070 76,2x2,4 25° 40x1,5 DIN 5480 w/du | 76872007012500183 | |
| DIN 120/8-10 H247/070 76,2x2,4 25° 40x1,5 DIN 5480 w/du | 76872007012000183 | |
| DIN 120/8-10 H277/100 76,2x2,4 25° 40x1,5 DIN 5480 w/du | 76872007012100213 | |
| SAE 116/4-12 H241/070 76,2x2,4 25° 40x1,5 DIN 5480 w/du | 76872007012010183 | |
| SAE132/4-12,7H268/070 76,2x2,4 25° 38,1x16T Inv SF | 7687200165100 | Nissan Atelon -Cabstar |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 120/4-11 H54 25° | 2687202000500 | |
| DIN 090/4-8 H58 35° | 2687202700080 | EDS |
| DIN 100/6-8 H54 25° | 2687202000070 | |
| DIN 100/6-8 H58 35° | 2687202700090 | EDS |
| DIN 120/6-10 H54 25° Ø 82,6 male Ø 101,6 | 2687202400060 | MERCEDES obsolete |
| DIN 120/8-8 H54 25° | 2687202000060 | |
| DIN 120/8-10 H54 25° | 2687202000000 | |
| DIN 120/8-10 H62 35° | 2687202700000 | |
| SAE 96,8/4-10 H58 35° | 2687202400020 | EDS |
| SAE 104/4-10 H46 25° Ø 65,00 male PCD 85mm | 2687202465200 | |
| SAE 110/4-10 H58 35° Ø 45,00 male 63,5x63,5 | 2687202445010 | HYUNDAI |
| SAE 115/4-10 H58 35° Ø 50,00 male PCD 92mm | 2687202450115 | DAIHATSU |
| SAE 116/4-12 H48 25° Ø 69,85 male Ø 95,2 73x61 | 2687202400100 | |
| SAE 116/4-12 H48 25° Ø 69,85 male Ø 95,2 73x61 | 2687202400000 | |
| SAE 118/4-10 H40 25° Ø 60,00 male Ø 89,0 57x67 | 2687202460200 | MITSUBISHI |
| SAE 118/4-11,5 H60 35° Ø 46,00 male Ø 93,9 66x66 | 2687202446100 | TOYOTA |
| SAE 122/4-12 H43 25° Ø 65,00 male Ø 95,2 67x67 | 2687202465100 | NISSAN |
| SAE 129/4-12,8 H45 24° Ø 48,00 female Ø108,0 76x76 | 2687202300200 | FORD TRANSIT , Ø 17 hole |
| SAE 129/4-12,8 H45 24° Ø 50,80 female Ø108,0 76x76 | 2687202300100 | FORD Ø 33 hole |
| SAE 130/4-10 H58 35° Ø 45,00 male 74,2/74,2 | 2687202450115 | HYUNDAI |
| SAE 132/4-12,7 H55 25° Ø 65,00 female Ø107,5 76x76 | 2687202065300 | NISSAN Atleon-Cabstar new from 2006..... |
| SAE 120/4-10 H58 35° | 2687202017000 | SPRINTER NCV2 |
| SAE 132/4-10 H58 35° | 2687202317100 | SPRINTER NCV3 |
| DIN 100 Blank H54 25° | 3687202000070 | |
| DIN 120 Blank H54 25° | 3687202000000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H58 63,0x2,5 35° | 2687204000020 | |
| H53 70,0x3,0 25° | 2687204000070 | |
| H53 76,2x1,64 25° | 2687204000000 | |
| H53 76,2x2,4 25° | 2687204000000 | |
| H45 76,2x2,4 25° | 2687204000100 | EDS |
| H53 76,2x2,4 25° | 2687204000200 | EDS |
| H56 76,2x2,4 35° | 2687204700100 | |
| H53 88,9x2,4 25° | 2687204000040 | |

**687.20 - 30,20x81,80**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H078 25° Z21 | 2687203000100 | FORD mid end yoke |
| H078 25° Z26 | 2687203000300 | FORD mid end yoke |
| H148 25° Ø35 solid -- not machined | 3687203000000 | |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H209 25° 40x1,5 DIN 5480 | 2687207173209 | Renault Mascotte - MIS , w/dust cover included |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| NH H134 76,2x2,4 40x1,5 DIN5480 | 2687208000000134 | for slip assy '66872070802000183 |
| NH H154 76,2x2,4 40x1,5 DIN5480 | 2687208073000 | RVI Monotron.C/Bearing WDL 9147 incl.,for ysa 2687207173209 |
| NH H162 76,2x2,4 40x1,5 DIN5480 | 26872080000100162 | for slip assy 66872070802100213 |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| No splined bar at 687.20 series available , check 287.20 possibilities equivalent serie 45x2,5x16 spline | | |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H095 | 66872009000000095 | |
| H125 | 66872009000000125 | |
| WMUNHV- Wellenzapf. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе (с чехлом) | | |
| H184/060 70,0x3,0 25° 40x1,5 DIN 5480 | 6687207080270 | |
| H191/070 76,2x2,4 25° 40x1,5 DIN 5480 | 6687207080100 | |
| H193/070 76,2x2,4 25° 40x1,5 DIN 5480 | 66872070802000183 | |
| H200/070 76,2x2,4 25° 40x1,5 DIN 5480 | 6687207080242 | obsolete |
| H223/100 63,5x2,4 25° 40x1,5 DIN 5480 | 6687207080250 | |
| H223/100 76,2x2,4 25° 40x1,5 DIN 5480 | 66872070802100213 | |
| H263/140 76,2x2,4 25° 40x1,5 DIN 5480 | 66872070802200253 | |
| H220/100 Ø 71,2 25° 40x1,5 DIN5480 9.01 | 66872070800000213 | short couple , no dust cover included H125 |
| WMUNHV- Strang/ Slip Assy MIS / Ens. Coul. Mono. / Junta Corr. Mon. / Scorrevole con tubo Mono./ Шлицевая (с чехлом) для вала с пром. Опорой | | |
| H230/090 76,2x2,4 25° 40x1,5 DIN5480 WDL 9034 | 66872071800990200 | IVECO Daily-Monotron old replaced by GKN-UC 19085 |
| H251/090 76,2x2,4 25° 40x1,5 DIN5480 WDL 9034 | 66872071800990240 | IVECO Daily-Monotron new replac. of GKN -UC 19192 |
| H209/090 76,2x2,4 25° 40x1,5 DIN5480 WDL 9147 | 66872071801900200 | RVI Mascotte-Monotron , center bearing WDL 9147 , seal included |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H209/070 25° 40x1,5 DIN 5480 | 66872070300000168 | no dust cover H125 included |
| H290-190/100-40 25° 38x2 DIN5480 | 6687207030290 | Alternative to DANA 66872070300000168 + other lengths |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 76,2x2,4 | Tube 76,2x2,4 | 1350 / 1410 / 687.15 / 687.20 / 1510 series standard tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H120 Ø35 Ep 27 76,2x2,4 35x2 DIN5480 M27x1,5 | 2687201632000 | LIEBHERR |
| H117 Ø40 Ep 25 76,2x2,4 35x2 DIN5480 M27x1,5 | 2687201600000 | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| DIN 120/8-10 H71 35x2 DIN5480 | 2687205232120 | LIEBHERR |
| SAE 116/4-12 H78 35x2 DIN5480 | 2687205200116 | for miship 2687201600000 (Ø40 mm bearing) |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø35x126 H47,6 | WDL 9184 | LIEBHERR |
| Ø40x168x22 RL H57,2 | WDL 9356 | EDS , 4253 5254 IVECO |
| Ø40x168x22 RL H57,2 | WDL 9056 | IVECO Daily new-monotron , 4253 5254 IVECO |
| Ø45x168x18 LL H58 | WDL 9034 | IVECO Daily old - monotron , 9315 6460/4253 8439 IVECO |
| Ø45x168x19 RL H58 | WDL 9147 | Renault Mascott . Monotron / 5001857958 RVI - NISSAN |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuercas puente central / Dado autobloccante / Гайка | | |
| Nut M27x1,5x22 | 1000008102066 | 687.15/20 / 287.20 / 587.10/587.12/587.15/ELBE 113/1410 series nut |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto completo / Шлицевой вал под подвесной подшипник | | |
| XS 120/4-11 H110 76,2x2,4 Ø 45 WDL 9034 | 7613450999500 | Old Daily, repl. by 7613400900530 or 7613400999200 (GKN) |
| XS 120/4-11 H104 76,2x2,4 Ø 40 WDL 9056 | 7613400900530 | New Daily DANA to old 7613450999500,see alter.7613400999200 |
| XS 120/4-11 H104 76,2x2,4 Ø 40 | 7613400999200 | New Daily GKN alternative to DANA '7613400900530, both available |
| SAE 116/4-12 H118 76,2x2,4 Ø 45 | 7613450999002 | IVECO Daily old SAE obs. Ø45, repl. by Ø40 WDL9056 in separate |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| XS 120/4-11 Lz.351 | 301209163131L0351 | LIEBHERR |
| SAE 116/4-12 Lz.321 | 301209104242L0321 | |
| DIN 120/8-10 Lz.341 | 301209101010L0341 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 30,20x81,80 central grease | WD 11855 | |
| 30,20x81,80 central grease | WD 13535 | TRS |
| 30,20x81,80 central grease | WD 14015 | EDS |
| 30,20x81,80 service free | WD 11870 | |
| 30,20x81,80 1xend lube | WD 11841 | |
| 30,20x81,80 2xend lube | WD 11842 | |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Boccola/опорная втулка;втулка подшипника в комплекте | | |
| Ø 30,2 standard | 6687200600010 | |
| Ø 30,2 1xend lube | 6687200600020 | |

**687.25 - 34,90x92,00**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| XS 120/4-11 H116 89x2,4 25° | 7687250401051 | |
| DIN 120/8-10 H126 89x2,4 25° | 7687250401000 | |
| DIN 120/8-10 H126 89x2,4 35° | 7687250401200 | |
| DIN 150/8-12 H116 89x2,4 25° | 7687250401010 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS 120/4-11 H292/100 25° 89x2,4 45x1,5 DIN5480 | 76872507012510222 | |
| DIN 120/8-10 H302/100 25° 89x2,4 45x1,5 DIN5480 | 76872507012000222 | |
| DIN 120/8-10 H351/145 35° 89x2,4 45x1,5 DIN5480 | 76872507017000272 | |
| DIN 150/8-12 H292/100 25° 89x2,4 45x1,5 DIN5480 | 76872507012100222 | |
| DIN 150/8-12 H341/145 25° 89x2,4 45x1,5 DIN5480 | 76872507012100272 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 120/4-11 H060 25° | 2687252000510 | |
| DIN 120/8-8 H070 35° | 2687252700100 | |
| DIN 120/8-10 H070 35° | 2687252700000 | |
| DIN 150/8-12 H060 25° | 2687252300000 | |
| SAE 146/4-12,7 H060 25° | 2687252400060 | |
| SAE 146/4-14 H060 25° | 2687252400000 | |
| DIN 120 Blank H070 35° | 3687252700000 | |
| DIN 150 Blank H060 25° | 3687252300000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H52 76,2x2,4 25° | 2687254000100 | obsolete |
| H56 88,9x2,4 35° | 2687254700000 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H151 25° solid base | 3687253000000 | under request |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| plastic nut | 1687256399000 | IVECO EUROCARGO MONOTRON |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal - rubber | 1687256199000 | IVECO EUROCARGO MONOTRON |
| WEDI-Wellendichtring / Seal flinger/ Rondelle wedi monotron / Junta arandela / Coperchio monotronco / уплотняющее (прокладочное) кольцо вала | | |
| Seal flinger or external deflector | 1687252399000 | IVECO EUROCARGO MONOTRON |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H168 89x2,4 45x1,5 DIN5480 rilsan coated | 26872580000000168 | |
| H212 89x2,4 45x1,5 DIN5480 rilsan coated | 26872582000000212 | |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| No splined bar at 687.25 series available , check 287.20 (45x2,5 DIN 5480) / 587.15 (52x2,5) equivalent series to 687.25 (45x1,5x28) spline | | |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H125 | 66872509000000125 | |
| WMUNHV- Wellenzapf. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе (с чехлом) | | |
| H232/100 25° 89x2,4 45x1,5 DIN5480 | 66872570802000222 | |
| H282/145 35° 89x2,4 45x1,5 DIN5480 | 66872577802000272 | |
| H297/300 25° 80x3,5 52x2,5 DIN5480 no dust cover | 66872570804000585 | on request |
| H229/100 25° Ø 81 45x1,5 DIN 5480 no dust cover | 66872570800000222 | 9.01, tube yoke 2687254700000 |
| WMUNHV- Strang/ Slip assy MIS. / Ens. Coul. Mono. / Junta corr. Mono. / Scorrevole con tubo Mono. / Шлицевая (с чехлом) для вала с пром. Опорой | | |
| H253/100 25° 89x2,4 + seal kit included | 66872571800990248 | IVECO EUROCARGO |
| H253/100 25° 89x2,4 + seal kit included | 66872571801430200 | IVECO EUROCARGO neu version |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H215/70 25° 45x1,5 DIN5480 no dust cover | 66872570300000170 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 76,2x2,40 | Tube 76,2x2,4 | 1350 / 1410 / 687.15 / 687.20 / 1510 and old 687.25 obsolete series |
| Tube 88,9x2,40 | Tube 89x2,4 | 687.25 / 1550 / 1510 series tube |
| Tube 90,0x3,00 | Tube 90x3 | 687.30 / 1550 special / SPL55 / 506 / 687.25 alternative series tube |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвешной подшипник | | |
| Ø40x168x18 RL H62,8 | WDL 9048 | 9316 0223 IVECO EUROCARGO for coupling shaft-ZW |
| Ø55x168x18 RL H62,8 | WDL 9050 | 4253 2291 IVECO EUROCARGO MONOTRON |
| Ø55x168x18 RL H62,8 c/w seal kit | WDL 9051 | 4253 2291 IVECO EUROCARGO |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto completo / Шлиц. вал под подв. подшипник | | |
| H116 120/4-11 89x2,4 Ø40 | 7613400900500 | WDL 9048,old GKN style |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN 120/8-10 Lz.390/35 25° | 301259101010L0390 | MANITOWOC |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 34,90x92,00 central grease | WD 10685 | |
| 34,90x92,00 central grease HT | WD 13375 | |
| 34,90x92,00 central grease nipple | WD 14025 | EDS |
| 34,90x92,00 service free | WD 13290 | |
| 34,90x92,00 2xend lube | WD 13362 | |
| 34,90x92,00 4xend lube + central grease | WD 12474 | |
| LBV - Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Воскола/опорная втулка; втулка подшипника в комплекте | | |
| LBV Ø 34,9 standard new 687.25/30 | 6687300600100 | |
| LBV Ø 34,9 1xend lube new 687.25/30 | 6687300600040 | |

**687.30 - 34,90x106,40**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| XS 120/4-11 H137 90x3,0 25° WD 10485 | 7687300401053 | |
| DIN 120/8-10 H141 80x3,5 35° WD 10485 | 7687300401217 | |
| DIN 120/8-10 H137 90x3,0 25° WD 10485 | 7687300401022 | |
| DIN 120/8-10 H137 90x3,0 25° WD 13300 service free | 7687300400000 | |
| DIN 150/8-12 H147 80x3,5 35° WD 10485 | 7687300401218 | |
| DIN 150/8-12 H143 90x3,0 25° WD 10485 | 7687300401023 | |
| SAE 146/4-14 H078 90x3,0 25° WD 10485 | 7687300401024 | |
| DZG-Doppelzapfengelenk / CV-fixed joint / Joint fixe homo. / Junta fija homocinética / Giunto fisso homo. / Фланец в сборе с вилкой в трубу CV | | |
| DIN-CV 120/8-10 H236 80x3,5 23° CV-Shafts | 9687300500050 | |
| DIN-CV 120/8-10 H236 90x3,0 23° CV-Shafts | 9687300500060 | |
| DIN-CV 150/8-12 H234 90x3,0 23° CV-Shafts | 9687300500150 | |
| SAE-CV 146/4-12,7 H234 90x3,0 23° CV-Shafts | 9687300500070 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS 120/4-11 H310/110 90x3,0 25° 48x1,5 DIN 5480 | 76873007012530241 | |
| XS 150/4-13 H312/110 90x3,0 25° 48x1,5 DIN 5480 | 76873007012510241 | |
| DIN 120/8-10 H319/110 90x3,0 25° 48x1,5 DIN 5480 | 76873007012170241 | |
| DIN 120/8-10 H370/155 80x3,5 35° 48x1,5 DIN 5480 | 76873007017170294 | |
| DIN 150/8-12 H325/110 90x3,0 25° 48x1,5 DIN 5480 | 76873007012230241 | |
| DIN 150/8-12 H376/155 80x3,5 35° 48x1,5 DIN 5480 | 76873007017180294 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 120/4-11 H46 08° | 2687302100500 | |
| XS 120/4-11 H63 25° | 2687302000570 | |
| XS 120/4-11 H68 30° | 2687302700500 | EDS |
| XS 150/4-13 H58 20° | 2687302000520 | EDS |
| XS 150/4-13 H65 25° | 2687302000560 | |
| DIN 120/8-10 H72 35° | 2687302700000 | |
| DIN 120/8-10 H72 23° CV | 2687302000200 | |
| DIN 130/8-10 H72 35° 82,5M spigot | 2687302417100 | MERCEDES |
| DIN 150/8-12 H63,5 25° | 2687302300000 | |
| DIN 150/8-12 H78 25° | 2687302800000 | |
| DIN 150/8-12 H72 23° CV | 2687302000210 | |
| DIN 162/4-12,8 H90 25° | 2687302800160 | TATRA |
| SAE 116/4-12 H74 35° | 2687302400080 | |
| SAE 146/4-12,7 H78 35° | 2687302400100 | |
| SAE 146/4-12,7 H70 23° CV | 2687302400210 | |
| SAE 146/4-14 H78 25° | 2687302400060 | |
| SAE 174/8-9,7 H60 25° | 2687302400150 | |
| SAE 174/8-10,1 H60 25° | 2687302400070 | |
| DIN 120/00-00 H72 35° | 3687302700000 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 150/00-00 H63 25° | 3687302300000 | obsolete |
| DIN 150/00-00 H78 25° | 3687302800000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| ZM H66 76,2x2,4 25° | 2687304000060 | EDS |
| ZM H69 80,0x3,5 35° | 2687304700000 | |
| ZM H62 80,0x3,5 22° CV | 2687304000250 | |
| ZM H65 90,0x3,0 25° | 2687304000040 | |
| ZM H62 90,0x3,0 22° CV | 2687304000240 | |
| ZM H62 85,0x5,0 22° CV | 2687304000270 | suits slip assy 6687301182001 |
| ZM H278 w/ solid tube bar 25° | 2687304700200 | military application |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H187 25° solid Ø 42 | 3687303000000 | |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| plastic nut | 1687306399000 | IVECO EUROCARGO MONOTRON |
| steel flinger | 1687301999000 | suits 76136008000990272 DAF slip assy |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| rubber seal | 1687306199000 | IVECO EUROCARGO MONOTRON |
| WEDI-Wellendichtring / Seal flinger/ Rondelle wedi monotron / Junta arandela / Coperchio monotronco / уплотняющее (прокладочное) кольцо вала | | |
| Seal flinger or external deflector | 1687302399000 | IVECO EUROCARGO MONOTRON |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| Plug-cap on 687.30 | 411108 | For slip assy ysa 66873070300000335(687.30) + other series |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H140 80x3,5 48x1,5 DIN5480 rilsan | 26873080000100140 | special application |
| H181 90x3,0 48x1,5 DIN5480 rilsan | 26873080000000181 | |
| H225 80x3,5 48x1,5 DIN5480 rilsan | 26873082000000225 | |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| No splined bar at 687.30 series available,check 587.15 (52x2,5 DIN5480)/ELBE 148 (55x2,5x20 DIN5480) equivalent series to 687.30 (48x1,5x30) spline | | |
| DIHÜV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H135 | 66873009001100135 | |
| H181 c/w grease nipple | 66873009002000181 | |

**687.30 - 34,90x106,40**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе (с чехлом) | | |
| H245/110 76,2x2,4 25° 48x1,5 DIN5480 w/dust cover | 6687307080260 | EDS |
| H247/110 90,0x3,0 25° 48x1,5 DIN5480 w/dust cover | 66873070801130241 | |
| H245/110 90,0x3,0 25° 48x1,5 DIN5480 w/dust cover | 6687307080200 | EDS |
| H298/155 80,0x3,5 35° 48x1,5 DIN5480 w/dust cover | 66873077802000294 | relube |
| H298/155 80,0x3,5 35° 48x1,5 DIN5480 w/dust cover | 66873077802050294 | service free |
| H309/190 90,0x3,0 35° 48x1,5 DIN5480 no dust cover | 6687301182001 | GWB stub shaft /sleeve assy , use 65872009002100210 dust cover |
| H244/110 Ø 84 25° 48x1,5 DIN5480 no dust cover | 66873070800000241 | 9.01 for tube yoke 2687304000040 |
| WMUNHV- Strang/ Slip assy MIS / Ens. Coul. Mono. / Junta Corr. Mono. / Scorrevole con tubo Mono. / Шлицевая (с чехлом) для вала с пром. Опорой | | |
| H277/110 25° 90x3 ,WDL 9052 not includ.+ seal kit includ. | 66873071800990272 | WDL 9052 not included,full seal kit incl. (w/deflector) |
| H277/110 25° 90x3 ,WDL 9052 + full seal kit included | 76136008000990272 | WDL 9287 +seal kit(w/deflector+platic nut+rubber seal) |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H170/30 20° 48x1,5 DIN5480 no dust cover | 6687307636170 | use 2035 series dust cover |
| H253-194/95 25° 48x1,5 DIN 5480 no dust cover | 66873070300000203 | |
| H335/80 25° 48x1,5 DIN5480 c/w dust cover/plug | 66873070300000335 | EDS |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 80,0x3,5 | Tube 80x3,5 | 1350 / 1410 / 687.15 / 687.20 / 1510 and old 687.25 series tube |
| Tube 89,0x2,4 | Tube 89x2,4 | 687.25 / 1550 / 1510 series tube + 687.30 if not 90,0x3,0 available |
| Tube 90,0x3,0 | Tube 90x3 | 687.30 / 1550 special / SPL55 / 506 / 687.25 alternative series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H137 Ø45 Ep 22 90x3 45x2,5 DIN5480 NUT Ø45 DANA | 2687301600500 | For CF XS120-IC2687302900500 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 120/4-11 H73,0 45x2,5 DIN5480 687.30 | 2687302900500 | flange shaft version |
| XS 120/4-11 H78,2 45x2,5 DIN5480 687.30 | 2687305200500 | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø45x193x19 RL H69 | WDL 9057 | 9316 0226 IVECO |
| Ø45x194x19 RL H69 | WDL 9114 | 1070171VOLVO , obsolete NK300 , replaced by WDL9140 |
| Ø45x194x19 RL H69 | WDL 9122 | 3126290 VOLVO 687.30/35 obsolete ,replaced by WDL 9140 |
| Ø45x194x19 H69 | WDL 9140 | 20362601 VOLVO |
| Ø60x194x19 H69 | WDL 9052 | 4252 2292 IVECO 687.30 |
| Ø60x194x19RL H69 | WDL 9053 | 4253 2292 IVECO 687.30 w/seal kit included |
| Ø60x194x22RL H70,5 | WDL 9287 | 1782199 DAF |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut Ø 45 SPL 70/SPL 90/1550-1810/687.30-687.35 | 1501008102200 | DANA 231502 |
| ZWZUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| XS 120/4-11 H122 Ø 45 90x3 45x2,5 DIN5480 M72 | 6687301652500 | Alternative for IVECO mid end |
| DIN 120/8-10 H125 Ø 45 90x3 45x2,5 DIN5480 M83 | 6387201652012 | Alternative for different small OE applications |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto completo / Шлицевой вал под подвесной подшипник | | |
| XS 120/4-11 H120 Ø 45 90x3 M73 | 7613450900600 | 200mm BHC , on request |
| XS 120/4-11 H120 Ø 45 90x3 M73 | 7613450900590 | IVECO WDL 9057 |
| XS 150/4-13 H120 Ø 55 90x3 M73 | 7113550984550 | DAF / RVI |
| SAE 174/8-9,6 H153 Ø 45 85x4 M89 SF | 7800300901060 | VOLVO replacement obsolete 2030 7613450900110 |
| SAE 174/8-9,6 H136 Ø 45 90x3 M89 | 7613450900110 | VOLVO |
| MR-Mitnehmerring / Center yoke / Bol / Junta Doble palier / Corpo centrale / Сдвоенная вилка | | |
| H102 50° | 2687309500000 | |
| MAN SCH - Manschette / Boot / Souffle / Fueelle / Anello di tenuta / манжета | | |
| Boot 587.20 / 687.30 series | 1587204700020 | |
| GELAG - Gelenklager / Ball / Bille articulation / Bola / Sfera / Шаровой шарнир | | |
| Ball 587.20 / 687.30 series | 1587205600020 | |
| SPANNSCH - Spansschelle / Clamp / Collier / Abrazadera / Filo de tenuta / Хомут | | |
| Clamp 587.20/687.30 | 1000008403020 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| XS 120/4-11 Lz.279 | 301309363131L0279 | CLAAS 5962200 |
| DIN 120/8-10 Lz.380 | 301309301010L0380 | |
| DIN 150/8-12 Lz.400 | 301309301212L0400 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 34,90x106,40 central grease LT | WD 10485 | |
| 34,90x106,40 central grease HT | WD 13465 | on request |
| 34,90x106,40 central grease | WD 14035 | EDS |
| 34,90x106,40 service free | WD 13300 | |
| 34,90x106,40 1xend lube | WD 13171 | EDS |
| 34,90x106,40 4xend lube + central grease | WD 13719 | EDS |
| 35,00x106,40 central grease | WD 16035 | TRS 35mm INA version |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Boccola/ опорная втулка; втулка подшипника в комплекте | | |
| LBV Ø 34,9 standard | 6687300600010 | old |
| LBV Ø 34,9 standard | 6687300600100 | new |
| LBV Ø 34,9 1xend lube | 6687300600060 | old |
| LBV Ø 34,9 1xend lube | 6687300600040 | new |

**687.35 - 42,00x119,40**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| XS 120/4-11 H147 100x3 27° | 7687350406060 | |
| XS 150/4-13 H147 100x3 27° new | 7687350406053 | |
| DIN 150/8-12 H167 100x3 25° | 7687350406049 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS 120/4-11 H350/110 100x3 25° 54x1,5 DIN5480 | 76873507062620248 | |
| XS 150/4-13 H350/110 100x3 25° 54x1,5 DIN5480 | 76873507062530248 | |
| DIN 150/8-12 H370/110 100x3 25° 54x1,5 DIN5480 | 76873507062490248 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 120/4-11 H75 25° | 2687352000500 | |
| XS 150/4-13 H75 25° | 2687352300570 | obsolete , replaced by 2687352300500 |
| XS 150/4-13 H77 25° | 2687352300500 | |
| XS 150/4-13 H88 35° | 2687352800500 | |
| DIN 120/8-10 H80 35° | 2687352700120 | EDS |
| DIN 150/8-10 H72 25° | 2687352000100 | |
| DIN 150/8-12 H72 25° | 2687352000000 | |
| DIN 150/8-12 H95 44° | 2687352700060 | |
| DIN 165/8-16 H90 35° | 2687352800030 | |
| DIN 180/8-12 H90 35° | 2687352800060 | EDS |
| DIN 180/8-14 H90 35° | 2687352800100 | |
| SAE 146/4-14 H72 25° | 2687352400020 | |
| SAE 174/8-9,6 H88 35° | 2687352400040 | |
| SAE 174/8-10 H88 35° | 2687352400030 | |
| DIN 150 Blank H95 44° | 3687352700060 | |
| DIN 180 Blank H90 35° | 3687352800000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H72 100x3 25° | 2687354000040 | |
| H72 100x3 25° | 2687354000100 | EDS |
| H82 85x5 35° | 2687354700010 | |
| H85 80x4 25° | 2687354000080 | EDS |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H169 54x1,5 DIN 5480 25° rilsan | 2687353000000169 | |
| H219 54x1,5 DIN 5480 25° rilsan | 2687353000000219 | |
| H230 54x1,5 DIN 5480 25° rilsan | 2687353000000230 | |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap-plastic nut sleeve monotron | 1687356384000 | IVECO EUROCARGO/DAF/RENAULT MIDLUM/NISSAN |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal - rubber seal sleeve monotron | 1687306199000 | IVECO EUROCARGO/DAF/RENAULT MIDLUM/NISSAN |
| WEDI-Wellendichtring / Seal flinger/ Rondelle wedi monotron / Junta arandela / Coperchio monotronco / уплотняющее (прокладочное) кольцо вала | | |
| Seal flinger or external deflector-monotron | 1687356384000 | IVECO EUROCARGO/DAF/RENAULT MIDLUM/NISSAN |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| Plug-cap | 1687351400000 | slip assy ysa |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| VALVE-PLUG ALL GWB 687 SERIES | 1000008608020 | rubber |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H200 100x3 54x1,5 DIN5480 rilsan | 2687358000000200 | |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| No splined bar at 687.35 series available , check 587.20 (60x2,5x22 DIN5480) / ELBE 158/358 (55x2,5x20 DIN5480) | | |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H127 | 66873509000100127 | on request |
| H132 | 66873509000100132 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе (с чехлом) | | |
| H275/110 100x3 27° 54x1,5 DIN5480 | 66883570802040248 | lub version |
| H275/110 100x3 27° 54x1,5 DIN 5480 | 66873570802000248 | |
| H305/110 085x5 35° 54x1,5 DIN5480 | 66873577802050255 | obsolete with stock |
| H364/180 085x5 35° 55x2,5 DIN 5480 | 66873577822000335 | 587.20 spline |
| H288/110 Ø 94,125° 54x1,5 DIN5480 no dust cover | 66873570800990248 | 9.01 for tube yokes 2687354000040 |
| WMUNHV+ZWL/Full monot. assy/Ens.Coul.Mon./ Conj. Corr. Monot./Scorr. comp. моно./Шлицевой вал и шлиц. втулка в сборе + Подвесной подшипник | | |
| H285/110 100x3 25° IVECO/RVI /DAF/NISSAN | 66873571800990295 | incl.seal kit(deflector+platic nut+rubber seal) |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H294/110 25° 54x1,5 DIN 5480 no dust cover | 66873570306000230 | |
| H320/110 25° 52x2,5 DIN 5480 incl. dust cover | 66873570302000320 | EDS |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 085,0x5,0 | Tube 85x5 | 587.20 / 687.35 interaxle 35° / KLEIN 375 series tube |
| Tube 100,0x3,0 | Tube 100x3 | 687.35 / GS606 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H145 Ø 60 100x3 VOLVO | 2687351610000 | VCE please use NK300 hardware |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 150/4-13 H162 Ø60 | 2687355210150 | VCE please use WDL 9119 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediere / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø45x193x19 RL H69 | WDL 9057 | 9316 0226 IVECO , outside flinger UC 14282 not available alone |
| Ø45x194x19 RL H69 | WDL 9122 | 3126290 VOLVO obsolete ,replaced by WDL 9140 |
| Ø45x194x19 H69 | WDL 9140 | 20362601 VOLVO |
| Ø55x200x18 LL H71,8 | WDL 9063 | 1252249 DAF , obsolete replaced by WDL 9064 and WDL 9197 |
| Ø55x193x18 RL H70,5 | WDL 9197 | 1408525 DAF |
| Ø55x200x18 LL H69,1 | WDL 9064 | 1298157 DAF ORIGINAL GWB 687.35/40 replacement of WDL 9063 |
| Ø60x194x18 H69 | WDL 9052 | 4252 2292 IVECO/DAF/RVI MIDLUM/NISSAN MIS-Monotron: |

**687.35 - 42,00x119,40**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut Ø 45 SPL 70/SPL 90 | 1501008102200 | |
| ZWUZWF / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| XS 120/4-11 H118 100x3 | 668735162500 | Alternative , IVECO WDL 9057 |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto completo / Шлиц. вал под подв. подшипник | | |
| XS 120/4-11 H120 100x3 M73 | 7613450900510 | WDL 9057 |
| XS 150/4-13 H140 100x3 M73 | 7113550984500 | DAF/VOLVO |
| XS 150/4-13 H145 100x3 M100 | 7613550900890 | WDL 9086 |
| XS 150/4-13 H142 100x3 | 7613450999501 | VOLVO WDL9140 |
| XS 150/4-13 H145 100x3 M95 | 7613550900760 | DAF WDL 9064 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| XS 150/4-13 Lz.360 | 301359303232L0360 | RVI 5010651029 687.35 / PEP 6 special, under request |
| XS 150/4-13 Lz.380 | 301359303232L0380 | NK / RVI 5010120834 |
| XS 150/4-13 Lz.434 | 301359303232L0434 | VOLVO 3170771 |
| DIN 150/8-12 Lz.460 | 301359301212L0460 | KOMATSU 4202905M |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 42,00x119,40 central grease LT | WD 10235 | GWB |
| 42,00x119,40 central grease HT | WD 13135 | GWB |
| 42,00x119,40 central grease | WD 13495 | INA |
| 42,00x119,40 central grease | WD 14045 | EDS |
| 42,00x119,40 sevice free | WD 10150 | GWB |
| 42,00x119,40 4xend lube + central grease | WD 13639 | GWB |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Boccola/опорная втулка;втулка подшипника в комплекте | | |
| Ø 42 standard central grease | 6687350600010 | GWB |
| Ø 42 end lube | 6687350600030 | GWB |
| Ø 42 service free | 6687350600160 | GWB |

687.40 / GS 706 - 47,60x135,20

| Dimensions | EDS Part Number | Comments |
|--|-------------------|----------|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| XS 150/4-13 H169 120x3 25° | 7687400401054 | |
| XS 150/4-13 H169 120x3 27° | 7687400401051 | |
| XS 150/4-13 H202 100x4,5 44° | 7687400401450 | |
| XS 180/4-15 H169 120x3 25° | 7687400401053 | |
| XS 180/4-15 H202 100x4,5 44° | 7687400401451 | |
| DIN 150/8-12 H189 120x3 27° | 7687400401046 | |
| DIN 150/8-12 H202 100x4,5 44° | 7687400401446 | |
| DIN 165/8-16 H190 100x4,5 35° | 7687400401455 | |
| DIN 180/8-14 H189 120x3 27° | 7687400401012 | |
| DIN 180/8-14 H202 100x4,5 44° | 7687400401443 | |
| DIN 180/8-16 H189 120x3 25° | 7687400401013 | |
| DIN 180/8-16 H202 100x4,5 44° | 7687400401444 | |
| DIN 180/10-16 H189 120x3 25° | 7687400401010 | |
| DIN 180/10-16 H202 100x4,5 44° | 7687400401445 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS 150/4-13 H332/110 120x3 25° 62x1,75 DIN5480 | 76874007012510261 | |
| XS 150/4-13 H332/110 120x3 25° 62x1,75 DIN5480 | 76874007012670261 | |
| XS 150/4-13 H446/180 100x4,5 44° 62x1,75 DIN5480 | 76874007017500348 | |
| XS 180/4-15 H332/110 120x3 25° 62x1,75 DIN5480 | 76874007012530261 | |
| XS 180/4-15 H446/180 100x4,5 44° 62x1,75 DIN5480 | 76874007017510348 | |
| DIN 150/8-12 H352/110 120x3 27° 62x1,75 DIN5480 | 76874007012460261 | |
| DIN 150/8-12 H446/180 100x4,5 44° 62x1,75 DIN5480 | 76874007017460348 | |
| DIN 165/8-16 H340/110 120x3 27° 62x1,75 DIN5480 | 76874007012030261 | |
| DIN 165/8-16 H434/180 100x4,5 44° 62x1,75 DIN5480 | 76874007017550348 | |
| DIN 180/8-14 H352/110 120x3 27° 62x1,75 DIN5480 | 76874007012120261 | |
| DIN 180/8-14 H446/180 100x4,5 44° 62x 1,75 DIN5480 | 76874007017430348 | |
| DIN 180/8-16 H352/110 120x3 27° 62x1,75 DIN5480 | 76874007012130261 | |
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 180/8-16 H446/180 100x4,5 44° 62x1,75 DIN5480 | 76874007017440348 | |
| DIN 180/10-16 H352/110 120x3 27° 62x1,75 DIN5480 | 76874007012100261 | |
| DIN 180/10-16 H446/180 100x4,5 44° 62x1,75 DIN5480 | 76874007017450348 | |

**687.40 / GS 706 - 47,60x135,20**

| Dimensions | | EDS Part Number | Comments |
|---|---------------------------|-------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | | |
| XS 150/4-13 | H074 20° | 2687402000520 | EDS |
| XS 150/4-13 | H082 25° | 2687402000500 | |
| XS 150/4-13 | H082 25° | 2687402011500 | MAN nickel plated |
| XS 150/4-13 | H102 44° | 2687402700510 | |
| XS 150/4-13 | H102 44° | 2687402711510 | MAN nickel plated |
| XS 180/4-15 | H082 25° | 2687402300500 | |
| XS 180/4-15 | H102 44° | 2687402700520 | |
| DIN 150/8-12 | H093 35° | 2687402000150 | EDS |
| DIN 150/8-12 | H102 44° | 2687402700150 | |
| DIN 150/8-12+4-16 | H102 44° | 2688402500000 | DOWEL PIN CONNECTION according to DIN 14451 |
| DIN 165/8-16 | H090 35° | 2687402700000 | obsolete--new EDS version H087 available |
| DIN 165/8-16 | H087 30° | 2687402700060 | EDS |
| DIN 180/8-12 | H102 44° | 2687402800080 | |
| DIN 180/8-14 | H085 25° GGG70 | 2186302046100 | old p/n 2502702017974 |
| DIN 180/8-14 | H092 35° | 2687402300130 | EDS |
| DIN 180/8-14 | H102 44° | 2687402800060 | |
| DIN 180/8-16 | H102 44° | 2687402800070 | |
| DIN 180/10-16 | H102 44° | 2687402800000 | |
| SAE 170/4-7.7 | H095 35° | 2687402701002 | special with stock available |
| SAE 174/8-9.6 | H070 25° | 2186302446120 | obsolete replaced by 2687402400090 |
| SAE 174/8-9.6 | H092 35° | 2687402400090 | EDS |
| SAE 174/8-10 | H070 25° | 2186302446020 | obsolete replaced by 2687402400090 (to drill holes) |
| SAE 174/8-10 | H092 35° | 2186302446010 | EDS --- GWB H100 no longer available |
| SAE 203/12-9,6 | H070,5 25° | 2186302446060 | |
| SAE 203/12-10 | H070,5 25° | 2502702017080 | obsolete replaced by 2186302446030 |
| SAE 203/12-10 | H070,5 25° | 2186302446030 | |
| SAE 203/12-10 | H100 44° | 2186302446000 | GS706 obsolete replaced by GWB 2687402400120 |
| SAE 203/12-10 | H100 44° | 2687402400120 | |
| SAE 203/12-11 | H070,5 25° | 2186302446080 | |
| SAE 203/12-11 | H100 44° | 2186302446130 | GS706 obsolete replaced by GWB 2687402400110 |
| SAE 203/12-11 | H100 44° | 2687402400110 | |
| SAE 203/12-12 | H100 44° | 2186302446040 | |
| SAE 205/8-12 | H093 30° 198Spigot 185PCD | 2687402400150 | EDS |
| DIN 150 Blank | H102 44° | 3687402700150 | |
| DIN 180 Blank | H092 35° | 3687402300000 | |
| DIN 180 Blank | H102 44° | 3687402800000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | | |
| H075 89,5x4,75 25° | | 2186304046020 | GS 706 RVI R312 BUS obsolete |
| H087 120x3 25° | | 2687404000040 | |
| H087 120x4 25° | | 2687404000080 | |
| H075 120x3 44° | | 2502704018125 | GS 706 obsolete |
| H100 100x4,5 44° | | 2687404700000 | |
| H100 100x4,5 44° | | 2687404700100 | EDS |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | | |
| H167 25° 62x1,75 DIN5480 rilsan | | 26874030000000167 | on request |
| H176 25° 62x1,75 DIN5480 rilsan | | 26874030000000176 | on request |
| H192 25° 62x1,75 DIN5480 rilsan | | 26874030000000192 | on request |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | | |
| GS706 | | 1186305046000 | GS 706 obsolete with stock , for GS 706 slip assy's |
| Washer | | 1501005000100 | SPL 140 mid end assy's |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | | |
| Plug-cap Ø65 for spline 62x1,75 DIN 5480 | | 1687401400000 | |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvota di sfogo / воздушный клапан | | | |
| VALVE-PLUG ALL GWB 687 SERIES | | 1000008608020 | |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | | |
| H261 25° 62x2 DIN5480 | | 26874070005000261 | |
| H280 25° 62x1,75 DIN5480 | | 26874070000000200 | EDS |
| H348 44° 62x1,75 DIN5480 | | 26874077000000348 | |

**687.40 / GS 706 - 47,60x135,20**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H175 100x4,5 62x1,75 DIN5480 | 2687408000000177 | for standard slip 110 mm |
| H247 100x4,5 62x1,75 DIN5480 | 26874080000000247 | interaxle long slip 180 mm for slip assy 66874077802040348 |
| H170 120x3 62x1,75 DIN5480 | 26874080000100170 | |
| H170 120x3 62x1,75 DIN5480 rilsan 9.01 | 26874080000200170 | |
| H244 120x3 62x1,75 DIN5480 rilsan 9.01 | 26874080000400244 | |
| H296 120x3 62x1,75 DIN5480 IVECO-MIS | 26137080000100296 | IVECO-MIS obsolete |
| H170 120x3 65x2,50 DIN5480 MAN-IVECO Boot Ø 75 | 26137580000300170 | MAN-MIS all models 2002... IVECO ULM-MADRID 2009...MIS |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| No splined bar at 687.40 series available , check 587.30 /587.35 (65x2,5x24 DIN5480) equivalent series higher torque capacity | | |
| DHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H087 | 66874009000000087 | |
| H097 | 66874009000000097 | |
| H102 | 66874009000000102 | |
| H127 | 66874009001200127 | |
| H132 | 66874009000000132 | |
| H202 lube version | 66874009000100202 | |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| Muff seal GWB 687.40 | 1000008508049 | under request , see complete dust cover |
| Muff seal GS706 | 1000008508079 | GS 706 obsolete with stock , for GS 706 slip assy's |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе (с чехлом) | | |
| H250/110 100x4,5 25° 62x1,75 DIN5480 w/dust cover | 66874070802050261 | |
| H250/110 120x3 27° 62x1,75 DIN5480 w/dust cover | 66874070802040261 | |
| H255/110 120x3 25° 62x1,75 DIN5480 w/dust cover | 6687407080200 | EDS |
| H304/150 100x4,5 44° 62x1,75 DIN5480 w/dust cover | 66874077802120305 | interaxle 44° |
| H344/180 100x4,5 44° 62x1,75 DIN5480 w/dust cover | 66874077802040348 | interaxle 44° |
| H346/180 100x4,5 44° 62x1,75 DIN5480 w/dust cover | 66874077802150348 | EDS |
| H254/110 Ø 114 25° 62x1,75 DIN5480 no dust cover | 66874070800990234 | for SC 9.01 120x3 , no dust cover 66874009000000132 |
| H320/160 Ø 091 35° 62x1,75 DIN5480 no dust cover | 66874077800030325 | for SC 9.01 100x4,5 ,no dust cover 66874009000100202 |
| H341/180 Ø 091 44° 62x1,75 DIN5480 no dust cover | 66874077800990348 | for SC 9.01 100x4,5 ,no dust cover 66874009000100202 |
| WMUNHV+ZWL/Full monot. assy/Ens.Coul.Mon./ Conj. Corr. Monot./Scorr. comp. mono. / Шлицевой вал и шлиц. втулка в сборе + Подвесной подшипник | | |
| IVECO MONOTRON - MIS (Muff style for IVECO ULM- MADRID 2002...2009 , Boot style for IVECO ULM-MADRID-BRESCIA 2009...) | | |
| H376/110 Muff 120x3 Ø70x220x26RL H85 | 76137008000100400 | IVECO ULM-MADRID 2002.....2009 , obsolete |
| H250/110 Boot 120x3 Ø75x220x26RL H90 | 76137508000900261 | IVECO BRESCIA 2002.....WDL 9195 Ø 75 |
| WMUNHV+ZWL/Full monot. assy/Ens.Coul.Mon./ Conj. Corr. Monot./Scorr. comp. mono./Шлицевой вал и шлиц. втулка в сборе + Подвесной подшипник | | |
| MAN MONOTRON - MIS (Boot style unified on 2009 MAN - IVECO ULM-MADRID on 2009) | | |
| H250/110 Boot 120x3 Ø75x230x20RL H85 | 76137508000700261 | MAN 2002...2006 , WDL 9020 Ø 75 |
| H250/110 Boot 120x3 Ø75x220x26RL H90 | 76137508002100261 | MAN 2007...2009 , WDL 9193 Ø 75 hardness shore A 70 (*) |
| H250/110 Boot 120x3 Ø75x220x26RL H90 | 76137508002300261 | MAN + IVECO ULM-MADRID 2009...use 76137508002100261 (*) |
| (*) New full monotron assy MAN + IVECO BRESCIA 2009...76137508002300261 can used for service old 76137508002100261 without troubles | | |
| RVI / VOLVO MONOTRON - MIS (Boot style) | | |
| H250/110 Boot 120x3 Ø75x220x26RL H85 | 76137508730000200 | VOLVO- RENAULT 2002.... , WDL 9191 Ø 75 |
| NHUZWL/ Sleeve + c/bearing MIS /Coulisse + palier MIS/ Corr. + puente Monot./Manicotto+supporto Monot./Шлицевая втулка + Подвесной подшипник | | |
| H296 120x3 IVECO ULM-MADRID 2002...2009 Muff | 6613750800140 | IVECO ULM-MADRID 02...09, obsolete |
| H170 120x3 MAN 07...+ IVECO ULM-MADRID 09 Boot | 6613750800120 | MAN 2007... , IVECO ULM-MAD. 09...WDL 9193 Ø75 shore A 70 |
| H170 120x3 RVI 2002..... Boot | 6613750800070 | RVI 2002....., WDL 9191 Ø 75 |
| FABA - Faltenbalg./ Boot MIS / Soufflet monotron /Fuelle monotron /Soffietto monotronco / Чехол | | |
| Boot | 1000008401011 | 687.40 / 687.45 MAN / RVI / VOLVO MIS-monotron shafts |
| SPRING - Seegerring strang ./ Circlip MIS / Circlip monotron / Arillo o reten monotron / Anello di sicurezza monotronco / стопорное кольцо | | |
| Spring 70x2,5 DIN 471 | 1000008902206 | IVECO ULM-MADRID Trucks 2002....2009 obsolete |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H238/50 25° 62x1,75 DIN5480 9.03 | 66874070302000169 | c/w dust cover |
| H248/60 25° 62x1,75 DIN5480 9.03 | 66874070302000179 | c/w dust cover |
| H257/70 25° 62x1,75 DIN5480 9.03 | 66874070302000188 | c/w dust cover |
| H302/110 25° 62x1,75 DIN5480 9.03 | 66874070306000234 | please order dust cover 66874009000100132 separately |
| H311/080 25° 62x1,75 DIN5480 9.03 | 6687407030311 | EDS c/w dust cover |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 100x4,5 | Tube 100x4,5 | |
| Tube 120x3 | Tube 120x3 | 687.40 / GS 706 / KLEIN490 standard series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H140 Ø 65x24 120x3 65x2 DIN5480 | 2113651611110 | MAN ,WDL 9018- WDL 9019,ZWFL 6113655299000 |
| H152 Ø 50x27 120x3 49,4 Inv spline | 2687401673000 | RVI DANA 1710 - 687.40 XS 180 conversion mid-stub, WDL 9100 |
| H157 Ø 50x27 120x3 49,4 Inv spline | 2687401673100 | RVI DANA 1710 - 687.40 SAE 203 conversion mid-stub , WDL 9100 |
| H175 Ø 55x16 120x3 55x2,5 DIN 5480 nut M40x1,5 incl. | 2687401600500 | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 150/4-13 | 6113655299000 | MAN kit includes washer and bolts |
| XS 180/4-15 H65,0 49,4x48 Involute spline | 2521405200500 | RVI DANA XS 1710***687.40 conversion mid end assy |
| SAE 203/12-10 H92,7 49,4x48 Involute spline | 2501715200000 | RVI DANA SAE 1710***687.40 conversion mid end assy |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| MID END ASSY CENTER BEARINGS | | |
| Ø50x193x30 RL H71,0 | WDL 9100 | RVI 5000820884 |
| Ø55x193,5x15RL H71,5l | WDL 9058 | 0819 4600 IVECO 687.40 / RVI 5000816926 GS 706 |
| Ø55x200x18 LL H71,5 | WDL 9081 | 1068208 VOLVO |
| Ø55x200x18 LL H71,8 | WDL 9063 | 1252249 DAF ,obsolete replaced by WDL 9064 |
| Ø55x200x18 LL H69,1 | WDL 9064 | 1298157 DAF 687.35/40 replacement of obsolete WDL 9063 |
| Ø55x220x22 RL H90 | WDL 9194 | 4255 5172 IVECO |
| Ø65x230x23 RL H85,8 | WDL 9019 | 81 39410 6017 MAN , obsolete replaced by WDL 9018 |
| Ø65x225x23 RL H85,8 | WDL 9018 | 81 39410 6019 MAN |

**687.40 / GS 706 - 47,60x135,20**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| MIS-MONOTRON CENTER BEARINGS | | |
| Ø70x220x20 RL H85 | WDL 9076 | IVECO 4253 9442 |
| Ø75x220x26 RL H90 | WDL 9338 | IVECO 4256 5564 replaces WDL 9076 |
| Ø75x220x26 RL H90 | WDL 9195 | IVECO BRESCIA 02+ ULM-MADRID 09...4255 5168 IVECO |
| Ø75x220x26 RL H85 | WDL 9191 | VOLVO / RVI , 400606506 RVI , 687.40/687.45 |
| Ø75x230x20 RL H85 | WDL 9020 | MAN obs. replaced by WDL 9193,81 39410 6020/6021 MAN |
| Ø75x225x26 RL H90 | WDL 9193 | MAN MONOTRON 06...09 Shore 55, 81 39410 6032 MAN |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| M40x1,5 | 1000008102067 | |
| DANA SPL 140 - 250 / C2040 - C2055 | 1522508100000 | washer required 1501005000100 |
| ZWZUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| SAE 174/8-10 H172 120x3 Ø55 L89 | 6113551652061 | RVI / VOLVO |
| XS 150/4-13 H170 120x3 Ø55 L95 | 6687401652500 | IVECO / DAF / VOLVO GWB replacement |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto completo / Шлицевой вал под подвесной подшипник | | |
| XS 150/4-13 H130 120x3 M95 | 7613550900960 | obsolete with stock |
| XS 150/4-13 H145 120x3 M95 | 7613550900770 | DAF , WDL 9064 , w/ grease nipple |
| XS 150/4-13 H145 120x3 M95 | 7613550900730 | VOLVO , WDL 9081 |
| XS 150/4-13 H160 120x3 M95 | 7113650911510 | MAN obsolete WDL 9019 replaced by 6613655299000 |
| XS 180/4-15 H130 120x3 M80 | 7613550900720 | VOLVO , WDL 9081 old replaced by 7613550900930 |
| XS 180/4-15 H130 120x3 M80 | 7613550900740 | IVECO , WDL 9058 |
| XS 180/4-15 H130 120x3 M80 | 7613550900930 | VOLVO , WDL 9081 new |
| XS 180/4-15 H136 120x3 M80 | 7113550900513 | IVECO , WDL 9194 , replacing obsolete old 7113550901505 |
| XS 180/4-15 H150 120x3 M80 | 7613550900540 | DAF , WDL 9064 , in separate parts |
| TELMA H151 89,5x4,75 | 7502700973000 | RVI - IRISBUS GS706 obsolete |
| TELMA H151 100x4,5 | 7613450973000 | RVI - IRISBUS |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| XS 150/4-13 Lz.420 | 301409303232L0420 | MAN 81.39302.6042 |
| XS 150/4-13 Lz.475 | 301409303232L0475 | MAN 81.36106.6822 |
| XS 180/4-15 - XS150/4-13 Lz.528 | 301409163332L0528 | EVOBUS 000 410 4001 |
| XS 180/4-15 Lz.450 | 301409303333L0450 | NEOMAN 11012553 |
| SAE 203/12-10 Lz.645 | 301409144646L0645 | RENAULT 5010056777 |
| For other lengths , slips and flange connections please contact WELTE sales team | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 47,60x135,20 central grease std | WD 10225 | GWB |
| 47,60x135,20 central grease LT | WD 13215 | GWB |
| 47,60x135,20 central grease HT | WD 10115 | GWB |
| 47,60x135,20 central grease | WD 11625 | INA |
| 47,60x135,20 service free | WD 10140 | GWB |
| 47,60x135,20 central grease | WD 14055 | EDS |
| 47,60x135,20 4xend lube + central grease | WD 13649 | GWB |
| 47,60x135,20/TELMA central grease IRISBUS | WD 50095 | GS TELMA GS706 , RVI 5000 803 672 |
| 47,60x135,20/TELMA central grease | WD 51095 | EDS TELMA obsolete |
| 47,60/48,00x135,20 central grease | WD 14295 | EDS , KLEIN 490 - 687.40 conversion kit |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Воскола/опорная втулка;втулка подшипника в комплекте | | |
| Ø 47,6 DANA SIC 687.40 GWB | 6687400600000 | GWB |
| Ø 47,6 GWB HT (High Temperature) | 6687400600070 | GWB |
| Ø 47,6 GWB service free | 6687400600160 | GWB |
| Ø 47,6 GWB 1xend lube | 6687400600030 | GWB |
| Ø 47,60 GC706 | 6186300646000 | GS 706 |

687.45 / 47 - 52,00x147,20

| Dimensions | EDS Part Number | Comments |
|---|-----------------|----------|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| XS 150/4-13 H195 120x4 25° | 7687450401052 | |
| XS 150/4-13 H195 120x4 27° | 7687450401056 | |
| XS 150/4-13 H208 110x5 35° | 7687450401451 | |
| XS 180/4-15 H182 120x4 27° | 7687450401051 | |
| XS 180/4-15 H216 110x5 44° | 7687450401450 | |
| DIN 180/8-14 H190 120x4 27° | 7687450401004 | |
| DIN 180/8-14 H203 110x5 35° | 7687450401008 | |
| DIN 180/8-16 H190 120x4 27° | 7687450401010 | |
| DIN 180/8-16 H203 110x5 35° | 7687450401009 | |
| DIN 180/10-16 H190 120x4 27° | 7687450401003 | |
| DIN 180/10-16 H203 110x5 35° | 7687450401007 | |

**687.45 / 47 - 52,00x147,20**

| Dimensions | | EDS Part Number | Comments |
|--|--|-------------------|---|
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | | |
| XS 150/4-13 H365/110 120x4 27° 68x1,75 DIN5480 | | 76874507017520273 | |
| XS 150/4-13 H390/110 110x5 35° 68x1,75 DIN5480 | | 76874507017510291 | |
| XS 155/4-13 H460/180 110x5 27° 68x1,75 DIN5480 | | 76874507018510361 | |
| XS 180/4-15 H352/110 120x4 27° 68x1,75 DIN5480 | | 76874507012510273 | |
| XS 180/4-15 H468/180 110x5 27° 68x1,75 DIN5480 | | 76874507018500361 | |
| DIN 165/8-16 H367/110 120x4 27° 68x1,75 DIN5480 | | 76874507012060273 | |
| DIN 180/8-14 H360/110 120x4 27° 68x1,75 DIN5480 | | 76874507012040273 | |
| DIN 180/8-14 H455/180 110x5 35° 68x1,75 DIN5480 | | 76874507012080361 | |
| DIN 180/8-16 H360/110 120x4 27° 68x1,75 DIN5480 | | 76874507012100273 | |
| DIN 180/8-16 H455/180 110x5 35° 68x1,75 DIN5480 | | 76874507012090361 | |
| DIN 180/10-16 H360/110 120x4 27° 68x1,75 DIN5480 | | 76874507012030273 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | | |
| XS 150/4-13 H085 25° | | 201 590 16369 | |
| XS 150/4-13 H102 37° | | 2687452727510 | IVECO Interaxle |
| XS 155/4-13 H100 37° | | 2687452727500 | |
| XS 165/4-13 H102 44° | | 2687452700540 | obsolete with stock available |
| XS 180/4-15 H085 25° | | 2687452000550 | EDS |
| XS 180/4-15 H085 25° | | 201 590 16147 | |
| XS 180/4-15 H087 25° | | 2687452000500 | |
| XS 180/4-15 H087 25° | | 2687452011500 | MAN nickel plated |
| XS 180/4-15 H109 44° | | 2687452700500 | |
| XS 180/4-15 H108 44° | | 201 590 16283 | |
| XS 225/4-17 H090 25° SPIRAL SERRATION | | 2688452300500 | |
| DIN 165/8-16 H112 44° | | 2687452700060 | |
| DIN 180/8-12+4-20 H095 27° | | 2688452500060 | DOWEL PIN |
| DIN 180/8-14 H095 27° | | 2687452000060 | |
| DIN 180/8-14 H100 35° | | 2687452700080 | |
| DIN 180/8-15 H095 27° | | 2688452200020 | on request |
| DIN 180/8-15 H095 27° | | 2688452200030 | on request |
| DIN 180/8-16 H095 27° | | 2687452000070 | |
| DIN 180/10-16 H095 27° | | 2687452000000 | |
| DIN 180/10-16 H108 44° | | 2687452700000 | |
| DIN 225/8-16 H090 25° | | 2688452300000 | |
| DIN 225/8-16 H095 25° | | 2687452372200 | |
| SAE 174/8-9,6 H095 35° | | 2687452400070 | VOLVO |
| SAE 203/12-9,6 H086 25° | | 2687452400110 | |
| SAE 203/12-10 H086 25° | | 2687452400090 | |
| SAE 203/12-11 H086 25° | | 2687452400100 | |
| SAE 203/12-12 H086 25° | | 2687452400120 | |
| DIN 165 Blank H112 44° | | 3687452700060 | |
| DIN 180 Blank H095 27° | | 3687452000000 | |
| DIN 225 Blank H095 25° | | 3688452300060 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | | |
| H108 110x5 44° | | 2687454700000 | |
| H095 120x4 25° | | 2687454000040 | |
| H095 120x4 25° | | 2687454000100 | EDS |
| H097 120x4 25° | | 208 590 16149 | |
| H108 120x4 44° | | 208 590 16281 | |
| H095 120x5 25° | | 2687474008020 | |
| H097 120x5 25° | | 208 590 A9750 | DAF |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | | |
| H181 25° 68x1,75 DIN 5480 rilsan | | 2687453000000181 | |
| H191 25° 68x1,75 DIN 5480 rilsan | | 2687453000000191 | |
| H231 25° 68x1,75 DIN 5480 rilsan | | 2687453000000231 | |
| H311 44° 68x1,75 DIN 5480 rilsan | | 2687453800000311 | for VOLVO 1069129/20476719 obsolete |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | | |
| Washer | | 1501005000100 | SPL 140-250/1710-687.40/1760-687.45/47/ 1810 - 687.55 |
| Washer | | 261 000 03678 | KLEIN 490/590/687.45/47/KLEIN 680/620 for nut M40x1,5 |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | | |
| Plug-cap Ø68 for spline 68x1,75 DIN 5480 | | 1687451400000 | |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | | |
| VALVE-PLUG ALL GWB 687 SERIES | | 1000008608020 | rubber |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | | |
| H273 25° 68x1,75 DIN 5480 | | 26874570005000273 | monotron |
| H203 27° 68x1,75 DIN 5480 | | 26874570000000203 | |
| H273 27° 68x1,75 DIN 5480 | | 26874570000000273 | |
| H361 44° 68x1,75 DIN 5480 | | 26874577000000361 | |

**687.45 / 47 - 52,00x147,20**

| Dimensions | EDS Part Number | Comments |
|--|--------------------|--|
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H166 120x4 68x1,75 DIN5480 rilsan | 26874580000200166 | for 9.01 application |
| H176 120x4 68x1,75 DIN5480 rilsan | 26874580000200176 | for 9.01 application obs. slip assy 9.01 66874570800990210 |
| H186 110x5 68x1,75 DIN5480 rilsan | 26874580000000186 | for 110 mm slip applications, available under request |
| H256 110x5 68x1,75 DIN5480 rilsan | 268745800001000256 | obsolete with stock replaced by 26874580000000256 |
| H256 110x5 68x1,75 DIN5480 rilsan VOLVO interaxle | 26874580000000256 | for 180 mm slip applications |
| H182 120x4 95x2 DIN5480 rilsan | 242 590 16145 | 110 mm slip assy 151 590 11644 |
| H182 120x5 95x2 DIN5480 rilsan | 242 590 A9751 | DAF |
| H253 120x4 95x2 DIN 5480 rilsan | 242 590 16280 | 180 mm slip assy 151 590 11741 |
| H186 120x4 68x1,75 DIN5480 rilsan 9.01 | 26874580000200186 | for slip assy 9.01 66874570800990240 |
| H296 120x4 IVECO -Monotron muff Ø 75 | 26137580000200296 | IVECO MONOTRON ULM - MADRID 2002...2009 obsolete |
| H179 120x4 RVI/ IVECO -Monotron boot Ø 75 | 26874580000100179 | RVI MONOTRON/IVECO BRESCIA 02...IVECO ULM-MADRID 09.. |
| H179 120x4 MAN-Monotron boot Ø 75 | 26137580000400179 | MAN MONOTRON 2002..... |
| DHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H132 | 66874509000000132 | |
| H202 | 66874509000100202 | MAN / IVECO greasable |
| H202 | 66874509000300202 | VOLVO |
| H130 | 116 590 20588 | KLEIN replaces old p/n 216 590 16146 |
| H200 | 116 590 20589 | KLEIN replaces old p/n 216 590 16183 |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| Muff - seal cover | 212 590 16148 | KLEIN 590 for old versions |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе (с чехлом) | | |
| H265/070 120x5 25° 95x2 DIN 5480 | 151 590 20043 | DAF |
| H265/110 120x4 27° 68x1,75 DIN 5480 | 668745708002030273 | |
| H280/110 120x4 27° 68x1,75 DIN 5480 | 66874570800250 | EDS |
| H265/110 120x5 27° 68x1,75 DIN 5480 | 668745708002070273 | |
| H267/110 120x4 25° 95x2 DIN 5480 | 151 590 11644 | |
| H290/110 110x5 37° 68x1,75 DIN 5480 | 66874577801100291 | available under request |
| H360/180 120x4 44° 95x2 DIN 5480 | 151 590 11741 | |
| H360/180 110x5 44° 68x1,75 DIN 5480 | 66874577802040361 | |
| H272/110 Ø112 27° 68x1,75 DIN 5480 9.01 | 66874570800990240 | dust cover 66874509000000132 not included |
| H360/180 Ø100 44° 68x1,75 DIN 5480 9.01 | 66874577800990361 | VOLVO dust cover 66874509000100202 not included |
| WMUNHV+ZWL/Full monot. assy/Ens.Coul.Mon./ Conj. Corr. Monot./Scorr. comp. mono./Шлицевой вал и шлиц. втулка в сборе + Подвесной подшипник | | |
| IVECO MONOTRON - MIS (Muff style for IVECO ULM- MADRID 2002...2009 , Boot style for IVECO ULM-MADRID-BRESCIA 2009...) | | |
| H382/110 120x4 Ø75x220x20RL H85 | 76137508000400405 | IVECO ULM-MADRID 2002.... 2006 obsolete |
| H382/110 120x4 Ø75x220x26RL H85 | 76137508001100405 | IVECO ULM-MADRID 2006.... 2009 obsolete |
| H267/110 120x4 Ø75x220x26RL H90 | 76137508001000325 | IVECO BRESCIA 02...WDL 9195 Ø75 |
| H267/110 120x4 Ø75x220x26RL H90 | 76137508003000300 | IVECO ULM- MADRID 2009,WDL 9193 Ø 75 Shore A 70 (**) |
| H267/110 120x4 Ø75x225x26 RLH90 | 76137508002000273 | IVECO ULM- MADRID 2009,WDL 9193 Ø 75 Shore A 70 (**) |
| MAN MONOTRON - MIS (Boot style) | | |
| H267/110 120x4 Ø75x225x20RL H85 | 76137508000800273 | MAN 2002...2007 , WDL 9020 obsolete |
| H267/110 120x4 Ø75x225x26RL H90 | 76137508002000273 | MAN 2002...2009 , WDL 9193 obsolete |
| H267/110 120x4 Ø75x225x26RL H85 | 76137508002800273 | MAN 2009... WDL 9252 Shore A 84 |
| NHUVZWL/ Sleeve + c/bearing MIS /Coulisse + palier MIS/ Corr. + puente Monot./Manicotto+supporto Monot./Шлицевая втулка + Подвесной подшипник | | |
| H170 120x4 Old sleeve + old c/ Bearing MAN | 6613750800180 | MAN 2002.....2006 , WDL 9020 , changed on 2007/2009 |
| H170 120x4 New sleeve + C/ Bearing MAN - RVI (*) | 6613750800200 | MAN (WDL 9193) 2006...2009 - RVI (WDL 9195) 2002..... |
| (*) Model obsolete for MAN (changed on 2006) but still on use and interchangeable with RVI (RENAULT TRUCKS) original same from 2002.....2010 | | |
| FABA - Faltenbalg./ Boot MIS / Soufflet monotron / Fuelle monotron / Soffietto monotronco / Чехол | | |
| Boot | 1000008401011 | 687.40 / 687.45 MAN / RVI / VOLVO MIS-monotron shafts |
| SPRING - Seegerring strang. / Circlip MIS / Circlip monotron / Arillo o reten monotron / Anello di sicurezza monotronco / стопорное кольцо | | |
| Spring 75x2,5 DIN 471 IVECO ULM-MADRID 02....09 | 1000008902066 | for IVECO ULM-MADRID Trucks 2002...2009 |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H278/060 25° 68x1,75 DIN 5480 no dust cover | 66874570300000203 | |
| H317/110 27° 68x1,75 DIN 5480 no dust cover | 66874570306000240 | |
| H317/110 27° 68x1,75 DIN 5480 with dust cover | 66874570308110240 | |
| H410/180 44° 68x1,75 DIN 5480 with dust cover 9.01 | 6687457738410 | VOLVO Lz.626 |
| H468/180 44° 68x1,75 DIN 5480 no dust cover | 66874577330000361 | VOLVO Lz 684 |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 110x5 | Tube 110x5 | 687.45 special interaxle 44° |
| Tube 120x4 | Tube 120x4 | 687.45 / GS 806 / KLEIN 590 series tube |
| Tube 120x5 | Tube 120x5 | 687.47 / 687.50 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H140 Ø65 Ep24 120x4 65x2 DIN5480 | 2113651600120 | MAN , WDL 9018 |
| H145 Ø60 Ep20 120x4 60x2,5 DIN5482 | 2687451610000 | VOLVO please use WDL 9119 + NK400 hardware |
| H151 Ø60 Ep34 120x4 59,7 x 46Z Involute spline (*) | 2687451673000 | RVI SPL170***687.45 for XS 180 , WDL 9135 |
| H151 Ø60 Ep34 120x5 59,7 x 46Z Involute spline (*) | 2687471673000 | RVI SPL170***687.47 for XS 180 , WDL 9135 |
| H153 Ø65 Ep18 120x4 55x2,5 DIN5480 M40x1,5 | 225 590 16151 | KLEIN - IVECO KLEIN 590 , WDL 9045 |
| H153 Ø65 Ep18 120x5 55x2,5 DIN5480 M40x1,5 | 225 590 A9749 | KLEIN - DAF KLEIN 590 , WDL 9070 |
| H155 Ø65 Ep23 120x4 55x2,5 DIN5480 M40x1,5 | 225 590 A9739 | KLEIN - MAN BUS obsolete KLEIN 590 , WDL 9018 |
| (*) DANA Nut 1522508100000 + DANA washer 1501005000100 to be added separately | | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 180/4-15 H065 comp. flange-kit incl. washer and bolts | 6113655299001 | MAN , WDL 9019 |
| XS 180/4-15 H062 59,7x46Z Involute spline | 2521705200500 | DANA -RVI SPL170***687.45/47 for midship '2522501600000 |
| XS 180/4-15 H108 55x2,5 DIN 5480 DAF | 224 590 16348 | DAF , midship 225 590 A9749 , WDL 9070 |
| XS 180/4-15 H088 55x2,5 DIN 5480 IVECO | 224 590 16152 | IVECO , midship 225 590 16151 , WDL 9045 |
| XS 180/4-15 H150 old NK style | 2687455210180 | VOLVO VCE please use WDL 9119 + NK400 hardware |

**687.45 / 47 - 52,00x147,20**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø55x194x17 RL H72,0 | WDL 9086 | RVI 5000815989(DANA)/5000816926 (GWB) |
| Ø55x200x18 LL H71,5 | WDL 9081 | VOLVO , 1068208 VOLVO |
| Ø55x200x18 LL H71,8 | WDL 9074 | VOLVO 20471422 ORIGINAL |
| Ø55x200x18 LL H69,1 | WDL 9064 | 1298157 DAF , also replacement of WDL 9063 Obsolete |
| Ø55x200x18 RL H71,5 | WDL 9045 | IVECO ; 9316 3091 IVECO |
| Ø60x198x30 RL H80 | WDL 9119 | VOLVO VCE |
| Ø60x200x22 LL H81,5 RIGID | WDL 9079 | RVI '0003397101 obsol. to replace WDL 9040 / 9135 w/old flingers |
| Ø60x200x36 LL H80,0 | WDL 9135 | SPL - RVI , RVI 500819211 / 5001845474 / 5001843910 |
| Ø60x200x36 LL H80,0 | WDL 9040 | IVECO/RVI , 0480 3933 IVECO ORIG./5000 838 696 RVI |
| Ø60x200x36 LL H80,0 | WDL 9340 | EDS IVECO - RVI , 5000 838 696 RVI / 480 3933 IVECO COPY |
| Ø65x200x19 LL H71,5 | WDL 9070 | 1435557 / 1288120 DAF, can be replaced also by WDL 9107 |
| Ø65x200x19 RL H71,5 | WDL 9041 | KLEIN - IVECO 9319 4978 |
| Ø65x200x19 RL H71,5 | WDL 9130 | KLEIN - IVECO 4253 4499 |
| Ø65x200x19 RL H71,5 | WDL 9230 | KLEIN - DAF 1779697 reinforced bracket |
| Ø65x225x23 RL H85,8 | WDL 9018 | MAN , 81 39410 6019 MAN |
| MIS-MONOTRON CENTER BEARINGS | | |
| Ø75x220x20 RL H85 | WDL 9028 | IVECO ULM- MADRID 2002.... 2006 / 4253 8361 IVECO |
| Ø75x220x20 RL H85 | WDL 9027 | KLEIN 590 / 600 - MAN , 81 39400 6107 MAN |
| Ø75x220x26 RL H90 | WDL 9195 | IVECO BRESCIA 02...ULM-MADRID 09..4255 5168 IVECO |
| Ø75x220x26 RL H85 | WDL 9191 | RVI 02...IVECO ULM-MADRID 06...09.400606506 RVI |
| Ø75x225x26 RL H90 | WDL 9193 | MAN 2006....2009 Shore 55 , 81 39410 6032 MAN |
| Ø75x230x20 RL H85 | WDL 9020 | MAN 2002....2006 , 81 39410 6020 / 6021 MAN |
| Ø80x220x22 RL H85 | WDL 9180 | KLEIN 590 / 620 - IVECO , 4253 8889 IVECO |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut M40x1,5 | 1000008102067 | 587.20/587.30/587.35/286.37/687.40/ 687.45/47 |
| Nut DANA | 1522508100000 | RVI - DAF (required washer 1501005000100) |
| Nut M40x1,5 | 243 000 03642 | KLEIN 490 / KLEIN 680 / KLEIN 590 / KLEIN 620 series |
| ZWUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| SAE 203/12-11 H158 Ø 55 Ep 17 120x4 M113 | 6186361652000 | GS806 - RVI ,for WDL 9086 |
| SAE 203/12-11 H190 Ø 60 Ep 36 120x4 M113 | 6687451652093 | GS806 - RVI ,for WDL 9079 obs. replaced by WDL 9135 / 9040 EDS |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto completo / Шлицевой вал под подвесной подшипник | | |
| XS 180/4-15 H130 120x4 M080 | 7613550900800 | DAF, obsolete to replace by 7613550900780,WDL 9064 |
| XS 180/4-15 H130 120x4 M080 | 7613550900710 | IVECO , WDL 9045 |
| XS 180/4-15 H130 120x4 M080 | 7613550900650 | VOLVO , WDL 9081 |
| XS 180/4-15 H150 120x4 M100 | 7613550900970 | DAF new , replacement for 7613550900780 , WDL 9064 |
| XS 180/4-15 H165 120x3 M100 | 7113650911550 | MAN , WDL 9018, in separate parts |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| XS 150/4-13 - XS 180/4-15 Lz.494 | 301459103233L0494 | EVOBUS 627 410 0101 |
| XS 150/4-13 - XS 180/4-15 Lz.554 | 301459103333L0554 | BOVA 286890 |
| XS 150/4-13 - XS 180/4-15 Lz.510 | 301459103233L0510 | EVOBUS 627 410 0001 |
| XS 180/4-15 Lz.441 | 301459363333L0441 | NEOMAN 36 39390 6003 |
| XS 180/4-15 Lz.461 | 301459363333L0461 | NEOMAN 81 39390 6070 |
| XS 180/4-15 Lz.481 | 301459363333L0481 | NEOMAN 81 39390 6037 |
| XS 180/4-15 Lz.531 | 301459103333L0531 | VOLVO 9956569 / 11154095 |
| XS 180/4-15 Lz.626 | 301459363333L0626 | VOLVO 2048 9408 interaxle |
| XS 180/4-15 Lz.684 | 301459193333L0684 | VOLVO 1069129/20476719 |
| DIN 180/8-14 Lz.537 | 301459101616L0537 | VOLVO 50031 |
| SAE 203/12-9,6 Lz.426 | 301459304646L0426 | VOLVO 20817821 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 52,00x147,20 central grease | WD 10215 | GWB |
| 52,00x147,20 central grease LT | WD 11215 | GWB |
| 52,00x147,20 central grease HT | WD 10105 | GWB |
| 52,00x147,20 service free | WD 10130 | GWB |
| 52,00x147,20 central grease | WD 12545 | INA |
| 52,00x147,20 central grease | WD 14065 | EDS |
| 52,00x147,20 4xend lube + central grease | WD 13659 | GWB |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Воскола/опорная втулка;втулка подшипника в комплекте | | |
| Ø 52 standard | 6687450600000 | GWB |
| Ø 52 standard | 6587300600160 | SKF |
| Ø 52 LT | 6687450600050 | GWB |
| Ø 52 HT | 6687450600070 | GWB |
| Ø 52 service Free | 6687450600160 | GWB |
| Ø 52 1xend lube | 6687450600030 | GWB |

**687.50 / GS 806 - 49,20x154,70 obsolete replaced by 687.47**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 180/4-15 H085 25° | 2687502300500 | obsolete with stock |
| DIN 180/10-16 H100 25° | 2186362746000 | obsolete with stock |
| SAE 203/12-9,6 H76,5 25° | 2687502400070 | obsolete |
| SAE 203/12-9,6 H095 35° | 2186362446080 | obsolete with stock |
| SAE 203/12-10 H051 08° GC 806 | 2186362446000 | obsolete |
| SAE 203/12-10 H76,5 25° | 2687502400050 | obsolete with stock available |
| SAE 203/12-10 H095 35° | 2186362446030 | obsolete with stock available |
| SAE 203/12-11 H051 08° | 2502802418723 | obsolete |
| SAE 203/12-11 H76,5 25° | 2687502400060 | obsolete with stock available |
| SAE 203/12-11 H095 35° | 2186362446040 | obsolete with stock available |
| SAE 203/12-12 H76,5 25° | 2687502400080 | obsolete with stock available |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H90 120x5 25° | 2687504000000 | obsolete with stock , forgings available |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H181 120x5 74x2 DIN5480 rilsan | 2687508000000181 | obsolete with stock for 110 slip assy 66875070802000286 |
| H251 120x5 74x2 DIN5480 rilsan | 2687508000000251 | obsolete |
| H181 9.01 74x2 DIN5480 rilsan | 26875080000200181 | obsolete with stock |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H132 | 6687500900000100 | obsolete with stock |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе (с чехлом) | | |
| H271/110 120x5 27° 74x2 DIN5480 | 66875070802000286 | obsolete |
| H359/180 120x5 35° 74x2 DIN 5480 | 66875077802040374 | obsolete |
| H271/080 120x5 27° 74x2 DIN5480 9.01 | 66875070800990252 | obsolete with stock , dust cover '66875009000000132 |
| WMUNMV-Well. Nab. Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H240/40 | 61863670300020196 | GS 806 obsolete with stock |
| H280/60 | 61863670300030226 | GS 806 |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 120x5 | Tube 120x5 | 687.47 / 687.50 / GS 806 series tube |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø55x193x18 LL H71,2 | WDL 9098 | RVI 5000816926 (GWB)/5000815989(DANA)RVI |
| Ø55x200x18 LL H71,5 | WDL 9081 | VOLVO ; 1068208 VOLVO |
| Ø55x200x18 LL H69,1 | WDL 9064 | DAF , 1298157 DAF ORIGINAL ; replacement of old WDL 9063 |
| Ø60x200x22 LL H81,5 RIGID old GS 806 | WDL 9079 | RVI '0003397101 obsolete, can replaced WDL 9040/9135 w/old flingers |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuercas puente central / Dado autobloccante / Гайка | | |
| Nut M40x1,5 | 1000008102067 | GWB 587.20/587.30/587.35/286.37/687.40/ 687.45/47 / 687.50 |
| ZWUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| SAE 203/12-11 H158 Ø 60 Ep 24 120x5 for WDL 9079 rig | 6186361652000 | GS806-RVI w/nut to replace by WDL 9135 / 9040 EDS w/old flingers |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto completo / Шлицевой вал под подвесной подшипник | | |
| XS 180/4-15 120x5 Ø55 Ep 18 M080 | 7613550900660 | VOLVO obsolete with stock , WDL 9081, SF , old GKN design |
| XS 180/4-15 120x5 Ø55 Ep 18 M100 | 7613550900790 | DAF obsol. with stock, greaseable,WDL 9064,old GKN design |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 49,2x154,70 central grease nipple standard | WD 10205 | |
| 49,2x154,70 central grease nipple LT | WD 12735 | LT obsolete |
| 49,2x154,70 central grease nipple HT | WD 15135 | HT obsolete |
| 49,2x154,8/TELMA central grease nipple | WD 50115 | GS806 TELMA |
| LBV-Lagerbüchse voll. / Bearing cap / Roulement à aiguilles / Dado agujas / Voccolla / опорная втулка; втулка подшипника в комплекте | | |
| Ø 49,2 Standard | 6687500600000 | obsolete |
| Ø 49,2 LT | 6687500600050 | obsolete |
| Ø 49,2 GS806 | 6186360646000 | GS 806 |
| TELMA WING BRG | 6186360646100 | GS 806 TELMA |

687.55 - 57,00x152,20

| Dimensions | EDS Part Number | Comments |
|--|-------------------|----------|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| XS 180/4-15 H192 120x6 27° | 7687550401050 | |
| XS 180/4-15 H192 120x6 27° SF | 7687550401060 | |
| XS 180/4-15 H212 120x6 35° | 7687550401450 | |
| DIN 180/8-14 H215 120x6 27° | 7687550401006 | |
| DIN 180/8-16 H215 120x6 27° | 7687550401007 | |
| DIN 180/10-16 H215 120x6 27° | 7687550401002 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS 180/4-15 H379/110 120x6 27° 78x2 DIN 5480 | 76875507012510294 | |
| XS 180/4-15 H398/110 120x6 35° 78x2 DIN 5480 | 76875507017500303 | |
| XS 180/4-15 H398/110 120x6 35° 78x2 DIN 5480 SF | 76875507017530300 | |
| DIN 180/8-14 H402/110 120x6 27° 78x2 DIN 5480 | 76875507012060294 | |
| DIN 180/10-16 H402/110 120x6 27° 78x2 DIN 5480 | 76875507012020294 | |
| DIN 225/8-16 H382/110 120x6 25° 78x2 DIN 5480 | 76875507012110294 | |
| SAE 203/12-11 H379/110 120x6 25° 78x2 DIN 5480 | 76875507012240294 | |

**687.55 - 57,00x152,20**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 150/4-13 H068 15° | 2687552000590 | |
| XS 150/4-13 H092 27° | 2687552000580 | |
| XS 180/4-15 H072 15° | 2687552000520 | |
| XS 180/4-15 H092 27° | 2687552000510 | |
| XS 180/4-15 H092 27° | 2687552011510 | MAN nickel plated |
| XS 180/4-15 H092 27° | 2687552000550 | EDS |
| XS 180/4-15 H102 35° | 2687552700500 | |
| XS 180/4-15 H102 35° | 2687552700520 | EDS |
| DIN 180/8-14 H115 35° | 2687552700060 | |
| DIN 180/8-16 H115 35° | 2687552700070 | |
| DIN 180/10-16 H115 35° | 2687552700000 | |
| DIN 225/8-16 H095 25° | 2688552300060 | under request, can be replaced by 587.42 2587422300060 (H95) |
| DIN 180 Blank H115 35° | 3687552700000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H100 120x6 27° | 2687554000000 | |
| H100 120x6 27° | 2687554000100 | EDS |
| H100 120x6 27° | 208 620 16193 | |
| H110 120x6 35° | 2687554700000 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H198 27° 78x2 DIN 5480 rilsan | 2687553000000198 | |
| H238 27° 78x2 DIN 5480 rilsan | 26875530000000238 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer | 1501005000100 | SPL 140-250/1710-687.40/1760-687.45/47/ 1810 - 687.55 |
| Washer | 261 000 03678 | KLEIN 600 for nut M40x1,5 |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| VERKA | 1687551400000 | slip yoke |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| VALVE-PLUG ALL GWB 687 SERIES | 1000008608020 | rubber |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H294 25° 78x2 DIN 5480 | 26875570005000294 | monotron MAN/IVECO |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| NH H182 120x6 78x2 DIN5480 rilsan | 242 620 16194 | KLEIN , for slip assy 151 620 11658 |
| NH H192 120x6 78x2 DIN5480 rilsan | 26875580000000192 | for slip assy's 66875577802000303 / 66875570802000294 |
| NH H172 120x6 78x2 DIN5480 9.01 Ø108,1 | 26875580000200172 | under request , for slip assy 66875577801190262 |
| NH H182 120x6 78x2 DIN5480 9.01 Ø108,1 | 26875580000200182 | |
| NH H192 120x6 78x2 DIN5480 9.01 Ø108,1 | 26875580000200192 | |
| NH H298 120x6 IVECO Monotron 2002..... | 26138580000100298 | IVECO obsolete |
| NH H192 120x6 MAN -RVI-Monotron boot 2002..... | 26138580000200192 | MAN-RVI |
| H65 120x6 mid end assy old Compact style | 6613700800010 | mid end ass. 7613700900520(IVECO)/7613700900560(DAF) |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| No splined bar at 687.55 series available , check ELBE 120 equivalent series | | |
| DHÜV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolveres junta / Protezione scanalato / Пыльник | | |
| H102 | 66875509000000102 | |
| H132 | 66875509000000132 | |
| H132 lub version | 66875509000100132 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе (с чехлом) | | |
| H287/110 120x6 27° 78x2 DIN 5480 | 66875570802110294 | relube , on request |
| H287/110 120x6 27° 78x2 DIN 5480 | 66875570802000294 | |
| H287/110 120x6 27° 95x2 DIN 5480 | 151 620 11658 | |
| H287/110 120x6 27° 78x2 DIN 5480 | 6687557080250 | EDS |
| H296/110 120x6 35° 78x2 DIN 5480 | 66875577802000303 | |
| H364/180 120x6 27° 78x2 DIN 5480 | 66875570802070364 | |
| H287/110 120x6 27° 78x2 DIN 5480 | 66875570800990253 | 9.01 , please order dust cover 66875509000000132 separately |
| H329/110 120x6 27° 75x2,5 DIN 5480 | 6613857180329 | replacement for 761385080010415 -- use center bearing WDL9228 |
| WMUNHV+ZWL/Full monot. assy/Ens.Coul.Mon./ Conj. Corr. Monot./Scorr. comp. mono./Шлицевой вал и шлиц. втулка в сборе + Подвесной подшипник | | |
| IVECO MONOTRON - MIS (Muff style for IVECO ULM - MADRID - BRESCIA 2002...) | | |
| H393/110 Muff 120x6 Ø85x220x12RL H85 | 76138508000100415 | obsolete --- please use 6613857180329 |
| H294/110 Boot 120x6 Ø85x220x26RL H85 | 76138508000700294 | IVECO ULM-MADRID-BRESC. 2009.....WDL 9228 Ø85,70 Shore A |
| MAN MONOTRON - MIS (Boot style) | | |
| H289/110 Boot 120x6 Ø85x220x12RL H85 | 76138508000400294 | MAN obsolete |
| H294/110 Boot 120x6 Ø85x220x26RL H85 | 76138508000700294 | MAN 2009.... , WDL 9228 70 shore A |
| RVI/VOLVO MONOTRON - MIS (Boot style) | | |
| H289/110 Boot 120x6 Ø85x220x12RL H85 | 76138508000200294 | RVI 2002 (idem MAN 2002....2006) , WDL 9161 , Ø85, 55 shore A |
| NHUZWL/ Sleeve + c/bearing MIS /Coulisse + palier MIS/ Corr. + puente Monot./Manicotto+supporto Monot./Шлиц. втулка + Подв. подшипник | | |
| MAN MONOTRON - MIS (Boot style) | | |
| H289/110 Boot 120x6 Ø85x220x12RL H85 | 66138508000420294 | MAN 2002 obsolete |
| H289/110 Boot 120x6 Ø85x220x12RL H85 | 66138508000700294 | MAN 2007.... 2009 , WDL 9177 70 shore A , Ep 26 on 2009 |
| RVI/VOLVO MONOTRON - MIS (Boot style) | | |
| H289/110 Boot 120x6 Ø85x220x12RL H85 | 66138508000200294 | RVI 2002 (idem MAN 2002....2006) , WDL 9161 55 shore A |
| FABA - Faltenbalg./ Boot MIS / Soufflet monotron /Fuelle monotron /Soffietto monotronco / Чехол | | |
| Boot | 1000008401015 | MAN / RVI Monotron-Boot 2002.....+ IVECO ULM - MADRID 2009..... |
| SPRING - Seegerring strang. / Circlip MIS / Circlip monotron / Arillo o reten monotron / Anello di sicurezza monotronco / стопорное кольцо | | |
| Spring 85x2,5 DIN 471 IVECO ULM-MADRID-BRESCIA 02 | 1687556300160 | GWB for IVECO ULM-MADRID.BRESCIA Trucks obsolete |

**687.55 - 57,00x152,20**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| WMUMNV-Well. Nab.Voils./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H273/050 27° 78x2 DIN 5480 | 6687557030273 | VOLVO |
| H283/060 27° 78x2 DIN 5480 | 6687557030283 | VOLVO |
| H293/060 27° 78x2 DIN 5480 | 6687557030600213 | VOLVO |
| H313/080 27° 78x2 DIN 5480 | 6687557030313 | MAN |
| H333/110 27° 78x2 DIN 5480 | 66875570306000253 | please order dust cover 66875509000000132 separately |
| H435/180 44° 78x2 DIN 5480 | 6687557738435 | VOLVO/RVI interaxle |
| H470/180 44° 78x2 DIN 5480 | 6687557738470 | VOLVO/RVI interaxle |
| ROHR - Rohr / Tube / Tubo / Tubo / Труба | | |
| Tube 120x6 | Tube 120x6 | 687.55 / ELBE 122 / 190.50 / GS906 / KLEIN 620 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H140 120x6 Ø 65 Ep 24 120x6 65x2,0 DIN 5480 | 2113651611130 | MAN , for CF Klt XS 180 6113655299001 |
| H163 120x6 Ø 60 Ep 35 120x6 59,7x46 Inv. Spline (*) | 2687551673000 | RVI SPL250****687.55 RVI for SAE 203/XS 180 CF |
| H206 120x6 Ø 75 Ep 20 120x6 75x2,0 DIN 5480 | 225 620 16185 | KLEIN -IVECO-DAF for CF XS 180 224 620 16186 |
| (*) DANA Nut 1522508100000 + DANA washer 1501005000100 to be added separately | | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 180/4-15 MAN Comp. flange-kit incl washer + bolts | 6113655299001 | MAN for midship '2113651611130 |
| SAE 203/12-11 H87,3 59,7 x 46Z Inv. spline | 2522505200200 | RVI SPL 250 ****687.55, midship '2687551673000 |
| XS 180/4-15 H89,0 59,7x 46Z Inv. spline | 2522505200500 | RVI SPL 250 ****687.55, midship '2687551673000 |
| XS 180/4-15 H112 75x2 DIN 5480 KLEIN 620 | 224 620 16186 | KLEIN - IVECO-DAF for midship 225 620 16185 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø60x200x36 H80,0 | WDL 9135 | RVI 500819211 / 5001845474 / 5001843910 |
| Ø60x219x36RL H84,6 | WDL 9225 | VOLVO 21026452,DANA 5003323,mid 2687551673000 SAE/XS |
| Ø70x198x20RL H80,0 | WDL 9123 | VOLVO 263567 |
| Ø70x198x20RL H80,0 | WDL 9323 | EDS alternative to VOLVO 263567 |
| Ø70x220x20 LL H85,8 | WDL 9071 | DAF ; 1235569 / 0678426 DAF |
| Ø70x220x20 RL H85,8 | WDL 9082 | IVECO old , replaced by WDL 9077 |
| Ø70x220x20 RL H85,8 | WDL 9077 | IVECO new, replacement for old WDL9082,9316 3689 IVECO |
| Ø75x220x19 RL H85,8 | WDL 9042 | KLEIN - IVECO , 9319 2572 IVECO , original KLEIN 620 |
| Ø75x220x20 LL H86 | WDL 9073 | DAF , 1425157 / 1288231/ 1740904 DAF , see WDL 9073C |
| Ø75x220x20 LL H86 | WDL 9373 | DAF 1425157 / 1288231/ 1740904 alternative to WDL 9073 |
| Ø75x230x20 LL H89 | WDL 9249 | KLEIN - MAN , 81.39410.6021 MAN , original KLEIN 620 |
| MIS-MONOTRON CENTER BEARINGS | | |
| 85x220x13 RL H85 | WDL 9161 | MAN obsolete |
| 85x220x13 RL H85 | WDL 9177 | MAN 81 39410 6031 2006..2009 , replaced by WDL 9228 |
| 85x220x13 RL H90 | WDL 9192 | 4254 3603 IVECO 2007...2009 , replaced by WDL 9228 |
| 85x220x26 RL H90 | WDL 9428 | EDS IVECO + MAN 81.39410.6034 .. |
| 85x220x26 RL H90 | WDL 9228 | IVECO + MAN 81.39410.6034 .. |
| BUMU-Bundmutter / Nut / Ecrrou de palier intermediaire / Tuercas puente central / Dado autobloccante / Гайка | | |
| Nut SPL 140-250 /687.40- 687.55 | 1522508100000 | RVI - DAF (required washer 1501005000100) |
| Nut M40x1,5 | 243 000 03642 | KLEIN 490 / KLEIN 680 / KLEIN 590 / KLEIN 620 series |
| ZWUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| XS 180/4-15 H175 Ø 70 Ep 20 120x6 M108 | 6687551652500 | alternative to IVECO (WDL 9077) / DAF (WDL 9071) |
| SAE 203/12-11 H175 Ø60 120x6 | 6687551652401 | |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto completo / Шлиц. вал под подв. подшипник | | |
| XS 180/4-15 H126 120x6 M107 | 7613700910850 | VOLVO , new stub and c/flange version |
| XS 180/4-15 H126 120x6 M107 | 7613700910510 | VOLVO |
| XS 180/4-15 H162 120x6 M107 | 7113700900503 | IVECO , new WDL 9077 stub and c/flange version |
| XS 180/4-15 H182 120x6 M107 | 7613700900560 | DAF WDL 9071 |
| XS 180/4-15 H182 120x6 M107 | 7613700900520 | IVECO new WDL 9077 , old WDL 9082 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| XS 180/4-15 Lz.467 SF | 301559363333L0467 | LIEBHERR 725297408 |
| XS 180/4-15 Lz.467 | 301559303333L0467 | BOVA 286891 |
| XS 180/4-15 Lz.487 | 301559303333L0487 | VOLVO 9957330 |
| XS 180/4-15 Lz.537 | 301559363333L0537 | GROVE 1951462 |
| XS 180/4-15 Lz.571 SF | 301559163333L0571 | VOLVO 9957328 |
| XS 180/4-15 Lz.571 | 301559103333L0571 | LIEBHERR 725289908 |
| XS 180/4-15 Lz.580 SF | 301559163333L0580 | MAN 81.39325.6058 |
| XS 180/4-15 Lz.600 SF | 301559163333L0600 | LIEBHERR 725296608 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 57,00x152,00 central grease | WD 10195 | GWB |
| 57,00x152,00 central grease | WD 14075 | EDS |
| 57,00x152,00 central grease LT | WD 12725 | GWB |
| 57,00x152,00 central grease HT | WD 12565 | GWB |
| 57,00x152,00 service free | WD 10160 | GWB |
| 57,00x152,00 2xend lube + central grease | WD 13233 | |
| 57,00x152,00 4xend lube + central grease | WD 13669 | |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Boccola/опорная втулка;втулка подшипника в комплекте | | |
| Ø 57 Standard | 6687550600000 | GWB standard |
| Ø 57 LT | 6687550600050 | GWB |
| Ø 57 HT | 6687550600070 | GWB |
| Ø 57 service free | 6687550600160 | GWB |
| Ø 57 1xend lube | 6687550600030 | GWB |

**687.60 / GS 906 - 59,00x167,60**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| XS 180/4-15 H205 130x6 27° | 7687600401050 | |
| XS 180/4-15 H205 130x6 27° | 7687600401060 | service free |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS 180/4-15 H385/110 130x6 27° 82x2 DIN5480 | 76876007012500310 | |
| XS 180/4-15 H385/110 130x6 27° 82x2 DIN5480 | 76876007012600310 | service free |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 180/4-15 H103 27° | 2687602300510 | |
| DIN 180/10-16 H110 25° | 2502902018099 | GS 906 |
| DIN 250/12-12,3 H090 20° | 2502902400100 | GS 1900 available under request |
| SAE 203/12-10 H086 25° | 2186452446020 | obsolete replaced by 2687602400020 |
| SAE 203/12-10 H086 25° | 2687602400020 | |
| SAE 203/12-11 H095 25° | 2687602400070 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H090 112x6 25° 9.01 | 2502904000100 | GS 906 for slip assy 9.01 '6502901317093 |
| H090 120x6 25° | 2186454046000 | GS 906 obsolete with stock GKN p/n 2502904017378 |
| H105 130x6 25° | 2687604000000 | |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| dust cap | 1186451046000 | GS 906 |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal for c/Bearing WDL9104 VOLVO 70x220x20 LL H85,8 | 1613702399000 | VOLVO |
| Seal for GC 906 dust cap | 1186454146000 | obsolete with stock |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H250/110 16Zx76,2 89,5x4,75 or 100x5 rilsan | 2502901000100 | GS 906 for slip yoke 2502903000000 |
| H250/110 16Zx76,2 120x6 rilsan | 2502901000120 | GS 906 for slip yoke 2502903000000 |
| NH-Nabenhülse / Sleeve / Coullisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H184 130x6 82x2 DIN5480 standart | 26876080000000184 | |
| H164 130x6 82x2 DIN5480 | 26876080000000164 | for slip assy 9.01 '66876070802010248 |
| H068 130x6 Ø70 for mid end assy old COMPACT style | 6613700800030 | for IVECO / DAF / VOLVO mid end assy's |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H132 | 66876009000000132 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе (с чехлом) | | |
| H245/070 130x6 25° 82x2 DIN 5480 | 66876070800010228 | obsolete with stock |
| H255/080 130x6 25° 82x2 DIN 5480 | 66876070802020268 | on request |
| H285/110 130x6 25° 82x2 DIN 5480 | 66876070802000310 | |
| H225-285/110 130x6 25° 82x2 DIN5480 no dust cover 9.01 | 66876070800990268 | use with tube yoke 2687604000000 |
| H265/100 130x6 25° 82x2 DIN 5480 w/dust cover 9.01 | 66876070802910248 | under request or replaced by 66876070800990268 |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 120.00x6,00 | Tube 120x6 | 687.55 / ELBE 122 / 190.50 / GS906 / KLEIN 620 series tube |
| Tube 130.00x6,00 | Tube 130x6 | 687.60 series tube |
| Tube 180.00x4,00 | Tube 180x4 | DANA NK - VOLVO 2060 |
| ZWR - Zwischenring / Connecting ring tube adaptor / Adaptateur Tube / Adaptador tubo / Adattatore tubo / кольцо промежуточного вала | | |
| Tube adaptor 130x6 -- 180x4 H35 | 1000000600549 | VOLVO |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H130 Ø70 Ep 20 130x6 70x21 Nut 60x2 | 2687601610000 | VOLVO,WDL 9123 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| SAE 203/12-11 | 2800505216448 | please use NK500 hardware |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø60x220x36 RL H85,8 | WDL 9188 | IVECO , IVECO 9315 7626 |
| Ø60x200x37 LL H80,0 | WDL 9067 | VOLVO , 555364 VOLVO |
| Ø70x220x20 RL H85,8 | WDL 9082 | IVECO old , under request , replaced by WDL 9077 |
| Ø70x220x20 RL H85,8 | WDL 9077 | IVECO new , old WDL 9082 / 9316 3689 IVECO |
| Ø70x220x20 LL H85,8 | WDL 9071 | DAF / 1235569 / 0678426 DAF |
| Ø70x220x20 LL H85,8 | WDL 9104 | VOLVO 20471428 |
| Ø70x220x20 LL H85,8 | WDL 9087 | VOLVO 1068222 |
| Ø70x220x26 LL H85 | WDL 9288 | VOLVO 21081150 , see mid end assy 7613700910860 |
| ZWZUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| XS 180/4-15 H175 Ø70 Ep20 120x6 M108 687.55/60 | 6687551652500 | Alternative to IVECO assy for (WDL 9077) / DAF (WDL 9071) (*) |
| DIN 180/10-16 H173 Ø60 Ep36 120x6 M100 Nut incl. | 6502901652800 | Alternative to IVECO assy for WDL 9188 (IVECO) |
| SAE 203/12-10 H190 Ø60 Ep36 120x6 M110 Nut incl. | 6502901652300 | Alternative to VOLVO - RVI assy's for WDL 9067 (VOLVO - RVI) |
| (*) Nut included for VOLVO / IVECO / DAF XS 180/4-13 and c/bearing Ø 70 687.60 , for GC 906 WDL 9188 Ø60 see DIN (IVECO) / SAE (VOLVO) | | |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto completo / Шлиц. вал под подв. подшипник | | |
| XS180/4-15 H162 130x6 M107 VOLVO WDL 9288 | 7613700910860 | VOLVO mid stub version ,replace old COMPACTstyle |
| XS180/4-15 H185 130x6 M107 VOLVO WDL 9104 | 7613700910550 | VOLVO replaced by 7613700910860 (new tube length) |
| XS180/4-15 H185 130x6 M107 VOLVO WDL 9087 | 7613700900600 | VOLVO replaced by 7613700910860 (new tube length) |
| XS180/4-15 H185 130x6 M107 DAF WDL 9071 | 7613700900570 | DAF |
| XS180/4-15 H185 130x6 M107 IVECO WDL 9077 | 7613700900500 | IVECO |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| XS 180/4-15 Lz.540 | 301609103333L0540 | VOLVO 1069500 |
| XS 180/4-15 Lz.590 | 301609103333L0590 | VCE 3192763 |
| XS 180/4-15 Lz.590 SF | 301609163333L0590 | MAN 81 39326 6059 |

Note : for other lengths or flanges please contact WELTE sales service

**687.60 / GS 906 - 59,00x167,60**

| Dimensions | EDS Part Number | Comments |
|---|-----------------|--------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 59,00x167,60 central grease 687.60 | WD 10185 | GWB standard |
| 59,00x167,60 central grease LT 687.60 | WD 12715 | GWB |
| 59,00x167,60 central grease 687.60 | WD 10175 | INA |
| 59,00x167,60 central grease 687.60 | WD 14085 | EDS |
| 59,00x167,60 service free 687.60 | WD 10120 | GWB |
| 59x167,4/TELMA central grease 687.60 / GS 906 | WD 50105 | GS906 TELMA |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Voccola/опорная втулка;втулка подшипника в комплекте | | |
| Ø 59 | 6687600600000 | GWB |
| Ø 59 Low Temp | 6687600600050 | GWB |
| Ø 59 service free | 6687600600160 | GWB |

687.65 - 65,00x172,00

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| XS 180/4-15 H218 142x6 27° | 7687650401050 | |
| DIN 180/10-16 H223 142x6 27° | 7687650401001 | |
| DIN 225/8-16 H223 142x6 27° | 7687650401003 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS 180/4-15 H413/110 142x6 27° 88x2,5 DIN 5480 | 76876507012500315 | |
| DIN 225/8-16 H418/110 142x6 27° 88x2,5 DIN 5480 | 76876507012010310 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| FLM XS 180/4-15 H075 10° | 2687652100500 | |
| FLM XS 180/4-15 H105 25° | 2687652027510 | IVECO |
| FLM XS 180/4-15 H105 25° | 2687652000510 | |
| FLM XS 180/4-15 H100 28° | 201 700 15641 | |
| FLM DIN 180/10-16 H110 30° | 2587482727100 | |
| FLM DIN 225/8-16 H110 30° | 2587482800060 | |
| FLM DIN 225/8-17 H110 30° | 2688652200070 | |
| FLM DIN 250/8-18 H110 30° | 2587482800120 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H113 142x6 25° | 2687654000000 | |
| H113 Ø 125,9 9.01 25° | 2687654001001 | |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| Plug-cap on 687.65 series | 1687651400010 | |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H176 10° 88x2,5 DIN 5480 | 26886576000600176 | under request |
| H246 25° 88x2,5 DIN 5480 | 26876570000000246 | for slip assy ysa 66876570360040238 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| NH H203 142x6 88x2,5 DIN 5480 rilsan | 26876580000000203 | for slip assy 66876570802000315 |
| NH H148 142x6 88x2,5 DIN 5480 rilsan 9.01 | 26876580000200148 | for slip assy 66876570802010221 |
| NH H203 142x6 88x2,5 DIN 5480 rilsan 9.01 | 2688658000060 | for slip assy 66876570800010276 |
| PROST-Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| No splined bar at 687.65 series available ---please use ELBE 122 series | | |
| DHÜV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H132 | 66876509000000132 | |
| H182 | 66876509000300182 | |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| Muff seal 687.65 series | 1000008508075 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе (с чехлом) | | |
| H308/110 142x6 27° 88x2,5 DIN 5480 with dust cover | 66876570802000315 | |
| H413/150 142x6 35° 90x2,5 DIN 5480 with dust cover | 151 700 11498 | KLEIN 700 DAF / IVECO |
| H253/055 142x6 27° 88x2,5 DIN 5480 w/dust cover 9.01 | 66876570802010221 | tube yoke 2687654000000 ,sleeve 26876580000200148 |
| H308/100 142x6 25° 88x2,5 DIN 5480 w/dust cover 9.01 | 66876570800010276 | tube yoke 2687654000000 , sleeve 2688658000060 |
| H308/110 142x6 27° 88x2,5 DIN 5480 w/dust cover 9.01 | 66876570800990276 | tube yoke 2687654000000,no d/cover 66876509000000132 |
| H308/080 142x6 27° 88x2,5 DIN 5480 w/dust cover | 66876570802010276 | |
| H400/250 110x5 25° 88x2,5 DIN5480 w/dust cover 9.01 | 66886570802010310 | industrial with grooves for balancing weights , under request |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC/Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H240/050 10° 88x2,5 DIN 5480 w/dust cover | 66876576368050186 | |
| H260/050 27° 88x2,5 DIN 5480 w/dust cover | 66876570360050206 | |
| H292/070 27° 88x2,5 DIN 5480 w/dust cover | 66876570360040238 | |
| H313/080 27° 88x2,5 DIN 5480 w/dust cover | 66876570302000303 | |
| H340/110 27° 88x2,5 DIN 5480 | 66876570300000216 | |
| H364/100 27° 88x2,5 DIN 5480 | 66876570306000276 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 142,00x6,00 | Tube 142x6 | 687.65 /10C IC-UG / 587.48 series tube |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermédiaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø70x220x20 RL H85,8 | WDL 9077 | IVECO , 9316 3689 IVECO |
| Ø70x220x20 LL H85,8 | WDL 9071 | DAF , 1235569 / 0678426 DAF |
| Ø70x220x20 LL H85,8 | WDL 9104 | VOLVO , 1068222 VOLVO |
| Ø70x220x26 LL H85 | WDL 9253 | VOLVO , 21081150 |

**687.65 - 65,00x172,00**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---------------------|
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto completo / Шлиц. вал под подв. подшипник | | |
| XS 180/4-15 H162 142x6 M107 | 7613700910870 | VOLVO , WDL 9087 |
| XS 180/4-15 H188 142x6 M107 | 7613700900530 | IVECO , WDL 9077 |
| XS 180/4-15 H188 142x6 M107 | 7613700900580 | DAF , WDL 9071 |
| XS 180/4-15 H162 142x6 M107 | 7113700900515 | NCB |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| XS 180/4-15 Lz.480 | 301659303333L0480 | IVECO 9849 9073 |
| XS 180/4-15 Lz.574 | 301659103333L0574 | VOLVO 3989093 |
| XS 180/4-15 Lz 631 SF | 301659163333L0631 | IVECO 4121 8074 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 65,00x172,00 central grease | WD 10265 | GWB |
| 65,00x172,00 LT central grease | WD 10635 | GWB LT |
| 65,00x172,00 central grease | WD 14095 | EDS |
| 65,00x172,00 service free | WD 10090 | GWB |
| LBV-Lagerbüchse vollständig/Bearing cap/Roulement à aiguilles/Dado agujas/Voccole/опорная втулка;втулка подшипника в комплекте | | |
| Ø 65 Low Temperature LT | 6687650600050 | GWB , under request |
| Ø 65 service free | 6687650600160 | GWB |

**ELBE 105 - 17,00x41,00**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 58/4-5 H62 25° | 0 105 050 001 | |
| DIN 65/4-6 H62 25° | 0 105 051 001 | |
| EY Ø20 H7 H82 25° no keyway | 0 105 052 001 | |
| EY Ø20 H7 H82 25° w/keyway | 0 105 053 001 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 58/4-5 H150/25 30° 20x1,5x12 DIN 5480 | 0 105 060 001 | |
| DIN 58/4-5 H162/40 30° 20x1,5x12 DIN 5480 | 0 105 070 001 | |
| DIN 65/4-6 H150/25 25° 20x1,5x12 DIN 5480 | 0 105 061 001 | |
| DIN 65/4-6 H162/40 30° 20x1,5x12 DIN 5480 | 0 105 071 001 | |
| EY Ø20H7 H170/25 25° no keyway | 0 105 062 001 | End yoke 1 105 310 001 |
| EY Ø20H7 H170/25 25° w/keyway | 0 105 063 001 | End yoke 1 105 310 002 |
| EY Ø20H7 H180/45 25° no keyway | 0 105 072 001 | End yoke 1 105 310 001 |
| EY Ø20H7 H180/45 25° w/keyway | 0 105 073 001 | End yoke 1 105 310 002 |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 58/4-5 H30 machined to 35° | 1 105 300 010 | |
| DIN 58/4-5 H30 30° | 1 105 300 001 | |
| DIN 58/4-6 H30 30° | 1 105 300 003 | |
| DIN 65/4-6 H30 25° | 1 105 301 001 | |
| DIN 65/4-8 H30 25° | 1 105 301 003 | |
| DIN 58 Blank H30 30° | 1 105 300 002 | |
| DIN 65 Blank H30 25° | 1 105 301 002 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H32 28x1,5 30° | 1 105 330 001 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H80 25° 20x1,5x12 DIN5480 w/seal+steel seal cover | 0 105 104 011 | |
| EY H50 Ø16 H7 L20 25° no keyway | 1 105 310 014 | |
| EY H50 Ø18 H7 L25 25° no keyway | 1 105 310 016 | |
| EY H50 Ø18 H7 L25 25° w/keyway | 1 105 310 028 | |
| EY H50 Ø20 H7 L20 25° w/keyway + 2 holes M6 | 1 105 310 011 | |
| EY H50 Ø20 H7 L25 25° no keyway | 1 105 310 001 | |
| EY H50 Ø20 H7 L25 25° w/keyway | 1 105 310 002 | |
| EY H50 Ø20 H7 L25 25° w/keyway + 2 holes M6 | 1 105 310 021 | |
| EY H50 Ø22 H7 L22 25° w/keyway | 1 105 310 029 | |
| H45 28x1,5x12 DIN5480 | 1 105 320 003 | Splined bar end yoke |
| EY H50 solid 25° | 1 105 318 001 | |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H165 25° 20x1,5x12 DIN5480 | 1 105 360 104 | for slip assy ysa H191/025 25° |
| PROST+NH-Profilis.+Nab./Splined bar+ Sleeve/Barre cann.+ Coul./Barra +Corr. Estr./Sbarra scan.+ Man./Шлицевой стержень + Шлицевая втулка | | |
| H0490/400 20x1,5x12 DIN5480 | 0 105 093 490 | |
| DHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| dust cover | 0 105 194 050 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе (с чехлом) | | |
| H120/025 28x1,5 30° 20x1,5x12 DIN5480 | 0 105 090 101 | slip yoke + stub shaft |
| H123/110 28x1,5 25° 20x1,5x12 DIN5480 | 0 105 096 003 | long sleeve H160 + yoke shaft H210 |
| H132/040 28x1,5 25° 20x1,5x12 DIN5480 | 0 105 098 101 | standard sleeve H090 + yoke shaft H150 |
| H132/065 28x1,5 25° 20x1,5x12 DIN5480 | 0 105 098 102 | standard sleeve H090 + yoke shaft H180 |
| WMUNMV-Well. Nab. Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H135/025 25° 20x1,5x12 DIN5480 | 0 105 080 101 | |
| H155/025 25° 20x1,5x12 DIN5480 | 0 105 080 102 | |
| H105/020 25° 20x1,5x12 DIN5480 | 0 105 081 101 | |
| H115/025 25° 20x1,5x12 DIN5480 | 0 105 081 102 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 28x1,5 | Tube 28x1,5 | 473.10 / ELBE 105 series tube |
| DOM-Doppelmittnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H50 50° w/thread for grease nipple | 1 105 281 001 | |
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | |
| DIN 58/4-5 L.112 50° | 105179500000L0112 | |
| Ø20H7 L. 150 50° w/keyway end lube | 105179507373L0150 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN 58/4-5 Lz.165/020 25° | 105179300000L0165 | |
| DIN 58/4-5 Lz.175/025 25° | 105179300000L0175 | |
| DIN 58/4-5 Lz.195/025 25° | 105179300000L0195 | |
| DIN 58/4-5 Lz.215/025 25° | 105179300000L0215 | |
| DIN 65/4-6 Lz 165/020 25° | 105179300202L0165 | |
| DIN 65/4-6 Lz 175/025 25° | 105179300202L0175 | |
| DIN 65/4-6 Lz 195/025 25° | 105179300202L0195 | |
| DIN 65/4-6 Lz 215/025 25° | 105179300202L0215 | |
| EY Ø20H7 Lz 205/020 25° w/key | 105179307373L0205 | |
| EY Ø20H7 Lz 215/025 25° w/key | 105179307373L0215 | |
| EY Ø20H7 Lz 235/025 25° w/key | 105179307373L0235 | |
| EY Ø20H7 Lz 255/025 25° w/key | 105179307373L0255 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 17,00x41,00 central grease | WD 11095 | |
| 17,00x41,00 side hole on bearings | WD 11146 | |
| 17,00x41,00 2xend lube | WD 11102 | |

**ELBE 106 - 19,00x48,00**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|----------------------------------|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 65/4-6 H64 32x1,5 20° | 0 106 050 001 | |
| DIN 75/6-6 H64 32x1,5 20° | 0 106 051 001 | |
| EY Ø25H7 H92 32x1,5 20° no keyway | 0 106 052 001 | |
| EY Ø25H7 H92 32x1,5 20° w/keyway | 0 106 053 001 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 65/4-6 H167/30 32x1,5 20° 25x1,5x15 DIN5480 | 0 106 060 001 | |
| DIN 65/4-6 H177/70 32x1,5 20° 25x1,5x15 DIN5480 | 0 106 070 001 | |
| DIN 75/6-6 H167/30 32x1,5 20° 25x1,5x15 DIN5480 | 0 106 061 001 | |
| DIN 75/6-6 H177/70 32x1,5 20° 25x1,5x15 DIN5480 | 0 106 071 001 | |
| Ø25H7 H195/30 32x1,5 20° 25x1,5x15 DIN5480 | 0 106 062 001 | End yoke 1 106 310 001 |
| Ø25H7 H205/70 32x1,5 20° 25x1,5x15 DIN5480 | 0 106 072 001 | End yoke 1 106 310 001 |
| Ø25H7 H195/30 32x1,5 20° 25x1,5x15 DIN5480 | 0 106 063 001 | End yoke 1 106 310 002 |
| Ø25H7 H205/70 32x1,5 20° 25x1,5x15 DIN5480 | 0 106 073 001 | End yoke 1 106 310 002 |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 65/4-6 H32 20° | 1 106 300 001 | |
| DIN 65/6-6 H32 20° | 1 106 300 016 | |
| DIN 75/6-6 H32 20° | 1 106 301 001 | |
| DIN 65 Blank H32 20° | 1 106 300 002 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H32 32x1,5 20° | 1 106 330 001 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H60 20° 1 1/8 " 6Z Teeth slip yoke | 1 106 319 001 | |
| Ø20H7 H60 20° w/keyway | 1 106 310 004 | |
| Ø25H7 H60 20° | 1 106 310 001 | |
| Ø25H7 H60 20° w/keyway | 1 106 310 002 | |
| Ø28H7 H60 20° | 1 106 310 040 | |
| H60 20x16x6 | 1 106 310 5066 | |
| H45 25x1,5x15 | 1 106 320 0003 | splined bar end yoke |
| H60 25x22x14Z DIN5480 | 1 106 320 023 | WEINIG spline , end yoke |
| H60 Blank | 1 106 318 001 | |
| PROST+NH-Profiles.+Nab./Splined bar+ Sleeve/Barre cann.+ Coul./Barra +Corr. Estr./Sbarra scan.+ Man./Шлицевой стержень + Шлицевая втулка | | |
| H500/380 25x1,5x15 32x1,5 | 0 106 093 500 | |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| dust cover | 0 106 194 065 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе (с чехлом) | | |
| H135/30 32x1,5 20° 25x1,5x15 DIN5480 | 0 106 090 0101 | stub shaft + slip yoke , relube |
| H145/60 32x1,5 20° 25x1,5x15 DIN5480 M175 | 0 106 098 0101 | yoke shaft + sleeve , relube |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H116/20 20° 25x1,5x15 DIN5480 | 0 106 081 101 | slip yoke + yoke shaft |
| H136/30 20° 25x1,5x15 DIN5480 | 0 106 081 102 | slip yoke + yoke shaft |
| H146/25 20° 25x1,5x15 DIN5480 | 0 106 081 025 | sleeve + yoke shaft + dust cover |
| H156/30 20° 25x1,5x15 DIN5480 | 0 106 080 101 | sleeve + yoke shaft + dust cover |
| H171/30 20° 25x1,5x15 DIN5480 | 0 106 080 102 | sleeve + yoke shaft + dust cover |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 32x1,5 | Tube 32x1,5 | |
| DOM-Doppelmitnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H056 40° | 1 106 281 001 | |
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | |
| DIN 65/4-6 Lz.120 40° end lube | 106199500202L0120 | LIEBHERR |
| DIN 75/6-6 Lz.120 40° end lube | 106199500404L0120 | |
| Ø25H7 Lz 176 40° w/keyway end lube | 106199507373L0176 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN 65/4-6 Lz.180/20 30° | 106199300202L0180 | |
| DIN 65/4-6 Lz.200/30 30° | 106199300202L0200 | |
| DIN 65/4-6 Lz.220/30 30° | 106199300202L0220 | |
| DIN 65/4-6 Lz.235/30 30° | 106199300202L0235 | |
| DIN 75/6-6 Lz 180/20 20° | 106199300404L0180 | |
| DIN 75/6-6 Lz 200/30 20° | 106199300404L0200 | |
| DIN 75/6-6 Lz 220/30 20° | 106199300404L0220 | |
| DIN 75/6-6 Lz 235/20 20° | 106199300404L0235 | |
| EY Ø25 H7 Lz 236/20 30° w/keyway | 106199307373L0236 | |
| EY Ø25 H7 Lz 256/30 30° w/keyway | 106199307373L0256 | |
| EY Ø25 H7 Lz 276/30 30° w/keyway | 106199307373L0276 | |
| EY Ø25 H7 Lz 291/30 30° w/keyway | 106199307373L0291 | |
| WEINIG EY 25x22 DIN5480 L.270 | W202011 | fixed shaft |
| WEINIG EY 25x22 DIN5480 L.370 | W202013 | fixed shaft |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 19,00x48,00 | WD 11115 | |
| 19,00x48,00 2xend lube | WD 11122 | |

**ELBE 107 - 22,00x58,00**

| Dimensions | EDS Part Number | Comments |
|--|-----------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 75/6-6 H082 18° | 0 107 050 001 | |
| DIN 90/4-8 H082 18° | 0 107 051 001 | |
| EY Ø30H7 H126 18° | 0 107 052 001 | |
| EY Ø30H7 H126 18° Nut 8P9 | 0 107 053 001 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| (WZ + NM) - Stub shaft + slip yoke style , relube , no rilsan (*) | | |
| DIN 75/6-6 H187/040 18° 28x1,5x17 DIN 5480 | 0 107 060 001 | |
| DIN 90/4-8 H187/040 18° 28x1,5x17 DIN 5480 | 0 107 061 001 | |
| EY Ø30H7 H231/040 18° 28x1,5x17 DIN 5480 no keyway re | 0 107 062 001 | |
| EY Ø30H7 H231/040 18° 28x1,5x17 DIN 5480 w/ keyway r | 0 107 063 001 | |
| (WM + NH) - Yoke shaft + sleeve , relube , no rilsan (*) | | |
| DIN 75/6-6 H197/100 18° 28x1,5x17 DIN 5480 | 0 107 070 001 | |
| DIN 90/4-8 H197/100 18° 28x1,5x17 DIN 5480 | 0 107 071 001 | |
| EY Ø30H7 H241/100 18° 28x1,5x17 DIN 5480 no keyway rel | 0 107 072 001 | |
| EY Ø30H7 H241/100 18° 28x1,5x17 DIN 5480 w/keyway rel | 0 107 073 001 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 75/4-8,5 H36 18° | 1 107 300 021 | |
| DIN 75/6-6 H36 18° | 1 107 300 001 | |
| DIN 75/6-M8 H36 18° | 1 107 300 012 | |
| DIN 90/4-8 H36 18° | 1 107 301 001 | |
| DIN 90/6-8 H36 18° | 1 107 301 014 | |
| SAE 82/4-8 H30 18° | 1 107 309 012 | FIAT obsolete---please see complete shaft in Forklift section |
| SAE 88/4-8 H36 18° | 1 107 308 001 | |
| DIN 75 Blank H36 18° | 1 107 300 002 | |
| DIN 90 Blank H36 18° | 1 107 301 002 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H46 40x2 18° | 1 107 330 001 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H120 20° 28x1,5x17 DIN 5480 | 0 107 340 101 | |
| H060 1-79ZGN 20° 1-79ZGN | 1 107 312 015 | end yoke steering application |
| H080 Ø25H7 20° no keyway | 1 107 310 003 | |
| H080 Ø25H7 20° with keyway | 1 107 310 004 | |
| H080 Ø30H7 20° no keyway | 1 107 310 001 | |
| H080 Ø30H7 20° with keyway | 1 107 310 002 | |
| H080 solid 20° | 1 107 318 001 | |
| H055 18° 28x1,5x17 | 1 107 320 003 | splined bar end yoke |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H100 40x2 28x1,5x17 DIN5480 | 1 107 500 101 | |
| PROST+NH-Profilis.+Nab./Splined bar+ Sleeve/Barre cann.+ Coul./Barra +Corr. Estr./Sbarra scan.+ Man./Шлицевой стержень + Шлицевая втулка | | |
| H0415/0260 040x2 28x1,5x17 DIN5480 | 0 107 093 006 | |
| DIHÜV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H088 | 0 107 194 088 | |
| H108 | 0 107 194 108 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе (с чехлом) | | |
| NM + WZ (Slip yoke + Stub Shaft) spline 28x1,5x17 DIN 5480 | | |
| H151/040 40x2 20° 28x1,5x17 DIN5480 no rilsan, relube | 0 107 090 101 | |
| WM + NH (Yoke Shaft + Sleeve) spline 28x1,5x17 DIN 5480 | | |
| H161/070 40x2 20° 28x1,5x17 DIN5480 | 0 107 098 0101 | |
| H161/100 40x2 20° 28x1,5x17 DIN5480 | 0 107 098 0102 | |
| H180/090 40x2 20° 28x1,5x17 DIN5480 | 0 107 098 0012 | |
| H175/140 40x2 20° 38x2x14 DIN5480 | 0 107 098 0041 | steering application |
| WM + NH + DIHÜV (Yoke Shaft + Sleeve + dust cover) spline 32x2x14 DIN 5480 (spline ELBE 109 series) | | |
| H166/070 40x2 20° 32x2x14 DIN5480 rilsan , service free | 0 107 098 200 | EDS |
| H183/105 40x2 20° 32x2x14 DIN5480 rilsan , service free | 0 107 098 250 | EDS |
| H269/150 40x2 20° 32x2x14 DIN5480 rilsan , service free | 0 107 098 0046 | steering application |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| NM + WM (Slip yoke + Yoke Shaft) spline 28x1,5x17 DIN 5480 | | |
| H178/35 20° 28x1,5x17 DIN5480 rilsan , relube | 0 107 080 033 | |
| H178/35 20° 28x1,5x17 DIN5480 | 0 107 080 101 | |
| H192/35 20° 28x1,5x17 DIN5480 | 0 107 080 011 | |
| H198/35 20° 28x1,5x17 DIN5480 | 0 107 080 102 | |
| H279/35 20° 28x1,5x17 DIN5480 | 0 107 080 012 | |
| NM + WM + DIHÜV (Slip yoke + Yoke Shaft + Muff Dust Cover) spline 28x1,5x17 DIN 5480 | | |
| H107/17 08° 28x1,5x17 DIN5480 | 0 107 081 015 | |
| H121/15 18° 28x1,5x17 DIN5480 | 0 107 081 023 | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H128/30 18° 28x1,5x17 DIN5480 | 0 107 081 101 | |
| H128/30 18° 28x1,5x17 DIN5480 glidecoat | 0 107 081 027 | DELMAG |
| H153/35 18° 28x1,5x17 DIN5480 | 0 107 081 102 | |
| H153/35 18° 28x1,5x17 DIN5480 rilsan , relube | 0 107 081 045 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 40,00x2,00 | Tube 40x2 | 473.30 / ELBE 107 series tube |
| DOM-Doppelmitnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H68 40° | 1 107 281 001 | |

**ELBE 107 - 22,00x58,00**

| Dimensions | | EDS Part Number | | Comments |
|---|----------------|-----------------|------|--------------------------|
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | | | |
| DIN 75/4-8 | Lz.140 18° | DIN 75/4-8 | serv | 107229500303L0140 |
| DIN 75/6-6 | Lz 140 30° | DIN 75/6-6 | serv | 107229500404L0140 |
| DIN 90/4-8 | Lz 140 18° | DIN 90/4-8 | cer | 107229500505L0140 |
| EY Ø30H7 | w/keyway | Lz 228 30° | | 107229507373L0228 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | | | |
| DIN 75/4-8 | Lz 200/25 30° | | | 107229300303L0200 WEINIG |
| DIN 75/6-6 | Lz.200/25 30° | | | 107229300404L0200 |
| DIN 75/6-6 | Lz.225/35 30° | | | 107229300404L0225 |
| DIN 75/6-6 | Lz.250/35 30° | | | 107229300404L0250 |
| DIN 75/6-6 | Lz.270/35 30° | | | 107229300404L0270 |
| DIN 90/4-8 | Lz 200/25 18° | | | 107229300404L0200 |
| DIN 90/4-8 | Lz 225/35 18° | | | 107229300404L0225 |
| DIN 90/4-8 | Lz 250/35 18° | | | 107229300404L0250 |
| DIN 90/4-8 | Lz 270/35 18° | | | 107229300404L0270 |
| DIN 98/6-8 | Lz 218/18 18° | | | 10722930L2L2L0218 DELMAG |
| EY Ø30H7 | w/keyway | Lz.288/25 30° | | 107229307373L0208 |
| EY Ø30H7 | w/keyway | Lz.313/35 30° | | 107229307373L0313 |
| EY Ø30H7 | w/keyway | Lz.338/35 30° | | 107229307373L0338 |
| EY Ø30H7 | w/keyway | Lz 358/35 30° | | 107229307373L0358 |
| EY NM 25x22 | DIN5480 | L.270 | | W702012 WEINIG |
| DIN 75/4-8,2 | Lz 410/35 | central grease | | 107220100303L0410 WEINIG |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | |
| 22,00x58,00 | central grease | | | WD 11135 |
| 22,00x58,00 | central grease | HT 180° | | WD 13765 |
| 22,00x58,00 | central grease | | | WD 11145 GMB |
| 22,00x58,00 | central grease | | | WD 11155 EDS |
| 22,00x58,00 | 1xend lube | | | WD 12171 EDS |
| 22,00x58,00 | 2xend lube | | | WD 11132 |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Boccola/опорная втулка;втулка подшипника в комплекте | | | | |
| LBV | | | | 6473300600000 INA |

ELBE 109 - 28,50x70,90

| Dimensions | | EDS Part Number | | Comments |
|--|--------------|--------------------|--------------------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | | | |
| DIN 90/4-8 | H090 | 50x2 20° | | 0 109 050 201 |
| DIN 90/4-8 | H100 | 50x2 35° | | 0 109 055 201 |
| DIN 100/6-8 | H090 | 50x2 20° | | 0 109 051 201 |
| EY Ø35H7 | H128 | 50x2 20° no keyway | | 0 109 052 201 |
| EY Ø35H7 | H128 | 50x2 20° w/keyway | | 0 109 053 201 |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | | | |
| (WZ + NM) - Stub shaft + slip yoke style , relube , no rilsan : 40 mm slip | | | | |
| DIN 90/4-8 | H225/040 | 50x2 20° 32x2x14 | DIN5480 | 0 109 060 201 |
| DIN 100/6-8 | H225/040 | 50x2 20° 32x2x14 | DIN5480 | 0 109 061 201 |
| (WM + NH) - Yoke shaft + sleeve , relube , no rilsan , 80 mm slip | | | | |
| DIN 90/4-8 | H222/080 | 50x2 20° 32x2x14 | DIN5480 | 0 109 070 201 |
| DIN 90/4-8 | H237/080 | 50x2 35° 32x2x14 | DIN5480 | 0 109 075 201 |
| DIN 90/4-8 | H242/080 | 50x2 35° 32x2x14 | DIN5480 | 0 109 065 201 |
| DIN 100/6-8 | H222/080 | 50x2 20° 32x2x14 | DIN5480 | 0 109 071 201 |
| EY Ø 35H7 | H260/080 | 50x2 20° 32x2x14 | DIN5480 w/keyway | 0 109 073 201 |
| EY Ø 35H7 | H263/080 | 50x2 20° 32x2x14 | DIN5480 w/keyway | 0 109 063 201 |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | | | |
| DIN 90/4-8 | H42 | 20° | | 1 109 300 201 |
| DIN 90/4-8 | H52 | 35° | | 1 109 305 201 |
| DIN 90/6-8 | H42 | 20° | | 1 109 300 213 |
| DIN 100/6-8 | H42 | 20° | | 1 109 301 201 |
| DIN 79/4-8 | H41 | 20° c/w face key | | 1 109 309 208 UNIMOG / KRAMER |
| SAE 88/4-8 | H42 | 20° | | 1 109 308 202 |
| SAE 96/4-9,6 | H42 | 20° | | 1 109 308 201 |
| DIN 100 Blank | H42 | 20° | | 1 109 301 202 |
| DIN 90 Blank | H52 | 35° | | 1 109 305 202 |
| DIN 90 Blank | H42 | 20° | | 1 109 300 202 |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | | | |
| H48 | 50x2 | 35° | | 1 109 335 201 |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | | | |
| H80 Ø30H7 | 20° | w/keyway | | 1 109 310 204 |
| H80 Ø35H7 | 20° | w/keyway | | 1 109 310 202 |
| H80 Ø35H7 | 20° | w/keyway M10 | | 1 109 310 238 |
| H80 Ø40H7 | 20° | w/keyway | | 1 109 310 244 |
| H80 Blank | 20° | | | 1 109 318 201 |
| H75 | 35° 32x2x14 | DIN5480 | splined bar | 1 109 325 203 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | | | |
| H112 | 50x2 32x2x14 | DIN 5480 | no rilsan,seal kit incl. | 1 109 500 101 standard for slip assy's WM + NH (Yoke Shaft + Sleeve style) |
| H110 | 50x2 32x2x14 | DIN 5480 | rilsan | 1 109 501 011 |

**ELBE 109 - 28,50x70,90**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| PROST+NH-Profiles.+Nab./Splined bar+ Sleeve/Barre cann.+ Coul./Barra +Corr. Estr./Sbarra scan.+ Man./Шлицевой стержень + Шлицевая втулка | | |
| H0474/0350 050x2 32x2x14 DIN5480 | 0 109 093 474 | no rilsan , relube |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H100 | 0 109 194 100 | |
| H160 | 0 109 194 160 | |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| muff seal | 1 109 826 001 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе (с чехлом) | | |
| NM + WZ (Slip yoke + Stub Shaft) spline 28x1,5x17 DIN 5480 | | |
| H183/040 20° 32x2x14 DIN5480 | 0 109 090 201 | |
| WM + NH (Yoke Shaft + Sleeve) spline 28x1,5x17 DIN 5480 | | |
| H180/080 50x2 20° 32x2x14 DIN5480 | 0 109 098 201 | |
| H185/080 50x2 35° 32x2x14 DIN5480 | 0 109 099 201 | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| NM + WM (Slip yoke + Yoke Shaft) spline 32x2x14 DIN 5480 | | |
| H196/40 20° 32x2x14 DIN5480 | 0 109 080 201 | |
| H226/40 20° 32x2x14 DIN5480 | 0 109 080 202 | |
| H246/40 20° 32x2x14 DIN5480 | 0 109 080 220 | |
| NM + WM + DIHUV (Slip yoke + Yoke Shaft + Muff Dust Cover) spline 32x2x14 DIN 5480 | | |
| H132/15 20° 32x2x14 DIN5480 | 0 109 081 214 | |
| H141/25 20° 32x2x14 DIN5480 | 0 109 081 201 | |
| H166/40 20° 32x2x14 DIN5480 | 0 109 081 202 | |
| H166/50 20° 32x2x14 DIN5480 rilsan,service free | 0 109 081 224 | KRONES |
| H204/85 20° 32x2x14 DIN5480 rilsan,service free | 0 109 080 218 | KRONES |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 50x2 | Tube 50x2 | 287.00 / ELBE 109 / 473.30 / 1140 series tube |
| Tube 50x3 | Tube 50x3 | 287.10 /ELBE 109 / ELBE 110 / 2C IC-UG / 4C IC-UG series tube |
| DOM-Doppelmitnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H68 40° | 1 109 281 202 | |
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | |
| DIN 90/4-8 Lz 152 DIN 90/4-8 | 109299560505L0152 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN 90/4-8 Lz.225/025 20° | 109299300505L0225 | |
| DIN 90/4-8 Lz 250/045 20° service free | 109299370505L0250 | KRONES |
| DIN 90/4-8 Lz.250/040 20° | 109299300505L0250 | |
| DIN 90/4-8 Lz.280/040 20° | 109299300505L0280 | |
| DIN 90/4-8 Lz.290/085 20° | 109299370404L0290 | KRONES |
| DIN 90/4-8 Lz.310/040 20° | 109299300505L0310 | |
| DIN 90/4-8 Lz.315/040 20° | 109299330505L0315 | |
| DIN 90/4-8 Lz.345/040 20° | 109299330505L0345 | |
| KEY 79/4-8 Lz 215/015 20° | 109299304D4DL0215 | KRAMER |
| KEY 79/4-8 Lz 230/025 20° | 109299304D4DL0230 | KRAMER 002296521 |
| KEY 79/4-8 Lz 240/030 20° | 109299304D4DL0240 | KRAMER 002297521 |
| KEY 79/4-8 L.184 fixed shaft | 109290304D4DL0184 | KRAMER 002295721 |
| KEY 79/4-8 L.227 fixed shaft | 109290304D4DL0227 | KRAMER 002292422 |
| KEY 79/4-8 L.266 fixed shaft | 109290304D4DL0266 | KRAMER 1000089661/002292322 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 28,50x70,90 | WD 11185 | central grease |
| 28,50x70,90 | WD 14515 | central grease HT 180°C |
| 28,50x70,90 | WD 14525 | central grease HT 250°C |
| 28,50x70,90 | WD 11220 | service free |
| 28,50x70,90 | WD 12825 | higher grease volume |
| 28,00x71,50 | WD 11175 | EDS |
| 28,00x71,50 | WD 11202 | EDS 2x end lube |
| 28,00x71,50 | WD 11196 | EDS side hole |
| LBV-Lagerbüchse voll./Bearing cap/Roulement á aiguilles/Dado agujas/Voccola/опорная втулка;втулка подшипника в комплекте | | |
| Ø 28,5 INA | 0 000 030 285 | INA 109 new bearing |
| End lube not available for new 28,5 ELBE 109 series | | |

**ELBE 110 - 30,00x83,00**

| Dimensions | EDS Part Number | Comments |
|---|-----------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 100/6-8 H105 20° 50x3 | 0 110 050 001 | |
| DIN 100/6-8 H117 35° 50x3 | 0 110 055 001 | |
| DIN 120/8-8 H105 20° 50x3 | 0 110 051 001 | |
| EY Ø40H7 H148 35° 50x3 | 0 110 052 001 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| (WZ + NM) - Stub shaft + slip yoke style , relube , no rilsan : 40 mm slip | | |
| DIN 100/6-8 H237/040 20° 50x3 35x2x16 DIN 5480 | 0 110 060 201 | |
| DIN 100/6-8 H256/100 35° 50x3 35x2x16 DIN 5480 | 0 110 065 001 | |
| DIN 120/8-8 H237/040 20° 50x3 35x2x16 DIN 5480 | 0 110 061 201 | |
| EY Ø40H7 H281/040 20° 50x3 35x2x16 DIN5480 | 0 110 063 001 | |
| (WM + NH + DIHÜV) Yoke shaft + Sleeve + Muff Dust Cover , rilsan , service free , 40 or 100 mm slip | | |
| DIN 100/6-8 H244/100 20° 50x3 35x2x16 DIN 5480 | 0 110 070 001 | |
| DIN 100/6-8 H256/100 35° 50x3 35x2x16 DIN 5480 | 0 110 075 001 | |
| DIN 120/8-8 H249/040 35° 50x3 35x2x16 DIN5480 | 0 110 071 001 | |
| EY Ø40H7 H288/100 20° 50x3 35x2x16 DIN 5480 | 0 110 072 001 | |
| EY Ø40H7 key H288/100 20° 50x3 35x2x16 DIN 5480 | 0 110 073 001 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 100/6-8 H46 20° | 1 110 300 001 | |
| DIN 100/6-8 H58 35° | 1 110 305 001 | |
| DIN 120/8-8 H46 20° | 1 110 301 001 | |
| DIN 120/8-8 H58 35° | 1 110 306 001 | |
| SAE 96/4-9,6 H46 20° | 1 110 308 002 | |
| SAE 98/4-8 H46 20° w/key 8 mm | 1 110 309 012 | |
| SAE 98/4-10 H46 20° w/key 8 mm | 1 110 309 001 | |
| SAE 116/4-11 H46 20° | 1 110 308 001 | |
| SAE 116/4-11 H59 35° | 1 110 308 020 | |
| DIN 100 Blank H46 20° | 1 110 300 002 | |
| DIN 120 Blank H58 35° | 1 110 306 002 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H59 50x3 35° | 1 110 335 001 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| EY Ø38H7 H90 w/keyway end yoke | 1 110 310 012 | |
| EY Ø40H7 H90 no keyway end yoke | 0 110 169 012 | |
| EY Ø40H7 H90 w/keyway end yoke | 1 110 310 002 | |
| EY H90 Blank 20° end yoke | 1 110 318 001 | |
| H75 20° 35x2x16 DIN5480 splined bar | 1 110 325 003 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H135 50x3 35x2x16 DIN 5480 | 0 110 500 004 | incl. Seal kit for splined bar |
| H135 50x3 35x2x16 DIN 5480 | 1 110 501 004 | rilsan , service free , 100 mm slip |
| H162 50x3 35x2x16 DIN 5480 | 1 110 501 012 | rilsan , service free , 120 mm slip |
| PROST+NH-Profilis.+Nab./Splined bar+ Sleeve/Barre cann.+ Coul./Barra +Corr. Estr./Sbarra scan.+ Man./Шлицевой стержень + Шлицевая втулка | | |
| H0544/0400 050x3 35x2x16 DIN 5480 | 0 110 093 544 | |
| H0845/0700 050x3 35x2x16 DIN5480 | 0 110 093 060 | |
| DIHÜV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H100 | 0 110 194 100 | |
| H125 | 0 110 194 125 | |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| Muff seal | 1 110 826 001 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| NM + WZ (Slip yoke + Stub Shaft) spline 35x2x16 DIN 5480 | | |
| H191/040 50x3 20° 35x2x16 DIN5480 | 0 110 090 101 | |
| WM + NH (Yoke Shaft + Sleeve) spline 35x2x16 DIN 5480 | | |
| H220/120 50x3 35° 35x2x16 DIN5480 rilsan | 0 110 099 012 | |
| H375/200 50x3 35° 35x2x16 DIN5480 rilsan | 0 110 099 005 | |
| WM + NH + DIHÜV (Yoke Shaft + Sleeve + dust cover) spline 32x2x14 DIN 5480 | | |
| H191/040 50x3 20° 35x2x16 DIN5480 rilsan | 0 110 090 003 | |
| H198/100 50x3 35° 35x2x16 DIN5480 rilsan | 0 110 099 004 | |
| WMUNMV-Well. Nab. Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| NM + WM (Slip yoke + Yoke Shaft) spline 35x2x16 DIN 5480 , 40 mm slip | | |
| H218/40 20° 35x2x16 DIN5480 | 0 110 080 112 | |
| H218/40 20° 35x2x16 DIN5480 | 0 110 080 101 | |
| H248/40 20° 35x2x16 DIN5480 | 0 110 080 102 | |
| H248/40 20° 35x2x16 DIN5480 rilsan | 0 110 080 004 | |
| H269/50 35° 35x2x16 DIN5480 | 0 110 085 202 | |
| H314/40 20° 35x2x16 DIN5480 | 0 110 090 114 | obsolete |
| NM + WM + DIHÜV (Slip yoke + Yoke Shaft + Muff Dust Cover) spline 35x2x16 DIN 5480 , 20 - 40 mm slip | | |
| H126/20 20° 35x2x16 DIN5480 rilsan | 0 110 081 022 | |
| H138/20 20° 35x2x16 DIN5480 teflon | 0 110 081 014 | |
| H163/25 20° 35x2x16 DIN5480 | 0 110 081 101 | |
| H188/40 20° 35x2x16 DIN5480 | 0 110 081 102 | |
| H188/40 20° 35x2x16 DIN5480 rilsan | 0 110 081 004 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 50x3 | Tube 50x3 | 287.10 /ELBE 109 / ELBE 110 / 2C IC-UG / 4C IC-UG series tube |
| DOM-Doppelmitnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H68 240° | 1 110 281 001 | |

**ELBE 110 - 30,00x83,00**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|------------------------------------|
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | |
| DIN 100/6-8 Lz160 DIN 100/6-8 2xend lube | 110309500606L0160 | |
| DIN 120/8-8 Lz160 DIN 120/8-8 2xend lube | 110309500909L0160 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN 100/6-8 Lz 218/20 20° | 110309300606L0218 | concrete mixer |
| DIN 100/6-8 Lz.255/25 20° | 110309300606L0255 | |
| DIN 100/6-8 Lz.280/40 20° | 110309300606L0280 | |
| DIN 100/6-8 Lz.310/40 20° | 110309300606L0310 | |
| DIN 100/6-8 Lz 340/40 20° | 110309300606L0340 | |
| DIN 100/6-8 Lz 355/40 35° | 110309330606L0355 | |
| DIN 100/6-8 Lz 385/50 35° | 110309330606L0385 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 30,00x83,00 | WD 11235 | central grease |
| 30,00x83,00 | WD 13975 | central grease HT (180 °C) |
| 30,00x83,00 | WD 10945 | EDS central grease |
| 30,00x83,00 | WD 11251 | end lube |
| 30,00x83,00 | WD 11261 | replacement for WD 11251 |
| 30,00x83,00 | WD 13779 | 4xend lube + central grease nipple |
| 30,00x83,00 | WD 11276 | side holes on bearing |
| 30,00x83,00 | WD 11246 | side holes on bearing HD |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Воскола/опорная втулка;втулка подшипника в комплекте | | |
| Ø 30 standard central grease | 0 000 030 300 | |
| Ø 30 standard central grease | 0 000 040 300 | HD |
| Ø 30 1xend lube | 0 000 042 300 | HD |
| Ø 30 1xend lube / 1 hole / bearing | 0 000 033 300 | |
| Ø 30 1xend lube/ 2 holes/ bearing | 0 000 043 300 | HD |

ELBE 112 - 34,00/35,00x97,00

| Dimensions | EDS Part Number | Comments |
|---|-----------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 120/8-8 H125 60x4 20° | 0 112 050 201 | |
| DIN 120/8-8 H135 60x4 35° | 0 112 055 201 | |
| DIN 150/8-10 H125 60x4 20° | 0 112 051 201 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| (WZ + NM) - Stub shaft + slip yoke style spline 42x2x20 DIN 5480 ,re-lube , no rilsan ; 60 mm slip 20° or 120 mm slip 35° | | |
| DIN 120/8-8 H306/060 60x4 20° 42x2x20 DIN5480 | 0 112 060 201 | |
| DIN 120/8-8 H325/120 60x4 35° 42x2x20 DIN5480 | 0 112 065 201 | |
| DIN 150/8-10 H306/060 60x4 20° 42x2x20 DIN5480 | 0 112 061 201 | |
| (WM + NH + DIHUV) Yoke shaft + Sleeve + Muff Dust Cover spline 42x2x20 DIN 5480 , rilsan , service free , 120 mm slip (20° or 35°) | | |
| DIN 120/8-8 H308/120 60x4 20° 42x2x20 DIN5480 | 0 112 070 201 | |
| DIN 120/8-8 H325/120 60x4 35° 42x2x20 DIN5480 | 0 112 075 201 | |
| DIN 150/8-10 H308/120 60x4 20° 42x2x20 DIN5480 | 0 112 071 201 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 120/4-11 H60 20° | 1 112 302 201 | |
| DIN 120/6-8 H60 20° | 1 112 300 220 | |
| DIN 120/6-10 H70 35° ZETTELMEYER | 1 112 305 214 | 72mm spigot ,can be replaced by 2287202710120 |
| DIN 120/6-10 H70 35° w/key 8 mm width | 1 112 309 007 | obsolete |
| DIN 120/8-8 H45 18° | 1 112 300 213 | |
| DIN 120/8-8 H60 20° | 1 112 300 201 | |
| DIN 120/8-8 H70 35° | 1 112 305 201 | |
| DIN 120/8-10 H60 20° | 1 112 300 203 | |
| DIN 120/8-10 H70 35° | 1 112 305 203 | |
| DIN 150/8-10 H60 20° | 1 112 301 201 | |
| DIN 150/8-12 H60 20° | 1 112 301 203 | |
| SAE 116/4-11 H60 20° | 1 112 308 202 | |
| SAE 146/4-12,7 H60 20° | 1 112 308 201 | |
| DIN 120 Blank H45 18° | 1 112 300 212 | |
| DIN 120 Blank H70 35° | 1 112 305 202 | |
| DIN 150 Blank H60 20° | 1 112 301 202 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H65 60x4 35° | 1 112 335 201 | |
| H65 90x3 20° | 1 112 330 230 | FORD/JOHN DEERE fixed shafts |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| NM H152 20° 42x2x20 DIN 5480 reverse sleeve yoke | 0 112 104 015 | FORD |
| NM H085 20° 42x2x20 DIN 5480 splined bar | 1 112 325 203 | |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap 42x2x20 DIN 5480 | 1 112 750 002 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal 42x2x20 DIN 5480 ELBE 112 series | 1 112 821 003 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H180 60x4 | 1 112 501 004 | rilsan , service free for sleeve assy's until 120 mm slip |
| H180 60x4 | 1 112 500 004 | rilsan , service free with seal dust cover for splined bar |
| PROST+NH-Profilis.+Nab./Splined bar+ Sleeve/Barre cann.+ Coul./Barra +Corr. Estr./Sbarra scan.+ Man./Шлицевой стержень + Шлицевая втулка | | |
| H0865/0700 060x4 42x2x20 DIN5480 | 0 112 093 865 | |

**ELBE 112 - 34,00/35,00x97,00**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| DIHÜV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H140 | 0 112 194 140 | |
| H170 | 0 112 194 170 | |
| H183 | 0 112 194 183 | |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| Muff seal ELBE 112 series | 1 112 826 001 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| NM + WZ (Slip yoke + Stub Shaft) spline 42x2x20 DIN 5480 . 60 mm slip 35° | | |
| H246/060 60x4 35° 42x2x20 DIN5480 | 0 112 090 201 | |
| H246/060 60x4 20° 42x2x20 DIN5480 rilsan | 0 112 090 203 | |
| H246/060 70x3 35° 42x2x20 DIN5480 | 0 112 090 234 | |
| WM + NH (Yoke Shaft + Sleeve) spline 42x2x20 DIN 5480 . 225 mm long slip 35° | | |
| H284/225 60x4 35° 42x2x20 DIN5480 rilsan | 0 112 099 204 | |
| WM + NH + DIHÜV (Yoke Shaft + Sleeve + dust cover) spline 42x2x20 DIN 5480 . 60 mm slip 20° or 120 mm slip (20° and 35°) | | |
| H248/120 60x4 20° 42x2x20 DIN5480 rilsan | 0 112 098 204 | |
| H255/120 60x4 35° 42x2x20 DIN5480 rilsan | 0 112 099 203 | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| NM + WM (Slip yoke + Yoke Shaft) spline 42x2x20 DIN 5480 . 60 mm slip - 20° | | |
| H280/60 20° 42x2x20 DIN5480 | 0 112 080 201 | |
| H295/60 35° 42x2x20 DIN5480 | 0 112 085 201 | |
| H310/60 20° 42x2x20 DIN5480 | 0 112 080 202 | |
| NM + WM + DIHÜV (Slip yoke + Yoke Shaft + Muff Dust Cover) spline 42x2x20 DIN 5480 . 35 - 50 - 60 mm slip (20°) | | |
| WMUNMV H205/35 20° 42x2x20 DIN5480 | 0 112 081 201 | |
| WMUNMV H240/50 20° 42x2x20 DIN5480 | 0 112 081 202 | |
| WMUNMV H330/60 35° 42x2x20 DIN5480 rilsan | 0 112 085 204 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 60,00x4,00 | Tube 60x4 | ELBE 112 /5C ELBE / 587.12 series tube |
| Tube 70,00x3,00 | Tube 70x3 | 287.10 / 287.20 / ELBE 112 / ELBE 113 / 387.20 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H178,5 Ø 40 Ep 22 90x4 40x2 DIN5480 M20x1,5 | 1 112 225 218 | |
| DOM-Doppelmitnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H66 40° | 1 112 281 211 | |
| H80 70° | 1 112 281 201 | |
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | |
| DIN 120/8-8 Lz 200 DIN 120/8-8 | 112359500909L0200 | |
| DIN 120/8-10 Lz 200 DIN 120/8-10 | 112359501010L0200 | |
| DIN 120/8-8 Lz 220 DIN 120/8-8 | 112359530909L0220 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN 120/8-8 Lz.325/35 20° | 112359300909L0325 | |
| DIN 120/8-8 Lz.360/50 20° | 112359300909L0360 | |
| DIN 120/8-8 Lz.400/60 20° | 112359300909L0400 | |
| DIN 120/8-8 Lz.430/60 20° | 112359300909L0430 | |
| DIN 120/8-8 Lz 435/60 35° | 112359330909L0435 | |
| DIN 120/8-8 Lz.470/60 35° | 112359330909L0470 | |
| DIN 120/8-10 Lz 360/50 20° | 112359301010L0360 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| OLD ELBE 112 34,00x97,00 | | |
| ZKG 34x97 central grease | WD 11285 | |
| ZKG 34x97 central grease | WD 15285 | EDS |
| ZKG 34x97 2xend lube | WD 11302 | |
| ZKG 34x97 4xend lube + central grease | WD 13829 | |
| ZKG 34x97 holes on bearings | WD 11296 | |
| NEW ELBE 112 35,00x97,00 | | |
| 35,00x97,00 central grease | WD 11315 | |
| 35,00x97,00 central grease HD | WD 11335 | |
| 35,00x97,00 central grease HT 180° | WD 14175 | |
| 35,00x97,00 central grease | WD 12885 | EDS |
| 35,00x97,00 2xend lube | WD 11322 | |
| 35,00x97,00 2xend lube HD | WD 13342 | |
| 35,00x97,00 4xend lube + central grease | WD 13809 | |
| 35,00x97,00 4xend lube | WD 13929 | |
| 35,00x97,00 side holes | WD 11346 | |
| OLD-NEW CONVERSION KIT 34,00/35,00x97,00 | | |
| 34,00/35,00x97,00 central grease | WD 14285 | |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Voccola/опорная втулка;втулка подшипника в комплекте | | |
| OLD ELBE 112 34,00x97,00 | | |
| Ø 34 standard for central grease nipple | 0 000 030 340 | |
| Ø 34 1xend lube | 0 000 032 340 | |
| Ø 34 1xend lube + holes on bearing | 0 000 033 340 | |
| NEW ELBE 112 35,00x97,00 | | |
| Ø 35 standard for central grease nipple | 0 000 030 350 | |
| Ø 35 standard | 0 000 040 350 | HD |
| Ø 35 1xend lube | 0 000 032 350 | |
| Ø 35 1xend lube + hole on bearing | 0 000 033 350 | |
| Ø 35 1xend lube + hole on bearing | 0 000 043 350 | HD |

**ELBE 113 - 38,00x106,00**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 120/8-10 H128 70x4 20° | 0 113 050 001 | |
| DIN 120/8-10 H143 70x4 35° | 0 113 055 001 | |
| DIN 150/8-10 H128 70x4 20° | 0 113 051 001 | |
| DZG-Doppelzapfengelenk / CV-fixed joint / Joint fixe homo. / Junta fija homocinética / Giunto fisso homo. / Фланец в сборе с вилкой в трубу CV | | |
| DIN 120/8-10 H227 70x4 | 0 313 050 0861 | |
| DIN 150/8-12 H236 70x4 | 0 313 059 0001 | |
| 5C HWD H184 70x4 | 0 313 050 0011 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| (WZ + NM) - Stub shaft + slip yoke style spline 50x2x24 DIN 5480 | | |
| DIN 120/8-10 H318/060 70x4 20° 50x2x24 DIN5480 | 0 113 060 001 | |
| DIN 120/8-10 H343/060 70x4 35° 50x2x24 DIN5480 | 0 113 065 001 | |
| DIN 150/8-10 H318/060 70x4 20° 50x2x24 DIN5480 | 0 113 061 001 | |
| WM + NH (Yoke Shaft + Sleeve) spline 42x2x20 DIN 5480 , rilsan , 140 mm slip 35° | | |
| DIN 120/8-10 H320/140 70x4 35° 50x2x24 DIN5480 | 0 113 070 001 | |
| DIN 120/8-10 H332/140 70x4 35° 50x2x24 DIN5480 | 0 113 075 001 | |
| DIN 150/8-10 H320/140 70x4 35° 50x2x24 DIN5480 | 0 113 071 001 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 120/4-11 H70 35° | 2387202000500 | |
| XS 150/4-13 H64 25° | 1 113 302 0803 | EDS |
| DIN 120/6-10 H72 35° w/key | 2387202200090 | obsolete with stock |
| DIN 120/8-8 H72 35° | 1 113 305 007 | |
| DIN 120/8-8 H60 20° | 1 113 300 011 | |
| DIN 120/8-8 H72 35° | 2387202700080 | stock available , under request |
| DIN 120/8-10 H60 20° | 2387202011100 | obsolete replaced by ELBE 1 113 300 001 |
| DIN 120/8-10 H60 20° | 1 113 300 001 | |
| DIN 120/8-10 H72 35° | 1 113 305 001 | |
| DIN 130/8-10 H60 20° | 1 113 309 013 | |
| DIN 150/8-10 H60 20° | 1 113 301 001 | |
| DIN 150/8-12 H60 20° | 1 113 301 003 | |
| SAE 116/4-11 H60 20° | 1 113 308 002 | Spicer 1410 |
| SAE 150/4-14 H60 20° | 2387202400090 | obsolete with stock |
| SAE 146/4-14 H72 35° | 2387202400150 | Spicer 1535/1550 , under request |
| DIN 120 Blank H72 35° | 1 113 305 002 | |
| DIN 150 Blank H60 20° | 1 113 301 002 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H70 70x4 35° | 2387204000060 | GWB obsolete replaced by 1 113 335 001 |
| H68 70x4 35° | 1 113 335 001 | replacement of GWB 2387204000060 |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H088 50x2x24 DIN5480 | 1 113 325 003 | splined bar |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap 50x2x24 DIN 5480 | 1 113 750 002 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal 50x2x24 | 1 113 821 003 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H165 60,3x4,5 50x2x24 DIN 5480 (*) | 2387208117080 | GWB 387.20 UNIMOG tube 60,3x4,5 obsolete with stock available |
| H185 70,0x4,0 50x2x24 DIN 5480 | 1 113 500 004 | |
| H185 70,0x4,0 50x2x24 DIN 5480 rilsan | 1 113 501 004 | |
| (*) Grease nipple M10x1 and seal dust cover (seal + dust cover) no included to be ordered separately | | |
| PROST+NH-Profil.+Nab./Spined bar+ Sleeve/Barre cann.+ Coul./Barra +Corr. Estr./Sbarra scan.+ Man./Шлицевой стержень + Шлицевая втулка | | |
| H0485/0275 070x4 50x2x24 DIN5480 rilsan | 0 113 093 004 | |
| H0645/0400 070x4 50x2x24 DIN5480 rilsan | 0 113 093 006 | |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H140 | 0 113 194 140 | |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| Muff seal | 1 113 826 001 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| NM + WZ (Slip yoke + Stub Shaft) | | |
| H252/060 70x3 20° 45x2x21 | 6387201030000 | EDS |
| H258/060 70x4 20° 50x2x24 DIN5480 | 0 113 090 101 | |
| H258/060 70x4 20° 50x2x24 DIN5480 rilsan | 0 113 090 003 | |
| H270/060 70x4 35° 50x2x24 DIN5480 | 0 113 095 101 | |
| WM + NH (Yoke Shaft + Sleeve seal dust cover) spline 50x2x24 DIN 5480 , 140 mm long slip 35° | | |
| H260/140 70x4 35° 50x2x24 DIN5480 | 0 113 099 003 | |
| WMUNMV-Well. Nab. Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H300/060 20° 50x2x24 DIN5480 | 0 113 080 101 | |
| H300/060 20° 50x2x24 DIN5480 rilsan,w/dust cover | 0 113 080 003 | |
| H330/060 20° 50x2x24 DIN5480 | 0 113 080 102 | |
| H316/060 35° 50x2x24 DIN5480 | 0 113 085 101 | |
| H350/060 35° 50x2x24 DIN5480 | 0 113 085 102 | |
| H350/060 35° 50x2x24 DIN5480 rilsan ,w/dust cover | 0 113 085 003 | |
| H205/020 20° 50x2x24 DIN5480 | 63872071330100161 | GWB obsolete with stock |
| H230/040 20° 50x2x24 DIN5480 | 63872071330100186 | GWB obsolete |
| H225/035 20° 50x2x24 DIN5480 rilsan | 0 113 081 003 | |
| H225/035 20° 50x2x24 DIN5480 | 0 113 081 101 | |
| H255/050 20° 50x2x24 DIN5480 | 0 113 081 102 | |

**ELBE 113 - 38,00x106,00**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 70,00x3,00 | Tube 70x3 | 287.10 / 287.20 / ELBE 112 / ELBE 113 / 387.20 series tube |
| Tube 70,00x4,00 | Tube 70x4 | 6C / ELBE 113 / UNIMOG 587.12 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H120 Ø45 Ep18 70x3 40x2,5 Straight M32x1,5 | 2287201611060 | MAN, cast MAN ctr brg |
| H141 Ø40 Ep27 70x3 40x2,5x14 DIN 5480 M27x1,5 | 2187201600110 | GWB IVECO |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| DIN 120/8-10 H70,7 45x2,5x16 DIN 5482 MAN | 3387205200100 | GWB |
| DIN 120/8-10 H70,7 45x2,5x16 DIN 5482 IVECO | 3387205227080 | GWB |
| DIN 120/8-10 H70,7 45x2,5x16 DIN 5482 | 1 113 242 001 | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø45x193x19 LL H69,1 | WDL 9035 | 0468 2902/4253 6523 IVECO |
| Ø45x200x18 H69 | WDL 9016 | 81 39400 6089 MAN GWB |
| Ø45x200x18 RL H69 | WDL 9054 | 81 39400 6089 MAN |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuercas puente central / Dado autobloccante / Гайка | | |
| M27x1,5 | 1000008102066 | |
| ZWUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| DIN 120/8-10 H129 Ø 45 Ep27 70x3 45x2,5 DIN5480 M27x1,5 | 6387201652002 | MAN |
| DIN 120/8-10 H135 Ø 45 Ep22 70x3 45x2,5 DIN5480 | 0 113 161 001 | fits SNH 209 |
| DIN 120/8-12 H135 Ø 55 Ep16 70x3 45x2,5 DIN5480 | 0 113 161 012 | |
| (*) Metric nut M27x1,5 WELTE PN 1000008102066 is not included in MAN mid end assy and must be purchased separately | | |
| DOM-Doppelmitnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H095 45° | 2387209000000 | |
| H080 40° | 1 113 281 001 | |
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | |
| DIN 120/8-10 Lz 200 40° DIN 120/8-10 2xend lube | 113389501010L0200 | |
| DIN 120/8-10 Lz 215 45° DIN 120/8-10 2xend lube | 113389501010L0215 | on request |
| MR-Mitnehmerring / Center yoke / Bol / Junta Doble palier / Corpo centrale / Сдвоенная вилка | | |
| H105 45° | 1 313 280 0001 | |
| MANSCH - Manschette / Boot / Souffle / Fueelle / Anello di tenuta / манжета | | |
| Boot 313 series | 1 000 830 0035 | on request |
| GELAG - Gelenklager / Ball / Bille articulation / Bola / Sfera / Шаровой шарнир | | |
| Ball 313 series | 1 313 550 0001 | on request |
| SPANNSCH - Spannschelle / Clamp / Collier / Abrazadera / Filo de tenuta / Хомут | | |
| clamp 313 series | 1 000 961 0018 | on request |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN 120/8-10 Lz.345/035 20° | 113389301010L0345 | |
| DIN 120/8-10 Lz.375/050 20° | 113389301010L0375 | |
| DIN 120/8-10 Lz.420/060 20° | 113389301010L0420 | |
| DIN 120/8-10 Lz.450/060 20° | 113389301010L0450 | |
| DIN 120/8-10 Lz.460/050 35° | 113389331010L0460 | |
| DIN 120/8-10 Lz.495/060 35° | 113389331010L0495 | |
| DIN 150/8-12 Lz 345/035 20° | 113389301212L0345 | ZETTELMEYER |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 38,00x106,00 central grease | WD 11355 | standart |
| 38,00x106,00 central grease | WD 11385 | INA |
| 38,00x105,80 central grease | WD 10665 | EDS |
| 38,00x106,00 2xend lube | WD 11372 | standart |
| 38,00x106,00 2xend lube | WD 11392 | INA |
| 38,00x106,00 4xend lube + central grease | WD 14559 | INA |
| 38,00x106,00 holes on bearings | WD 11366 | |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Воскола/опорная втулка;втулка подшипника в комплекте | | |
| Ø 38 | 0 000 030 380 | |
| Ø 38 | 6587120600110 | INA |
| Ø 38 end lube | 0 000 032 380 | |
| Ø 38 end lube + holes on bearing | 0 000 033 380 | |

ELBE 148 - 42,00x117,50

| Dimensions | EDS Part Number | Comments |
|--|-----------------|----------|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 120/8-10 H160 80x4 35° | 0 148 055 005 | |
| DIN 150/8-10 H145 80x4 20° | 0 148 050 007 | |
| DIN 150/8-12 H145 80x4 20° | 0 148 050 001 | |
| DIN 150/8-12 H160 80x4 35° | 0 148 055 001 | |
| DIN 180/8-12 H145 80x4 20° | 0 148 051 001 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 150/8-12 H328/110 80x4 20° 55x2,5x20 DIN5480 | 0 148 070 001 | |
| DIN 150/8-12 H343/110 80x4 35° 55x2,5x20 DIN5480 | 0 148 075 001 | |
| DIN 180/8-12 H328/110 80x4 20° 55x2,5x20 DIN5480 | 0 148 071 001 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 120/4-11 H70 35° | 1 148 302 001 | |
| XS 150/4-13 H70 35° | 1 148 302 003 | |
| DIN 120/8-10 H80 35° | 1 148 305 005 | |
| DIN 130/8-10 H80 35° | 1 148 309 015 | |
| DIN 150/8-10 H65 20° | 1 148 300 007 | |

**ELBE 148 - 42,00x117,50**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 150/8-10 H80 35° | 1 148 305 007 | |
| DIN 150/8-12 H65 20° | 1 148 300 001 | |
| DIN 150/8-12 H80 35° | 1 148 305 001 | |
| DIN 180/8-12 H65 20° | 1 148 301 001 | |
| DIN 180/8-14 H65 20° | 1 148 301 003 | |
| DIN 180/12-16 H65 20° | 1 148 301 011 | SCHENCK , under request |
| DIN 200/8-12 H75 20° | 0 148 309 011 | |
| DIN 150 Blank H65 20° | 1 148 300 002 | |
| DIN 150 Blank H80 35° | 1 148 305 002 | |
| DIN 180 Blank H65 20° | 1 148 301 002 | |
| SAE 146/4-12.7 H65 20° | 1 148 308 002 | |
| SAE 174/8-9.6 H65 20° | 1 148 308 001 | |
| SAE 174 Blank H65 20° | 1 148 308 007 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H80 80x4 35 ° | 1 148 335 001 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H80 35° 55x2,5x20 DIN5480 | 1 148 325 003 | end yoke splined bar |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap ELBE 148 55x2,5x20 DIN5480 | 1 148 750 002 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal ELBE 148 55x2,5x20 DIN5480 | 1 148 821 003 | |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| plug cap 148/970 series 60mm | 1 000 751 600 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H185 80x4 55x2,5x20 DIN5480 rilsan service free | 1 148 501 003 | for sleeve assy 0 148 099 003 |
| PROST - Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| Splined bar 55x2,5x20 DIN 5480 | 2587201900000 | cut to required length |
| PROST+NH-Profilis.+Nab./Splined bar+ Sleeve/Barre cann.+ Coul./Barra +Corr. Estr./Sbarra scan.+ Man./Шлицевой стержень + Шлицевая втулка | | |
| H0510/0280 080x4 55x2,5x20 DIN5480 rilsan | 0 148 093 003 | |
| H0590/0355 080x4 55x2,5x20 DIN5480 rilsan | 0 148 093 004 | |
| H0670/0440 080x4 55x2,5x20 DIN5480 rilsan | 0 148 093 005 | |
| H0730/0530 080x4 55x2,5x20 DIN5480 rilsan | 0 148 093 006 | |
| H1200/1000 080x4 55x2,5x20 DIN5480 rilsan | 0 148 093 1200 | |
| H0950/0760 080x4 55x2,5x20 DIN5480 rilsan | 0 148 093 950 | |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H140 | 0 148 194 140 | |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| Muff seal | 1 148 826 001 | |
| WMUNHV- Wellenm.Nabenh. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H263/110 20° 80x4 55x2,5x20 DIN5480 rilsan | 0 148 099 003 | |
| WMUNMV-Weil. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H190/15 20° 55x2,5x20 DIN 5480 rilsan | 0 148 081 023 | |
| H194/25 20° 55x2,5x20 DIN 5480 rilsan | 0 148 081 024 | |
| H210/30 20° 55x2,5x20 DIN 5480 rilsan | 0 148 081 011 | |
| H220/30 20° 55x2,5x20 DIN 5480 rilsan | 0 148 081 033 | |
| H230/40 20° 55x2,5x20 DIN 5480 rilsan | 0 148 081 003 | |
| H270/80 20° 55x2,5x20 DIN 5480 rilsan | 0 148 081 004 | |
| H330/80 35° 55x2,5x20 DIN 5480 rilsan | 0 148 085 003 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 80,00x4,00 | Tube 80x4 | ELBE 148 / 7C ELBE series tube |
| DOM-Doppelmitnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H095 36° | 1 148 281 003 | |
| H105 40° | 1 148 281 001 | |
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | |
| DIN 150/8-12 Lz 225 36° DIN 150/8-12 2xend lube | 148429501212L0225 | |
| DIN 150/8-12 Lz.235 40° DIN 150/81-2 2xend lube | 148429501212L0235 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN 150/8-10 Lz.360/40 20° rilsan | 148429301111L0360 | |
| DIN 150/8-12 Lz.360/40 20° rilsan | 148429301212L0360 | |
| DIN 150/8-12 Lz.400/80 20° rilsan | 148429301212L0400 | |
| DIN 150/8-12 Lz.460/80 20° rilsan | 148429301212L0460 | |
| DIN 150/8-12 Lz.490/80 20° rilsan | 148429301212L0490 | |
| DIN 150/8-12 Lz 490/80 35° rilsan | 148429331212L0490 | |
| DIN 180/8-14 Lz.400/80 20° rilsan | 148429301616L0400 | |
| DIN 200/8-12 - 150/8-12 Lz.370/40 20° rilsan | 14842930RH12L0370 | RHETA Mannheim |
| SAE 174/8-10 Lz.324/25 20° rilsan | 148429304444L0324 | end lube |
| XS 120/4-11 Lz.350/25 25° rilsan | 148429303131L0350 | LIEBHERR 7252764 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 42,00x117,50 central grease | WD 11535 | ELBE |
| 42,00x117,50 service free | WD 11530 | SKF EDS |
| 42,00x117,50 1xend lube | WD 13031 | ELBE |
| 42,00x117,50 4xend lube | WD 13414 | ELBE |
| 42,00x117,50 4xend lube w/center hole | WD 13934 | Frankenthal application |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Воскола/опорная втулка;втулка подшипника в комплекте | | |
| Ø 42 | 6587150600000 | INA |
| Ø 42 | 6286220600160 | SKF standart central grease and service free |
| Ø 42 end lube | 6587150600040 | INA |

**ELBE 158 / 358 - 48,00x126,00**

| Dimensions | EDS Part Number | Comments |
|---|-----------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 150/8-12 H185 90x4 20° | 0 158 050 001 | |
| DIN 150/8-12 H200 90x4 35° | 0 158 055 001 | |
| DZG-Doppelzapfengelenk / CV-fixed joint / Joint fixe homo. / Junta fija homocinética / Giunto fisso homo. / Фланец в сборе с вилкой в трубу CV | | |
| XS-CV 150/4-13 H265 90x4 35° | 0 358 050 0701 | |
| DIN-CV 150/8-12 H265 90x4 35° | 0 358 050 001 | |
| DIN-CV 180/8-14 H265 90x4 35° | 0 358 051 001 | |
| SAE-CV 174/8-9.6 H265 90x4 35° | 0 358 058 001 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 150/8-12 H490/110 90x4 35° 60x2,5x22 DIN 5480 | 0 158 075 001 | |
| DIN 150/8-12 H475/110 90x4 20° 60x2,5x22 DIN 5480 | 0 158 075 001 | |
| DWG-Doppelwellengelenk / CV-Slip joint / Joint couli. homo. / Juntas corr. homo. / Doppio Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS-CV 150/4-13 H559/110 90x4 35° 60x2,5 DIN 5480 | 0 358 070 0701 | |
| SAE-CV 174/8-9.6 H584/110 90x4 35° 60x2,5 DIN 5480 | 0 358 078 001 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 150/4-13 H75 20° | 1 158 302 001 | |
| XS 150/4-13 H75 20° CV | 1 358 302 011 | |
| DIN 150/8-10 H75 20° | 1 158 300 007 | |
| DIN 150/8-12 H75 20° | 1 158 300 001 | |
| DIN 150/8-12 H75 20° CV | 1 358 300 001 | |
| DIN 150/8-12 H90 35° | 1 158 305 001 | |
| DIN 165/8-16 H90 35° | 0 158 306 011 | |
| DIN 180/8-12 H75 20° | 1 158 301 007 | |
| DIN 180/8-12 H90 35° | 1 158 306 007 | |
| DIN 180/8-14 H75 20° | 1 158 301 001 | |
| DIN 180/8-14 H90 35° | 1 158 306 001 | |
| DIN 180/8-14 H75 20° CV | 1 358 301 001 | |
| DIN 180/10-16 H75 20° | 1 158 301 012 | |
| DIN 180/10-16 H90 35° | 1 158 306 012 | |
| SAE 174/8-9.6 H90 35° | 1 158 308 003 | |
| SAE 174/8-9.6 H75 20° CV | 1 358 308 001 | |
| 6C H75 20° CV | 1 358 300 011 | on request only |
| 7C H75 20° CV | 1 358 300 007 | |
| DIN 150 Blank H75 20° | 1 158 300 002 | |
| DIN 150 Blank H75 20° CV | 1 358 300 002 | |
| DIN 150 Blank H90 35° | 1 158 305 002 | |
| DIN 180 Blank H75 20° | 1 158 301 002 | |
| DIN 180 Blank H90 35° | 1 158 306 002 | |
| DIN 180 Blank H75 20° CV | 1 358 301 002 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H110 90x4 35° | 1 158 335 001 | |
| H075 90x4 20° Ø 82,30 9.01 CV | 1 358 335 011 | |
| H105 90x4 35° Ø 82,30 splined bar | 1 158 335 014 | please order adaptor separately |
| H075 90x4 20° CV | 1 358 335 001 | |
| H035 6C 20° CV | 1 358 249 002 | |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| plug cap | 1 000 751 650 | |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H220 20° 45x1,5x36 DIN5480 | 1 158 360 011 | on request |
| H220 20° 45x1,5x36 DIN5480 + gear w/nut-bolt | 1 158 360 012 | on request |
| H340 35° 45x1,5x34 DIN5480 | 1 158 365 016 | on request |
| H415 35° 45x1,5x36 DIN5480 | 1 158 365 017 | on request |
| H435 35° 45x1,5x32 DIN5480 | 1 158 365 019 | on request |
| H280 20° 45x1,5x36 DIN5480 CV | 1 358 365 011 | on request |
| H390 35° 45x1,5x36 DIN5480 CV | 1 358 365 012 | on request |
| H415 35° 45x1,5x36 DIN5480 CV | 1 358 365 018 | on request |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H080 Ø82,30 60x2,5x22 DIN 5480 | 1 158 530 001 | sleeve adaptor splined bar ey +tube yoke 1 158 335 014 (9.01) |
| H312 90x4 60x2,5x22 DIN5480 rilsan | 1 158 500 003 | for splined bar |
| H314 90x4 60x2,5x22 DIN5480 rilsan | 1 158 501 003 | |
| PROST+NH-Profilis.+Nab./Splined bar+ Sleeve/Barre cann.+ Coul./Barra +Corr. Estr./Sbarra scan.+ Man./Шлицевой стержень + Шлицевая втулка | | |
| H0518/0260 90x4 60x2,5x22 DIN5480 rilsan | 0 158 093 002 | |
| H0738/0480 90x4 60x2,5x22 DIN5480 rilsan | 0 158 093 005 | |
| DHÜV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H190 | 0 158 194 190 | |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| Muff seal | 1 158 826 001 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц, вал и шлиц, втулка в сборе (с чехлом) | | |
| H400/110 90x4 35° 60x2,5x22 DIN5480 rilsan | 0 158 099 001 | |
| H400/180 90x4 35° 60x2,5x22 DIN5480 rilsan | 0 158 099 029 | |
| H369/110 90x4 35° 60x2,5x22 DIN5480 rilsan | 0 358 098 001 | CV slip assy |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H235/35 20° 60x2,5x22 DIN5480 rilsan | 0 158 081 019 | |
| H250/50 20° 60x2,5x22 DIN5480 rilsan | 0 158 081 003 | |
| H255/45 28° 60x2,5x22 DIN5480 rilsan | 0 158 081 022 | NEOPLAN |
| H315/80 20° 60x2,5x22 DIN5480 rilsan | 0 158 081 004 | |
| H403/90 35° 60x2,5x22 DIN5480 rilsan | 0 358 085 014 | CV slip assy |

**ELBE 158 / 358 - 48,00x126,00**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| WZUNMV- Wellenzapfen u. Nab. vollst/Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Шлиц.вал и скользящая вилка в сборе | | |
| DIN 180/8-14 H455/110 60x2,5x22 DIN 5480 | 0 158 094 011 | LIEBHERR slip/mid stub version |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 90,00x4,00 | Tube 90x4 | 8C ELBE /1650 / ELBE 158/358 / 1600 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H172 90x4 Ø 55 Ep 65 46x54x9 spline NUT 40x1,5 MAN | 2287301611090 | MAN |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| DIN 180/8-14 H58 46x54x9Z | 1 158 242 018 | ELBE , under request |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | |
| MAN Ø 55mm rigid casting | WDL 9226 | MAN |
| ZWZUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| DIN 150/8-12 H160 Ø55 Ep 65 46x54x9 M40x1,5 | 0 158 161 001 | fits SNH211 |
| MR-Mitnehmerring / Center yoke / Bol / Junta Doble palier / Corpo centrale / Сдвоенная вилка | | |
| H115 40° | 1 358 280 001 | |
| MANSCH - Manschette / Boot / Souffle / Fueelle / Anello di tenuta / манжета | | |
| Boot 40mm ball | 1 000 830 0019 | |
| Boot 42mm ball | 1 000 830 0042 | |
| GELAG - Gelenklager / Ball / Bille articulation / Bola / Sfera / Шаровой шарнир | | |
| Ball Ø 40mm | 1 358 550 001 | |
| Ball Ø 42mm | 1 358 550 002 | |
| SPANNSCH - Spannschelle / Clamp / Collier / Abrazadera / Filo de tenuta / Хомут | | |
| Clamp | 1 000 961 015 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN 150/8-12 Lz 385/035 20° | 158489301212L0385 | |
| DIN 150/8-12 Lz 400/050 20° | 158489301212L0400 | |
| DIN 150/8-12 Lz 465/080 20° | 158489301212L0465 | HANOMAG 4220 519 M91 |
| DIN 150/8-12 Lz 585/110 35° | 158489331212L0585 | |
| DIN 180/8-14 Lz.445/060 20° | 158489301616L0445 | |
| DIN 180/8-14 Lz.568/110 20° | 158489301616L0568 | HANOMAG 4004472M |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 48,00x126,00 central grease | WD 10815 | GWB |
| 48,00x126,00 central grease | WD 10395 | INA |
| 48,00x126,00 central grease | WD 14235 | EDS |
| 48,00x126,00 central grease | WD 10425 | SKF |
| 48,00x126,00 service free | WD 10820 | SKF |
| 48,00x126,00 2xend lube | WD 10832 | ELBE |
| 48,00x126,00 2xend lube | WD 13224 | GWB version |
| 48,00x126,00 2xend lube | WD 13352 | INA |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Boccola/опорная втулка;втулка подшипника в комплекте | | |
| Ø 48 | 6286330617000 | INA |
| Ø 48 | 6286330600160 | SKF service free |
| Ø 48 end lub 10x1 | 6286330617040 | INA |

ELBE 117 - 53,00x135,00

| Dimensions | EDS Part Number | Comments |
|--|-----------------|----------|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 150/12-12 H184 30° 100x5 | 0 117 050 001 | |
| DIN 180/8-14 H184 30° 100x5 | 0 117 051 007 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 150/8-12 H428/110 30° 100x5 65x2,5x24 DIN5480 | 0 117 070 003 | |
| DIN 180/8-14 H428/110 30° 100x5 65x2,5x24 DIN5480 | 0 117 071 007 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 150/4-13 H90 30° | 1 117 302 201 | |
| XS 180/4-15 H90 30° | 1 117 302 203 | |
| DIN 150/8-12 H86 30° | 1 117 300 203 | |
| DIN 150/12-12 H86 30° | 1 117 300 201 | |
| DIN 165/8-16 H76 25° | 1 117 304 201 | |
| DIN 165/8-16 H86 30° | 1 117 301 201 | |
| DIN 180/8-12 H86 30° | 1 117 301 212 | |
| DIN 180/8-14 H76 25° | 1 117 304 207 | |
| DIN 180/8-14 H86 30° | 1 117 301 207 | |
| DIN 180/10-16 H76 25° | 1 117 304 210 | |
| DIN 180/10-16 H86 30° | 1 117 301 210 | |
| DIN 150 Blank H86 30° | 1 117 300 202 | |
| DIN 180 Blank H86 30° | 1 117 301 209 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H98 100x5 30° | 1 117 330 201 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H132 30° 65x2,5x24 DIN5480 splined bar | 1 117 320 203 | |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap | 1 117 750 002 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal 65x2,5x24 DIN 5480 | 1 117 821 003 | |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| plug cap 72mm | 1 000 751 720 | |

**ELBE 117 - 53,00x135,00**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H235 100x5 65x2,5x24 DIN 5480 rilsan | 1 117 501 003 | |
| H254 100x5 65x2,5x24 DIN 5480 rilsan w/seal kit | 1 117 501 015 | |
| PROST - Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| H2800 65x2,5x24 DIN5480 H2800 CK45 | 2587301900100 | cut to requested length |
| PROST+NH-Profilst.+Nab./Splined bar+ Sleeve/Barre cann.+ Coul./Barra +Corr. Estr./Sbarra scan.+ Man./Шлицевой стержень + Шлицевая втулка | | |
| H0790/0525 100x5 65x2,5x24 DIN5480 rilsan relube | 0 117 093 005 | |
| H0890/0625 100x5 65x2,5x24 DIN5480 rilsan relube | 0 117 093 006 | |
| DHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H160 | 0 117 194 160 | |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| Muff seal | 1 117 826 001 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / ШЛИЦЕВОЙ ВАЛ И ШЛИЦЕВАЯ ВТУЛКА В СБОРЕ (с чехлом) | | |
| H326/110 100x5 30° 65x2,5x24 DIN5480 rilsan | 0 117 098 201 | |
| WMUNMV-Well. Nab.Vollst./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H248/40 24° 65x2,5x24 DIN5480 teflon relube | 0 117 083 203 | |
| H288/50 24° 65x2,5x24 DIN5480 teflon relube | 0 117 083 204 | |
| H323/45 24° 65x2,5x24 DIN5480 rilsan | 0 117 081 203 | |
| H383/80 24° 65x2,5x24 DIN5480 rilsan | 0 117 081 204 | |
| ROHR - Rohr / Tube / Tubo / Труба | | |
| Tube 100,00x5,00 | Tube 100x5 | 286.37/286.22/ELBE117/8,5CELBE/GS1800/SCANIA P400 series tube |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø60x200x36 | WDL 9040 | |
| ZWUZWF / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| DIN 180/8-14 H202 Ø65 Ep 30 65x2,5x24 DIN5480 100x5 M4 | 0 117 161 003 | |
| DIN 180/8-14 H202 Ø65 Ep 30 65x2,5x24 DIN5480 120x3 M4 | 0 117 161 036 | |
| DIN 180/8-16 H202 Ø65 Ep 30 65x2,5x24 DIN5480 100x5 M4 | 0 117 161 001 | fits SNH 213 |
| DOM-Doppelmitnehmer / H-Piece / Double BM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H124 30° | 1 117 281 201 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN 165/8-16 Lz 400/040 24° | 117539301414L0400 | |
| DIN 180/8-16 Lz 400/040 24° | 117539301515L0400 | |
| DIN 180/8-14 Lz 555/080 24° | 117539301616L0555 | KOMATSU 4246 102 M91 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 53,00x135,00 HT 150 °C central grease | WD 13155 | |
| 53,00x135,00 central grease | WD 10705 | INA |
| 53,00x135,00 service free SKF | WD 10870 | SKF |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Boccola/опорная втулка;втулка подшипника в комплекте | | |
| Ø 53 | 6286370617030 | INA |
| Ø 53 | 6286370600160 | SKF |
| Ø 53 end lub 10x1 | 6286370617040 | INA |

ELBE 120 - 57,00x152,00

| Dimensions | EDS Part Number | Comments |
|---|-----------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 180/10-16 H201 30° 110x6 | 0 120 050 001 | |
| DIN 225/8-16 H201 30° 110x6 | 0 120 051 001 | |
| DZG-Doppelzapfengelenk / CV-fixed joint / Joint fixe homo. / Junta fija homocinética / Giunto fisso homo. / Фланец в сборе с вилкой в трубу CV | | |
| DIN 180/10-16 H326 42° 110x6 2xend lube | 0 320 050 001 | on request |
| DIN 180/8-14 H326 42° 110x6 2xend lube | 0 320 050 007 | on request |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 180/8-14 H448/110 30° 110x6 75x2,5x24 DIN5480 | 0 120 070 007 | |
| DIN 225/8-16 H448/110 30° 110x6 75x2,5x24 DIN5480 | 0 120 071 001 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 180/4-15 H96 30° | 1 120 302 001 | under request , alternative on GWB 587.42 series |
| DIN 180/8-14 H85 20° | 1 120 303 007 | |
| DIN 180/8-14 H96 30° | 1 120 300 007 | |
| DIN 180/8-16 H96 30° | 1 120 300 003 | |
| DIN 180/10-16 H86 20° | 1 120 303 001 | can be replaced by GWB 2587422600000 |
| DIN 180/10-16 H96 30° | 1 120 300 001 | |
| DIN 225/8-16 H96 30° | 1 120 301 001 | |
| DIN 225/12-16 H96 30° | 1 120 301 003 | |
| DIN 250/8-18 H96 30° | 1 120 301 005 | |
| DIN 180/10-16 H86 20° CV | 1 320 300 001 | |
| SAE 203/12-11 H96 30° | 1 120 308 001 | |
| DIN 180 Blank H86 20° | 1 120 303 002 | |
| DIN 225 Blank H96 30° | 1 120 301 002 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H105 30° 110x6 | 1 120 303 001 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H145 30° 75x2,5x24 DIN5480 | 1 120 320 011 | end yoke splined bar |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap | 1 120 750 002 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal 75x2,5x24 DIN5480 | 1 120 821 003 | |

**ELBE 120 - 57,00x152,00**

| Dimensions | EDS Part Number | Comments |
|---|-----------------|--|
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| Plug-cap 82mm | 1 000 751 820 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H255 110x6 75x2,5x24 DIN5480 rilsan w/seal kit | 1 120 500 003 | splined bar |
| H250 110x6 75x2,5x24 DIN5480 rilsan | 1 120 501 003 | std for sleeve assy 0 120 098 001 |
| H255 110x6 75x2,5x24 DIN5480 rilsan | 1 120 501 004 | on request |
| PROST - Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| H2800 75x2,5x28 DIN5480 587.36 / 587.42 / ELBE 120 | 2587351900000 | H2800,see 587.42 combinations SPLINED BAR + SLEEVE |
| PROST+NH-Profiles.+Nab./Splined bar+ Sleeve/Barre cann.+ Coul./Barra +Corr. Estr./Sbarra scan.+ Ман./Шлицевой стержень + Шлицевая втулка | | |
| H0363/0080 110x6 75x2,5x24 DIN5480 rilsan | 0 120 093 012 | |
| H0515/0240 110x6 75x2,5x24 DIN5480 rilsan | 0 120 093 002 | |
| H0615/0340 110x6 75x2,5x24 DIN5480 rilsan | 0 120 093 003 | |
| H0835/0560 110x6 75x2,5x24 DIN5480 rilsan | 0 120 093 005 | |
| H0920/0670 110x6 75x2,5x24 DIN5480 rilsan | 0 120 093 006 | |
| DIHÜV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H170 | 0 120 194 170 | |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| Muff seal | 1 120 826 001 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H352/110 110x6 30° 75x2,5x24 DIN5480 rilsan | 0 120 098 001 | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H298/55 16° 75x2,5,24 DIN5480 teflon | 0 120 083 003 | |
| H368/45 30° 75x2,5x24 DIN5480 rilsan | 0 120 081 004 | |
| H408/60 30° 75x2,5x24 DIN5480 rilsan | 0 120 081 005 | |
| Please see 587.42/687.65 section for other length available | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 110,00x6,00 | Tube 110x6 | 587.42 / 802.68 / ELBE 120 / ELBE 9C / KLEIN 650 series tube |
| ZWUZUWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| XS 180/4-15 H210 110x6 Ø60 Ep 22 M45x1,5 | 0 120 165 001 | |
| DIN 180/8-14 H210 110x6 Ø75 Ep 22 M45x1,5 | 0 120 161 007 | |
| DIN 180/10-16 H210 110x6 Ø75 Ep 22 M45x1,5 | 0 120 161 001 | |
| MR-Mitnehmerring / Center yoke / Bol / Junta Doble palier / Corpo centrale / Сдвоенная вилка | | |
| H140 48° | 1 320 280 001 | |
| MANSCH - Manschette / Boot / Souffle / Fueelle / Anello di tenuta / манжета | | |
| boot | 1 000 830 020 | |
| GELAG - Gelenklager / Ball / Bille articulation / Bola / Sfera / Шаровой шарнир | | |
| ball | 1 320 550 001 | |
| SPANNSCH - Spannschelle / Clamp / Collier / Abrazadera / Filo de tenuta / Хомут | | |
| clamp | 1 000 961 016 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 57,00x152,00 | WD 10375 | INA |
| 57,00x152,00 service free | WD 14750 | SF |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Воскола/олорная втулка;втулка подшипника в комплекте | | |
| See bearings on precedent GWB 587.42 series in this catalogue | | |

ELBE 122 - 65,00x172,00

| Dimensions | EDS Part Number | Comments |
|--|-----------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 180/10-16 H225 30° 120x6 | 0 122 050 001 | |
| DIN 225/8-16 H225 30° 124x8 | 0 122 051 001 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 180/10-16 H496/140 30° 120x6 90x2,5x34 DIN5480 rilsan | 0 122 070 001 | |
| DIN 225/8-16 H496/140 30° 124x8 90x2,5x34 DIN5480 rilsan | 0 122 071 001 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 180/8-14 H110 30° | 1 122 300 007 | |
| DIN 180/8-16 H110 30° | 1 122 300 011 | |
| DIN 180/10-16 H110 30° | 1 122 300 001 | alternative 201 700 15360 |
| DIN 225/8-16 H100 20° | 1 122 304 001 | |
| DIN 225/12-16 H100 20° | 1 122 304 003 | |
| DIN 225/8-16 H110 30° | 1 122 301 001 | |
| DIN 225/10-16 H110 30° | 1 122 301 025 | |
| DIN 225/10-16 H110 30° | 1 122 301 003 | |
| DIN 250/08-18 H110 30° | 1 122 301 005 | |
| DIN 250/12-18 H110 30° | 1 122 301 027 | |
| DIN 275/10-14 H075 18° | 1 122 304 011 | |
| SAE 203/12-11 H110 35° | 1 122 308 003 | DANA 1810 pattern |
| SAE 241/8-16 H111 30° | 1 122 308 012 | DANA 1880 pattern |
| DIN 225 Blank H100 20° | 1 122 304 002 | |
| DIN 225 Blank H110 30° | 1 122 301 002 | GWB equivalent 3587482800000 |
| DIN 250 Blank H110 30° | 1 122 301 006 | GWB equivalent 3587482800120 |
| DIN 275 Blank H075 18° | 1 122 304 012 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H115 30° 120x6 | 1 122 330 001 | |
| H115 30° Ø 108,1 9.01 splined bar | 1 122 330 011 | 122 splined bar use w/sleeve adaptor 1 122 530 001 |

**ELBE 122 - 65,00x172,00**

| Dimensions | EDS Part Number | Comments |
|---|-----------------|---|
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| dust cap | 1 122 750 002 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal 90x2,5x34 DIN5480 | 1 122 821 003 | |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| Plug-cap series on request | | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H090 Ø 123,90 90x2,5x34x7 sleeve adaptor | 1 122 530 001 | adaptor for splined bar (tube yoke 1 122 330 011) |
| H260 120x6 90x2,5x34 DIN5480 rilsan | 1 122 501 003 | |
| H290 120x6 90x2,5x34 DIN5480 w/seal kit | 1 122 500 003 | splined bar slip assy |
| PROST - Profilstange / Splined bar / Barre cannellée / Barra estriada / Sbarra scanalata / Шлицевой стержень | | |
| H2800 90x2,5x34 DIN5480 CK45 | 2587501900000 | cut to required length |
| PROST+NH-Profiles.+Nab./Splined bar+ Sleeve/Barre cann.+ Coul./Barra +Corr. Estr./Sbarra scan.+ Man./Шлицевой стержень + Шлицевая втулка | | |
| WZUNHV H0655/0350 120x6 90x2,5x34 DIN 5480 | 0 122 093 003 | |
| WZUNHV H0875/0570 120x6 90x2,5x34 DIN 5480 | 0 122 093 005 | |
| WZUNMV H1005/0700 120x6 90x2,5x34 DIN 5480 | 0 122 093 006 | |
| DIHÜV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H195 | 0 122 194 195 | |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| Muff seal | 1 122 826 001 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H386/140 30° 120x6 90x2,5x34 DIN5480 rilsan | 0 122 098 001 | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H275/40 05° 90x2,5x34 DIN5480 teflon | 0 122 083 011 | |
| H350/40 25° 90x2,5x34 DIN5480 rilsan | 0 122 083 003 | |
| H400/55 25° 90x2,5x34 DIN5480 rilsan | 0 122 083 004 | |
| H430/80 25° 90x2,5x35 DIN5480 rilsan | 0 122 081 003 | |
| H500/80 25° 90x2,5x35 DIN5480 rilsan | 0 122 081 004 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 120x6 | Tube 120x6 | |
| Tube 124x8 | Tube 124x8 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 65,00x172,00 central grease | WD 13545 | ELBE |
| 65,00x172,00 central grease | WD 10275 | INA |
| Note : see GWB 587.48 series u-joint kits options for EDS , end lube fitting and service free | | |
| LBV-Lagerbüchse voll./Bearing cap/Roulement á aiguilles/Dado agujas/Voccoia/опорная втулка;втулка подшипника в комплекте | | |
| See bearings on precedent GWB 587.48 series in this catalogue | | |

**KLEIN 123 - 34,00x89,00 obsolete**

| Dimensions | EDS Part Number | Comments |
|--|-----------------|---------------------------------------|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 100/4-10 H98 15° 52x4 | 108 125 00476 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 100/4-8,4 H287/070 15° 52x4 38x34 DIN5482 w/key | 102 125 00212 | KRAMER |
| DIN 100/4-10 H287/070 15° 52x4 38x34 DIN5482 w/key | 102 125 00191 | KRAMER |
| DIN 100/4-10 H345/070 15° 52x4 38x34 DIN5482 w/key | 102 125 00193 | UNIMOG obsolete-see Klein 200 section |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 100/4-8,4 H48 15° Key 8 mm | 201 124 01024 | KRAMER |
| DIN 100/4-10 H48 15° Key 8 mm | 201 124 01038 | UNIMOG |
| DIN 98/4-10 H48 15° Key 8 mm | 201 124 01115 | UNIMOG obsolete |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H50 15° 52x4 | 208 123 01424 | obsolete with stock |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H130 15° 38x34 DIN5482 | 202 123 01143 | obsolete with stock |
| DIHU-Dichthülse / Dust cover no seal / Manchon sans joint / Guardapolvos sin junta / Protezione senza guarnizione / Пыльник | | |
| H142x50 plain tube, seal groove in sleeve yoke | 1886201314580 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 52,00x4,00 | Tube 52x4 | KLEIN 123 / KLEIN 200 series tube |
| MANSCH - Manschette / Boot / Souffle / Fuelle / Anello di tenuta / манжета | | |
| H125 | 1886201314591 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 34,00x89,00 central grease nipple | WD 11785 | |

KLEIN 200 - 38,00x89,20

| Dimensions | EDS Part Number | Comments |
|---|-----------------|-----------------------|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 100/4-10,5 H118 20° service free | 108 200 10258 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 100/4-10,5 H285/80 20° service free | 152 200 10259 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 100/4-10,5 H48 15° key 8 mm | 201 200 16278 | UNIMOG |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H70 15° 52x4,0 | 208 200 01491 | |
| H60 15° 80x3,5 | 208 200 16360 | obsolete |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H237 15° 38x2 DIN5480 rilsan end yoke | 202 200 16204 | |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H152 | 252 200 15059 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H157 38x2 DIN5480 rilsan | 242 200 03991 | |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H125 | 116 200 20580 | |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| dust cover seal | 212 200 04004 | for old version |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H297/30 15° 52x4 | 6200381230000 | stub shaft+slip yoke |
| H237/90 15° 52x4 38x2 DIN5480 | 151 200 11588 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 52,00x4,00 | Tube 52x4 | 123 / 200 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H130 35x2 DIN5480 52x4 | 2287101600210 | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| DIN100/4-10x1 H60 35x2 DIN 5480 UNIMOG KEYWAY | 2287105200200 | EDS |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| 35x168x27 RL H57,2 | WDL 9055 | EDS |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Mid nut 20x1,5 | 1000008102071 | EDS |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 38,00x89,20 UNIMOG central grease nipple | WD 10655 | INA |
| 38,00x89,20 UNIMOG service free | WD 11820 | INA |

KLEIN 196 - 38,00x110,00

| Dimensions | EDS Part Number | Comments |
|--|-----------------|---------------------------|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| XS 120/4-11 H170 35° 98x2 | 108 196 11493 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS 120/4-11 H440/110 35° 98x2 90x2,5x34 DIN5480 | 152 196 11599 | MAN , rilsan service free |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 120/6-10 H53 18° | 201 194 15748 | UNIMOG |
| DIN 120/6-10 H56 18° | 201 195 15496 | UNIMOG |
| SAE120/6-10 H75 25° | 201 195 16347 | under request |
| DIN 120/8-10,5 H75 25° Klingelberg | 201 197 16238 | |
| XS 120/4-11 H75 25° | 201 196 16089 | MAN / IVECO |

**KLEIN 196 - 38,00x110,00**

| Dimensions | EDS Part Number | Comments |
|---|-----------------|---|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H69 25° 52x4,0 | 208 191 01429 | UNIMOG |
| H69 25° 70x4,0 | 208 194 01428 | UNIMOG |
| H69 25° 80x3,5 | 208 195 16535 | UNIMOG |
| H95 25° 98x2,0 | 208 195 15903 | MAN / IVECO |
| H60 20° Ø 49,60 for solid bar Ø 40 | 208 195 16474 | UNIMOG |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H115 25° 45x2 DIN5480 rilsan no seal dust cover | 202 195 16563 | UNIMOG |
| H150 25° 38x2 DIN5480 threaded, no plug-cap, no rilsan | 222 195 16108 | UNIMOG |
| H212 25° 38x2 DIN5480 no threaded, no plug, rilsan | 202 195 16416 | UNIMOG |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H250 25° 38x2 DIN5480 used with boot | 252 195 16203 | UNIMOG |
| H250 25° 38x2 DIN5480 used with dust cover | 252 195 16234 | UNIMOG |
| H220 25° 1 3/8"-6spline | 252 195 16235 | UNIMOG |
| H220 25° 38x2 DIN5480 | 252 195 16505 | UNIMOG |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| FOR SLEEVE assy's DRIVESHAFTS | | |
| H124 70x4 38x2 DIN 5480 | 242 194 16374 | |
| H144 70x4 38x2 DIN 5480 | 242 194 02605 | UNIMOG obsolete |
| H148 52x4 38x2 DIN 5480 | 242 195 16528 | |
| H220 98x2 90x2,5x34 DIN 5480 standard sleeve rilsan | 242 195 15908 | for slip assy 151 195 11689 |
| FOR SLEEVE assy's MONOTRON - MIS | | |
| H245 98x2 90x2,5x34 DIN 5480 old Ø 100 mm bearing | 242 195 16378 | MAN/IVECO old, WDL 9026, Muff dust cover |
| H225 98x2 52x2,5 DIN 5480 new Ø 065 mm bearing | 242 195 16829 | MAN new, WDL 9163 and WDL 9247, Boot style |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| dust cover H175 | 116 195 20578 | |
| WMUNHV- Wellenzap. u. nab. vollst. / Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H370/110 35° 98x2 90x2,5x24 DIN5480 rilsan | 151 195 11689 | standard sleeve 242 195 15908 |
| WMUNHV- Strang/ Slip assy MIS / Ens. Coul. Mono. / Junta corr. Mono. / Scorrevole con tubo Mono. / Шлицевая (с чехлом) для вала с пром. опорой | | |
| IVECO MONOTRON - MIS (Muff style for IVECO/MAN old) | | |
| H390/110 35° 98x2 90x2,5x34 DIN5480 rilsan muff cover | 151 195 11743 | MAN/IVECO old, WDL 9026 Ø 100, Muff dust cover |
| MAN MONOTRON - MIS (Boot style for MAN new) | | |
| H301/110 35° 98x2 52x2,5 DIN5480 rilsan boot | 151 195 20530 | MAN new, WDL 9163 and WDL 9247 Ø 065, Boot style |
| FABA - Faltenbalg./ Boot MIS / Soufflet monotron / Fuelle monotron / Soffietto monotronco / Чехол | | |
| Boot - MAN new MIS model | 216 196 16847 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 98,00x2,00 | Tube 98x2 | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø065x194x18 RL H74,0 + Boot | WDL 9163 | MAN new MIS-Monotron ,boot 216 196 16847 included |
| Ø065x220x18 RL H86,0 + Boot | WDL 9247 | MAN new MIS-Monotron ,boot 216 196 16847 included |
| Ø100x194x14 RL H68,0 + Circlip | WDL 9026 | MAN /IVECO old MIS-Monotron, circlip included |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 38,00x110,00 service free | WD 11790 | UNIMOG |
| 38,00x110,00 service free | WD 11800 | MAN |
| 38,00x110,00 central grease | WD 11815 | IVECO / UNIMOG |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Boccola/опорная втулка;втулка подшипника в комплекте | | |
| Ø 38 service free | 117 195 11755 | INA |

KLEIN 253 - 42,00x104,50

See GWB 587.15 series, same u-joint size, same tube and same spline (52x2,5 DIN5480)

KLEIN 375 - 48,00x116,50

See GWB 587.20 series, same u-joint size, same tube and same spline (55x2,5 DIN5480)

KLEIN 490 - 48,00x135,40

| Dimensions | EDS Part Number | Comments |
|---|-----------------|-------------------------------|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 150/4-13 H082 25° | 201 490 16176 | |
| XS 150/4-13 H102 44° | 201 490 16628 | |
| XS 180/4-15 H082 25° | 201 490 16161 | |
| XS 180/4-15 H102 44° | 201 490 10020 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H87 100x4,5 25° | 208 490 16333 | obsolete |
| H100 100x4,5 44° | 208 490 16625 | |
| H90 120x3,0 25° | 208 490 16162 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal | 212 490 16166 | for old dust cover version |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer KLEIN 490 / 590 / 620 / 680 series | 261 000 03678 | for midship nut 243 000 03642 |

**KLEIN 490 - 48,00x135,40**

| Dimensions | EDS Part Number | Comments |
|--|-----------------------|------------------------------------|
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H162 120x3,0 62x2 DIN5480 rilsan | 242 490 16164 | |
| H163 100x4,5 62x2 DIN5480 rilsan | 242 490 16332 | |
| H242 100x4,5 62x2 DIN5480 rilsan | 242 490 16591 | |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H130 | 116 490 20586 | |
| H210 | 116 490 20776 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H250/110 100x4,5 25° 62x2 DIN5480 rilsan | 151 490 11699 | |
| H250/110 120x3,0 25° 62x2 DIN5480 rilsan | 151 490 11657 | |
| H347/180 100x4,5 44° 62x2 DIN5480 rilsan | 151 490 20071 | |
| WMUNHV- Strang/ Slip assy MIS / Ens. Coul. Mono. / Junta corr. Mono. / Scorrevole con tubo Mono. /Шлицевая (с чехлом) для вала с пром. Опорой | | |
| slip assy MIS - Monotron on KLEIN 490 series under request | | |
| WMUNHV+ZWL/Full monot. assy/Ens.Coul.Mon./ Conj. Corr. Monot./Scorr. comp. моно./Шлиц. вал и шлиц. втулка в сборе + Подвесной подшипник | | |
| H337/110 120x3 25° 62x2DIN5480 rilsan | 162 490 81244 | complete monotron slip joint |
| FABA - Faltenbalg./ Boot MIS / Soufflet monotron /Fuelle monotron /Soffietto monotrongo / Чехол | | |
| boot | 216 000 16456 | please use 1000008401011 |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H247/60 62x2 DIN5480 27° | 155 490 00702 | |
| H276/80 62x2 DIN5480 27° | 155 490 20838 | |
| H387/80 62x2 DIN5480 27° | 155 490 20837 | |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 100,00x4,50 | Tube 100x4,5 | 687.40 / KLEIN 490 |
| Tube 120,00x3,00 | Tube 120x3 | 687.40 / GS 706 / KLEIN490 |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H153 120x3 Ø 55 Ep 37 55x2,5 DIN5480 M40x1,5 | 225 490 16171 | WDL 9017 (IVECO), WDL 9065 (DAF) |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 150/4-13 H088 55x2,5 DIN 5480 IVECO | 224 490 16172 | IVECO WDL 9017 |
| XS 150/4-13 H103 55x2,5 DIN 5480 DAF | 224 490 16343 | DAF WDL 9065 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø55x200x36 RL H71,5 | WDL 9017 | 4200 2123 IVECO |
| Ø55x200x36 RL H71,5 | WDL 9317 | EDS |
| Ø55x200x36 LL H71,5 | WDL 9065 | 102203 DAF |
| Ø65x200x19 LL H72 | WDL 9107 | DAF |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| M40x1,5 KLEIN 490 / 680 / 590 / 620 | 243 000 03642 | washer required 261 000 03678 |
| M40x1,5 | 1000008102067 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 48,00x135,40 | central grease nipple | WD 10455 KLEIN |
| 48,00x135,40 | central grease nipple | WD 16455 EDS |
| 48,00x135,40 | service free | WD 11830 KLEIN or SKF |

KLEIN 411 / 461 / 491 / 495 - 52,00x133,00

See GWB 587.30/31 series , same u-joint size , same tube and same spline (65x2,5 DIN5480)

KLEIN 590 - 52,00x147,00

See GWB 687.45/47 series , same u-joint size, same tube but different spline 687.45/47.. 68x1,75 DIN5480 and KLEIN 590... 95x2 DIN 5480

KLEIN 600 - 57,00x144,00

See GWB 587.35/36 series , same u-joint size , same tube and same spline (75x2,5 DIN5480)

KLEIN 620 - 57,00x152,00

See 687.55 / 587.42 , same u-joint size , diff.t tubes (120x6 /110x6) , diff. splines KLEIN 620.. 95x2 DIN5480 and 587.42... 80x2,5 DIN 5480

KLEIN 680 - 57,00x172,00

| Dimensions | EDS Part Number | Comments |
|--|-----------------|----------|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| XS 180/4-15 H205 140x5 28° | 108 680 11454 | |
| XS 180/4-15 H205 140x5 28° SF | 108 680 20028 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS 180/4-15 H455/110 140x5 28° 75x2,5 DIN5480 | 152 680 11453 | |
| XS 180/4-15 H455/110 140x5 28° 75x2,5 DIN5480 SF | 152 680 20029 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 180/4-15 H100 25° | 201 680 16018 | |
| DIN 180/10-16 H110 25° | 201 680 15805 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H110 140x5 25° | 208 680 15807 | |

**KLEIN 680 - 57,00x172,00**

| Dimensions | EDS Part Number | Comments |
|---|-----------------|--|
| DIRI-Dichtring / Seal / Joint estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal | 212 600 04008 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| KLEIN 490 / 590 / 620 / 680 / 687.45/47 nut M40x1,5 | 261 000 03678 | for nut 243 000 03642 (M55x1,5) |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H240 140x5 75x2,5x28 DIN 5480 rilsan | 242 600 15481 | for sleeve assy 151 680 11639 |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H160 | 116 600 20591 | |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| seal old style | 212 600 04008 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H355/110 140x5 25° 75x2,5 DIN5480 rilsan | 151 680 11639 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 140,00x5 | Tube 140x5 | 587.48/587.42HD/385.60/286.37/KLEIN 600/KLEIN680 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H175 140x5 Ø 60 Ep 36 60x2,5 DIN5480 NUT 55x1,5 | 225 680 02288 | IVECO (WDL 9043), DAF (WDL 9066) for XS / DIN CF |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 180/4-15 H89 60x2,5 DIN5480 IVECO | 224 680 15943 | IVECO (WDL 9043), mid stub 225 490 16171 |
| DIN 180/10-16 H89 60x2,5 DIN5480 IVECO / DAF | 224 680 15810 | IVECO (WDL 9043), DAF (WDL 9066), mid 225 490 16172 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø60x220x35 RL H88 IVECO | WDL 9043 | IVECO , 9315 7626 IVECO |
| Ø60x220x35 LL H88 DAF | WDL 9066 | DAF , 128235 DAF |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediare / Tuerca puente central / Dado autobloccante / Гайка | | |
| M40x1,5 KLEIN 490 / 680 / 590 / 620 | 243 000 03642 | washer required 261 000 03678 |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto completo / Шлиц. вал под подв. подшипник | | |
| ZWG 180/4-15 H165 140x5 IVECO WDL 9043 | 125 680 11456 | |
| ZWG 180/4-15 H165 140x5 DAF WDL 9066 | 125 680 11727 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 57.00x172.00 central grease | WD 13335 | KLEIN |
| 57.00x172.00 central grease | WD 10445 | INA |
| 57.00x172.00 service free | WD 13380 | KLEIN |
| LBV-Lagerbüchse voll./Bearing cap/Roulement á aiguilles/Dado agujas/Воскола/опорная втулка;втулка подшипника в комплекте | | |
| Ø57 service free | 117 620 20745 | KLEIN |

KLEIN 700 - 65,00x172,00

See 687.65/587.48, same u-joints, same tubes (140x5/142x6 in 687.65), same splines KLEIN 700/587.48.. 90x2,5 and 687.65. 88x2,5 DIN5480



| 801.00 - 26,00x69,60 GKN obsolete | | |
|---|-------------------|----------------------------------|
| Dimensions | EDS Part Number | Comments |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 90/6-8 H48 20° | 2801002015597 | obsolete |
| DIN 90/6-10 H48 20° | 2801002015596 | obsolete |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H48 45x2 16° | 2801004015885 | |
| H48 70x2 16° | 2801004015886 | obsolete |
| H48 70x2 18° | 2801004015887 | obsolete |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap sleeve NCV1 801.00-801.10 | 1801101917000 | obsolete with stock available |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| Plug-cap for sleeves 186.37 and 801.00 NCV1 sprinter | 1000001415888 | |
| Plug-cap for tube yokes 186.37 and 801.00 NCV1 sprinter | 1000001415889 | |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H220 20° 34x2 DIN 5480 (*) | 2801007015599 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H145 34x2 DIN 5480 50,8x2,5 no rilsan , relube frict weld. | 2801008015600 | |
| FABA - Faltenbalg./ Boot MIS / Soufflet monotron /Fuelle monotron /Soffietto monotronco / Чехол | | |
| Boot 45/45mm H105 | 1801104515117 | DB 601 411 0197 |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 70,00x2,00 | Tube 70x2 | 801.00 - NCV1 series tube |
| Swaged tube 90x2/70x2 Lz 1304 mm | 10000003010461304 | 801.00 - NCV1 swaged series tube |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø45x194x19 RL H69 | WDL 9021 | 601 410 1710 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 26,00x69,60 snap ring (circlips) service free | WD 10590 | EDS |

| 184.10 - 27,00x80 (VW - LT) obsolete | | |
|--|-----------------|---|
| Dimensions | EDS Part Number | Comments |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 90/4-8 H48 15° | 2184102079060 | obsolete with stock available |
| DIN 100/6-8 H48 10° | 2184102016070 | obsolete |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H55 50x3 13° | 2184104016060 | obsolete |
| H55 80x2 13° | 2184104416080 | obsolete |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H088,5 30x1,25x16 DIN5480 end yoke | 2184103016190 | obsolete |
| H153,0 30x1,25x16 DIN5480 Ø 40 slip yoke (reverse) | 2184103016150 | obsolete |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer 184.10 - VW - LT | 1184105016060 | |
| SCHMUAB-Schmutzabweiser / Slinger / Collet / Tirante fijación / Deflettore di perno / грязеотвод | | |
| Slinger 184.10 - VW - LT | 1184101900060 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 50x3 | Tube 50x3 | 287.10/ELBE 109/ELBE 110/2C IC-UG/4C IC-UG / 184.10 series tube |
| Tube 80x2 | Tube 80x2 | 184.10 / VW - LT series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H114 Ø 30 Ep12 30x1,25 DIN5480 50x3 | 2184101616090 | obsolete |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø30x135x13 LL H00 round VW-LT | WDL 9078 | |
| ABSCHIRMBLECH - Abschirmblech / Dust flinger / Rondelle palier Intern. / Guardapolvo Puente central / Deflettore supporto / перегородка | | |
| Dust flinger c/bearing WDL 9078 Ø30x135x13 LL round | 1184101916070 | for c/bearing WDL 9078 VW - LT |
| BUMU-Bundmutter / Nut / Ecrrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| M10x1x25 8.8 DIN961 (*) | 1000008002103 | 1140 Series / 184.10 - VW - LT |
| (*) Replacement of old obsolete 1000008002130 | | |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| Lz 1132 Slip yoke Ø40 Z16 ** 100/6-8 Tube 50 | W16174 | VW 285 521 101 BX |
| Lz 1159 Slip yoke Ø40 Z16 ** 100/6-8 Tube 50 | W16103 | VW 285 521 101 AX |
| Lz 1373 Slip yoke Ø40 Z16 ** 100/6-8 Tube 80 | W16034 | VW 285 521 101 X |
| All shafts are with snap ring u-joint version | | |
| STRANG - Gelenkwellenstrang / MIS Shaft / Transmission monotron / Monotrón 2 tramos / Monotronco unico / Вал с пром. Опорой | | |
| MIS Lz 1586 Slip Ø 40 Z16 ** 100/6-8 Tube 50 | W16130 | VW 291 521 101FX |
| MIS Lz 1592 Slio Ø 40 Z16 ** 100/6-8 Tube 50 | W16132 | VW 295 521 101LX |
| MIS Lz 1619 Slip Ø 40 Z16 ** 100/6-8 Tube 50 | W16133 | VW 295 521 101 KX |
| MIS Lz 1800 Slip Ø 40 Z16 ** 100/6-8 Tube 50/80 | W16050 | VW 295 521 101X |
| MIS Lz 1820 Slip Ø 40 Z16 ** 100/6-8 Tube 50/80 | W16042 | VW 295 521 101 AX |
| MIS Lz 2293 Slip Ø 40 Z16 ** 100/6-8 Tube 50/80 | W16137 | VW 295 521 101NX |
| All shafts are replaced thru 287.10 versions | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 27,00x80,00 VW-LT original staked service free | WD 40280 | VW-LT original obsolete no stock , replaced by FORD WD 40310 |
| 27,00x79,80 New Transit&VW-LT staked service free | WD 40310 | EDS |

**801.10 - 24,00x74,50 NCV1 staked**

| Dimensions | EDS Part Number | Comments |
|---|-----------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 90/6-8 H48 20° | 2801102017000 | |
| DIN 90/6-10 H48 20° | 2801102017100 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H65/35 60x2 25° no drilled hole friction welding | 2801104017200 | |
| H65/35 70x2 25° no drilled hole friction welding | 2801104017100 | |
| H65/35 70x2 25° Ø 28 inside friction welding | 2801104017000 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Dust cover sleeve NCV1 801.00-801.10 | 1801101917000 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Lockwasher 801.10 - NCV1 | 1801103917000 | |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| Plug-cap for sleeves 186.37 and 801.10 NCV1 sprinter | 1000001415888 | |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H220 20° 34x2 DIN5480 | 2801107017000 | |
| H205 20° 38x2 DIN5480 | 2801107017100 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H150 34x2 DIN5480 no rilsan without dust cover | 2801108017000 | |
| FABA - Faltenbalg./ Boot MIS / Soufflet monotron / Fuelle monotron / Soffietto monotronco / Чехол | | |
| Boot 45/45mm H105 | 1801104515117 | 601 411 0197 |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 60,00x2,00 | Tube 60x2 | 801.10 - NCV1 series tube |
| Tube 70,00x2,00 | Tube 70x2 | 801.00 - 801.10 - NCV1 swaged series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H105 Ø 30 Ep 20 60x2 30x16 spline M18x1,5 friction | 2801101617000 | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| DIN 90/6-8 H40 30x16 spline w/flinger | 2801105217100 | |
| DIN 90/6-10 H40 30x16 spline w/flinger | 2801105217200 | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø30x156x20 RL H26 801.00-801.10-NCV1 | WDL 9012 | 309 410 1122 |
| Ø45x194x19 RL H69 801.10 -NCV1 | WDL 9021 | 6114101710/2110 |
| BUMU-Bundmutter / Nut / Ecou de palier intermediare / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut M18x1,5 castle style | 1801108104100 | |
| SICHL - Sicherungsblech / Lockwasher / Rondelle de blocage / Arandela de bloqueo / Guarnizione / Стопорная шайба | | |
| Lockwasher 801.10 - NCV1 | 1801103917000 | |
| SPANNSCH - Spannschelle / Clamp / Collier / Abrazadera / Filo de tenuta / Хомут | | |
| Clamp 46mm NCV1 - NCV2 | 1801158400100 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 24,00x74,50 staked service free | WD 40030 | EDS |
| 24,00x74,50 staked service free | WD 41030 | OEM 207/307 Van |
| 24,00x74,50 staked service free | WD 40250 | c/w hole |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Воскола/опорная втулка;втулка подшипника в комплекте | | |
| Ø 24 staked service free | 6801000617000 | INA |

801.15 - 27,00x74,00 NCV2

| Dimensions | EDS Part Number | Comments |
|---|-----------------|--|
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 120/4-10 H262/072 25° 70x2 38x2x18 DIN5480 | 7801150717000 | TELMA |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| 120/4-10 H42 25° Sprinter NCV2 | 2801152017000 | |
| See alternative 287.10 or 687.20 flange yokes | | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Flinger dust cover Sprinter NCV2 | 1801151917000 | DB 901 411 0396 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H145 70x2 38x2x18 Rilsan | 2801158017100 | DB SPRINTER NCV2 Original , friction welding |
| DIHÜV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H110 Sprinter NCV2 | 6801150917000 | |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 70,00x2,00 | Tube 70x2 | 801.15 - SPRINTER NCV2 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| mid stubs 801.15 - SPRINTER NCV2 on request | | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| Sprinter 120/4-M10x1 H85 Sprinter NCV2 | 2801155217200 | DB 903 411 0045 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø45x194x19 LL H71,5 Sprinter NCV2 801.15 - 801.20 | WDL 9025 | 901 410 0312 DC ,SPRINTER NCV2 series |
| SPANNSCH - Spannschelle / Clamp / Collier / Abrazadera / Filo de tenuta / Хомут | | |
| Clamp 46mm NCV1 - NCV2 801.10-801.15-801.20 | 1801158400100 | |
| Clamp 56mm NCV2 801.15-801.20 | 1801158400200 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| short coupled shafts on request | | |

**801.15 - 27,00x74,00 NCV2**

| Dimensions | EDS Part Number | Comments |
|--|-----------------|-----------------|
| STRANG - Gelenkwellenstrang / MIS Shaft / Transmission monotron / Monotrón 2 tramos / Monotronco unico / Вал с пром. Опорой | | |
| Sprinter-MIS 120/4-10 Lz 2123 service free staked (*) | W9018906 | DB 901 410 8906 |
| Sprinter-MIS 120/4-10 Lz 2248 service free staked (*) | W9016606 | DB 901 410 6606 |
| Sprinter-MIS 120/4-10 Lz 2548 service free staked (*) | W9017106 | DB 901 410 7106 |
| Sprinter-MIS 120/4-10 Lz 2593 service free staked (*) | W9014006 | DB 901 410 4006 |
| Sprinter-MIS 120/4-10 Lz 2627 service free staked (*) | W9017606 | DB 901 410 7606 |
| Sprinter-MIS 120/4-10 Lz 2690 service free staked (*) | W9014806 | DB 901 410 4806 |
| Sprinter-MIS 120/4-10 Lz 2724 service free staked (*) | W9017406 | DB 901 410 7406 |
| Sprinter-MIS 120/4-10 Lz 2724 service free staked (*) | W9018106 | DB 901 410 8106 |
| (*) for not listed p/n's please ask WELTE sales team | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 27,00x74,00 Sprinter NCV2 staked service free | WD 40020 | obsolete |
| 27,00x74,00 Sprinter NCV2 staked service free | WD 41020 | OEM |
| LBV-Lagerbüchse voll./Bearing cap/Roulement á aiguilles/Dado agujas/Vocco/опорная втулка;втулка подшипника в комплекте | | |
| Ø 27 staked service free | 6801150617000 | INA |

801.17 - 24,00x88,00

| Dimensions | EDS Part Number | Comments |
|--|-----------------|------------|
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| 132/4-10 H260/072 25° 34x2x16 DIN5480 holes 72/86 | 7801170717000 | on request |
| STRANG - Gelenkwellenstrang / MIS Shaft / Transmission monotron / Monotrón 2 tramos / Monotronco unico / Вал с пром. Опорой | | |
| Please see full list in VAN / 4x4 section | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 24,00x88,00 staked service free | WD 40110 | EDS |
| 24,00x88,00 staked service free | WD 41110 | OEM |

801.18 - 27,00x88,00

| Dimensions | EDS Part Number | Comments |
|---|-----------------|--|
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| 132/4-10 H266 /072 25° 34x2x16 DIN5480 Rilsan | 7801180717100 | TELMA Application |
| 132/4-10 H252/072 70x2 25° 34x2x16 DIN5480 Rilsan | 7801180717000 | TELMA Application |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| 132/4-10 H42 25° holes center 72 / 86 zinc plated | 2801182017100 | zinc plated |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H252/072 25° 70x2 34x2x16 DIN5480 rilsan boot | 6801187080000 | under request |
| FABA - Faltenbalg./ Boot MIS / Soufflet monotron /Fuelle monotron /Soffieto monotronco / Чехол | | |
| boot 55/45mm | 1801154717000 | A901 411 0097 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H165 70x2 38x2 DIN5480 to suit 47mm ctr brg | 2801188017000 | DB SPRINTER NCV3 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø47x194x21 LL H73 | WDL 9223 | A 906 410 0081 / 0281 / 0781 / 1181 monotron |
| Ø47x194x21 LL H68 | WDL 9224 | A 906 410 0181 / 0381 / 1281 monotron |
| Ø47x194x21 LL H68 | WDL 9290 | A 906 410 0681 / 1081 mid shaft |
| Ø47x194x21 LL H73 | WDL 9297 | A 906 410 0881 / 1381 mid shaft |
| Ø47x194x21 LL H68 | WDL 9257 | A 906 410 1581 mid shaft kit incl. c/flange |
| Ø47x194x21 LL H73 | WDL 9325 | A 906 410 1681 mid shaft kit incl. c/flange |
| Ø47x194x21 LL H73 | WDL 9325 | EDS KIT incl. Boot/clamps monotron |
| Ø47x194x21 LL H68 | WDL 9324 | EDS KIT incl. Boot/clamps monotron |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| DS Sprinter 132/4-10 Lz.0515 NCV3 70x2 | W9084116 | TELMA Application |
| DS Sprinter 132/4-10 Lz.0550 NCV3 70x2 | W9080716 | TELMA Application |
| DS Sprinter 132/4-10 Lz.1090 NCV3 70x2 | W9081016 | TELMA Application |
| DS Sprinter 132/4-10 Lz.1200 NCV3 80x2 | W9080916 | TELMA Application |
| DS Sprinter 132/4-10 Lz.1217 NCV3 80x2 | W9080816 | TELMA Application |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 27,00x88,00 Sprinter NCV3 staked service free | WD 40130 | EDS |
| 27,00x88,00 Sprinter NCV3 staked service free | WD 41130 | OEM |
| LBV-Lagerbüchse voll./Bearing cap/Roulement á aiguilles/Dado agujas/Vocco/опорная втулка;втулка подшипника в комплекте | | |
| Ø 27 INA staked service free | 6801150617000 | INA |
| Please see alternative components in Spicer 1350 series section | | |

**801.20 / 801.21 - 31,00x88,00**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 100/8-8 H48 30° | 2801212017100 | MERCEDES G |
| DIN 120/6-10 H48 30° | 2801212017000 | MERCEDES obsolete with stock |
| DIN 120/4-10 H42 25° Sprinter NCV2 VW-LT | 2801202016000 | VW |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H70/45 70x2 30° friction welding | 2801204016000 | on request |
| H70/45 70x3 30° friction welding | 2801214017000 | on request |
| SCHIEBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer Ø 47 / Ø 12 / 9 mm for bolt M12x1,5x35 DIN 961 | 1801215017000 | 1310/287.10/801.21 washer for bolt - nut M12x1,5x35 DIN 961 |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 70x3 | Tube 70x3 | 287.10/287.20/ELBE 112/387.20/801.21 coupling special shaft tube |
| Tube 70x2 | Tube 70x2 | SPRINTER NCV1 - NCV2 - NCV 3 standard tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H115 Ø35 Ep20 70x2 35x16Z DIN 5480 M12x1,5x35 | 2801211617000 | for CF 2801215217000 |
| H115 Ø45 Ep20 70x2 35x18Z DIN 5480 M12x1,5x35 | 2801211617100 | for CF 2801215217100 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| 120/6-10 H83 35x16Z (*) | 2801215217000 | |
| 120/6-10 H83 35x18Z (*) | 2801215217100 | DB 670 411 0045 , for midship 2801215217100 |
| (*) See required dust flinger no included with the c/bearings (ABSCHIRMBLECH) | | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø35x160x20 BHC27 round side mounting | WDL 9008 | 460 410 0222 |
| Ø45x160x18 H97 | WDL 9129 | 670 411 0112 |
| Ø45x194x19 LL H71,5 | WDL 9025 | 901 410 0312 |
| ABSCHIRMBLECH - Abschirmblech / Dust flinger / Rondelle palier Interm. / Guardapolvo Puente central / Deflettore supporto / перегородка | | |
| Dust-flinger 801.21 | 1801211917000 | DB 460 411 0096 , for companion flange 2801215217000 |
| Dust-flinger 801.21 | 1801211917100 | DB 670 411 0096 , for companion flange 2801215217100 |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| bolt M12x1,5x35 DIN960 10.9 .w/required washer (*) | m12x15x35 | GEOMET 321 Plus , see washer 1801215017000 |
| ZWG / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto / Шлицевой вал под подвесной подшипник | | |
| 120/6-10 H113 70x2 | 7801210900000 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| Sprinter 120/4-10 Lz.250/20 30° staked service free | W9020902 | DB 902 410 0902 |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| For VW LT / Sprinter /G-Wagon and Vario shafts please contact Welte sales team | | |
| ZW - Zwischenwelle / Mid ship shaft / Transmission á palier / Transmisión puente central/ Semitrasmissione fissa / промежуточный вал | | |
| 120/6-10 Lz. 0868 , 70x2 staked service free | 80121041M1M1L0868 | DB 670 410 0401 , WDL 9008 , staked service free |
| 120/6-10 Lz. 0951 , 70x2 staked service free | 80121041M1M1L0951 | DB 670 410 0301 , WDL 9008 , staked service free |
| 120/6-10 Lz. 1275 , 70x2 staked service free | 80121041M1M1L1275 | DB 670 410 0501 , WDL 9008 , staked service free |
| 120/6-10 Lz. 1334 , 70x2 staked service free | 80121041M1M1L1334 | DB 670 410 0601 , WDL 9008 , staked service free |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 31,00x88,00 INA service free staked | WD 40100 | OEM |
| 31,00x88,00 1xend lube staked | WD 40011 | OEM |
| LBV-Lagerbüchse voll./Bearing cap/Roulement á aiguilles/Dado agujas/Воскола/опорная втулка;втулка подшипника в комплекте | | |
| Ø 31 INA 801.12 - 801.21 STD | 6801210617000 | INA |
| Ø 31 AS INA M8x1 801.12-801.21 | 6801210617040 | INA |
| Ø 31 SF INA 802.31 - 801.21 | 6802310617160 | INA |

Please see alternative components in Spicer 1350 series section

802.31 - 31,00x110,00 obsolete

| Dimensions | EDS Part Number | Comments |
|--|------------------|--|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 120/4-11 H60 30° | 2802312000500 | 970 411 0011 , obsolete, used parts in stock |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H57 90x2,5 30° | 2802314000000 | obsolete |
| DIHÜV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H124 | 6802310900000124 | obsolete (check complete shafts) |
| WMUNHV- Wellenzapf. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H262/072 25° 90x2,5 38x2x16 DIN5480 Riisan | 6802317080200245 | obsolete (check complete shafts) |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 90,00x2,50 | Tube 90x2,5 | 286.22 / 287.20 / 802.31 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H113 Ø45 Ep 23 90x2,5 45x2,5 DIN5480 bolt + washer | G2113451617080 | 971 411 0002 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 120/4-11 H79,5 45x2,5 DIN5480 | 2113455299000 | 971 411 0045 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø45x160x18 H97 | WDL 9023 | 970 411 0012 |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| bolt M16x1,5x60 .w/required washer (*) | 1113608217060 | see washer 1113455017060 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 31,00x110,00 central grease nipple | WD 10805 | INA |
| 31,00x110,00 service free | WD 10790 | INA |
| LBV-Lagerbüchse voll./Bearing cap/Roulement á aiguilles/Dado agujas/Воскола/опорная втулка;втулка подшипника в комплекте | | |
| Ø 31 SF INA 802.31 - 801.21 INA service free | 6802310617160 | INA |

**2E / 286.22 - 42,00x106,00**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS120/4-11 H365/110 90x2,5 25° 55x2,5 DIN5480 SF | 7286220717800 | |
| XS120/4-11 H365/110 90x2,5 25° 55x2,5 DIN5480 | 7286220717500 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 120/4-11 H52,5 15° | 2286222000550 | |
| XS 120/4-11 H70 24° | 2286222017500 | 971 411 0111 |
| XS 150/4-13 H70 24° | 2286222317500 | |
| DIN 120/8-10 H60 24° | 2286222000000 | |
| DIN 130/8-10 H70 24° | 2286222417000 | 381 411 1411 |
| DIN 150/8-12 H70 24° | 2286222317000 | 381 411 0911 |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H80 90x2,5 24° | 2286224017000 | 381 411 1105 |
| H80 100x3 24° | 2286224417010 | 381 411 1705 |
| H80 100x5 24° | 2286224417000 | 381 411 1605 |
| ZWR - Zwischenring / Tube adaptor / Adaptateur du tube / Reductor tubo / Tubo adattatore / кольцо промежуточного вала | | |
| 100x5/130x5 | 1000000600321 | fits tube yoke 2286224417000 |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer 802.31 - 2E / 286.22 series | 1113455017060 | 383 282 0262 |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| Plug-cap 90,0x2,5 | 1286221417000 | 381 411 0233 |
| Plug-cap 100x5 | 1286221417010 | 381 411 0333 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H213 90x2,5 55x2,5x24 DIN 5480 rilsan relube | 2286228017000 | 381 411 0108 |
| H213 100x3 55x2,5x24 DIN 5480 rilsan relube | 2286228017200 | |
| H213 100x5 55x2,5x24 DIN 5480 rilsan relube | 2286228017100 | 381 411 0308 |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H148 | 62862209170000148 | 381 410 0283 |
| WMUNHV-Wellenzap. u. nab. vollst./Slip assy/Ens. Coul./Junta corr./Scorrevole tubo / ШЛИЦЕВОЙ ВАЛ И ШЛИЦЕВАЯ ВТУЛКА В СБОРЕ (с чехлом) | | |
| H295/110 90x2,5 24° 55x2,5 DIN 5480 rilsan relube | 62862271802020306 | 381 411 0108 |
| H295/110 100x3 24° 55x2,5 DIN 5480 rilsan relube | 62862271802050306 | |
| H295/110 100x5 24° 55x2,5 DIN 5480 rilsan relube | 62862271802000306 | 381 411 0308 |
| WMUNMV-Well. Nab.Vollst./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| short coupled slip assy in 9.01 version only---please ask sales team | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 90x2,5 | Tube 90x2,5 | 286.22 / 287.20 / 802.31 |
| Tube 100x5 | Tube 100x5 | 286.37/286.22/ELBE117/8,5C ELBE/GS1800/SCANIA P400 |
| Tube 130x5 , see ZWR - tube adaptor 100x5/130x5 | Tube 130x5 | SPL170/SPL250/286.22/286.33/186.33 |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H113 Ø 45 Ep19 090x2,5 45x2,5 DIN5480 | 2113451617080 | 381 411 1102 suits WDL 9128/9023 |
| H123 Ø 45 Ep23 100x3,0 45x2,5 DIN5480 | 2113451617090 | 381 411 1402 suits WDL 9009 |
| H123 Ø 45 Ep23 130x5,0 45x2,5 DIN5480 | 2113451617070 | 381 411 1302 suits WDL 9009 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmisione / Присоединительный фланец | | |
| XS 120/4-11 H79,5 45x2,5 DIN 5480 | 2113455299000 | 971 411 0045 |
| DIN 130/8-10 H78,0 45x2,5 DIN 5480 | 2113455217070 | 381 411 0145 |
| DIN 150/8-12 H78,0 45x2,5 DIN 5480 | 2113455217080 | 381 411 0245 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø45x160x18 H97 | WDL 9023 | 970 411 0012 |
| Ø45x190x23 round side mounting | WDL 9009 | 381 410 1522 |
| ABSCHIRMBLECH - Abschirmblech / Dust flinger / Rondelle palier interm. / Guardapolvo Puente central / Deflettore supporto / перегородка | | |
| Flinger hexagonal 2E / 286.22 series | 1113451917060 | 381 413 0216 , for WDL 9009 |
| Flinger round 2E / 286.22 series | 1113451917080 | 381 413 0461 , for WDL 9023 |
| Flinger 802.31 - 2E / 286.22 series , DC 971 | 1113451917100 | 971 413 0061 |
| BUMU-Bundmutter / Nut / Ecrrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Bolt M16x1,5x60 250 Nm | 1113608217060 | 383 990 0019 use washer 1113455017060 |
| ZWG/ Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto / Шлицевой вал под подвесной подшипник | | |
| DIN 130/8-10 H130 90x2,5 45x2,5 DIN 5480 | 7286220917000 | WDL 9023 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 42,00x106,00 central grease | WD 10405 | INA |
| 42,00x106,00 central grease | WD 10435 | SKF |
| 42,00x106,00 central grease | WD 16405 | EDS |
| 42,00x106,00 service free | WD 10430 | SKF |
| LBV - Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Воскола/опорная втулка;втулка подшипника в комплекте | | |
| Ø 42 | 6587150600000 | INA |
| Ø 42 | 6286220600160 | SKF fits both lub and SF version |

**3E / 186.33/286.33 - 48,00x126,00**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS 150/4-13 H402/100 25° 92x5 65x2,5x24 DIN5480 | 7286330717800 | WD 10820 service free |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 120/4-11 H75,0 25° | 2286332000550 | |
| XS 155/4-13 H75,0 25° | 2286332017520 | 650 411 0111 |
| XS 155/4-13 H90,0 35° | 2286332717500 | |
| DIN 180/8-14 H82,5 25° | 2286332300140 | |
| DIN 150/4-12/2xM12 H47,0 05° | 2186332192060 | HANOMAG obsolete |
| DIN 150/4-12 H58,0 15° | 2186332127060 | IVECO |
| DIN 150/8-12 H75,0 25° | 2286332017000 | 385 411 1711 |
| DIN 150/8-12 H82,5 30° | 2286332700010 | |
| DIN 150/8-12 H90,0 35° | 2286332717000 | 650 411 0011 |
| DIN 155/4-14 H45,0 05° | 2186332117070 | |
| DIN 155/4-14 H58,0 15° | 2186332117060 | |
| DIN 165/8-16 H82,5 30° | 2286332700020 | |
| DIN 180/6-14 H47,0 05° | 2186332192070 | HANOMAG obsolete with stock |
| DIN 180/8-12 H82,5 25° | 2286332300180 | |
| DIN 180/10-16 H82,5 25° | 2286332300160 | |
| SAE 174/8-10 H45 05° | 2186332400180 | |
| SAE 174/8-9,6 H80,5 25° | 2286332400100 | |
| SAE 175/4-14 H82,5 35° | 2286332400200 | MITSUBISHI |
| SAE 203/8-9,6 H85 25° | 2286332400120 | |
| DIN 150 Blank H58,0 15° | 3186332127060 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H101 092x5 25° | 2286334017000 | 385 411 3805 |
| H111 092x5 35° | 2286334717000 | 385 411 2005 |
| H101 130x5 25° | 2286334417000 | 385 411 3605 |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H195 25° 65x2,5x24 DIN5480 rilsan | 2286333317070 | DB obsolete with stock , for slip assy ysa 6286337030270 |
| H210 25° 55x2,5x20 DIN5480 rilsan | 21863333270600210 | Komatsu obsolete |
| SCHIEBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer 186.33/286.33/286.37 series | 1113605017060 | 389 411 0162 |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| Plug-cap 286.33 for sleeve tube 092x5 | 1286331417000 | 385 411 0233 |
| Plug-cap 286.33 for sleeve tube 130x5 | 1286331417010 | 385 411 0433 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H233 092x5 65x2,5x24 DIN5480 rilsan relube | 22863380170000233 | for slip assy 6286337180200 |
| H273 092x5 65x2,5x24 DIN5480 rilsan relube | 22863382170000273 | for slip assy 6286337782200 |
| H233 130x5 65x2,5x24 DIN5480 rilsan relube | 22863380170600233 | for slip assy 6286337180260 |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H163 | 62863309170000163 | 385 410 1283, sleeve assy's 6286337180200 |
| H205 | 62863309170000205 | |
| H255 | 62863309170000255 | for slip assy '6286337782200 |
| WMUNHV- Wellenzap.u.nab.Volls./Slip assy/Ens.Coul/Junta corr/Scorrevole tubo/ Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H327/110 25° 92x5 65x2,5x24 DIN 5480 rilsan relube | 6286337180200 | |
| H327/110 25° 130x5 65x2,5x24 DIN 5480 rilsan relube | 6286337180260 | |
| H339/110 25° 92x5 65x2,5x24 DIN 5480 rilsan relube | 62863371801990343 | 9.01 design |
| H365/170 35° 92x5 65x2,5x24 DIN 5480 rilsan relube | 6286337782200 | |
| WMUNMV/Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H174/020 15° 52x2,5 DIN5480 rilsan relube | 61863371330010138 | obsolete , dust cover 587.15 required |
| H234/050 15° 52x2,5 DIN5480 rilsan relube | 61863371330010198 | obsolete , dust cover 587.15 required |
| H259/080 15° 52x2,5 DIN5480 no rilsan relube | 61863371330010223 | alternative suits IVECO but no HANOMAG application |
| H247/055 22° 65x2,5 DIN5480 rilsan | 6286337030247 | |
| H270/045 22° 65x2,5 DIN5480 rilsan | 6286337030270 | |
| H290/065 22° 65x2,5 DIN5480 rilsan | 6286337030290 | |
| H310/085 22° 65x2,5 DIN5480 rilsan | 6286337030310 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 92x5 | Tube 92x5 | 385 411 0233, 286.33 / VOLVO NK 400 |
| Tube 130x5 | Tube 130x5 | SPL170/SPL250/286.22/286.33 |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H120 Ø 55 Ep 17 092x5 55x2,5x20 DIN5480 | 2113551699000 | |
| H120 Ø 55 Ep 25 092x5 55x2,5x20 DIN5480 | 2113551617120 | 385 411 0102 |
| H140 Ø 55 Ep 25 130x5 55x2,5x20 DIN5480 | 2113551617080 | 385 411 0102 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 155/4-13 H82 55x2,5x20 DIN 5480 | 2113555217500 | 650 410 0030 |
| DIN 150/8-12 H82 55x2,5x20 DIN 5480 | 2113555217060 | 385 411 0045 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø55x190x25 BHC27 hex. side mounting | WDL 9099 | 385 410 0922 , can be replaced by WDL 9011 |
| Ø55x190x25 BHC27 round side mounting | WDL 9011 | 385 410 1722 |
| Ø55x190x23 BHC27 round side mounting | WDL 9022 | 973 410 0022 |
| Ø55x190x23 arch side mounting | WDL 9141 | 973 411 0012 |
| ABSCHIRMBLECH - Abschirmblech / Dust flinger / Rondelle palier Interm. / Guardapolvo Puente central / Deflettore supporto / перегородка | | |
| Dust flinger 186.33/286.33 U-Shape WDL 9099 | 1113551917060 | 385 411 0161 |
| Dust flinger 186.33/286.33 L-Shape WDL 9011 | 1113551917080 | 385 413 0461 |
| Dust flinger 186.33/286.33 L-Shape WDL 9141 | 1113551917100 | 973 413 0061 |
| DISTANZRING / Spacer ring / Bague epaulée / Casquillo de separación / Disco di chiusura ring / кольцо | | |
| Spacer ring 55x2 973 new series | 1802486900000 | 973 411 0052 |

**3E / 186.33/286.33 - 48,00x126,00**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Bolt M16x1,5x60 | 1113608217060 | 383 990 0019 250 Nm use washer 1113605017060 |
| ZWG / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto / Шлицевой вал под подвесной подшипник | | |
| XS 155/4-13 H140 92x5 55x2,5x20 DIN 5480 WDL 9011 | 7286330917500 | DB 385 WDL 9011 |
| XS 155/4-13 H140 92x5 55x2,5x20 DIN 5480 WDL 9141 | 7286330917800 | DB 973 WDL 9141 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| XS 155/4-13 Lz 470/080 25° | 801339303232L0470 | 662 410 1102 |
| XS 155/4-13 Lz 520/060 25° | 801339303232L0520 | 300 410 1202 |
| XS 155/4-13 Lz 590/150 25° | 801339163232L0590 | 973 410 1402 |
| DIN 150/8-12 - XS155/4-13 Lz.420/040 25° | 801339301232L0420 | 300 410 1402 |
| DIN 180/8-14 Lz 435/080 15° | 801339301616L0435 | KOMATSU 4004 154 M91 |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| XS 155/4-13 Lz 1250/110 25° | 801330263232L1250 | 973 410 1302 |
| XS 155/4-13 Lz 1450/110 25° | 801330203232L1450 | 973 410 0902 |
| XS 155/4-13 Lz 1580/170 35° | 801330263232L1580 | 973 410 7502 |
| XS 155/4-13 Lz 1670/110 25° | 801330203232L1670 | 973 410 0502 |
| XS 155/4-13 Lz 1884/110 25° | 801330263232L1884 | 973 410 3402 |
| for other MB original numbers non listed here please contact our WELTE sales service | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 48,00x126,00 central grease | WD 10815 | GWB |
| 48,00x126,00 central grease | WD 10395 | INA |
| 48,00x126,00 central grease | WD 14235 | EDS |
| 48,00x126,00 2xend lube + central | WD 10832 | GWB |
| 48,00x126,00 2xend lube | WD 13352 | INA |
| 48,00x126,00 4xend lube | WD 13224 | INA |
| 48,00x126,00 service free | WD 10820 | SKF |
| 48,00x126,00 central grease | WD 10425 | SKF |
| LBV-Lagerbüchse voll./Bearing cap/Roulement à aiguilles/Dado agujas/Boccola/опорная втулка;втулка подшипника в комплекте | | |
| Ø 48 SKF central grease | 6286330600160 | SKF |
| Ø 48 INA central grease | 6286330617000 | INA |
| Ø 48 INA 1xend lube | 6286330617040 | INA |

4E / 286.37 - 53,00x135,00

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 165/4-13 H213 32° 100x5 relube central grease | 7286370417500 | |
| WG-Wellengelenk / Slip joint / Joint couissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 165/4-13 H470/160 32° 100x5 72x2,5x27 DIN5480 | 7286370717500 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 155/4-13 H085 25° | 2286372017500 | 654 411 0311 |
| XS 155/4-13 H100 44° | 2286372700500 | |
| XS 165/4-13 H097 32° | 2286372717500 | 654 411 0511 |
| XS 165/4-13 H090 25° SPIRAL SERRATION | 2186372717070 | under request |
| XS 180/4-15 H085 30° | 2286372817500 | |
| XS 180/4-15 H090 30° | 2286372817550 | |
| DIN 165/8-14 H085 25° | 2186372017080 | 346 411 0011 |
| DIN 165/8-16 H085 25° | 2186372017000 | 389 411 0011 |
| DIN 165/8-16 H097 36° | 2286372717060 | 389 411 0011 |
| DIN 180/10-16 H085 25° | 2286372317000 | 389 411 0611 |
| DIN 180/10-16 H097 35° | 2186372817000 | 395 411 0011 |
| DIN 225/8-16 H090 25° | 2286372800200 | under request |
| SAE 203/12-11 H080 25° | 2286372400900 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H116 100x5 36° | 2286374717070 | 389 411 1105 |
| H116 Ø89,9 36° 9.01 | 2286374717090 | 389 411 1805 to suit short couple shafts |
| H110 140x5 25° | 2286374417060 | 389 411 1605 /1905 |
| H110 140x5 25° w/hole | 2802534400000 | 654 411 0205 |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H240 25° 72x2,5x27 DIN5480 rilsan relube | 22863733000000240 | |
| SCHEIBE / Washer / Rondelle / Arandela / Шайба | | |
| Washer 186.33/286.33/286.37 series | 1113605017060 | 389 411 0162 |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| Plug-cap for sleeve tube 100x5 series 286.37 | 1286371417060 | 389 411 0433 |
| Plug-cap for sleeve tube 140x5 series 587.42 / 286.37 | 1286501417070 | 393 411 0133 |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H325 44° 72x2,5x27 DIN5480 | 2286377000325 | for short coupled shafts with slip yoke 22863733000000240 |
| H401 44° 72x2,5x27 DIN5480 | 2286377100404 | for short coupled shafts with slip yoke 22863733000000240 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H262 100x5 72x2,5x27 DIN5480 rilsan relube | 2286378017060 | 389 411 0608 |
| H267 140x5 72x2,5x27 DIN5480 rilsan relube | 2286378017080 | 389 411 0908 |
| H250 Ø89,9 72x2,5x27 DIN5480 rilsan relube | 2286378017070 | for short coupled shafts 9.01 |
| H275 Ø89,9 72x2,5x27 DIN5480 rilsan relube | 2286378017100 | for short coupled shafts 9.01 |
| DHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H180 | 62863709170000180 | 389 410 0083 |

**4E / 286.37 - 53,00x135,00**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| ABSTREIF-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| Muff seal 186.37 | 1000008508038 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H373/150 100x5 35° 72x2,5x27 DIN5480rilsan relube | 62863777802000404 | |
| H378/150 140x5 35° 72x2,5x27 DIN5480rilsan relube | 62863777802010404 | |
| H359/150 Ø89,9 36° 72x2,5x27 DIN5480rilsan relube 9.01 | 62863777800990395 | 9.01 for tube yoke '2286374717090 |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H273/050 25° 72x2,5x27 DIN5480 w/dust cover | 6286377030273 | 654 410 1307 |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 100x5 | Tube 100x5 | 286.37/286.22/ELBE117/8,5C ELBE/GS1800/SCANIA P400 series tube |
| Tube 140x5 | Tube 140x5 | 587.48/587.42HD/385.60/286.37/KLEIN 600 /KLEIN680 series |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H148 Ø55 Ep 25 100x5 55x2,5 DIN5480 | 2113551699003 | 654 411 0102 new series--use 286.33 ctr brg hardware |
| H148 Ø60 Ep 25 100x5 60x2,5 DIN5480 | 2113601617060 | 389 411 0002 |
| H174 Ø60 Ep 25 100x5 60x2,5 DIN5480 nut 45x1,5 | 2186371617000 | old version for nut replaced by new bolted mid '2113601617060 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 155/4-13 H97,5 55x2,5x20 DIN5480 | 2113555299002 | 654 410 0145 |
| XS 155/4-13 H97,5 60x2,5x22 DIN5480 | 2113605217500 | 654 410 0030 |
| DIN 165/8-14 H97,5 60x2,5x22 DIN5480 | 2113605217080 | 346 410 0030 |
| DIN 165/8-16 H97,5 60x2,5x22 DIN5480 | 2113605217070 | 389 410 0046 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø55x190x23 arch side mounting | WDL 9141 | 973 411 0012 |
| Ø60mm bearing alone DC 186.37 (*) | WDL 9118 | 363 410 0151 |
| Ø60x190x22 arch side mounting | WDL 9143 | 654 411 0012 |
| Ø60x247x25 BHC50 round side mounting | WDL 9014 | 389 410 0222 |
| Ø60x247x22 BHC50 round side mounting | WDL 9024 | 654 410 0022 |
| GUMMILAGER / Rubber bearing / Caoutchouc de palier intermediaire / Caucho puente central / Attaco Gomma / резиновый подшипник | | |
| Rubber bearing insert for WDL 9118 old 186.37 series | 363 413 0012 | for WDL 9118 c/bearing |
| LAGERGEHÄUSE / Bearing bush bracket / Douille roulement PI / Soporte Puente central / Supporto / корпус подшипника | | |
| Bracket bearing bush for WDL 9146 / WDL 9118 186.37 | 363 413 0001 | 363 413 0001 |
| ABSCHIRMBLECH - Abschirmblech / Dust flinger / Rondelle palier interm. / Guardapolvere Puente central / Deflettore supporto / перегородка | | |
| Dust flinger U-shape for WDL 9014 | 1113601917060 | 389 413 0161 obsolete for WDL 9014 |
| Dust flinger L-shape for WDL 9014 | 1113601917070 | 389 413 0361 |
| Dust flinger 654 series L-shape WDL 9143 | 1113601917100 | 654 413 0061 |
| Dust flinger 973 series L-Shape WDL 9141 | 1113551917100 | 973 413 0061 |
| BUMU-Bundmutter / Nut / Ecrue de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Bolt M16x1,5x60 | 1113608217060 | 383 990 0019 250 Nm use washer 113605017060 |
| M45x1,5 587.42/286.37 old | 1000008102073 | for old stub '2186371617000 , no required washer |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto / Шлицевой вал под подвесной подшипник | | |
| XS 155/4-13 H156 100x5 | 7286370917500 | C/bearing WDL 9143 + 2113601617060 + 2113605217500 |
| XS 155/4-13 H156 100x5 | 7286370917800 | C/bearing WDL 9014 + 2113601617060 + 2113605217500 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| XS 155/4-13 Lz 445/50 25° 9.03 service free | 801379303232L0445 | 654 410 1307 |
| XS 155/4-13 Lz 621/40 25° 9.01 service free | 801379163232L0621 | 654 410 2202 |
| XS 165/4-13 Lz 670/50 25° 9.03 | 801379133434L0670 | 389 410 3302 replace 654 410 3902 |
| DIN 165/8-16 Lz 685/40 25° 9.01 | 801379141414L0685 | 389 410 6601 |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| XS 155/4-13 Lz 1545/150 25° 100x5 service free | 801370263232L1545 | 654 410 6802 |
| XS 155/4-13 Lz 1648/150 25° 100x5 service free | 801370263232L1648 | 654 410 7902 |
| XS 165/4-13 Lz 0747/150 25° 100x5 | 801370233434L0747 | 654 410 9202 |
| DIN 165/8-16 Lz 0780/150 25° 100x5 | 801370201414L0780 | 389 410 6501 |
| Note : for other MERCEDES original numbers non listed here please contact our WELTE sales service | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 53,00x135,00 central grease | WD 10385 | GWB |
| 53,00x135,00 central grease | WD 10415 | SKF |
| 53,00x135,00 central grease | WD 10705 | INA |
| 53,00x135,00 central grease | WD 16385 | EDS |
| 53,00x135,00 4xend lube + central grease | WD 14159 | INA |
| 53,00x135,00 service free | WD 10870 | SKF |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Boccola / опорная втулка; втулка подшипника в комплекте | | |
| Ø 53 INA central grease | 6286370617030 | INA |
| Ø 53 INA 1xend lube M10x1 | 6286370617040 | INA |
| Ø 53 SKF service free | 6286370600160 | SKF |

**6E /385.60 - 68,00x89,00I**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| XS 180/4-15 H245 140x5 22° relube | 7385600417100 | |
| XS 180/4-15 H245 140x5 22° service free | 7385600400100 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS 180/4-15 H500/160 140x5 22° 80x2,5 DIN 5480 relube | 73856007172100470 | |
| XS 180/4-15 H500/160 140x5 22° 80x2,5 DIN 5480 SF | 73856007002100440 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 180/4-15 H100 24° | 2385602017510 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H145 140x5 22° | 2385604417010 | |
| H125 140x5 22° Ø 130,10 9.01 | 2385604417020 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H233 22° 80x2,5x30 DIN5480 rilsan | 2385603317210 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer for mid stub | 1113705017060 | 389 411 0062 |
| VERSCHEI-Verschluss Scheibe/ Welch plug / Capsule d'étanchéité / Capsula de retención grasa / Disco de chiusura / Колпачок | | |
| Welch plug 385.60 | 1385601417020 | ysa slip assy heat treated version |
| Welch plug 385.60 | 1385601417040 | ysa slip assy rilsan version |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H372 22° 80x2,5x30 DIN5480 La 110 | 2385607117200 | for slip assy 63856071330000372 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H288 140x5 80x2,5x30 DIN5480 rilsan | 6385600817110 | for slip assy 63856071802000470 c/w welded welch plug |
| H258 140x5 80x2,5x30 DIN5480 rilsan | 2385608017255 | for slip assy 63856071802000360 |
| H243 140x5 80x2,5x30 DIN5480 rilsan 9.01 | 2385608017243 | for slip assy 63856071801200390 |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H210 587.42 / 385.60 | 65874209170600210 | standart slip assy |
| H210 587.48 | 65874809170000200 | ysa slip assy---shorten to required length |
| WMUNHV- Wellenzapf. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H370/110 140x5 22° 80x2,5x30 DIN5480 | 63856071802000360 | |
| H400/160 140x5 22° 80x2,5x30 DIN5480 | 63856071802000470 | |
| H345/100 Ø129,8 22° 80x2,5x30 DIN5480 no dust cover | 63856071801200390 | 9.01 , use tube yoke 2385604417020 SC Lz. 690 |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H300/040 22° 90x2,5 DIN5480 | 63856071330100222 | for short couple shaft Lz 500 |
| H335/050 22° 90x2,5 DIN5480 | 63856071330100257 | for short couple shaft Lz 535 |
| H450/110 22° 90x2,5 DIN5480 no dust cover 587.48 series | 63856071330000372 | for short couple Lz.585 to Lz 650 , shorten to required length |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 140x5 | Tube 140x5 | 587.48/587.42HD/385.60/286.37/KLEIN 600 /KLEIN680 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H155 Ø70 Ep25 140x5 70x2,5 DIN5480 | 2113701617100 | DC 385.60 fits WDL 9015 and WDL 9069 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 180/4-15 H98,5 70x2,5 DIN5480 DC | 2113705217500 | A645 411 0045 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø70x190x22 H96 | WDL 9069 | 656 411 0012 , 385.60 / 802.68 / 802.79 series c/bearing |
| Ø70x247x25 BHC50 round side mounting | WDL 9015 | 395 410 0622 , 587.42 / 385.60 / 802.68 series c/bearing |
| ABSCHIRMBLECH - Abschirmblech / Dust flinger / Rondelle palier interm. / Guardapolvo Puente central / Deflettore supporto / перегородка | | |
| Dust flinger L-Form WDL 9015 - WDL 9069 | 1113701917100 | A395 413 0061 , for WDL 9015 and WDL 9069 |
| Dust flinger U-Form WDL 9015 | 1113701917060 | U-Form , for WDL 9015 |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Bolt M20x1,5x80 | 1113708217060 | 445Nm 587.42 / 385.60 / 802.68 series bolt-nut |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto / Шлицевой вал под подвесной подшипник | | |
| XS 180/4-15 H164 140x5 | 7385600917500 | C/bearing WDL 9015 + 2113701617100 + 2113705217500 |
| XS 180/4-15 H164 140x5 | 7385600917800 | C/bearing WDL 9069 + 2113701617100 + 2113705217500 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| XS 180/4-15 Lz.500/050 22° 9.03 | 801689303333L0500 | 656 410 3502 |
| XS 180/4-15 Lz.535/040 22° 9.03 | 801689303333L0535 | 656 410 3202 |
| XS 180/4-15 Lz 585/045 22° 9.03 | 801689303333L0585 | 656 410 3802 |
| XS 180/4-15 Lz.585/045 22° SF 9.03 | 801689363333L0585 | 656 410 8502 |
| XS 180/4-15 Lz.650/110 22° SF 9.03 | 801689363333L0650 | 656 410 8302 |
| XS 180/4-15 Lz.690/100 22° SF 9.01 | 801689163333L0690 | 656 410 5902 |
| XS 180/4-15 Lz.740/100 22° 9.01 | 801689103333L0740 | 656 410 2902 |
| XS 180/4-15 Lz.740/100 22° SF 9.01 | 801689163333L0740 | 656 410 5802 |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| XS 180/4-15 Lz 1417/160 22° | 801680203333L1417 | 656 410 1002 |
| XS 180/4-15 Lz 1571/160 22° service free | 801680263333L1571 | 656 410 2802 |
| XS 180/4-15 Lz 2216/160 22° service free | 801680263333L2216 | 656 410 2102 |
| XS 180/4-15 Lz 2256/160 22° service free | 801680263333L2256 | 656 410 6402 |
| XS 180/4-15 Lz 2315/160 22° | 801680263333L2315 | 656 410 9902 |
| Note : all shafts tube 140x5 , for other DB original numbers non listed here please contact our WELTE sales service | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 68,00x89,00/95,00I | WD 20085 | SKF |
| 68,00x89,00/95,00I | WD 22085 | EDS |
| 68,00x89,00/95,00I SF | WD 20220 | SKF |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Boccoia / опорная втулка; втулка подшипника в комплекте | | |
| Ø 68I SKF fits both lub/service free version | 6385600617160 | SKF 656 410 0742 |



| 802.68 - 68,00x089,00 | | |
|---|-------------------|--|
| Dimensions | EDS Part Number | Comments |
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе свилкой в трубу | | |
| XS 180/4-15 H225 110x6 25° SF | 7802680417500 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS 180/4-15 H438/110 110x6 25° 80x2,5x30 DIN5480 SF | 7802680717500 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 180/4-15 H100 24° | 2802682017500 | 656 411 0311 |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H125 110x6 24° | 2802684017000 | 656 411 2605 |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer for mid stub | 1113705017060 | A389 411 0062 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H237 110x6 80x2,5x30 DIN5480 rilsan relube | 2802688017000 | for slip assy '6802687080200 |
| DHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H170 | 65874209170000170 | A395 410 1083 , if not available use '65874209170600210 and shorten it |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H338/110 110x6 25° 80x2,5x30 DIN 5480 rilsan | 6802687080200 | DB |
| H338/110 110x6 25° 80x2,5x30 DIN 5480 rilsan | 6802687080250 | EDS |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 110x6 | Tube 110x6 | 587.42/802.68/ELBE 120/ELBE 9C/KLEIN 650 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H148 Ø70 Ep 22 110x6 70x2,5 DIN5480 | 2113701617180 | suits WDL9069 |
| H155 Ø70 Ep 22 140x5 70x2,5 DIN5480 | 2113701617200 | suits WDL9069 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 180/4-15 H98,5 70x2,5 DIN5480 | 2113705217500 | A645 411 0045 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø70x190x22 H96 | WDL 9069 | 656 411 0012 , 385.60 / 802.68 / 802.79 series c/bearing |
| ABSCHIRMBLECH - Abschirmblech / Dust flinger / Rondelle palier Interm. / Guardapolvo Puente central / Deflettore supporto / перегородка | | |
| Dust flinger L-Form WDL 9069 | A656 413 0061 | A656 413 0061 |
| BUMU-Bundmutter / Nut / Erou de palier intermediare / Tuerca puente central / Dado autobloccante / Гайка | | |
| Bolt M20x1,5x80 | 1113708217060 | 445Nm 587.42 / 385.60 / 802.68 series bolt-nut |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto / Шлицевой вал под подвесной подшипник | | |
| XS 180/4-15 H157 110x6 70x2,5 DIN5480 | 7802680917800 | C/bearing WDL 9069 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| No short coupled shafts on 802.68 DC series (see 385.60 / 385 series with same spline and same u-joint kit size) | | |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| XS 180/4-15 Lz 1270/110 22° 110x6 service free | 801600263333L1270 | 657 410 2402 |
| XS 180/4-15 Lz 1451/110 22° 110x6 service free | 801600263333L1451 | 657 410 2202 |
| XS 180/4-15 Lz 1571/110 22° 110x6 service free | 801600263333L1571 | 657 410 2802 |
| XS 180/4-15 Lz 2001/110 22° 110x6 service free | 801600263333L2001 | 657 410 0902 |
| XS 180/4-15 Lz 2050/110 22° 110x6 service free | 801600263333L2050 | 657 410 0602 |
| XS 180/4-15 Lz 2174/110 22° 110x6 service free | 801600263333L2174 | 657 410 1802 |
| ZW - Zwischenwelle / Mid ship shaft / Transmission á palier / Transmisión puente central/ Semitrasmissione fissa / промежуточный вал | | |
| XS 180/4-15 Lz 1451 22° 110x6 service free | 801600463333L1451 | 657 410 0401 |
| XS 180/4-15 Lz 1625 22° 110x6 service free | 801600463333L1625 | 657 410 0101 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 68,00x89,00/95,00l service free | WD 20220 | SKF |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement á aiguilles / Dado agujas / Voccoia / опорная втулка; втулка подшипника в комплекте | | |
| Ø 68l SKF fits both lub/service free version | 6385600617160 | SKF 656 410 0742 |



| 802.79 - 68,00x117,00 | | |
|---|-------------------|--|
| Dimensions | EDS Part Number | Comments |
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| XS 200/4-15 H253 144x7 25° relube | 7802790417809 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| XS 200/4-15 H482/110 22° 144x7 80x2,5x30 DIN5480 | 7802790717800 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 180/4-15 H113 25° | 2802792017580 | |
| XS 200/4-15 H113 25° | 2802792000500 | EDS |
| XS 200/4-15 H113 25° | 2802792017500 | 656 411 0111 |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H140 144x7 25° | 2802794417000 | |
| H145 144x7 22° | 2802794000000 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer for 80mm mid stub 802.79 | 1113805017000 | A389 262 0362 , for mid stub Ø 80 2113801699000 |
| Washer for 70mm mid stub 385.60 - 802.79 | 1113705017060 | A389 411 0062 , for mid stub Ø 70 '2113701617100 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H252 144x7 90x2,5x34 DIN5480 rilsan service free | 2802798017000 | OEM |
| H252 144x7 90x84x40Z DIN5482 rilsan service free | 2802798017100 | GEWES |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H190 802.79 | 6802790917000 | |
| WMUNHV-Wellenzapf. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H369/110 144x7 22° 80x2,5x30 DIN5480 rilsan relube | 6802797080200 | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC/Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H389/040 22° 90x2,5 DIN 5480 rilsan w/dust cover | 68027970302000389 | |
| H404/060 22° 90x2,5 DIN 5480 rilsan w/dust cover | 68027970302000404 | |
| H424/080 22° 90x2,5 DIN 5480 rilsan w/dust cover | 68027970302000424 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 144x7 | Tube 144x7 | 587.50/802.79/10C |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H155 Ø70 Ep 25.0 140x5 70x2,5 DIN5480 | 2113701617100 | for XS 200 companion flange '2113705299002, WDL 9069 |
| H147 Ø80 Ep 23.5 144x7 80x2,5x30 DIN5480 | 2113801699000 | A659 411 0002 , for XS 200 companion flange , WDL 9106 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmisione / Присоединительный фланец | | |
| XS 200/4-15 H96,6 80x2,5x30 DIN5480 WDL 9106 | 2113805299000 | A659 410 0030 for mid stub Ø 80 , WDL 9106 |
| XS 200/4-15 H96,6 70x2,5 DIN5480 WDL 9069 | 2113705299002 | A659 410 0045 for mid stub Ø 70 , WDL 9069 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø70x190x22 H96 DC 385.60 / 802.68 / 802.79 | WDL 9069 | 656 411 0012 |
| Ø80x247x25 BHC50 mm side mounting | WDL 9106 | 659 411 0112 |
| ABSCHIRMBLECH - Abschirmblech / Dust flinger / Rondelle palier interm. / Guardapolvo Puente central / Deflettore supporto / перегородка | | |
| Dust flinger L-Form WDL 9106 | 1113801917000 | A659 413 0061 |
| Dust flinger L-Form WDL 9069 | A656 413 0061 | A656 413 0061 |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuercas puente central / Dado autobloccante / Гайка | | |
| M20x1,5x80 587.42 / 385.60 / 802.68 445Nm | 1113708217060 | 834 Nm 802.79 DC series bolt-nut , for WDL 9069 mid end assy |
| M24x2x90 802.79 835Nm | 1113808217060 | 445 Nm 802.79 DC series bolt-nut , for WDL 9106 mid end assy |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto / Шлицевой вал под подвесной подшипник | | |
| XS 200/4-15 144x7 Ø 80 | 7802790917800 | C/bearing WDL 9106 + '2113805299000 + '2113801699000 |
| XS 200/4-15 144x7 Ø 70 | 7802790917850 | C/bearing WDL 9069 + 2113701617100 + 2113705217500 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| XS 200/4-15 Lz.615/040 22° 144x7 9.03 service free | 801799363535L0615 | 659 410 3602 |
| XS 200/4-15 Lz.630/060 22° 144x7 9.03 service free | 801799363535L0630 | 659 410 2102 |
| XS 200/4-15 Lz.650/080 22° 144x7 9.03 service free | 801799363535L0650 | 659 410 2002 |
| XS 200/4-15 Lz.675/110 22° 144x7 9.01 service free | 801799363535L0675 | 659 410 3802 |
| XS 200/4-15 Lz.690/110 22° 144x7 9.01 service free | 801799163535L0690 | 659 410 1802 |
| XS 200/4-15 Lz.745/110 22° 144x7 9.01 service free | 801799363535L0745 | 659 410 1702 |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| XS 200/4-15 Lz 0770/110 22° 144x7 0.02 central grease | 801790263535L0770 | |
| XS 200/4-15 Lz 1431/110 22° 144x7 0.02 central grease | 801790263535L1431 | |
| For other different lengths or MB part numbers not listed here please contact WELTE sales service | | |
| ZW - Zwischenwelle / Mid ship shaft / Transmission à palier / Transmisión puente central / Semitrasmisione fissa / промежуточный вал | | |
| XS 200/4-15 Lz 1450 22° relube WDL 9069 Ø 70 | 801790463535L1450 | WDL 9069 c/bearing |
| XS 200/4-15 Lz 1359 22° relube WDL 9106 Ø 80 | 801790463535L1359 | WDL 9106 c/bearing |
| Note : all shafts tube 144x7 , for other DB original numbers contact our WELTE sales service | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 68.00x117,00/123,00 l central grease | WD 20235 | SKF |
| 68.00x117,00/123,00 l service free | WD 20240 | SKF |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Boccola / опорная втулка; втулка подшипника в комплекте | | |
| Ø 68l SKF 385.60 / 802.79 service free | 6385600617160 | SKF |

**Spicer 1140 - 23,82x061,29**

| Dimensions | EDS Part Number | Comments |
|--|-----------------------|--|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 075/6-6 H43 25° spigot Ø 42 44/44 | 2501142000000 | |
| DIN 090/4-8 H40 25° spigot Ø 47 53/53 | 2501142300000 | |
| DIN 110/4-8 H40 25° spigot Ø 74 64,5/64,5 | 2501142300110 | |
| SAE 088/4-8,2 H30 17° spigot Ø 57 49/49 round | 2501142400010 | |
| SAE 088/4-8,2 H36 25° spigot Ø 57 45/53,5 round | 2501142400040 | Fiat 4534785 |
| SAE 090/4-8,2 H40 25° spigot Ø 42 35/60 round | 2501142442000 | Japanese PTO |
| SAE 092/4-9,8 H40 25° spigot Ø 57 49/58,5 round | 2501142400020 | Marina |
| SAE 097/4-10 H30 17° spigot Ø 57 51/55 round | 2501142400050 | Rover Freelander |
| SAE 097/4-08 H44 22° spigot Ø 45 56/56 round | 2501142445100 | Suzuki Vitara / Santana Samurai obsolete |
| SAE 097/4-10 H43 22° spigot Ø 50 58/58 square | 2501142450110 | Nissan Serena/Terrano I and II/Trade new version for u-joint 25x64 |
| SAE 097/4-10 H43 22° spigot Ø 50 57/57 square | 2501142450120 | Dahatsu - Piaggio obsolete |
| SAE102/4-10,4 H41 22° spigot Ø 46,9 59/59 round | 2501142400060 | BMW |
| SAE109/4-10 H41 22° spigot Ø 56 60/67 round | 2501142400030 | FORD |
| SAE119/4-8 H40 22° spigot Ø 74 91,2PCD round | 2501142300110 | special application |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H35 50,0x2,0 17° | 2501144000000 | |
| H35 50,8x1,64 17° | 2501144000060 | HS1426-017 |
| H35 63,5x1,80 17° | 2501144000040 | HS1426-067 |
| H33,3 69,85x1,64 17° | 2501144000050 | HS1426-137 |
| H36,5 76,2x1,64 17° | 2501144400100 | HS1426-717 |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H070 30° 24x26x22/23 mid end yoke | 2501143000020 | Ford , 22 teeth based on 23 |
| H070 30° 24x26x23/24 mid end yoke | 2501143300672 | Rover Freelander , 23 teeth based on 24 |
| H080 30° 24x26x22/23 mid end yoke | 2501143000030 | Ford , 22 teeth based on 23 |
| H110 30° 1-1/16"x16T | 2501143000600 | standart |
| H118 30° 24x32x25/25 | 2501143000040 | Ford reverse slip yoke |
| H147 30° 1 - 3/8"x23T | 2501143302318 | Bedford UK reverse slip yoke |
| H149 30° 1 - 3/8"x25T | 2501143000010 | Ford reverse slip yoke |
| KAPPE Kappe / Dust cover / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap for slip yokes 1140 | 1501141000000 | |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Cork Washer 1140 | 1501142000000 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Steel washer for slip yokes 1140 standard | 1501143000000 | |
| Washer 1140 for Ford U-Shape | 1501145000000 | suits bolt 1000008002130 (M10x1x25) Ford mid-stub |
| Washer 1140 for Ford | 1501143900000 | suits bolt 1000008002130 (M10x1x25) Ford mid-stub |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H104/44 50,8x2,4 1 1/16"-16 | 2501141000000 | |
| H104/44 63,5x1,8 1 1/16"-16 | 2501141000200 | |
| H104/44 69,85x1,64 1 1/16"-16 | 2501141000100 | |
| H120,45 69,85x1,64 1 1/16"-16 | 2501141000120 | |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| WM H110 1-1/16"x16T 17° ysa H30 La 50 | 2501147100100 | |
| WM H135 1-1/16"x16T 20° ysa H38 La 35 | 2501147100200 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| slip assy H173/100 51x2,5 | 6501147080200 | EDS |
| FABA - Faltenbalg./ Boot MIS / Soufflet monotron / Fuelle monotron / Soffietto monotronco / Чехол | | |
| H45 | 1501148414412 | Suzuki Vitara / Santana Samurai S1120 shafts |
| WZUNMV- Wellenzapfen u. Nab. vollst./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Шлиц. вал и скользящая вилка в сборе | | |
| H140/035 17° 1 - 1/16"x16T snap ring (circlips) u-joint | Not available as assy | WM yoke shaft 2501147100100 + NM slip yoke 2501143000600 |
| H157/050 17° 1 - 1/16"x16T snap ring (circlips) u-joint | Not available as assy | WM yoke shaft 2501147100200 + NM slip yoke 2501143000600 |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| 50,0x2,00 | Tube 50x2 | 287.00/ELBE 109/473.30/1140 series tube to replace by 50,8x2,4 |
| 50,8x2,40 | Tube 50,8x2,4 | 1310 / 1140 tube replacement of 1140 50x2 |
| 50,8x1,64 | Tube 50,8x1,64 | 1100/1140/1210/1300/1310 , under request , replace by 50,8x2,4 |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H92,3 50,0x2,00 Ø30 Ep18 24/48DP45° 23T M10x1 | 2501141600010 | Ford Transit , see flinger '1501146300000 |
| H111 76,2x1,64 Ø30 Ep18 24/48DP45° 23T M10x1 | 2501141600020 | Ford Transit , see flinger '1501146300000 |
| H111 76,2x1,64 Ø30 Ep18 24/48DP45° 24T M10x1 | 2501141600030 | Ford Transit , see flinger '1501146300000 |
| (**) : both washers are required 1501145000000 and 1501143900000 for both mid - stubs for Ford | | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø30x138x13LL H63 Freelander | WDL 9006 | FREELANDER , see complete half monotron shaft 0501140340100 |
| Ø30x140x14 H00 15° bracket FORD | WDL 9001 | FORD |
| ABSCHIRMBLECH - Abschirmblech / Dust flinger / Rondelle palier Intern. / Guardapolvere Puente central / Deflettore supporto / перегородка | | |
| Dust-flinger | 1501146300000 | Ford dust-flingers for mid-stubs c/bearing WDL 9001 |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| bolt M10x1x25 8.8 DIN961 | 1000008002103 | required washer 1501145000000 |
| DOM-Doppelmithnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H058 44° | 2200009000058 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| SAE 88/4-8 Lz.177/028 17° | 501149304040L0177 | pump shaft |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 23,82x61,29 lateral grease | WD 10547 | EDS |
| 23,82x61,29 S-1120 HD lateral grease | WD 13947 | DANA old Nissan/Suzuki/Piaggio replaced by WD10547 |
| 23,82x61,29 1x end lub | WD 12201 | EDS |
| 23,82x61,29 service free | WD 13140 | DANA |
| 23,82x61,29 service free w/hole | WD 12420 | GMB |

**Spicer 1125 - 25,00x64,00**

| Dimensions | EDS Part Number | Comments |
|---|-----------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| SAE 097/4-08 H40 22° spigot Ø 45 56/56 male-square | Not available | DANA Mitsubishi Pajero / Montero |
| SAE 097/4-10 H43 22° spigot Ø 50 57/57 male-square | Not available | DANA Nissan Terrano , see complete shafts |
| SAE 097/4-10 H43 22° spigot Ø 50 56/56 male-square | 2501122450325 | DANA new Piaggio – Daihatsu |
| SAE 102/4-10 H43 22° spigot Ø 50 58/58 male-square | Not available | DANA Nissan Terrano , see complete shafts |
| SAE 110/4-10 H40 22° spigot Ø 45 60/60 male-square | Not available | DANA Suzuki Jimny , see complete shaft W14101 |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| Ø 40 24/26T Lz 0682 SAE 110/4-10 Ø 45 60/60 male | W12015 | Suzuki Vitara front 27101-85C01 (Tube 50,8 / 38) , GKN-UC 28040 |
| Ø 40 24/26T Lz 0896 SAE 110/4-10 Ø 45 60/60 male | W12016 | Suzuki Vitara rear 27102B-60A01 (Tube 50,8 / 38) , GKN-UC 28041 |
| Ø 40 24/26T Lz 0896 SAE 110/4-10 Ø 45 60/60 male | W12017 | Suzuki Vitara rear 27102-60A11 (Tube 50,8) , GKN-UC 28045 |
| SAE 110/4-10 Lz 0758 SAE 110/4-10 Ø 45 60/60 male | W14101 | Suzuki Jimny rear 27102-82A00 (Tube 50,8) |
| SAE 102/4-10 Lz 0639 SAE 102/4-10 Ø 50 58/58 male | W12003 | Nissan Terrano 37000-2X800/37200-2X800, GKN-UC 28064 |
| SAE 102/4-10 Lz 0616 SAE 102/4-10 Ø 50 58/58 male | W12006 | Nissan Terrano 37000-2X900 , GKN - UC 28063 |
| Ø 36 Z23 Lz 0658 SAE 100/4-10 Ø 45 61/51 male | W12004 | Mitsubishi Pajero / Montero MR 553798 , GKN-UC 27990 |
| Ø 36 Z23 Lz 0747 SAE 100/4-10 Ø 45 61/51 male | W12100 | Mitsubishi Pajero / Montero 154227 |
| (*) For another different lengths or SUZUKI / NISSAN / MITSUBISHI etc.. part numbers non listed here please contact our WELTE sales service | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 25,00x64,00 circlips (snap rings) | service free | WD 10740 |
| | | DANA S-1125 |

Spicer 1210 - 26,97x061,90

| Dimensions | EDS Part Number | Comments |
|--|----------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| SAE 088/4-8 H30 15° spigot Ø57 square 45/53,5 | 2501212400000 | 2-2-879 std SAE |
| SAE102/4-10 H43 22° spigot Ø50 square 57/57 | 2501212400100 | 2-2-1709 obsolete DAIHATSU - PIAGGIO snap rings (circlips) |
| DIN 118/4-12 H41 30° spigot Ø50 square 63/63 CV | 2501212056100 . | CV flange 0,484 " PCD, relube |
| HR-CV H39 30° | 2501212056000 . | service free |
| HR-CV H39 30° | 2501212056200 . | relube |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H038 20° 50,8x1,64 | 2501214000000 | |
| H035 20° 63,5x1,64 | 2501214400000 | |
| H033 20° 50,8x3,05 CV-relube | 2501214056100 . | |
| H033 20° 63,5x1,64 CV-relube | 2501214056200 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H132 15° 1,15 "x 27T slip yoke | 2501213302100 | 2-3-9791KX , push cap 2-86-368 |
| H088 15° 7/8" x 13T end yoke SANDERSON | Not available alone | SANDERSON , see driveshaft SANDERSON 0501210307021 |
| H092 15° Ø29 Z19/21 end yoke PIAGGIO -DAIHATSU | 2501213000000 | 2-3-12531X , obsolete |
| H068 15° Ø20,50/22,75 end yoke 4 key MANITOU Pump | 2501213300100 | MANITOU 186174 pump shaft , U-bolt kit non included |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap (rubber) for slip yoke | 1501210000000 | under request , for slip yoke 2501203302100 |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H132 1 - 15 "x 27T no rilsan | 2501211000000 | under request , for slip yoke 2501203302100 |
| WZUNMV- Wellenzapfen u. Nab. vollst/Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Шлиц. вал и скользящ. вилка в сборе | | |
| H159/54 50,8x1,64 15° 1,15" x 27T Inv. | 6501211030000 | under request , no rilsan relube |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 50,8x2,10 | Tube 50,8x2,10 | 1210/1310 series tube , under request |
| Tube 50,8x1,64 | Tube 50,8x1,64 | 1100/1140/1210/1300/1310 series tube , under request |
| MR-Mitnehmerring / Center yoke / Bol / Junta Doble palier / Corpo centrale / Сдвоенная вилка | | |
| H068 30° | 2501219500000 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| 1210 HR Lz.188/20 15° SAE 121/4-12 MANITOU Pump | 9501210373000 | MANITOU 186173,end yoke 2501213300100 and U-bolt kit not included |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| SAE 88/4-8 L.185 20° End yoke 7/8"x13T relube | 0501210307021 | SANDERSON no slip |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 26,97x61,90 1xend lube | WD 10781 | EDS |
| 26,97x61,90 service free | WD 10770 | DANA |
| U BOLT KIT - Klemmbügel / U-bolt-kit / Kit - U (Visserie+Pontets) / Abrazaderas y tornillos U-bolt / Viti kit / набор U-образных болтов | | |
| U-BOLT KIT 5/16" - 24UNF 20 - 25 Nm torque | U-BOLT KIT 1210/1330 | DANA 94-291C (Europe) / 2-94-28X (USA) Spicer 1210/1330 |
| STRAP KIT - Klemmbügel / Strap kit / Kit de vis et pontets end yoke / Abrazaderas y tornillos end yoke / Viti kit / Комплект хомутов | | |
| KIT STRAP1210 / 1330 =2xStraps + 4 bolts 20-25 Nm | STRAP KIT 1210-1330 | DANA 2-70-18X (grease protection)/2-70-28X (zinc plated protection) |

**Spicer 1300 - 26,97x074,61**

| Dimensions | EDS Part Number | Comments |
|---|---------------------|--|
| DZG-Doppelzapfengelenk / CV-fixed joint / Joint fixe homo. / Junta fija homocinética / Giunto fisso homo. / Фланец в сборе с вилкой в трубу CV | | |
| SAE-CV 115/4-10 H160 20° spigot Ø65 67/67 round | 7501300800100 | CV- ROVER / ISUZU, flange 2501302456000 , relube , under request |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| SAE 088/4-8 H35 20° Ø 56 45/54 - round FORD 4x4 | 2501302400100 | FORD 4x4 |
| SAE 097/4-9,6 H35 20° Ø 60 51/61 - round | 2501302400040 | |
| SAE 097/4-10 H35 20° Ø 60 51/61 - round LDV | 2501302400050 | Leyland Daf Vans |
| SAE 103/4-10 H38 20° Ø 50 57/57 - round NISSAN | 2501302450010 | NISSAN |
| SAE 103/4-10 H41 20° Ø 65 50/69 - round ISUZU | 2501302400080 | ISUZU |
| SAE 109/4-10 H40 20° Ø 45 60/60 - round SUZUKI | Not available alone | SUZUKI , see SUZUKI Vitara shaft |
| SAE 109/4-10 H41 20° Ø 56 67/60 - round FORD | 2501302400030 | FORD |
| SAE 109/4-10 H41 20° Ø 65 50/69 - round ISUZU | 2501302400070 | ISUZU / ROVER |
| SAE 115/4-10 H41 20° Ø 65 57/57 - round ROVER | Not available alone | ROVER Discovery , see complete driveshaft |
| SAE 115/4-10 H41 20° Ø 65 67/67 - round ISUZU | 2501302456000 | CV ROVER / ISUZU , see CV - end joint |
| SAE 120/4-12 H41 20° Ø 40 48/83 - round FORD | 2501302400020 | FORD |
| SAE 120/4-12 H41 20° Ø 56 48/83 - round FORD | 2501302400010 | FORD |
| SAE 120/4-12 H65 35° Ø 56 48/83 - round FORD | 2501302465010 | FORD |
| SAE 120/4-12 H43 30° Ø 65 67/67 - round NISSAN | Not available alone | NISSAN Terrano , see complete shafts |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H45 050,0x2,00 20° | 2501304000010 | |
| H45 063,5x1,64 20° | 2501304000030 | |
| H45 076,2x1,64 20° | 2501304000020 | |
| H45 101,6x2,03 15° | 2501304400020 | BRD obsolete |
| H45 050,0x2,00 20° CV | 2501304056000 | EDS , see ISUZU / ROVER DZG 7501300800100 |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H135 20° 39,6 x 26T w/dust flinger | 2501303300030 | DANA SAC -Mitsubishi obsolete, on request only |
| H154 20° 39,6 x 24T w/dust flinger | 2501303300060 | MAZDA |
| H137 20° 34,9 x 16T w/dust cap | 2501303000010 | |
| H141 20° 34,9 x 16T w/dust cap | 2501303000000 | |
| H145 20° 32,0 x 21T | 2501303300050 | TOYOTA on request |
| H150 20° 38,1 x 27T w/dust flinger | 2501303500000 | ISUZU / OPEL FRONTERA |
| H155 20° 34,9 x 25T | 2501303300020 | FORD gear box |
| H156 20° 38,1 x 16T w/dust cover (push) | 2501303200120 | push dust cover |
| H080 20° 24x26x22/23T | 2501303300010 | FORD mid end yoke |
| H080 20° Ø24/Ø48x26T | 2501303300040 | FORD mid end yoke |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| see 1310 section for suitable stub shafts | | |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H110 Ø25x23T FORD 4x4 SIERRA | 2501307100110 | FORD Sierra 4x4 |
| H180 ROVER/ISUZU/DAF | 2501307000180 | ROVER / ISUZU / DAF |
| WZUNMV- Wellenzapfen u. Nab. vollst/Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Шлиц. вал и скользящ. вилка в сборе | | |
| H154/50 50,8x2,4 | 6501301030000 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 50,8x1,64 | Tube 50,8x1,64 | 1100 / 1140 / 1210 / 1300 / 1310 series tube , under request |
| Tube 63,5x2,4 | Tube 63,5x2,4 | 687.15 / 1300 / 1310 / 1350 / 4C series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H79 Ø45 Ep 20 50x2 45x27T ISUZU FRONTERA | 2501301600010 | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| SAE 94/6-M8 H84 spigot Ø 98 FORD CV | 2501305200000 | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø30x144x13 LL H57,9 | WDL 9222 | 4104708 FORD MARINA/SHERPA |
| Ø30x150x14 H8,5 | WDL 9004 | FORD , 0° Bracket |
| Ø45x080 | WDL 9137 | 249735/249175 OPEL FRONTERA |
| Ø45x144X16 LL H61,2 | WDL 9005 | Ford Transit new 92VB-4826-AA |
| ROHRFL - Rohrflansch / Tube flange / Bride tubulaire / Brida tubular / Flangia GUIBO / | | |
| H53 50x2 three stars ISUZU Frontera for mid stub | 2501305500000 | ISUZU / OPEL FRONTERA |
| GUIBO - Gelenkscheibe / Joint disc / Disque joint / Junta de disco / GUIBO / диск шарнира | | |
| 135/6-12 holes space 96 ISUZU / OPEL FRONTERA | 2501300900035 | ISUZU / OPEL FRONTERA |
| ZENTLIG - Zentrierlager / Centering bearing / Coussinet de centrage / Cojinete de centrage / Center kit / центрирующий подшипник | | |
| Centering sleeve H93 ISUZU / OPEL FRONTERA | 6501300500000 | ISUZU / OPEL FRONTERA |
| MR-Mitnehmerring / Center yoke / Bol / Junta Doble palier / Corpo centrale / Сдвоенная вилка | | |
| H074 40° | 2501309500074 | |
| GELAG - Gelenklager / Ball / Bille articulation / Bola / Sfera / Шаровой шарнир | | |
| Use 1310 /1330 SF center kit | | |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmisione scorrevoli / карданный вал | | |
| Slip H174 Ø42 Ø30x28T Lz 0942 SAE120/4-12 Ø65 67/67 | W30312 | Nissan Terrano 37300-2X810 |
| Slip H174 Ø42 Ø30x28T Lz 0967 SAE120/4-12 Ø65 67/67 | W30316 | Nissan Terrano 37300-2X960 |
| Slip H174 Ø42 Ø30x28T Lz 0986 SAE120/4-12 Ø65 67/67 | W30314 | Nissan Terrano 37300-2X910 |
| Slip H174 Ø42 Ø30x28T Lz 1143 SAE120/4-12 Ø65 67/67 | W31198 | Nissan Terrano 37300-2X800 |
| Slip H174 Ø42 Ø30x28T Lz 1167 SAE120/4-12 Ø65 67/67 | W30315 | Nissan Terrano 37300-2X920 |
| Slip H174 Ø42 Ø30x28T Lz 1186 SAE120/4-12 Ø65 67/67 | W30313 | Nissan Terrano 37300-2X900 |
| Slip H134 Ø32 Ø23x23T Lz 1071 SAE109/4-10 Ø45 60/60 | W30310 | Suzuki Vitara 27102-67D01 |
| Note : all the NISSAN shafts are tube Ø 65 mm , the SUZUKI VITARA is Ø 38 mm (spline is 21 teeth based on 23 teeth) , Discovery Ø 50 | | |
| ZW - Zwischenwelle / Mid ship shaft / Transmisión á palier / Transmisión puente central/ Semitrasmissione fissa / промежуточный вал | | |
| rubber coupling L.1275 SAE 116/4-12 RL:995 SF | W78500 | LDV MAXUS CER4276 |

**Spicer 1300 - 26,97x074,61**

| Dimensions | EDS Part Number | Comments |
|--|----------------------|---|
| STRANG - Gelenkwellenstrang / MIS Shaft / Transmission monotron / Monotrón 2 tramos / Monotronco unico / Вал с пром. Опорой | | |
| SAE 120/4-10 (40) Lz.1985 L1:792 SAE 109/4-10 (56) | W5130103 | FORD TRANSIT 92VT4K145B1A |
| SAE 120/4-10 (40) Lz.1986 L1:577 SAE 109/4-10 (56) | W5130104 | FORD TRANSIT 95VB4K145GB |
| SAE 120/4-10 (40) Lz.2105 L1:975 SAE 109/4-10 (56) | W5130102 | FORD TRANSIT |
| SAE 120/4-12 (56) Lz.1985 L1:785 SAE 109/4-10 (56) | W5130105 | FORD TRANSIT |
| rubber coupling Lz.2140 SAE 97/4-10 (60) | W78200 | LDV - Leyland Daf Vans L1:920 L2:0750 CER4076 |
| rubber coupling Lz.2455 SAE 97/4-10 (60) | W78100 | LDV - Leyland Daf Vans L1:920 L2:1060 CER4075 |
| SAE 115/4-12 (65) Lz.1570 SAE 97/4-10 (60) | W78300 | LDV - Leyland Daf Vans L1:850 L2:0960 CER4277 |
| SAE 120/4-12 (40) Lz.2075 SAE 97/4-10 (60) | W78400 | LDV - Leyland Daf Vans L1:830 L2:0755 ASU3624 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 26,97x74,61 lateral grease | WD 13787 | HS195 |
| 26,97x74,61 lateral grease | WD 10537 | EDS |
| 26,97x74,61 no seals service free | WD 12650 | EDS U102 |
| 26,97x74,61 service free | WD 12490 | EDS |
| U BOLT KIT - Klemmbügel / U-bolt-kit / Kit - U (Visserie+Pontets) / Abrazaderas y tornillos U-bolt / Viti kit / набор U-образных болтов | | |
| U-BOLT KIT 5/16" - 24UNF - 20 - 25 Nm torque | U-BOLT KIT 1210/1330 | DANA 94-291C (Europe) / 2-94-28X (USA) Spicer 1210/1330 |
| STRAP KIT - Klemmbügel / Strap kit / Kit de vis et pontets end yoke / Abrazaderas y tornillos end yoke / Viti kit / Комплект хомутов | | |
| KIT STRAP1210 / 1330 =2xStraps + 4 bolts 20-25 Nm | STRAP KIT 1210-1330 | DANA 2-70-18X (grease protection)/2-70-28X (zinc plated protection) |

Spicer 1310/SPL 22 - 26,97x081,70

| Dimensions | EDS Part Number | Comments |
|---|-----------------|--|
| DZG-Doppelzapfengelenk / CV-fixed joint / Joint fixe homo. / Junta fija homocinética / Giunto fisso homo. / Фланец в сборе с вилкой в трубу CV | | |
| HR H068,3 50,8x3,05 5/16" x 24UNF SF | 7501310800289 | DANA 923289 , JEEP CHEROKEE - CHRYSLER 915374 , service free |
| HR H105,0 63,5x2,40 5/16" x 24UNF | 7501310800578 | DANA 919578 , FORD RANGER - BRONCO |
| SAE109/4-10 H105,0 63,5x2,10 spigot F50,8 63/63 | 7501310800279 | DANA 919279 |
| SAE112/4-12 H105,0 50,8x2,40 spigot F50,8 63/63 | 7501310800285 | SSANGYONG MUSSO KORANDO |
| SAE115/4-10 H105,0 63,5x2,11 spigot M69,9 67/67 | 7501310800648 | DANA 920648 , MERCEDES M-CLASS |
| Note : see also BTB BC215 range for same u-joint kit size | | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 100/6-8 H236/072 22° 50,8x2,4 34,9x16T Involute | 7501310199105 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 90/4-8 H50 30° | 2501312700060 | |
| DIN 90/6-8 H50 30° | 2501312700080 | |
| DIN 90/6-10 H50 30° | 2501312700070 | |
| DIN 100/6-8 H53 30° | 2501312700000 | |
| DIN 100/6-8 H53 30° 80,0 BHC | 2501312465140 | HONDA S200 special |
| DIN 120/8-8 H52 25° | 2501312300010 | |
| DIN 120/8-10 H52 25° | 2501312300000 | |
| DIN 120/4-10 H58 30° | 2501312817120 | SPRINTER NCV2 |
| DIN 140/3-12 --- 2x8,5 75F H46 25° | 2501312313237 | KitCar GUIBO Conversion 16mm pilot |
| SAE 88/4-8 H40,0 22° spigot 69,9 45/53 - round | 2501312400080 | |
| SAE 88/4-8 H50,0 35° spigot 60,3 51/61 - square | 2501312400100 | |
| SAE 90/4-8 H50 30° spigot 42,0 35/60 - round | 2501312442000 | Japanese PTO |
| SAE 92/4-9,6 H35 20° spigot 57,0 49/58 - round | 2501312400010 | Ford |
| SAE 97/4-9,6 H35 20° spigot 60,3 51/61 - round | 2501312400020 | |
| SAE 97/4-9,6 H41 30° spigot 60,3 51/61 - square | 2501312400040 | |
| SAE 97/4-10 H35 20° spigot 60,3 51/61 - round | 2501312400030 | |
| SAE 97/4-10 H41,4 30° spigot 60,3 51/61 - round | 2501312400140 | |
| SAE 97/4-10 H50 35° spigot 60,3 51/61 - round | 2501312400150 | Alternative to DANA 2501312400140 (30 °) |
| SAE 102/4-10,25 H55 22° spigot 47,0 59,5/59,5 - square | 2501312447100 | BMW |
| SAE 102/4-10,0 H53 22° spigot 50,0 57,5/57,5 - square | 2501312450100 | Nissan Terrano II 2,7 / Nissan Serena |
| SAE 102/4-11,0 H45 22° spigot 50,0 57,5/57,5 - square | 2501312401309A | Aluminum |
| SAE 105/4-8 H41 30° spigot 65,0 69/50 - square | 2501312465120 | ISUZU |
| SAE 105/4-10 H43 20° spigot 45,0 60/60 - square | 2501312445200 | MITSUBISHI CANTER |
| SAE 105/4-10 H42 20° spigot 46,0 60/60 - square | 2501312446105 | TOYOTA |
| SAE 105/4-10 H41 30° spigot 65,0 69/50 - square | 2501312465110 | ISUZU |
| SAE 109/4-10 H44,5 27° spigot 45,0 51/61 - square | 2501312445100 | HYUNDAI - MITSUBISHI |
| SAE 109/4-10 H43 20° spigot 56,0 67/60 - round | 2501312456100 | FORD TRANSIT |
| SAE 108/4-10 H45 20° spigot 65,0 85PCD | 2501312465300 | SSANGYONG MUSSO / KORANDO |
| SAE 112/4-10,2 H59 35° spigot 60,0 90PCD 63,6/63,6 | 2501312460110 | KIA |
| SAE 113/4-11 H41 22° spigot 65,0 66/66 - round | 2501312446118 | TOYOTA |
| SAE 115/4-12,7 H42 22° spigot 50,8 61/73 - square | 2501312350100 | |
| SAE 115/4-10 H38,1 20° spigot 65,0 67/67 - round | 2501312400160 | LAND ROVER DISCOVERY |
| SAE 115/4-10 H45 22° spigot 60,0 69/58 - square | 2501312460100 | MITSUBISHI CANTER |
| SAE 115/4-11 H35 20° spigot 70,0 61/73 - square | 2501312400060 | |
| SAE 115/4-12,2 H35 20° spigot 50,8 88PCD | 2501312000200 | SSANGYONG MUSSO / KORANDO |
| SAE 115/4-12 H35 20° spigot 70,0 61/73 - square | 2501312400070 | |
| SAE 115/4-12 H44 30° spigot 69,9 61/73 - round | 2810132400001 | IVECO |
| SAE 118/4-10 H50 20° spigot 65,0 95PCD | 2501312465200 | SSANGYONG MUSSO / KORANDO |
| SAE 119/4-12 H43 20° spigot 40,0 83/48 - round | 2501312440100 | FORD TRANSIT |
| SAE 119/4-12 H43 20° spigot 56,0 83/48 - round | 2501312456080 | FORD TRANSIT |
| SAE 121/4-12,0 H43,5 22° spigot 69,9 67/67 - square | 2501312465130 | NISSAN PATROL 4x4 + TERRANO II 4x4 + CABSTAR TRUCK |
| SAE 125/4-10,0 H56 35° spigot 65F 67/67 - round | 2501312765000 | NISSAN PATROL , 95PCD |
| SAE 125/4-10,0 H56 35° spigot 65M 67/67 - round | 2501312465000 | NISSAN |
| SAE 125/4-12,0 H56 30° spigot 65M 67/67 - round | 2501312465150 | NISSAN PATROL , 95PCD |

**Spicer 1310/SPL 22 - 26,97x081,70**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| SAE 125/4-12,9 H56 35° spigot 65F 76/76 - round | 2501312765010 | NISSAN PATROL , 108PCD |
| SAE 127/4-10,0 H45 20° spigot 45M 74/74 - square | 2501312445200 | MAZDA / FORD |
| SAE 136/4-12 H41 20° spigot 50,8 76/76 - square | 2501312800000 | FORD Ranger |
| SAE 128/4-12,7 H43 20° 17mm | 2501312400090 | FORD TRANSIT obsolete |
| MECHANICS 3C H40 22° | 2501312092300 | Massey Ferguson obsolete |
| CV-HR 16° 5/16" x 24 UNF relube | 2501312056010 | |
| CV-HR 16° 5/16" x 24 UNF service free | 2501312056110 | |
| CV-SAE 115/4-8,5 H41,2 20° spigot 45,0 63/63 | 2501312056050 | SUZUKI |
| CV-SAE 115/4-12 H41,2 20° spigot 50,8 63/63 88,9PCD | 2501312056200 | |
| CV-SAE 115/4-10 H38,1 20° spigot 69,9 67/67 - square | 2501312456250 | M-CLASS |
| CV-SAE 117/4-12 H41,2 20° spigot 50,8 63/63 - square | 2501312056020 | relube |
| CV-SAE 117/4-12 H41,2 20° spigot 50,8 63/63 - square | 2501312056120 | service free |
| CV-SAE 128/4-10 H43 22° spigot 79,4 76/76 - round | 2501312056300 | CHEVY conversion |
| DIN 090 Blank H50 30° | 3501312700060 | |
| DIN 100 Blank H53 30° | 3501312700000 | |
| DIN 125 Blank H56 30° | 3501312800200 | 15mm flange thickness |
| DIN 140/00-00 H46 2x8,5 75F 20° | 3501312313237 | KitCar GUIBO Conversion 16mm pilot |
| CENTER KIT / Center kit / Kit de centrage / Kit de centrage / Center kit / Center kit | | |
| Center Kit 1310/1330 Lub version | CENTER KIT | |
| Center Kit 1310/1330 Service free version | CENTER KIT SF | |
| Center Kit 1310/1330 Service free version HD version | CENTER KIT 1330HD | 0,625" stud |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H55 31,70x3,00 22° | 2501314700000 | used for JEEP CHEROKEE shafts 4x4 applications |
| H47 42,40x3,20 30° | 2501314000010 | on request |
| H43 44,50x2,41 22° | 2501314000020 | |
| H43 50,80x2,40 20° | 2501314000000 | |
| H49 50,80x2,40 30° | 2501314700100 | |
| H49 50,80x3,05 30° | 2501314700050 | |
| H49 50,00x3,00 30° | 2501314700070 | EDS ---please use slip assy 6501317780200 / 250 |
| H47 63,50x1,64 20° | 2501314700300 | |
| H47 63,50x2,10 30° | 2501314700400 | |
| H47 63,50x2,40 30° | 2501314700200 | |
| H55 70,00x1,64 30° | 2501314000030 | |
| H45 76,20x1,64 22° | 2501314400500 | |
| H53 76,20x1,64 30° | 2810134000000 | Obsolete replaced by 2501314400000 |
| H55 76,20x1,64 30° | 2501314400000 | |
| H43 76,20x2,10 22° | 2501314400300 | |
| H55 76,20x2,40 22° | 2501314400200 | |
| H43 88,90x1,64 20° | 2501314400100 | |
| H43 88,90x2,10 22° | 2501314400110 | |
| H38 101,6x2,10 15° | 2501314400400 | |
| H41,4 76,2x3,18 15° | 2501314413012 | Aluminum |
| H60,45 88,9x3,18 15° | 2501314413512 | Aluminum |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H29,4 31,75x3,00 15° CV - Relube version | 2501314056010 | |
| H29,4 31,75x3,00 15° CV - Service Free | 2501314056110 | |
| H36,6 50,80x3,00 15° CV - Relube version | 2501314056020 | |
| H36,6 50,80x3,00 15° CV - Service Free | 2501314056120 | |
| H36,6 76,20x1,80 15° CV - Relube version | 2501314456030 | |
| H36,6 76,20x2,10 15° CV - Service Free | 2501314456130 | |
| H36,6 63,50x2,10 15° CV - Service Free | 2501314456140 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| SLIP YOKES FOR DRIVESHAFTS AND SHORT COUPLED SHAFTS | | |
| H096 34,92x16/16T 15° no dust cap steel D2C included | 2501313600096 | |
| H100 34,92x16/16T 20° w/rubber dust cap | 2501313600100 | |
| H137 34,92x16/16T 16° w/rubber dust cap | 2501313000100 | |
| H153 31,75x16/16T 16° w/dust cap kit included | 2501313200200 | |
| H166 34,92x16/16T 30° w/dust cap kit included | 2501313700000 | |
| H167 31,75x14/16T 30° no push cap included | 2501313000000 | JEEP CHEROKEE |
| H175 34,90x16/16T 30° w/push cap included | 2501313200000 | |
| H200 31,75x15/16T 30° no push cap included | 2501313000200 | |
| H208 34,90x16/16T 30° w/dust cover kit included | 2501313200100 | |
| SLIP YOKES FOR GEAR BOX (with or without dust cover) | | |
| H105 35,60x21/21T 20° CASE | 2501313000510 | CASE PTO shafts |
| H139 38,10x25/26T 20° Jeep Cherokee | 2501313000300 | CHRYSLER 8983503574 - JEEP CHEROKEE |
| H165 30,27x27/27T 20° Ø38,1 outside | 2501313308251 | |
| H179 34,90x30/30T 20° Ø42,7 outside | 2501313315631 | |
| SLIP YOKES FOR MIS-MONOTRON SHAFTS (with or without dust cover) | | |
| H187 34,90x16/16T 20° w/dust cap DAILY old.. 1998 | 2501313200300 | |
| H187 34,90x16/16T 20° push cap | 2501313200500 | RENAULT TRAFIC |
| H187 34,90x20/20T 20° w/boot DAILY new 1998.. | 2501313200400 | |
| END YOKES (no dust cover) | | |
| H058 | 2501313300900 | CASE A159663 gear box , under request |
| H059 25,04x15/15T 16° Involute spline | 2501313300300 | MASSEY FERGUSSON |
| H064 32,36x19/19T 16° Involute spline | 2501313300400 | |
| H065 Ø25,40 E 7,9 w/key pump JCB | 2501313300500 | |
| H065 Ø22,22 E 6,3 w/key pump JCB | 2501313300800 | JCB 914 / 32901 |

**Spicer 1310/SPL 22 - 26,97x081,70**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| H065 Ø28,57 E 7,9 w/key pump JCB | 2501313300100 | JCB 123 / 00269 |
| H065 Ø31,75 E 6,3 w/key pump JCB | 2501313300200 | JCB 914 / 30001 |
| H065 Ø28x10T PTO shaft CASE no dust cover | 2501313300900 | CASE 231799A1 |
| H076 35,56x21/21T 20° | 2501313300700 | JOHN DEERE |
| H093 22° old Daily mid end yoke | 2810133000000 | BTB CS215 |
| Dust cap 1 3/8" - 16T DANA | 1810132000000 | for 1 3/8" spline sleeves |
| Dust cap rubber 1 1/4" - 16T 1310 rubber PP | DUST CAP 1310 | |
| Dust cap plastic | PLASTICCAP 1310 | for HR u-joint protection |
| Push cap 1 1/4" - 16T 1310 | PUSH CAP 1310 | under request |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| Seal dust cap Ø 29 | 1810133000000 | GKN obsolete with stock available |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer Ø 47 / Ø 12 / 9 mm for bolt M12x1x5x35 DIN 961 | 1801215017000 | 1310 / 287.10 / 801.21 series washer for mid stubs |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H155,6 31,75x3,05 31,7x16T rilsan | 2501311000000 | JEEP CHEROKEE 2-40-1771, MASTER DANA 915723 - XXXX |
| H129,0 50,80x2,40 34,9x16T no rilsan | 2501311000100 | |
| H129,0 50,80x2,40 34,9x16T rilsan | 2501311000300 | |
| H146,0 50,80x2,40 34,9x16T rilsan | 2501311000200 | |
| H146,0 50,80x2,40 34,9x16T no rilsan | 2501311000700 | |
| H129,0 76,20x2,40 34,9x16T rilsan | 2501311000550 | |
| H157,1 50,80x3,05 34,9x16T rilsan | 2501311000150 | |
| H192,0 50,80x2,40 34,9x16T rilsan | 2501311200100 | |
| H129,0 63,50x1,64 34,9x16T rilsan | 2501311000400 | |
| H161,1 63,50x2,10 34,9x16T rilsan | 2501311000600 | |
| H191,3 63,50x2,10 34,9x16T rilsan | 2501311200000 | 57mm spline length |
| H191,3 63,50x2,10 34,9x16T rilsan | 2501311200200 | 81mm spline length |
| H254,0 63,50x2,10 34,9x16T rilsan | 2501311200050 | |
| H129,0 70,00x1,64 34,9x16T rilsan | 2501311000500 | |
| H129,0 76,20x1,64 34,9x16T rilsan | 2501311000800 | |
| H160,0 76,20x1,64 34,9x16T rilsan | 2501311000650 | |
| H163,5 76,20x2,10 34,9x16T rilsan | 2501311000750 | |
| H147,0 88,90x1,64 34,9x16T rilsan | 2501311000350 | |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| STUB SHAFTS FOR IVECO Daily Monotron | | |
| H226,2 76,20x2,10 34,9x16T rilsan Ø35 Tube Ø 76 | 2501311200300 | WDL 9179 replaced by 2501311200600 |
| H205,5 76,20x2,10 34,9x16T rilsan Ø35 Tube Ø 76 | 2501311200600 | WDL 9179 |
| H197,2 76,20x2,10 33,3x20T rilsan Ø40 Tube Ø 76 | 2501311200400 | WDL 9056 - boot kit 6501008401000 |
| H197,2 88,90x1,64 33,3x20T rilsan Ø40 Tube Ø 89 | 2501311200500 | WDL 9056 - boot kit 6501008401000 |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H117 1 3/8"x16T 10° no rilsan | 2501317600052 | |
| H125 1 3/8"x16T 20° rilsan | 2501317100200 | |
| H137 1 3/8"x16T 20° rilsan | 2501317100300 | |
| H143 1 3/8" x16T 20° rilsan | 2501317100400 | |
| H167 1 3/8"x16T 30° rilsan | 2501317100900 | |
| H174 1 1/2"x16T 20° rilsan | 2501317100100 | |
| H175 1 3/8"x16T 20° rilsan | 2501317100000 | |
| H182 1 3/8"x16T 20° rilsan | 2501317100500 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H131/106 50,8x2,4 34,9x16T no rilsan w/push + plug cap | 2501318000000 | |
| H165/045 76,2x2,4 38,10x16T no rilsan w/push + plug cap no | 2501318000100 | FORD Transit (1410 spline) , fits Ø 45mm ctr brg |
| WMUNHV- Wellenzap. u. nab. vollst./Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H230/103 50,8x2,40 20° 34,9x16T rilsan relube | 6501311030100 | |
| H150/50,8 63,5x1,64 20° 34,9x16T no rilsan relube | 6501311030150 | |
| H154/50,8 63,5x1,64 20° 34,9x16T rilsan relube | 6501311030400 | |
| H195/60 50,0x3,0 | 6501317780200 | EDS |
| H185/60 76,2x2,1 | 6501317780220 | EDS |
| H235/110 50,0x3,0 | 6501317780250 | EDS |
| H235/110 60,0x3,0 | 6501317780300 | EDS |
| WMUNHV- Strang/ Slip assy MIS / Ens. Coul. Mono. / Junta corr. Mono. / Scorrevole con tubo Mono. / Шлицевая (с чехлом) для вала с пром. Опорой | | |
| H252/75 76,2x2,4 | 65013171800990252 | NISSAN monotron |
| FABA - Faltenbalg/ Boot MIS / Soufflet monotron /Fuelle monotron /Soffieto monotronco / Чехол | | |
| Boot kit H125 JEEP CHEROKEE | 1501318400100 | |
| Boot kit H102 JEEP CHEROKEE | 1501318400200 | |
| Boot IVECO Daily 1310/1410 c/bearing Ø 40 | 1501008401000 | see complete kit 6501008401000 |
| Boot kit IVECO DAILY | 6501008401000 | incl. boot+clamps1501008400891+150100840089 |
| Boot Can IVECO | 1501001900100 | suits boot kit on IVECO monotrons |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H145/22,0 15° 34,9x16T rilsan | 6501317131000 | (slip yoke must be cut 8 mm) |
| H153/22,0 15° 34,9x16T rilsan | 6501317131010 | |
| H169/60,0 20° 34,9x16T rilsan | 6501317131015 | yoke shaft 2501317100400 |
| H190/22,0 15° 34,9x16T rilsan | 6501317131020 | |
| H200/054 15° 34,9x16T rilsan | 6501317131030 | |
| H225/076 15° 34,9x16T rilsan | 6501317131040 | |
| Note : all slip assemblies yoke shaft are available in separate parts , including the dust covers | | |

**Spicer 1310/SPL 22 - 26,97x081,70**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| WZUNMV- Wellenzapfen u. Nab. vollst/Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Шлиц. вал и скользяц. вилка в сборе | | |
| H154/50 20° 34.9x16T 63.5x1.64 | 6501311030400 | |
| H185/70 20° 34.9x16T 63.5x1.64 | 6501311030450 | |
| H185/70 30° 34.9x16T 50.8x2.4 | 6501311030500 | |
| H230/80 20° 34.9x16T 50.8x2.4 | 6501311030100 | |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 031,7x3,00 | Tube 31,7x3 | Under request |
| Tube 042,4x3,20 | Tube 42,4x3,2 | Under request |
| Tube 050,8x1,64 | Tube 50,8x1,64 | Under request |
| Tube 050,8x2,10 | Tube 50,8x2,1 | |
| Tube 050,8x2,40 | Tube 50,8x2,4 | |
| Tube 063,5x1,64 | Tube 63,5x1,64 | |
| Tube 063,5x2,10 | Tube 63,5x2,1 | Under request |
| Tube 063,5x2,40 | Tube 63,5x2,4 | |
| Tube 076,2x1,64 | Tube 76,2x1,64 | |
| Tube 076,2x2,41 | Tube 76,2x2,4 | |
| Tube 088,9x1,64 | Tube 88,9x1,64 | Under request |
| Tube 101,6x2,11 | Tube 101,6x2,11 | Under request |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H088,0 Ø30 Ep 25 76,2x2,40 35x10T 1 x 3/8 " | 2501311600700 | DANA 5003893 , NISSAN/TOYOTA obsolete with stock |
| H088,0 Ø35 Ep 25 50,0x3,00 35x10Z M12x1,5x35 | 2501311600300 | for DIN 100 / SAE 97 companion flanges |
| H091,0 Ø35 Ep 25 60,0x3,00 35x10Z M12x1,5x35 | 2501311600500 | for DIN 100 / SAE 97 companion flanges |
| H091,0 Ø35 Ep 25 70,0x2,00 35x10Z M12x1,5x35 | 2501311600400 | for DIN 100 / SAE 97 companion flanges |
| H91,5 Ø35 Ep 27 63,5x1,64 35x10Z 3/4 "x20 castle nut | 1501311600100 | for DIN 100 / SAE 97 companion flanges |
| H91,5 Ø35 Ep 25 70,0x1,64 35x10Z 3/4 "x20 castle nut | 2501311600000 | for DIN 100 / SAE 97 companion flanges |
| H117,0 Ø35 Ep 25 76,2x2,10 35x10Z 1 x 3/16 " DANA | 2501311600600 | Daily WDL 9134 ; standard coupling WDL 9055 |
| H91,5 Ø35 Ep 25 50,8x2,40 35x10Z 3/4"x 20 castle nut | 2501311600200 | for DIN 100 / SAE 97 companion flanges |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| DIN 100/6-8 H60,7 35x10T | 2501315200100 | for mid stubs 2501311600300/ 2501311600500/ 2501311600400 |
| DIN 100/6-8 H62,0 35x2x16T | 2287105200100 | 1310/287.10/687.15 ,mid-stub 2287101600160 |
| SAE 97/4-9.6 H60,7 35x10T | 2501315209200 | for mid stubs 2501311600300/ 2501311600500/ 2501311600400 |
| SAE 97/4-10 H63,9 35x10T | 2501315209400 | IVECO Daily , for mid stub 2501311600600 |
| SAE 97/4-10 H60,7 35x10T | 2501315209500 | for mid stubs 2501311600300/ 2501311600500/ 2501311600400 |
| SAE 116/4-12 H65,3 35x10T | 2501315209300 | IVECO Daily ,for mid stub 2501311600600 |
| End Yoke H85 27x1x30° 26T | 2501313300150 | FORD Ranger |
| End Yoke H80,2 24/48DP45° 23T | 2501313300080 | FORD Transit fist mid stubs 1140 series |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø30x100x14 RL H60 | WDL 9142 | 163 410 0010 MB M-CLASS , included strapkit + midnut |
| Ø35x168x27 RL H57,2 | WDL 9055 | EDS |
| Ø35x168x25 RL H57,2 | WDL 9179 | 93160324 / 42936726 IVECO Daily old |
| Ø35x168x25 RL H57,1 | WDL 9134 | 9316 3376 IVECO Daily old coupling monotron 3 pcs |
| Ø35x168x25 RL H57,1 | WDL 9092 | 0998 4261 IVECO Daily new coupling monotr. 3 pcs |
| Ø35x168x17 RL H58 | WDL 9031 | 0439 0495 IVECO can be replaced by WDL9055 (full system to change) |
| Ø40x168x22 RL H57,2 | WDL 9056 | 4253 5254 IVECO |
| Ø40x168x22 RL H57,2 | WDL 9356 | EDS alternative to genuine DANA |
| Ø45x144x16 LL H61,2 | WDL 9005 | 92VB-4826-AA FORD Transit new |
| Ø45x168x17,5 LL H63 | WDL 9138 | FORD |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut 1"- 3/8" | on request | special for NISSAN /TOYOTA mid-stub 2501311600700 |
| Nut 1"- 3/16" | 1501008102100 | for DANA mid - stubs , no required washer |
| Nut 3/4"-20 UNF | 1501318102000 | castle nut |
| Nut M20x1,5 | 1000008102071 | 287.00/287.10/1310/687.15 , no required washer |
| Bolt M12x1,5x35 DIN961 10.9 | M12x1,5x35 | For 1310 midships , washer '1801215017000 |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto / Шлицевой вал под подвесной подшипник | | |
| SAE 97/4-9.6 H117 63,5x1,64 Ø 35 bear. nutM12x1,5x35 | 7501310900400 | EDS |
| SAE 97/4-10 H118 76,2x1,64 Ø 35 bearing | 7613450900000 | IVECO Daily old, replacement of GKN 7501310916069 |
| SAE 119/4-12 H104 76,2x2,41 Ø 40 bearing | 7613400999200 | IVECO Daily new coupling shaft |
| MR-Mitnehmerring / Center yoke / Bol / Junta Doble palier / Corpo centrale / Сдвоенная вилка | | |
| H068,3 26° | 2501319500068 | |
| GLG - Gleichlaufgelenk / CV-joint / Joint homocinetique CV / Junta homocinética / Giunto omocinetico / шарнир равной угловой скорости | | |
| SAE 99/6-8 spline tube CHRYSLER CHEROKEE | 7501310110153 | CHRYSLER JEEP CHEROKEE |
| H105 SAE 97/6-8 63,5x2,4 DC MERCEDES M-CLASS | 7501315317027 | MERCEDES M- CLASS , see complete shafts |
| H188 100/6-8 63,5x1,8 FORD | 75013153800004 | FORD |
| SPANNSCH - Spannschelle / Clamp / Collier / Abrazadera / Filo de tenuta / Хомут | | |
| Clamp Ø 60mm Daily | 1501008400891 | DANA , for sleeve 2501313200400 , boot 1501008401000 |
| Clamp Ø 65mm Daily | 1501008400892 | DANA , for sleeve 2501313200400 , boot 1501008401000 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| SAE 97/4-10 Lz.284/35 | 501319304141L0284 | MANITOU PUMP WITH RUBBER TUBE , 397151K |
| SAE 97/4-10 Lz.300/40 | 501319304141L0300 | MANITOU PUMP WITH RUBBER TUBE , 397152K |
| SAE 115/4-11 Lz 320 EY Ø 1" w/key | 5013193042NML0320 | JCB 914-60041 |
| (*) For other lengths or end fittings please check our slip assy ysa possibilities or contact WELTE sales team | | |

**Spicer 1310/SPL 22 - 26,97x081,70**

| Dimensions | EDS Part Number | Comments |
|--|----------------------|---|
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissions scorrevoli / карданный вал | | |
| CASE | | |
| SAE 116/4-11- EY 1"-15 L. 422 | 5013103052NML0422 | 3523667M91 CASE |
| CHRYSLER JEEP CHEROKEE (tube 31,7 master DANA 915723 , tube 50,8 master DANA 915374 and tube 63,5 master GKN) | | |
| CV108/6-10 Boot Lz 0889 HR - EY SF tube 63,5 | W33030 | 52853027AA |
| HR-EY Lz 0643 ZG-CV SF tube 31,7 | W73125 | 53005541AB / Renault 89 53 005 541 , TC-FA 1986 |
| HR-EY Lz 0688 ZG-CV SF tube 50,8 | W73110 | 53005544AB , TC-FA 4L 6 CYL 1986 |
| HR-EY Lz 0727 ZG-CV SF tube 50,8 | W73130 | 53005545AB , TC-FA 4L 6 CYL 1986 |
| HR-EY Lz 0779 ZG-CV SF tube 31,7 | W73120 | 53005542AB / Renault 89 53 005 542 |
| HR-EY Lz 0803 ZG-CV SF tube 44,0 | W73145 | 560222389AA |
| FORD EXPLORER | | |
| CV - 1310HR Lz 0724 SF tube 63,5 | W5131056 | FORD XL24-4A376-BA |
| MERCEDES ML-CLASS | | |
| CV-GLG SAE 97/6-8 Lz 0571 SAE 115/4-10 (70) 67/67 Tu | W1630101 | 163 410 0101 , tube 63,5 service free |
| CV-GLG SAE 97/6-8 Lz 0696 SAE 115/4-10 (70) 67/67 Tu | W1630201 | 163 410 0201 , tube 63,5 service free |
| CV-GLG SAE 97/6-8 Lz 0717 SAE 115/4-10 (70) 67/67 Tu | W1630901 | 163 410 0901 , tube 63,5 service free |
| CV-GLG SAE 97/6-8 Lz 0766 SAE 115/4-10 (70) 67/67 Tu | W1630301 | 163 410 0301 , tube 63,5 service free |
| NISSAN TERRANO 4x4 / NISSAN SERENA VAN | | |
| SAE 102/4-10 Lz 0632 SAE 102/4-10 (50) 57/57 | W31196 | Nissan Terrano II 37200-0F000 / Nissan Serena , male flange tube 65 |
| Slip yoke Ø 42x28T Lz 0997 SAE 119/4-12 (65) 67/67 | W31208 | Nissan Terrano II 2,7D 37300-7F003 , male - square flange tube 65 |
| Slip yoke Ø 42x28T Lz 1178 SAE 119/4-12 (65) 67/67 | W31159 | Nissan Terrano II 2,7D 37300-0F600 , male - square flange tube 65 |
| Slip yoke Ø 42x28T Lz 1197 SAE 119/4-12 (65) 67/67 | W31209 | Nissan Terrano II 2,7D 37300-7F603 , male - square flange tube 65 |
| NISSAN NAVARA 4x4 (see Monotron on 2x4 version) | | |
| Slip yoke Ø 45 H215 L.1522 spigot 65 female rear (1) | W13271 | 37300-3X30B / 37300-EB401 , DANA Aluminium rear |
| NISSAN PATHFINDER 4x4 | | |
| SAE97/4-10 spigot 50 male Lz 808/045 Tube 65 STEEL | W30322 | 37200-EB 300 / 37200 DY235,GKN UC - 28018, under request |
| Slip yoke H215 Ø 44 Lz 1522 SAE 97/4-10 ALU | W31245 | 37200-EB30A/37200 X61B/37300-EB401,GKN UC 28033,under request |
| SSANGYONG MUSSO / KORANDO | | |
| SAE115/4-12(50) 63/63 female Lz.0660 109/4-10 (65) 50/69 mal | W713217 | Ssangyong Musso / Korando 33100-05640, female - male SAE tube 64 |
| SAE115/4-12(50) 63/63 female Lz.0668 109/4-10 (65) 50/69 mal | W713210 | Ssangyong Musso / Korando 33100-05701, female - male SAE tube 64 |
| SAE115/4-12(50) 63/63 female Lz.0755 109/4-10 (65) 50/69 mal | W713216 | Ssangyong Musso / Korando 33100-05620, female - male SAE tube 64 |
| SAE115/4-12(50) 63/63 female Lz.0915 109/4-10 (65) 50/69 mal | W713211 | Ssangyong Musso / Korando 33200-06701/33200-06800 |
| SAE115/4-12(50) 63/63 female Lz.1065 109/4-10 (65) 50/69 mal | W713215 | Ssangyong Musso / Korando 33200-05701, female - male SAE tube 64 |
| SAE115/4-12(50) 63/63 female Lz.1070 109/4-10 (65) 50/69 mal | W713213 | Ssangyong Musso / Korando 33200-06780, female - male SAE tube 64 |
| SAE115/4-12(50) 63/63 female Lz.1203 109/4-10 (65) 50/69 mal | W713212 | Ssangyong Musso / Korando 33200-06520 , 33200-07000 |
| SAE115/4-12(50) 63/63 female Lz.1203 109/4-10 (65) 50/69 mal | W713214 | Ssangyong Musso / Korando 33200-07000 , female - male SAE tube 64 |
| SAE115/4-12(50) 63/63 female Lz.0685 CV109/4-10(65) 50/69 mal | W713220 | Ssangyong Musso / Korando 33100-05850 , CV-SAE female -male |
| Note : for other lengths or applications not listed here contact WELTE sales service | | |
| STRANG - Gelenkwellenstrang / MIS Shaft / Transmission monotron / Monotrón 2 ó 3 tramos / Monotronco unico / Вал с пром. Опорой | | |
| MIS-Monotron Shafts FORD TRANSIT | | |
| SAE 119/4-12 (40) Lz 1982 L1:578 SAE 119/4-12 (56) | W5131003 | |
| SAE 119/4-12 (40) Lz 2688 L1:863 L2:1482 SAE 119/4-12 (56) | W5131002 | |
| SAE 119/4-12 (40) Lz 2688 L1:863 L2:1482 SAE 119/4-12 (56) | W5131001 | 95VT-4K357-A2B |
| SAE 119/4-12 (40) Lz.2800 SAE 119/4-12 (56) unwelded 3 pcs | W5131301 | |
| (*) 3 pcs unwelded to meet any required length with WDL 9005 c/bearing new FORD Transit , for other lengths contact WELTE team | | |
| MIS-Monotron Shafts MERCEDES ML-CLASS | | |
| CV-SAE 97/6-8 Lz.1226 SAE 119/4-10 (70) 67/67 Tube Ø 76 | W1630502 | DB 163 410 0502 / 1202 , WDL 9142 |
| CV-SAE 97/6-8 Lz.1275 SAE 119/4-10 (70) 67/67 Tube Ø 76 | W1630802 | DB 163 410 0802 , WDL 9142 |
| CV-SAE 97/6-8 Lz.1297 SAE 119/4-10 (70) 67/67 Tube Ø 76 | W1630702 | DB 163 410 0702 , WDL 9142 |
| CV-SAE 97/6-8 Lz.1423 SAE 119/4-10 (70) 67/67 Tube Ø 76 | W1630402 | DB 163 410 0402 , WDL 9142 |
| STRANG - Gelenkwellenstrang / MIS Shaft / Transmission monotron / Monotrón 2 ó 3 tramos / Monotronco unico / Вал с пром. Опорой | | |
| NISSAN NAVARA 2x4 (FWD) . see aluminium rear driveshaft on 4x4 version | | |
| Slip H155 Ø44 Lz1949 SAE 97/4-10 spigot 50 male | W31960 | 37000-EB32C NISSAN |
| Slip H215 Ø44 Lz1942 SAE 97/4-10 spigot 50 male | W31961 | 37000-EB30C NISSAN |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 26,97x81,70 lateral grease | WD 13847 | EDS standard |
| 26,97x81,70 lateral grease | WD 13617 | DANA GLAENZER B65 GS 1315 |
| 26,97x81,70 lateral grease | WD 15847 | DANA standart |
| 26,97x81,70 lateral grease | WD 12787 | DANA 5-204X obsolete |
| 26,97x81,70 lateral grease | WD 10517 | EDS |
| 26,97x81,70 lateral grease | WD 14117 | EDS HD1310 |
| 26,97x81,70 1xend lube | WD 11701 | EDS |
| 26,97x81,70 w/center hole service free | WD 12090 | EDS |
| 26,97x81,70 service free | WD 10560 | DANA |
| 26,97x81,70 service free | WD 16560 | EDS |
| 26,97x81,70 service free | WD 12660 | DANA 5-252X obsolete with stock |
| 26,97x52,45/55,50 l service free | WD 20790 | CHEROKEE axle 8308126637 runs in oil --- no seal |
| 26,97x52,45/55,50 l service free | WD 21030 | CHEROKEE axle 8308126637 |
| 30,18x52,40/55,50 1xend lube | WD 21411 | DANA 5-297-1X CHRYSLER (wheel - joint) |
| 26,97x81,70/92,00 lateral grease | WD 11677 | EDS 1310/1330 combination kit |
| 26,97/30,16x81,70/92,00 lateral grease | WD 11697 | EDS 1310-1350 combination kit |
| Shipping strap for 1310 u-joint with HR EY shaft | | |
| | SHIPPINGSTRAP1310 | DANA |
| U BOLT KIT - Klemmbügel / U-bolt-kit / Kit - U(Visserie+Pontets) / Abrazaderas y tornillos U-bolt / Viti kit / набор U-образных болтов | | |
| U-BOLT KIT 5/16" - 24UNF 20 - 25 Nm torque | U-BOLT KIT 1210/1330 | EDS |
| STRAP KIT - Klemmbügel / Strap kit / Kit de vis et pontets end yoke / Abrazaderas y tornillos end yoke / Viti kit / Комплект хомутов | | |
| KIT STRAP1210 / 1330 =2xStraps + 4 bolts 20-25 Nm | STRAP KIT 1210-1330 | EDS |

**BTB BC 215 - 26,97x081,70**

| Dimensions | | EDS Part Number | Comments |
|---|---|-----------------|---|
| DZG-Doppelzapfengelenk / CV-fixed joint / Joint fixe homo. / Junta fija homocinética / Giunto fisso homo. / Фланец в сборе с вилкой в трубу CV | | | |
| DIN 90/4-8 | H183 63,5x2,4 | 7810130800090 | |
| DIN 100/6-8 | H183 63,5x2,4 | 7810130800100 | |
| DIN 100/8-8 | H183 63,5x2,4 | 7810130817100 | MERCEDES , VW LT 4x4 |
| DIN 120/8-8 | H183 63,5x2,4 | 7810130800220 | |
| DIN 120/8-10 | H181 63,5x2,4 | 7810130800120 | LIEBHERR |
| DIN 120/4-12,2 | H183 63,5x2,4 65mm spigot 67,2/67,2 | 7810130865120 | NISSAN |
| SAE 97/4-9,6 | H183 63,5x2,4 | 7810130810097 | LANDROVER |
| SAE 97/4-10 | H183 63,5x2,4 | 7810130800097 | |
| SAE 116/4-12 | H181 63,5x2,4 | 7810130800116 | LIEBHERR |
| SAE 110/4-8,2 | H183 63,5x2,4 46mm spigot 68,5/60 | 7810130846100 | TOYOTA |
| SAE 110/4-10 | H183 63,5x2,4 46mm spigot 68,5/60 | 7810130846200 | TOYOTA |
| SAE 110/4-10 | H183 63,5x2,4 46mm spigot 60/60 | 7810130846300 | TOYOTA |
| SAE 110/4-10 | H183 63,5x2,4 46mm spigot 70/61,5 | 7810130846400 | TOYOTA |
| SAE 110/4-10 | H183 63,5x2,4 46mm spigot 66/66 | 7810130846500 | TOYOTA |
| SAE 120/4-12,2 | H183 63,5x2,4 65mm spigot 67,2/67,2 | 7810130865220 | NISSAN SPAIN |
| SAE 120/4-10,2 | H183 63,5x2,4 65mm spigot 67,2/67,2 | 7810130865115 | FREELANDER |
| SAE 120/4-10,2 | H183 63,5x2,4 60mm spigot 58/69 | 7810130860118 | MITSUBISHI |
| WMUNHV- Wellen.u.Nabenh. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевой вал и шлиц. втулка в сборе | | | |
| H190/110 | 63,5x2,4 stub shaft/sleeve/dust cover assy | 6687151282190 | use tube yoke 2186104016080 |
| H215/110 | 63,5x2,4 CV yoke shaft/sleeve/dust cover assy | 6810137080200 | |
| H432/40 | CV | 6810137130432 | FIAT CAMPAGNOLA yokeshaft+slip yoke assy CV |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | | |
| DIN 100/6-8 | H53 CV | 2186102016000 | |
| DIN 100/8-8 | H53 CV | 2186102016070 | MERCEDES, VW LT 4x4 |
| DIN 120/8-8 | H56 CV | 2186102300010 | |
| DIN 120/8-10 | H53 CV | 2186102300000 | LIEBHERR various off highway applications |
| DIN 132/00-00 | H56 CV blank | 3186102300000 | |
| DIN 120T4-12 | H56 CV 65mm spigot 67,2/67,2 | 2186102065120 | NISSAN |
| SAE 97/4-9,6 | H56 CV | 2186102400080 | |
| SAE 97/4-10 | H56 CV | 2186102400090 | |
| SAE 116/4-12 | H54 CV | 2186102400000 | LIEBHERR various off highway applications |
| SAE 100/4-8 | H56 CV 45mm spigot 56/56 | 2186102445100 | SUZUKI |
| SAE 110/4-8,2 | H56 CV 46mm spigot 68,5/60 | 2186102446100 | TOYOTA |
| SAE 110/4-10 | H56 CV 46mm spigot 68,5/60 | 2186102446200 | TOYOTA |
| SAE 110/4-10 | H56 CV 46mm spigot 60/60 | 2186102446300 | TOYOTA |
| SAE 110/4-10 | H56 CV 46mm spigot 70/61,5 | 2186102446400 | TOYOTA |
| SAE 110/4-10 | H56 CV 46mm spigot 66/66 | 2186102446500 | TOYOTA |
| SAE 120/4-10 | H56 CV 65mm spigot 67,2/67,2 | 2186102465115 | FREELANDER |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | | |
| H53 | 63,5x2,4 CV | 2186104016080 | 16,3mm new boot version |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | | |
| Tube | 63,5x2,40 | Tube 63,5x2,40 | 687.15/1300/1310/1350 / 4C DANA / BTB BC215 series tube |
| MR-Mitnehmerring / Center yoke / Bol / Junta Doble palier / Coppo centrale / Сдвоенная вилка | | | |
| H075 | 60° | 2186109516060 | |
| MANSCH - Manschette / Boot / Souffle / Fuelle-reten / Anello di tenuta / манжета | | | |
| 16,3x34 | H24 | 1186104700000 | new version |
| 13,3x34 | H24 | 1186104716060 | old version |
| GELAG - Gelenklager / Ball / Bille articulation / Bola / Sfera / Шаровой шарнир | | | |
| Ball | Ø 26 | 1186105616060 | |
| SPANNSCH - Spannschelle / Clamp / Collier / Abrazadera / Filo de tenuta / Хомут | | | |
| Clamp | Ø 45 | 1186108416000 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | |
| 26,97x81,70 | lateral grease | WD 14117 | EDS |

**Spicer 1330/SPL25 - 26,97x092,00**

| Dimensions | EDS Part Number | Comments |
|---|----------------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| SAE 126/4-12 H096 60,00x2,10 20° spigot 55 71/71 SF | 7501330433066 | CHRYSLER |
| DZG-Doppelzapfengelenk / CV-fixed joint / Joint fixe homo. / Junta fija homocinética / Giunto fisso homo. / Фланец в сборе с вилкой в трубу CV | | |
| HR - CV H104,8 50,8x3,02 | 7501350800810 | CV-Head assy |
| HR - CV H104,8 63,50x2,40 | 7501330800772 | CV-Head assy |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| SAE 97/4-9,6 H43 25° spigot 60,3 51/61 - square | 2501332400000 | ROVER |
| SAE 112/4-12,7 H43 25° spigot 50,8 63/63 - round | 2501332000949 | FORD |
| SAE 115/4-12,7 H42,3 25° spigot 50,8 63/63 - round | 2501332000949A | FORD Aluminum |
| SAE 118/4-11,2 H42 25° spigot 46,0 66/66 - square | 2501332446000 | TOYOTA |
| SAE 127/4-12 H48 20° spigot 55,0 71/71 - square | 2501332055100 | CHRYSLER |
| SAE-CV 119/4-11,7 H45 25° spigot 79,4 76/68 - square | 2501332056400 | lubricated version |
| SAE-CV 130/4-11,7 H41 20° spigot 79,4 76/76 - square | 2501332056300 | service free version |
| SAE-CV 130/4-M12 H43 25° spigot 50,8 76/76 - square | 2501332056200 | service free version , M12x1,75 |
| DIN 132/4-12,7 H43 25°spigot 50,8 76/76 - square | 2501332001369 | |
| DIN 132/4-12,7 H41,3 25°spigot 50,8 76/76 - square | 2501332001369A | Aluminum |
| DIN 130/4-12 H43,4 25°spigot 65x5mm 76/76 - square | 2501332065100 | FORD , MAZDA , NISSAN |
| DIN 130/4-12 H43,4 25°spigot 65x7mm 76/76 - square | 2501332065200 | FORD , MAZDA , NISSAN |
| HR-CV HR | 2501332056010 | lubricated version |
| HR-CV HR 15,75mm socket | 2501332056020 | lubricated version |
| HR-CV HR | 2501332056110 | service free version |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H44,0 63,50x2,10 25° | 2501334000000 | |
| H43,6 76,20x2,40 25° | 2501334000100 | |
| H43,6 76,20x2,10 25° | 2501334000200 | |
| H46,0 89,80x1,64 25° | 2501334400000 | |
| H42,9 101,6x1,64 17° | 2501334400100 | |
| H63,5 76,20x3,18 20° | 2501334413012 | Aluminum |
| H44,45 88,90x3,18 17° | 2501334413512 | Aluminum |
| H44,45 101,6x3,18 17° | 2501334414012 | Aluminum |
| H73,15 127,0x3,18 17° | 2501334415012 | Aluminum |
| H34,9 50,80x3,05 13° CV lubricated version | 2501334056100 | |
| H34,9 50,80x3,05 13° CV service free version | 2501334056110 | |
| H34,9 63,50x2,10 13° CV service free version | 2501334056120 | |
| H34,9 63,50x2,10 13° CV lubricated version | 2501334056200 | |
| H34,9 76,20x2,10 13° CV lubricated version | 2501334056030 | |
| H34,9 76,20x2,10 13° CV service free version | 2501334056130 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H152 1 3/8"-16T dust cap 3-68-23 | 2501333000000 | |
| H152 28,60x28T | 2501333300200 | FORD |
| H190 1 3/8"-16T dust cap 3-68-23 | 2501333700000 | |
| H160,5 Ø40 | 2501333000000 | TOYOTA |
| H191 38,10x15/16T dust cap 3-68-33 | 2501333000100 | |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap CV tube yoke 1210-1330 service free version | 1501334700200 | |
| Dust cap CV tube yoke 1210-1330 | 1501006300418 | |
| Dust cap sleeve push cap style 1 3/8 " | PUSH CAP 1330 | |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H190 34,92x16T slip 65mm 20° rilsan | 2501337100000 | GKN - ROVER DEFENDER brown rilsan |
| WZUNMV- Wellenzapfen u. Nab. vollst/Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Шлиц. вал и скользящ. вилка в сборе | | |
| H192 50,8x2,4 22° 38,1x16T rilsan | 6501331030192 | Under request |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 50,8x2,4 | Tube 50,8x2,4 | 1310 / 1330 |
| Tube 76,2x1,64 | Tube 76,2x1,64 | 1310 / 687.15 / 1140 / 1330 |
| Tube 76,2x2,4 | Tube 76,2x2,4 | 1350 / 1410 / 687.15 / 687.20 / 1510 / 1330 |
| Tube 88,9x1,64 | Tube 88,9x1,64 | 1310 / 687.15 / 1330 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| End yoke H85 29x26,5 26Z | 250135333003000 | FORD/MAZDA |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut 1"x3/16" 1310-1480 | 1501008102100 | |
| MR-Mitnehmerring / Center yoke / Bol / Junta Doble palier / Corpo centrale / Сдвоенная вилка | | |
| H070 36° | 2501339500000 | |
| STRANG - Gelenkwellenstrang / MIS Shaft / Transmission monotron / Monotrón 2 tramos / Monotronco unico / Вал с пром. Опорой | | |
| SAE 118/4-11,2 Lz 1560 SAE 118/4-11,2 spigot 46 66/66 m | W517136 | TOYOTA 37100 -OK660 |
| SAE 118/4-11,2 Lz 1610 SAE 118/4-11,2 spigot 46 66/66 m | W517137 | TOYOTA 37100 -OK260A |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 26,97x92,00 | WD 12797 | DANA |
| 26,97x92,00 | WD 15797 | EDS |
| 26,97x92,00 SPL25 service free | WD 12800 | DANA |
| 26,97x92,00 SPL25 | WD 12801 | TOYOTA , NISSAN |
| 26,97x92,00 service free | WD 15800 | EDS |
| 26,97x92,00/28,60x64,90 I | WD 70151 | EDS conversion u-joint |
| 26,97x81,70/92,00 | WD 11677 | DANA 1310/1330 combination kit |
| 26,97/30,18x92,00 | WD 13987 | EDS 1330/1350 combination kit |
| U BOLT KIT - Klemmbügel / U-bolt-kit / Kit - U(Visserie+Pontets) / Abrazaderas y tornillos U-bolt / Viti kit / набор U-образных болтов | | |
| U-BOLT KIT 5/16" - 24UNF 20 - 25 Nm torque | U-BOLT KIT 1210/1330 | EDS |
| STRAP KIT - Klemmbügel / Strap kit / Kit de vis et pontets end yoke / Abrazaderas y tornillos end yoke / Viti kit / Комплект хомутов | | |
| KIT STRAP1210 / 1330 =2xStraps + 4 bolts 20-25 Nm | STRAP KIT 1210-1330 | EDS |

**AAM 3R series - 28,60x064,90I**

| Dimensions | EDS Part Number | Comments |
|---|-----------------|---------------|
| DZG-Doppelzapfengelenk / CV-fixed joint / Joint fixe homo. / Junta fija homocinética / Giunto fisso homo. / Фланец в сборе с вилкой в трубу CV | | |
| 128/4-11.1 H165 50,8x3,05 | 9501290500481 | |
| 128/4-11.1 H165 70x2 | 9501290500430 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| 126/4-11.6 H43.1 79.42F | 2501292300108 | |
| 126/4-11.6 H43.1 79.42F CV | 2501292056108 | |
| 95/4-8.5 H50,8 XS | 2501292000500 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H187.3 1 3/8"-31/32 spline | 2501293000000 | c/w dust cap |
| H138.50 Ø38.16 27/26 spline | 2501293300138 | CHEVY TH350 |
| H171.70 Ø38.16 27/26 spline | 2501293300172 | |
| H183.0 Ø44.40 28/32 spline | 2501293300183 | CHEVY TH400 |
| H200.0 Ø44.40 31/32 spline | 2501293300400 | CHEVY TH400 |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H199,25 Z31/32 76,2x2,4 34,9Øx109mm 40mm bearing | 2501291000199 | |
| H207 Z31/32 50,8x2,41 34,9Ø | 2501291000207 | |
| H222,00 Z31/32 50,8x2,4 34,9Ø | 2501291000222 | |
| H115,10 Z34 50,8x2,4 | 2501291056115 | Hummer |
| H223,8 Z31/32 69,9x2,25 34,9x33,2 | 2501291200223 | |
| H244,21 Z31/32 69,8x2,11 34,9Ø x 85mm | 2501291200244 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H44,4 50,80x3,55 25° | 2501294000020 | |
| H44,4 57,15x3,05 25° | 2051294000070 | |
| H44,4 57,15x4,11 25° | 2051294000050 | |
| H45,7 69,80x1,60 25° | 2501294000100 | |
| H44,4 76,20x1,64 25° | 2501294000300 | |
| H47,6 88,90x1,64 25° | 2501294400000 | |
| H57,1 76,20x2,10 25° | 2501294020200 | Aluminum |
| H63,4 76,20x3,18 25° | 2501294413012 | Aluminum |
| H63,4 88,90x3,18 25° | 2501294413512 | Aluminum |
| H55,3 101,60x241 25° | 2501294420400 | Aluminum |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 28,58x60,20/65,71I | WD 20600AAM | AMERICAN AXLE |

Spicer 1350/SPL30 - 30,18x092,05

| Dimensions | EDS Part Number | Comments |
|---|-----------------|-----------------------------------|
| DZG-Doppelzapfengelenk / CV-fixed joint / Joint fixe homo. / Junta fija homocinética / Giunto fisso homo. / Фланец в сборе с вилкой в трубу CV | | |
| HR - CV H110,34 76,2x2,1 | 7501350800000 | lub version |
| SAE-CV 130/4-M10 H159 70,0x2,1 22° spigot 50,8F 76/76 | 7501350800100 | lub version |
| SAE-CV 130/4-M12 H159 88,9x2,1 22° spigot 50,8F 76/76 | 7501350800200 | lub version |
| SAE-CV 130/4-M12 H184 70,0x2,1 42° spigot 50,8F 76/76 | 7501350800300 | lub version |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 98/4-8,5 H52,5 25° | 2501352000500 | AAM |
| DIN 100/6-8 H65 30° | 2501352700000 | EDS |
| DIN 120/8-8 H65 30° | 2501352300000 | |
| DIN 120/8-10 H65 30° | 2501352300010 | |
| DIN 120/00-00 H65 30° | 3501352300010 | blank |
| DIN 120/4-10 H66 30° | 2501352317120 | EDS NCV2 SPRINTER |
| DIN 132/4-10 H45 20° | 2501352317000 | EDS NCV3 SPRINTER |
| DIN 129/4-12,8 H42 20° 50,8F | 2501352300100 | FORD |
| DIN 142/4-12,8 H51,20 25° 72,58F | 2501352372100 | AAM |
| SAE 97/4-10 H64 25° 60,3M | 2501352400350 | |
| SAE 116/4-11 H39,7 20° | 2501352400000 | |
| SAE 116/4-12 H43 22° | 2810142400000 | BTB 220 IVECO obsolete with stock |
| SAE 116/4-12 H43 22° | 2501352400100 | |
| SAE 116/4-12 H65 30° | 2501352400250 | |
| SAE 129/4-12,5 H42 22° | 2501352300100 | FORD |
| SAE 116/4-11,2 H35,53 69,85M | 2501352401809 | Aluminum Corvette |
| DIN 145/4-12,8 H44,5 72,58F | 2501352001859A | Aluminum |
| DIN 129/4-12,8 H42 20° 50,8F | 2501352001579A | Aluminum |
| DIN 130/4-M12 H41,3 CV spigot 50,8 76/76 | 2501352056200 | FORD |
| DIN 130/4-M11,5 H41,3 CV spigot 79,4 76/76 | 2501352056300 | |
| 1350 HR CV | 2501352056100 | service free center device |

**Spicer 1350/SPL30 - 30,18x092,05**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H49,2 63,5x2,10 20° | 2501354000000 | |
| H57,0 70,0x2,00 22° | 2501354000050 | NCV 3 |
| H52,0 70,0x3,00 22° | 2501354000070 | NCV 3 |
| H50,8 76,2x1,64 22° | 2501354000200 | |
| H51,6 76,2x2,10 20° | 2501354000100 | |
| H52,0 80,0x2,00 18° | 2501354000250 | NCV 3 |
| H55,0 88,9x2,40 20° | 2501354400000 | |
| H43,6 101,6x2,1 21° | 2501354400100 | NCV 3 |
| H52,0 102x2,0 18° | 2501354400150 | |
| H63,40 76,20x3,18 | 2501354413012 | Aluminum |
| H44,45 88,90x3,18 | 2501354413512 | Aluminum |
| H44,45 101,60x3,18 | 2501354414012 | Aluminum |
| H73,15 127,00x3,18 | 2501354415012 | Aluminum |
| H64,25 127,00x2,11 | 2501354420100 | Aluminum |
| H99,00 127,00x2,11 | 2501354420200 | Aluminum |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| SLIP YOKES FOR DRIVESHAFTS AND SHORT COUPLED SHAFTS (w/dust cap) | | |
| H147 34,9x16T 20° La 51 w/dust cap | 2501353000100 | for short coupled shafts , dust cap D3G |
| H157 38,1x16T 20° La 51 w/dust cap | 2501353000000 | for standard 1350/1410 tube shaft , dust cap D3A |
| H194 38,1x16T 20° La 72 w/dust cap | 2501353200000 | dust cap |
| SLIP YOKES FOR GEAR BOX (with or without dust cap) | | |
| H125,0 34,92x16T 20° | 2501353033100 | CASE 1349244C1 |
| H168,4 33,70x29/30T Ø 42,72 | 2501353303931 | FORD |
| H176,0 34,92x32T Ø 47,60 | 2501353305571 | FORD |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| 1,5 " DANA 1350/1410 cork washer splined | 1501411000100 | use washer 1501413000100 |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Steel washer splined Ø 38,10 1 1/16 " 16Z 1350-1410 | 1501412000100 | |
| Steel washer splined Ø 34,90 1 1/16 " 16Z 1350-1410 | 1501413000100 | CASE sleeves 1350/1410 |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H143,0 38,1x16T 63,50x2,40 rilsan | 2501351000000 | available under request |
| H163,6 38,1x16T 76,20x2,10 rilsan | 2501411000000 | |
| H169,0 34,9x16T 63,50x3,50 | 2501351200248 | FORD Tractor---see sleeve and special ctr brg for same application |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H122 38,1x16T La 26 20° | 2501357100122 | |
| H132 38,1x16T La 26 20° rilsan | 2501357100132 | |
| H162 38,1x16T La 60 20° rilsan | 2501357100162 | |
| H166 38,1x16T La 50 15° rilsan | 2501357100166 | |
| H173 38,1x16T La 55 20° rilsan | 2501357100173 | |
| H225 38x2 DIN5480 | 2501357117000 | NCV 3 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H077 34,92x16T 63,50x3,50 no rilsan service free Ford , | 2501358000247 | FORD Tractor --see matching stub shaft 2501351200248 |
| H165 38x2 DIN5480 to suit 47mm ctr brg | 2801188017000 | NCV3 SPRINTER |
| WZUNMV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе | | |
| H215/72 76,20x2,10 38,10x16T 22° rilsan , relube | 6501351030215 | |
| WMUNMV-Weil. Nab.Voils./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H190/30 38,1x16T 18° relube , rilsan | 6501357030190 | |
| H204/30 38,1x16T 18° relube , rilsan | 6501357030204 | |
| H210/35 38,1x16T 22° relube , rilsan | 6501357030210 | yoke shaft H166 + slip yoke H157 |
| H250/40 38,1x16T 22° relube , no rilsan | 6501357030250 | yoke shaft H166 + slip yoke H194 |
| WMUNHV - Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевая (с чехлом) для вала с пром. | | |
| H237/110 38x2 DIN5480 70,0x3,0 rilsan | 6501357080200 | |
| H221/80 38x2 DIN5480 80x2 rilsan Ø47mm | 6501357080170 | NCV3 SPRINTER |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 63,5x2,4 | Tube 63,5x2,4 | 687.15/1300/1310/1350 / 4C DANA / BTB BC215 series tube |
| Tube 76,20x2,10 | Tube 76,2x2,1 | 1350/1410 series tube |
| Tube 76,2x2,4 | Tube 76,2x2,4 | 1350/1410/687.15/687.20/1510 series tube |
| Tube 101,6x2,11 | Tube 101,6x2,11 | 1550/SPL70/1350/1310 special series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H117 Ø35 Ep 25 76,2x2,10 35x10Z Nut 1 x 3/16 " DANA 13 | 2501311600600 | for SAE 97 CF '2501315209400 |
| H111 Ø35 Ep 13 76,2x1,64 24/48DP45° 27Z | 2501351635100 | |
| H126 Ø35 Ep 13 90,0x2,00 30x1x30° 34Z DIN5480 | 2501351635000 | FORD , friction welding , bolt + U-washer included |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| End yoke H80,2 24/48DP45° 27Z | 2501353300080 | FORD |
| SAE 97/4-10 H69 33,2x30 DIN5482 | 2810135200000 | Old obsolete SAE 97/4-10 , replaced by 1310 DANA 2501315209400 |
| SAE 96/4-10 H63,9 35 x10Z DANA straight 1310 / 1350 | 2501315209400 | replacement of obsolete 2810135200000 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø35x100x13 oval FORD Tractor | WDL 9176 | FORD E7NN-4642-AA |
| Ø35x168x17 RL H58,0 | WDL 9049 | 0998 4261 IVECO |
| Ø35x168x27 RL H57,2 | WDL 9055 | 1310 / 1350 series |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut 1"x3/16" 1310-1480 DANA | 1501008102100 | |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| CASE | | |
| Slip yoke H125x16/16T Lz 1095 SAE 116/4-11 | 50135030NM52L1095 | 1349244C1 CASE |
| Note : for other 1350 applications non listed here contact WELTE sales service. | | |

**Spicer 1350/SPL30 - 30,18x092,05**

| Dimensions | EDS Part Number | Comments |
|--|----------------------|--|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 30,18x92,05 lateral grease | WD 10527 | HD use WD14417 |
| 30,18x92,05 lateral grease | WD 12307 | GMB |
| 30,18x92,05 lateral grease | WD 13857 | CASE 1349244C1 , obsolete use WD 14417 |
| 30,18x92,05 service free | WD 13190 | SPL30X |
| 30,18x92,05 service free | WD 13190AAM | AMERICAN AXLE |
| 30,18x92,05 service free | WD 13850 | EDS HD use on NCV3 applications |
| 30,18x92,05 service free | WD 14415 | EDS HD use on NCV3 applications |
| 30,18x92,05 service free | WD 14417 | EDS HD |
| 30,18x92,05 service free | WD 12640 | GMB |
| 30,18x92,05 1xend lube | WD 11711 | |
| 26,97/30,18x81,70/92,00 1310/1350 lateral grease | WD 11697 | 1310/1350 combination kit |
| 26,97/30,18x92,05/92,05 1330/1350 lateral grease | WD 13987 | 1330/1350 combination kit |
| U BOLT KIT - Klemmbügel / U-bolt-kit / Kit - U(Visserie+Pontets) / Abrazaderas y tornillos U-bolt / Viti kit / набор U-образных болтов | | |
| U-BOLT KIT 30 - 35 Nm | U-BOLT KIT 1350/1410 | EDS 30-35 Nm |
| STRAP KIT - Klemmbügel / Strap kit / Kit de vis et pontets end yoke / Abrazaderas y tornillos end yoke / Viti kit / Комплект хомутов | | |
| 2 straps Ø 30,18 + 4 patch bolts 5/16" x 24 UNF x 19 | Strap Kit 1350/1410 | EDS 40-50 Nm |

TRS 1420 - 30,00x106,00 DAILY MY15

| Dimensions | EDS Part Number | Comments |
|--|------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 120/4-11 H57,0 22° | 2501422000500 | |
| SAE 116/4-11 H51,0 22° 69,85M | 2501422400000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H70 84x1,7 22° | 2501424000000 | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermédiaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| 40x168x22 H60 | WDL 9445 | |
| ROHRFL - Rohrflansch / Tube flange / Bride tubulaire / Brida tubular / Flangia GUIBO / | | |
| 145/4-12 76,2x2,1 | 2687205504560 | Fits also RVI Master |
| GUIBO - Gelenkscheibe / Joint disc / Disque joint / Junta de disco / GUIBO / диск шарнира | | |
| Ø160 LK120/8-12 H36 | GIUBO515 | Fits also RVI Master and Mercedes Sprinter |
| Ø140 LK120/4-12 16mm center bolt | 2501425000102 | Adaptor plate fits GIUBO515for DAILY applications |
| ZENTLG - Zentrierlager / Centering bearing / Coussinet de centrage / Cojinete de centraje / Center kit / центрирующий подшипник | | |
| Centering sleeve 31x16x51 | ZB3151300 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 30,00x106,00 | WD 40390 | staked |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 84,0x1,70 | Tube 84,00x1,70 | |
| Tube 101,6x1,70 | Tube 101,60x1,70 | |
| Note : for complete shafts and parts non listed here contact WELTE sales service | | |

Spicer 1410/SPL 41/SPL36 - 30,18x106,30

| Dimensions | EDS Part Number | Comments |
|--|-----------------|-------------------------------|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 120/8-10 H110 76,2x2,4 22° | 7500140418276 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 120/8-10 H280 76,20x2,40 25° 38,1x16T rilisan relube | 7500140118275 | |
| H185/120 30° 45x2x21 DIN5480 76,20x2,10 rilisan + boot | 7501410701010 | DANA SPL41 , u-joint WD 12830 |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 120/4-11 H57,0 22° | 2501412000500 | IVECO Daily |
| SAE 116/4-11 H43,0 22° spigot 69,85 73/61- square | 2501412400000 | |
| SAE 116/4-12 H43,0 22° spigot 69,85 73/61- square | 2501412400200 | |
| SAE 116/4-12 H43,0 22° spigot 69,85 73/61- round | 2501412400100 | Alternative to '2501412400200 |
| SAE 116/4-12 H49,1 30° spigot 69,85 73/61- square | 2501412427000 | |
| SAE 119/4-12 H55,0 25° spigot 70,00 77/64- square | 2501412400070 | MITSUBISHI CANTER |
| SAE 119/4-10 H55,0 25° spigot 80,00 81/59- square | 2501412400080 | ISUZU |
| SAE 134/4-12,8 H57,1 25° spigot 95,22 | 2501412400370 | AAM DODGE RAM |
| SAE 149/4-12,8 H53,2 25° spigot 95,22 | 2501412400350 | AAM GM |
| SAE 151/4-12,7 H44,5 20° spigot 95,25 77/92- round | 2501412400400 | |
| SAE 151/4-12,7 H50,8 30° spigot 95,25 77/92- round | 2501412400300 | |
| SAE 151/4-14,1 H38,1 12° spigot 95,25 77/92- round | 2501412400500 | |
| SAE 151/4-12,7 H38,1 12° spigot 95,25 77/92- round | 2501412400600 | |
| DIN 100/6-8 H64,0 22° | 2501412000100 | |
| DIN 120/8-8 H56,0 25° | 2501412000050 | |
| DIN 120/8-10 H56,0 25° | 2501412000000 | |
| DIN 120/8-10 H65,0 30° | 2501412700120 | |
| DIN 129/4-M12x1,75 H41,70 68,07F | 2501412068000 | FORD F81Z4865CA |
| DIN 140/4-12,8 H57,1 25° spigot 65,02 bhc108,0 | 2501412065100 | AAM NISSAN |
| DIN 150/8-12 H74,0 30° | 2501412800000 | |

**Spicer 1410/SPL 41/SPL36 - 30,18x106,30**

| Dimensions | EDS Part Number | Comments |
|---|------------------|--|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H52 51,5x2,80 22° | 2501414000000 | |
| H52 70,0x3,00 30° | 2501414000040 | |
| H54 76,2x2,40 22° | 2501414000100 | |
| H54 76,2x2,40 30° | 2501414700000 | |
| H54 88,9x2,11 30° | 2501414700100 | |
| H54 90,0x3,00 20° | 2501414400000 | |
| H47,6 101,6x2,1 22° | 2501414400100 | |
| H54,14 101,60x2,11 | 2501414020050 | Aluminum AAM |
| H61,65 114,30x2,11 | 2501414420070 | Aluminum AAM |
| H54,14 114,30x2,41 | 2501414420100 | Aluminum AAM |
| H61,75 114,30x2,41 | 2501414420200 | Aluminum AAM |
| H56,35 127,00x2,11 | 2501414420250 | Aluminum AAM |
| H99,00 127,00x2,11 | 2501414420150 | Aluminum AAM |
| H99,00 127,00x2,44 | 2501414420300 | Aluminum AAM |
| H73,15 127,00x3,18 | 2501414415012 | Aluminum |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| SLIP YOKES FOR DRIVESHAFTS AND SHORT COUPLED SHAFTS (w/dust cap) | | |
| H083 44,5x16T 08° w/steel dust cap | 2501413600100 | yoke shaft 2501417600100 |
| H133 34,9x24T 20° w/rubber dust cap 3-86-118 | 2501413300060 | |
| H143 38,1x16T 20° w/dust cap | 2501413000400 | |
| H168 38,1x16T 20° w/rubber dust cap | 2501413000000 | |
| H193 38,1x16T 30° w/steel dust cap | 2501413200000 | |
| H292 39,6x16T 37° w/dust cap D3H or 3-86-88 | 2501413700000 | obsolete , replaced by SPL 41 sleeve assy |
| SLIP YOKES FOR GEAR BOX (with or without dust cap) | | |
| H133 34,92x16T 20° w/dust cap 3-86-118 | 2501413300050 | CASE - NEW HOLLAND 580 Backhoe Loader |
| H145 40,69x15T 20° | 2501413300040 | FORD |
| SLIP YOKES FOR MIS-MONOTRON SHAFTS (with dust cover or with rubber boot) | | |
| H185,7 39,6x24/24T 25° La 85 w/dust cap | 2501413000200 | IVECO Daily old ,stub shaft 2501411200200 (La 85) |
| H186,7 37,0x21/22T 25° La 85 w/boot + clamps | 2501413000300 | IVECO Daily new ,stub shaft 2501411200300 (La 85) |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| DUST CAP BTB 40x2x18 DIN 5480 | 1810142000000 | |
| DUST CAP 1 1/2-16" Involute old Daily MIS | 1810142000001 | |
| DUST CAP rubber 1 13/16 " - 24 UNF H23,5 | DUST CAP 1410 | |
| PLASTIC PROTECTION CAP | PLASTIC CAP 1410 | for 1410 HR u-joints |
| DIRI-Dichtring / Seal / Joint poussiere / Junta estanqueidad / Guarnizione di feltro / уплотняющее (прокладочное) кольцо | | |
| splined cork 3,5 " DANA steel 1350/1410 | 1501411000100 | |
| DIRI Ø31,7 inside Ø47 outside | 1810143000000 | IVECO GKN brown rilsan |
| DIRI Ø31,7 inside Ø43 outside | 1810143000001 | IVECO GKN brown rilsan |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Steel washer splined Ø 38,10 1 1/16 " 16Z 1350-1410 | 1501412000100 | |
| Steel washer splined Ø 34,90 1 1/16 " 16Z 1350-1410 | 1501413000100 | for CASE sleeves 1350/1410 (2501413300050) |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| STUB SHAFTS FOR DRIVESHAFTS | | |
| H147,0 38,1x16T 63,50x2,40 rilsan | 2501411000050 | |
| H163,6 38,1x16T 76,20x2,10 rilsan | 2501411000000 | |
| H183,0 38,1x16T 76,20x2,40 rilsan | 2501411000200 | |
| H209,6 38,1x16T 76,20x2,10 rilsan | 2501411200000 | |
| H340,6 39,6x16T 76,20x2,40 rilsan | 2501411200010 | for sleeve 2501413700000 |
| H192,0 38,1x16T 88,90x2,11 rilsan | 2501411000600 | |
| H156,0 38,1x16T 88,90x2,41 rilsan | 2501411000100 | |
| STUB SHAFTS FOR IVECO Daily Monotron | | |
| WZ H238 Ø40 Ep 38 39,6x24T 76,20x2,40 rilsan | 2501411200200 | Daily Old |
| WZ H205 Ø40 Ep 35 36,5x22T 76,20x1,64 rilsan | 2501411200300 | Daily New |
| STUB SHAFTS FOR RENAULT | | |
| H179 Ø40 Ep 40 38,1x16T 76,20x2,40 rilsan | 2501411200100 | 2501413000000+WDL9060) |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H115/25 38,1x16T 20° rilsan | 2501417100100 | |
| H115/30 44,5x16T 08° rilsan | 2501417100116 | |
| H126/30 38,1x16T 16° rilsan | 2501417100126 | |
| H137/35 38,1x16T 16° rilsan | 2501417100137 | |
| H145/50 38,1x16T 20° rilsan | 2501417100145 | |
| H160/30 38,1x16T 20° rilsan | 2501417100160 | |
| H168/35 38,1x16T 20° rilsan | 2501417100168 | |
| H227/85 38,1x16T 16° | 2501417100228 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H110 45x2x21 DIN5480 76,20x2,10 La 120 mm rilsan | 2520418000110 | SPL41 , for sleeve assy 7501410701010 (boot style) |

**Spicer 1410/SPL 41/SPL36 - 30,18x106,30**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| WZUNMV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| NM + WM (Slip yoke + Yoke shaft) spline 34,9x16T rilsan | | |
| H220/090 25° 34,9x16T rilsan | 6810147080000 | BTB B230 IVECO DAILY old ...1988 with stock , brown rilsan (*) |
| (*) UC 18252 , see new combinations MIS- Monotron IVECO Daily from 1988 old ...1998 ...New based on mid-stub + slip yoke + c/bearing | | |
| NM + WZ (Slip yoke + Stub Shaft) spline 38,1x16T Involute spline | | |
| H232/057 30° 38,1x16T 63,5x2,40 rilsan | In separate parts | NM 2501413200000 + WZ 2501411000050 |
| H226/072 30° 38,1x16T 76,2x2,40 rilsan | In separate parts | NM 2501413200000 + WZ 2501411000000 |
| H217/090 30° 38,1x16T 76,2x2,40 rilsan | In separate parts | NM 2501413200000 + WZ 2501411000200 |
| H227/070 30° 38,1x16T 88,9x2,40 rilsan | In separate parts | NM 2501413200000 + WZ 2501411000100 |
| H200/057 20° 38,1x16T 63,5x2,40 rilsan | In separate parts | NM 2501413000000 + WZ 2501411000050 |
| H193/072 20° 38,1x16T 76,2x2,40 rilsan | In separate parts | NM 2501413000000 + WZ 2501411000000 |
| H212/090 20° 38,1x16T 76,2x2,40 rilsan | In separate parts | NM 2501413000000 + WZ 2501411000200 |
| H194/070 20° 38,1x16T 88,9x2,40 rilsan | In separate parts | NM 2501413000000 + WZ 2501411000100 |
| WMUNHV - Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлицевая (с чехлом) для вала с пром. | | |
| H263/135 25° 45x1,5 DIN5480 76,2x2,4 | 6501417082220 | c/w dust cover ,rilsan 2020 spline |
| H255/100 25° 50x2,5 DIN5480 90,00x3,00 | 6501417080200 | c/w dust cover ,rilsan |
| H239/110 30° 38x2 DIN5480 70,00x3,00 | 6501417080240 | EDS c/w dust cover ,rilsan |
| H239/110 30° 38x2 DIN5480 76,20x2,41 | 6501417080245 | EDS c/w dust cover ,rilsan |
| FABA - Faltenbalg./ Boot MIS / Soufflet monotron /Fuelle monotron /Soffiето monotronco / Чехол | | |
| Rubber boot IVECO Daily new 1310/1410 1999.... | 1501008401000 | 232818 , see full kit 6501008401000 (boot + 2 clamps) |
| Rubber boot kit IVECO Daily new 1310/1410 1999.... | 6501008401000 | Boot 1501008401000 + clamps 1501008400891 and 1501008400892 |
| Rubber boot kit DAF - CAT 1410/SPL41 | 1501418400951 | DANA - DAF - CAT for slip joint '7501410701010 |
| SPANNSCH - Spanschelle / Clamp / Collier / Brazadera / Filo de tenuta / Хомут | | |
| Clamp Ø 60mm Daily | 1501008400891 | for sleeve 2501413000300 , boot 1501008401000 |
| Clamp Ø 65mm Daily | 1501008400892 | for sleeve 2501413000300 , boot 1501008401000 |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H137/025 08° 44,4x16T rilsan | 6501417131000 | slip 2501413600100 + yoke shaft 2501417600100 |
| H156/025 20° 38,1x16T rilsan | 6501417131010 | slip 2501413000100 + yoke shaft 2501417100123 |
| H174/025 20° 38,1x16T rilsan | 6501417131020 | slip 2501413000100 + yoke shaft 2501417100200 |
| H195/055 15° 38,1x16T rilsan | 6501417131040 | slip 2501413000400 + yoke shaft 2501417100200 |
| H220/025 20° 38,1x16T rilsan | 6501417131060 | slip 2501413000000 + yoke shaft 2501417100123 |
| H216/055 20° 38,1x16T rilsan | 6501417131050 | slip 2501413000000 + yoke shaft 2501417100200 |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 63,5x2,4 | Tube 63,5x2,4 | 687.15/1300/1310/1350 / 4C DANA / BTB BC215/1410 series tube |
| Tube 76,20x2,10 | Tube 76,2x2,1 | 1350 / 1410 series tube |
| Tube 76,20x2,40 | Tube 76,2x2,4 | 1350 /1410 /687.15 / 687.20 /1510 series tube |
| Tube 88,90x1,65 | Tube 89x1,65 | 1410 special series tube |
| Tube 89x2,4 | Tube 89x2,4 | 687.25 /1550 / 1510 + 687.30 to replace 90x3 / 1410 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H0122 Ø40 Ep18 38,1x10T 76,20x2,40 Nut 1-3/16" | 2501411600200 | IVECO Daily new , for SAE / XS CF, WDL 9056 |
| H098,2 Ø40 Ep24 38,1x10T 76,20x2,10 Nut 1-3/16" | 2501411600100 | IVECO Daily old , for SAE / DIN CF, WDL 9033 |
| H127,5 Ø40 Ep24 38,1x10T 76,20x2,40 Nut 1"x 20 | 2501411600000 | MITSUBISHI , for SAE CF 2501415200400 , WDL 9060 |
| H0123 Ø35 Ep18 34x30 76,20x2,40 Nut M27x1,5 | 2810141600000 | GKN BTB obsolete - no stock available |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 120/4-11 H059 38,1x10T - round | 2501415200500 | IVECO Daily CS new, for mid stub 2501411600200 |
| DIN 120/6-10 H066 38,1x10T - round | 2501415200600 | special , for mid stub 2501411600100 |
| SAE 115/4-11 H69,1 38,1x10T - square | 2501415200070 | standard for mid stub 2501411600100 / WDL 9060 |
| SAE 115/4-12 H68,3 38,1x10T - square | 2501415200100 | IVECO for mid stub '2501411600100 / WDL 9033 |
| SAE 115/4-12 H69,1 38,1x10T - round | 2501415200000 | standard for mid stub 2501411600100 / WDL 9060 |
| SAE 119/4-10 H068 38,1x10T spigot 80 81/59 - round | 2501415200400 | MITSUBISHI for mid stub 2501411600000 |
| HR -EY H111 38,1x10T - end yoke | 2501415200330 | for mid stub '2501411600100 / WDL 9060 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø40x168x22 R H57,2 Daily old Monotron | WDL 9033 | IVECO Daily 211793X (4253 0546) replaced by WDL 9034 |
| Ø40x168x22 RL H57,2 Daily new Monotron | WDL 9056 | 4253 5254 IVECO ORIGINAL DANA 212279-1X / 211926-2X |
| Ø40x168x22 RL H57,2 Daily new Monotron | WDL 9356 | EDS |
| Ø40x168x27 RL H62,7 DAF solid rubber version | WDL 9166 | 1404554 DAF zinc plated , DANA 212319-1X, non plated WDL 9060 |
| Ø40x168x22 R H57,2 | WDL 9132 | IVECO Daily 9315 8202 |
| Ø40x168x27 RL H62,7 | WDL 9060 | EDS |
| Ø45x168x18 LL H58 old standard | WDL 9034 | IVECO Daily , 9315 6460/4253 8439 |
| Ø45x168x18 LL H58 solid rubber | WDL 9181 | |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuercas puente central / Dado autobloccante / Гайка | | |
| Nut 27x1,5 SW36 | 1000008117024 | GKN for mid stub 2810141600000 |
| Nut 1"x3/16" | 1501008102100 | DANA for mid 2501411600100 / 2501411600200 , no washer |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto / Шлицевой вал под подвесной подшипник | | |
| SAE 115/4-12 H118 76x1,64 38,1x10T std WDL 9034 | 7613450900090 | IVECO Daily old replaced by solid 7613450900001(76,2x1,64) |
| SAE 115/4-12 H118 76x1,64 38,1x10T solid WDL 9181 | 7613450900001 | WDL 9056+2501411600100/2501415200100+Nut |
| SAE 115/4-12 H118 76x2,40 38,1x10T std WDL 9034 | 7613450900080 | IVECO Daily old replaced by solid 7613450900580 (76,2x2,4) |
| XS 120/4-11 H110 76x2,40 38,1x10T solid WDL 9181 | 7613450900580 | WDL 9033+2501415200500/2501411600200+Nut |
| DOM-Doppelmittnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H085 56° | 2501419000000 | MANITOU |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| HR-EY Lz.208,5/030 20° HR-EY 9.03 rilsan relube | 501419307070L0209 | ysa 2501417100300 + slip 2501413000000 , 908657-1 |
| SAE 115/4-11 Lz.220,0/025 08° 9.03 rilsan relube | 501419305252L0220 | |
| 4C Lz.241,0/033 20° HR-EY 9.03 rilsan relube | 501419306070L0241 | 11001265 VCE |
| SAE 115/4-11 Lz.290,0/025 30° 9.03 rilsan relube | 501419305252L0290 | ysa 2501417100300 + slip 2501413000000 |
| Note : for other lengths or end fittings please check our slip assy ysa possibilities or contact WELTE sales team | | |

**Spicer 1410/SPL 41/SPL36 - 30,18x106,30**

| Dimensions | | EDS Part Number | Comments |
|--|--|----------------------|---|
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | | |
| 1410 HR - DIN120/8-10 | Lz.0832/72 relube rilsan | 501410107010L0832 | 3518310M91 CNH |
| 1410 HR - 1410 HR | Lz.0392/72 relube rilsan | 501410107070L0395 | KOMATSU 42N-20-11310 |
| SAE 116/4-12 - SAE 116/4-12 | Lz.0835/72 relube rilsan | 501410104242L0835 | KOMATSU 20E-20-K1112 |
| 1410 HR - 1410 HR | Lz.1475/72 relube rilsan | 501410107070L1475 | 577064 MANITOU |
| DIN120/8-10 - DIN120/8-10 | Lz.0730/072 relube rilsan | 501410101010L0730 | 01900509 MH5 O&K |
| 1410 HR - 4C HWD | Lz.0786/072 relube rilsan | 501410107060L0786 | 11001266 VCE |
| Note: for other lengths or applications non listed here contact WELTE sales team | | | |
| ZW - Zwischenwelle / Mid ship shaft / Transmission à palier / Transmisión puente central/ Semitransmissione fissa / промежуточный вал | | | |
| SAE 116/4-12 Lz 750 SAE | WDL 9060 | 501410404242L0750 | IVECO 9945 5579/0480 0282 |
| STRANG - Gelenkwellenstrang / MIS Shaft / Transmission monotron / Monotrón 2 ó 3 tramos / Monotrónico unico / Вал с пром. Опорой | | | |
| MIS-Monotron Shafts IVECO Daily - Van | | | |
| XS 120/4-11 | Lz 2508/85 22° type 0.86 service free boot | 501418603131L2508 | IVECO 9947 3123 |
| XS 120/4-11 | Lz 2666/85 22° type 0.86 service free boot | 501418603131L2666 | IVECO 9947 3128 |
| SAE 116/4-12 Lz 1670/85 22° type 0.86 relube dust cap | | 501418604242L1670 | IVECO 4253 7818 |
| Note: for other IVECO part number contact WELTE sales team | | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | |
| 30,18x106,3 | lateral grease | WD 15327 | EDS |
| 30,18x106,3 HR | lateral grease | WD 14897 | EDS Rockford 410R |
| 30,18x106,3 | lateral grease | WD 13047 | EDS 1410 HD |
| 30,18x106,3 | service free | WD 15830 | EDS |
| 30,18x106,3 | lateral grease | WD 12327 | standart |
| 30,18x106,3 | lateral grease | WD 12937 | HD GLAENZER |
| 30,18x106,3 | lateral grease | WD 16327 | GMB |
| 30,18x106,3 | lateral grease | WD 12467 | CASE to replace by WD13047 |
| 30,18x106,3 | lateral grease | WD 11687 | TRS |
| 30,18x106,3 | service free | WD 12830 | DANA |
| 30,18x106,3 | service free | WD 12830AAM | AAM |
| 30,18x106,3 | 1xend lube | WD 13051 | Double yoke application |
| 30,18x106,3 1410/4C HWD | lateral grease | WD 50067 | |
| 30,18x106,3 1410/4C HWD | service free | WD 50460 | |
| 30,18x106,3 1410/5C HWD | lateral grease | WD 50187 | |
| U BOLT KIT - Klemmbügel / U-bolt-kit / Kit - U(Visserie+Pontets) / Abrazaderas y tornillos U-bolt / Viti kit / набор U-образных болтов | | | |
| U-BOLT KIT 30 - 35 Nm | | U-BOLT KIT 1350/1410 | |
| STRAP KIT - Klemmbügel / Strap kit / Kit de vis et pontets end yoke / Abrazaderas y tornillos end yoke / Viti kit / Комплект хомутов | | | |
| 2 straps Ø 30,18 + 4 patch bolts 5/16" x 24 UNF x 19 | | STRAP KIT 13501410 | (zinc plated protection) , 40 - 50 Nm |

Spicer 1480/SPL55 - 34,90x106,40

| Dimensions | | EDS Part Number | Comments |
|--|--|-----------------|------------------------------------|
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | | |
| H207/063 39,6x16T 88,9x2,1 22° HR relube dust cover | | 7501480100000 | |
| H265/110 39,7x24T 88,9x2,1 22° HR service free boot | | 7520550700002 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | | |
| XS 120/4-11 H60 22° | | 2501482000500 | |
| XS 150/4-13 H66 22° | | 2520552300500 | |
| DIN 120/6-10 H60 22° spigot 82,5 | | 2501482417000 | obsolete |
| DIN 120/6-13 H70 30° spigot 70 | | 2501482400335 | MERLO ITALY |
| DIN 120/8-10 H65 24° | | 2501482700000 | |
| DIN 120/8-10 H60 22° | | 2501482000000 | |
| SAE 120/4-12 H65 24° spigot 70 61/73 round | | 2501482400800 | MITSUBISHI |
| SAE 134/4-12,8 H57,1 25° spigot 95,22 | | 2501482400050 | AAM DODGE RAM |
| SAE 146/4-12,7 H38 08° | | 2501482400020 | |
| SAE 146/4-12,7 H51 22° | | 2501482400010 | |
| SAE 146/4-12,9 H35 08° | | 2501482400050 | |
| SAE 146/4-14 H38 08° | | 2501482400040 | |
| SAE 146/4-14 H63 25° | | 2502502017070 | replaced by 2501482400030 |
| SAE 146/4-14 H63 25° | | 2502502017070 | replaced by 2501482400030 |
| SAE 146/4-14 H51 22° | | 2501482400030 | |
| ISUZU 120/4-12 H65 24° spigot 80 81/59 round | | 2501482400100 | ISUZU |
| ISUZU 135/4-12 H62 27° spigot 80 95/55 round | | 2501482400080 | ISUZU |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | | |
| H51,6 76,20x2,40 22° | | 2501484000100 | |
| H51,6 88,90x2,10 22° | | 2501484000200 | |
| H51,6 90,00x3,00 22° | | 2501484000000 | |
| H51,6 101,6x2,10 22° | | 2501484400000 | |
| H56,50 114,30x2,11 | | 2501484420000 | Aluminum AAM |
| H56,35 127,00x2,11 | | 2501484420100 | Aluminum AAM |
| H73,15 127,00x3,18 | | 2501484415012 | Aluminum |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | | |
| SLIP YOKES FOR DRIVESHAFTS AND SHORT COUPLED SHAFTS (w/dust cover) | | | |
| H094,5 57,2x10T 08° w/steel dust cover D3D | | 2501483000100 | |
| H173,0 39,6x16T 21° w/rubber dust cap | | 2501483000000 | IVECO for driveshaft and Monotron |
| H221,3 39,6x16T 22° w/rubber dust cap | | 2501483027000 | IVECO for driveshaft and Monotron |
| H292,0 39,6x16T 37° w/steel dust cap | | 2501483700000 | |
| H321,6 44,5x16T 25° w/rubber dust cap | | 2501483200000 | JCB , for stub shaft 2501481200000 |

**Spicer 1480/SPL55 - 34,90x106,40**

| Dimensions | EDS Part Number | Comments |
|---|----------------------|---|
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| 1480/1550 rubber | DUST CAP 1480 | |
| 1480/1550 plastic | PLASTICCAP 1480/1550 | protection for HR u-joints |
| 1480/1550 rubber | DUST CAP 1550 | slip yoke 2501483200000 |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer steel 1480 | 1501485000045 | Used for splined shaft PN 0501480300255 |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H166,7 88,9x2,10 1,5"-16 rilsan | 2501481000040 | |
| H171,5 88,9x2,40 1,562"-16 rilsan | 2501481000000 | for sleeve yoke 2501483000000 |
| H184,1 88,9x2,10 1,5"-16 rilsan | 2501481000070 | |
| H199,25 Z35/36 88,9x2,41 39,25Ø | 2501481000199 | AAM |
| H226,20 Z35/36 88,90x2,41 39,25Øx85mm | 2501481000226 | AAM |
| H244,20 Z35/36 88,90x2,41 40mm bearing | 2501481200244 | AAM |
| H272,0 88,9x2,10 1,562"-16 rilsan | 2501481200100 | |
| H282,2 88,9x2,10 1,562"-16 rilsan | 2501481200030 | |
| H304,8 90,0x3,00 1,75"-16 rilsan | 2501481200000 | for sleeve yoke 2501483200000 |
| STUB SHAFTS FOR IVECO Daily Monotron | | |
| H252 Ø40 Ep 38 39,6x24T 90,00x3,00 IVECO dust cover | 2501481227000 | for c/bearing WDL 9102 and slip 2501483027000 |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H111,2 57,2x10T 08° no rilsan | 2501487100100 | for sleeve yoke 2501483000100 |
| H144,0 39,6x16T 22° rilsan | 2501487100144 | |
| H172,0 39,6x16T 22° rilsan | 2501487100172 | |
| H233,0 39,6x16T 22° rilsan welded tube yoke to stub | 2501487100233 | |
| WZUNMV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| WZUNMV H207/063 22° 39,6x16T 88,9x2,40 rilsan | In separate parts | 2501483000000+ 2501481000000 |
| WZUNMV H266/100 22° 39,6x24T 88,9x2,40 rilsan | In separate parts | 2501483027000+ 2501481200060 |
| WZUNMV H349/150 25° 44,5x16T 90,0x3,00 rilsan | In separate parts | 2501483200000+ 2501481200000 |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC/Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H141/25 57,2x10T 08° no rilsan relube | 6501487131000 | 2501483000100 + 2501487100100 |
| H205/39 39,6x16T 22° rilsan relube | 6501487131300 | CASE |
| H243/44 39,6x16T 21° rilsan relube | 6501487131400 | 2501483000000 + 2501487100172 |
| H268/80 39,6x16T 21° rilsan relube | 6501487131500 | 2501483000000 + 2501487100233 |
| H336/80 39,6x16T 22° rilsan relube | 6501487131600 | 2501483027000 + 2501487100233 |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 88,9x2,1 | Tube 88,9x2,1 | 1480/SPL55/1310 special series tube |
| Tube 90,0x3,0 | Tube 90,0x3,0 | 687.30/1550 special/SPL55/506/687.25 |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H102,3 Ø40 Ep 27 38,1x10T 88,9x2,1 Nut 1 3/16" | 2501481600100 | for DIN / SAE / HR companion flanges |
| H110,8 Ø40 Ep 27 44,4x34T 88,9x2,1 Nut 1 3/16" | 2501481600200 | for XS obsolete to be replaced by 2501551600100 |
| H103,9 Ø45 Ep 27 44,4x34T 88,9x2,1 Nut 1 3/16" | 2501551600100 | IVECO - DAF for XS companion flanges |
| H188 Ø50,85 44,5x41 27T 1"-24 89x2,4 | 2501481600400 | CASE |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 120/4-11 H059 44,4x34T IVECO - DAF | 2501485200570 | mid stub 2501551600100 |
| XS 150/4-13 H059 44,4x34T IVECO - RVI - DAF | 2520905200570 | mid stub 2501551600100 |
| SAE 135/4-12,2 H068 spigot 80 94/54 ISUZU | 2501485200300 | mid stub 2501481600100 |
| SAE 146/4-12,7 H068 38,1x10T DAF | 2501485200100 | mid stub 2501481600100 |
| SAE 146/4-14,2 H068 38,1x10T RVI | 2501485200200 | mid stub 2501481600100 |
| HR H102 38,1x10T HR End Yoke | 2501485200330 | mid stub 2501481600100 |
| HR end yoke H117 44,5x41 27T | 2501485233400 | mid stub 2501481600400 CASE |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø40x168x27 RL H62,7 DAF solid rubber old | WDL 9166 | 1404554 DAF, see altern. WDL 9060 |
| Ø40x168x27 RL H62,7 DAF solid rubber new | WDL 9088 | |
| Ø40x168x27 RL H62,7 IVECO coupling shaft XS / SAE | WDL 9060 | 9315 8202 IVECO - DAF |
| Ø40x168x27 LL H62,7 IVECO MIS | WDL 9103 | 4253 2794 IVECO for Monotron |
| Ø45x168x27 RL H62,7 RVI | WDL 9102 | 5000821936 RVI |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut 1"x3/16" DANA 1310-1480 | 1501008102100 | for mid 2501411600100 / 2501411600200 , no washer |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto / Шлицевой вал под подвесной подшипник | | |
| 135/4-12 H123 spigot 80 94/54 | 7501480901300 | ISUZU |
| DOM-Doppelmitnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H086 44° | 2501489000086 | CATERPILLAR 8V6951 with lateral grease kits |
| H108 60° | 2501489000108 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| SAE 146/4-12,7- 1480 HR Lz.256/038 22° | 501489305370L0256 | 914-60092 JCB |
| SAE 146/4-12,7- 1480 HR Lz.295/044 22° | 501489305370L0295 | 3518311M91 CASE |
| SAE 146/4-12,7- 120/8-10 Lz.317/039 22° | 501489305310L0317 | 3518313M91 CASE |
| Note : for other lengths or end fittings please check our slip assy ysa possibilities or contact WELTE sales team | | |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| DIN120/8-10 - DIN120/8-10 Lz.0750/063 | 501480101010L0750 | KOMATSU 20K-20-31112 |
| DIN120/8-10 - DIN120/8-10 Lz.1025/063 | 501480101010L1025 | KOMATSU 20K-20-31122 |
| 1480 HR - 1480 HR Lz.0529/063 | 501480107070L0529 | JCB 914-56400 |
| 1480 HR - 1480 HR Lz.0620/063 | 501480107070L0620 | JCB 914-49200 |
| ZW - Zwischenwelle / Mid ship shaft / Transmission á palier / Transmisión puente central/ Semitrasmissione fissa / промежуточный вал | | |
| Lz 0625 ISUZU 135/4-12 spigot 80 95/55 WDL 9060 relube | 501480401515L0625 | ISUZU 51527100705 (WDL 9060) |
| Lz 0362 HR EY | 501484407070L0362 | KOMATSU 20G-20-31120XC(WDL 9166) |

**Spicer 1480/SPL55 - 34,90x106,40**

| Dimensions | EDS Part Number | Comments |
|--|----------------------|----------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 34,90x106,40 lateral grease | WD 10467 | DANA |
| 34,90x106,40 lateral grease | WD 13107 | USA knurled brg |
| 34,90x106,40 lateral grease | WD 15467 | EDS |
| 34,90x106,40 HR lateral grease | WD 14827 | EDS ROCKFORD 480R |
| 34,90x106,40 service free | WD 10580 | DANA |
| 34,90x106,40 service free | WD 10580AAM | AAM |
| 34,90x106,40/5C HWD 5C / 1480 comb. lateral grease | WD 50057 | DANA |
| U BOLT KIT - Klemmbügel / U-bolt-kit / Kit - U(Visserie+Pontets) / Abrazaderas y tornillos U-bolt / Viti kit / набор U-образных болтов | | |
| U-BOLT KIT | U-BOLT KIT 1480/1550 | (zinc plated) 45 - 50 Nm |
| STRAP KIT - Klemmbügel / Strap kit / Kit de vis et pontets end yoke / Abrazaderas y tornillos end yoke / Viti kit / Комплект хомутов | | |
| 2 straps Ø 34,90 + 4 bolts 7/16" x 24 UNF | STRAP KIT 1480-1550 | (zinc plated) 70 - 80 Nm |

Spicer 1510 - 39,60x115,80

| Dimensions | EDS Part Number | Comments |
|---|-----------------|---------------|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| DIN 120/8-10 H155 76,2x2,4 | 7501510400100 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| DIN 120/8-10 H245 76,2x2,4 | 7501510100100 | no stub shaft |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 150/4-13 H77 | 2501512000500 | |
| DIN 120/8-10 75F H75 | 2501512000100 | |
| DIN 150/8-12 90F H72 | 2501512300000 | |
| DIN 150/8-12 90F H90 | 2501512800000 | |
| SAE 116/4-12,2 69,90M H50 | 2501512400030 | |
| SAE 146/4-12,7 92,25M H70 | 2501512400000 | |
| SAE 146/4-12,7 95,25M H63,5 | 2501512400060 | |
| SAE 174/8-9,6 168,2M H80,5 | 2501512400100 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H55,0 76,20x2,40 22° | 2501514000000 | |
| H55,0 88,90x2,40 22° | 2501514000100 | |
| H80,0 76,20x2,40 27° | 2501514700100 | |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H165 76,2x2,4 1,5"-16 | 2501511000100 | |
| H171 88,9x2,40 1,5"-16 rilsan | 2501511000010 | |
| H181 79,2x3,00 1,5 -16 rilsan | 2501511000200 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H170 1,5"-16 | 2501513000100 | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC/Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H170/25 10° | 6501517636170 | |
| H270/60 10° | 6501517636270 | |
| WMUNHV-Wellenzap. u. nab. vollst./Slip assy/Ens. Coul./Junta corr./Scorrevole tubo / ШЛИЦЕВОЙ ВАЛ И ШЛИЦЕВАЯ ВТУЛКА В СБОРЕ (с чехлом) | | |
| H293/110 88,99 24° 55x2,5 DIN 5480 rilsan relube | 6501637080200 | obsolete |
| H250/100 90x3 24° 55x2,5 DIN 5480 rilsan relube | 6501637080250 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 39,60x115,80 | WD 13897 | EDS |
| 39,60x115,80 | WD 10477 | GS606 |
| 39,60x115,80 | WD 12457 | GMB |
| 39,60x116,00 | WD 12817 | EDS |

Spicer 1550/SPL70 - 34,90x126,10

| Dimensions | EDS Part Number | Comments |
|--|-----------------|--|
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| H208/63,5 44,4x16/16T 88,9x2,4 22° rilsan | 7501550100000 | |
| H230/110 44,5x26/27T 25° w/o stub shaft , service free | 7520700100001 | please order 25207010000+1520708401000 seperately |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 120/4-11 H65 25° | 2501552000500 | |
| XS 150/4-13 H68 25° | 2501552300500 | |
| XS 155/4-10,5 H70,4 25° 135bhc 90°XS | 2501552300550 | AAM DODGE RAM |
| DIN 120/8-10 H80 30° | 2501552700120 | |
| DIN 150/8-12 H80 30° | 2501552800000 | |
| SAE 146/4-12,7 H38,1 08° | 2501552400400 | |
| SAE 146/4-12,7 H50,8 22° | 2501552400200 | |
| SAE 146/4-14 H50,8 22° | 2501552400100 | |
| SAE 153/4-12,8 H57,1 25° | 2501552400250 | AAM DODGE RAM |
| SAE 174/8-9,6 H51 22° | 2501552400300 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H46,0 88,9x3,5 9° | 2501554000300 | |
| H56,0 90x3 or 89x2,4 22° | 2501554000100 | |
| H68,3 90x3 or 89x2,4 35° | 2501554700100 | 1550 / SPL 70 tube yoke alternative to 2520704700000 |
| H72,9 90x3 or 89x2,4 35° | 2520704700100 | |
| H56,0 90x4 22° | 2501554000200 | |
| H55,6 101,6x2,11 22° | 2501554400000 | |

**Spicer 1550/SPL70 - 34,90x126,10**

| Dimensions | EDS Part Number | Comments |
|--|----------------------|---|
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| SLIP YOKES FOR DRIVESHAFTS AND SHORT COUPLED SHAFTS (w/dust cap) | | |
| H088,9 63,0x16716Z 08° steel dust cap D4L SC | 2501553600089 | for yoke shaft 2501557600115 |
| H174,7 44,4x16/16T 22° rubber dust cap | 2501553000000 | for stub shaft 2501551000000 |
| H223,8 50,8x16/16T 22° rubber dust cap | 2501553102041 | for stub shaft 2501611200300 |
| H255,5 44,4x16716T 35° rubber dust cap 4-86-18 | 2501553700200 | for stub shaft 2501551200400 |
| H266,7 46,0x28/28T 35° push rubber cap 231973 + valve | 2501553700100 | for stub shaft 2501551200000 (**) |
| END YOKES (no dust cover) | | |
| NM H124,0 60,0x46Z CATERPILLAR - Gear Box | 2501553302441 | CAT 4E-5230 , FLINGER CAT 4E 9413 SPR included |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap rubber 44,4x16T | DUST CAP 1550 | for slip yokes 2501553000000 / 2501553700200 |
| Dust cap plastic | PLASTICCAP 1480/1550 | protection for 1550 HR u-joint |
| Dust cap rubber 50,8x16T | DUST CAP 1610 | for slip yoke 2501553602041 |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer steel CATERPILLAR 1550 for mid end assy | 1501555000800 | for mid end assy nut-bolt for CATERPILLAR |
| Washer steel CASE | 1501001900200 | ROCKFORD 550R |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| Valve rubber for sleeve 2501553700100 | 1501551000100 | RVI - DAF 231979 for slip 2501553700100 |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H172,2 44,4x16T La 63,5 88,9x2,4 or 90x3 rilsan | 2501551000000 | for slip 2501553000000 |
| H192,0 50,8x16T La 73 89,0x3,4 rilsan CAT | 2501611000000 | for slip 2501553102041 |
| H225,0 44,5x27T La 110 101,6x2,11 rilsan DAF | 2520701000000 | for slip 7520700100001 |
| H249,2 46,0x28T La 110 88,9x2,4 or 90x3 rilsan RVI/DAF | 2501551200000 | for slip 2501553700100 |
| H361,2 44,4x16T La 63,5 88,9x2,4 or 90x3 rilsan CASE | 2501551200400 | for slip 2501553700200 |
| H392,8 44,4x16T La 120 88,9x2,4 or 90x3 rilsan CAT | 2501551200100 | for slip 2501553700200 |
| H511,0 44,4x16T La 120 88,9x2,4 or 90x3 rilsan CAT | 2501551200200 | for slip 2501553700200 |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H115,0 63,6x16T 08° | 2501557600115 | |
| H120,6 44,4x16T 08° rilsan | 2501557100121 | |
| H122,2 63,6x16T 08° | 2501557100122 | |
| H173,0 44,4x16T 22° rilsan | 2501557100173 | |
| H238,0 44,4x16T 26° rilsan | 2501557100243 | |
| WZUNMV- Wellenzapfen u. Nab. vollst/Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Шлиц. вал и скользящ. вилка в сборе | | |
| H258/63,5 90x4 22° 50,8x16T dust cap CAT | 6501551032000 | 2501553602041 + 2501612000400 |
| H303/110 90x3 35° 46,0x28T push cap RVI - DAF | 6501551237000 | 2501553700100 + 2501551200000 |
| H565/127 90x3 22° 44,5x16T dust cover CASE | 6501551237200 | 2501553700200 + 2501551200200 |
| FABA - Faltenbalg./ Boot MIS / Soufflet monotron /Fuelle monotron /Soffiето monotronco / Чехол | | |
| boot SPL70 | 1520708401000 | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H140/025 08° 63,6x16T no rilsan | 6501557636000 | 2501557600115 + 2501553600089 |
| H147/025 08° 63,6x16T no rilsan | 6501557636100 | 2501557100122 + 2501553600089 |
| H246/038 22° 44,4x16T rilsan | 6501557636200 | 2501557100173 + 2501553000000 |
| H273/063 22° 44,4x16T rilsan | 6501557636300 | 2501557100243 + 2501553000000 |
| H290/127 26° 44,4x16T rilsan | 6501557636400 | 2501557100243 + 2501553700200 |
| H296/089 16° 44,4x16T rilsan | 6501557636500 | 2501557100243 + 2501553700200 |
| H327/038 22° 44,4x16T rilsan | 6501557636600 | 2501557100173 + 2501553700200 |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 88,9x2,40 | Tube 89x2,4 | 687.25 / 1550/ 1510/ 1410 series tube |
| Tube 90,0x3,00 | Tube 90x3 | 687.30/ 1550 special/ SPL55/ 506/ 687.25 series tube |
| Tube 90,0x4,00 | Tube 90x4 | 8C ELBE/ 1650/ ELBE 158/ 358/1600/ 1550 series tube |
| Tube 101,6x2,11 | Tube 101,6x2,11 | 1550/ SPL70/ 1350/ 1310 special series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H105 Ø45 Ep 24 44,4x10T 88,9x2,4 Nut 1 3/16 " | 2501551600000 | std for all SAE / DIN CF+std HR EY 250155200330 |
| H104 Ø45 Ep 25 43,2x34T 88,9x2,4 Nut 1 3/16 " | 2501551600100 | for XS 120 / XS 150 companion flanges |
| H188 Ø49,2 44,4x27T 88,9x2,4 CASE | 2501551600400 | ROCKFORD 550R use washer 1501001900200+nut 1501008166885 |
| H198 Ø50 Ep 25 44,4x10T 88,9x2,4 Nut 1 3/16 " FIAT | 2501551600300 | FIAT HITACHI for HR EY 250155200300 |
| H244 Ø62 Ep 25 50,0x31T 88,9x3,4 | 2501551600800 | CATERPILLAR for HR EY 250155200800 (**) |
| (**) Bolt 1501558000800 + washer 1501555000800 + WDL 9168 supplied separately | | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 120/4-11 H059,0 43,2x34T | 2501555200500 | mid stub 2501551600100 |
| XS 150/4-13 H059,0 43,2x34T | 2520905200570 | mid stub 2501551600100 |
| DIN 120/8-10,2 H073,0 44,4x10T | 2501555200250 | VCE , mid stub 2501551600000 |
| DIN 150/8-12,2 H078,6 44,4x10T | 2501555200150 | IVECO , mid stub 2501551600000 |
| SAE 146/4-12,7 H092,0 44,4x10T | 2501555200100 | mid stub 2501551600000 |
| SAE 146/4-14 H062,3 44,4x10T | 2501555200200 | RVI , mid stub 2501551600000 |
| SAE 174/8-9,6 H073,1 44,4x10T | 2501615200100 | RVI , mid stub 2501551600000 |
| HR EY H110,0 44,4x10T | 2501555200330 | LEYLAND , mid stub 2501551600000 |
| HR EY H120,0 44,4x10T | 2501555200300 | FIAT HITACHI ,mid stub 2501551600300 |
| HR EY H108,2 44,4x27T | 2501555200335 | ROCKFORD 550R CASE , mid stub 2501551600400 |
| HR EY H128,0 50,0x31T | 2501555200800 | CATERPILLAR , mid stub 2501551600800 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø45x168x27 RL H62,7 | WDL 9102 | 5000821936 RVI, DANA |
| Ø45x193x27 LL H69 | WDL 9089 | DANA - DAF solid rubber , see alternative WDL 9036 or WDL 9036EDS |
| Ø45x193x27 LL H69 | WDL 9036 | 5000287986 RVI, DANA |
| Ø45x193x27 LL H69 | WDL 9336 | 9345 8251 IVECO , DAF alternative to solid original WDL 9089 |
| Ø49,2x58,7 111,1 square CASE | WDL 9240 | ROCKFORD 550R |
| Ø62x187x64 H69 | WDL 9168 | CATERPILLAR (rigid c/bearing) |

**Spicer 1550/SPL70 - 34,90x126,10**

| Dimensions | EDS Part Number | Comments |
|--|----------------------|----------------------------------|
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut 1 5/8" SPL 70 - 90 /1550-1810 / C2030-C2035 | 1501008102200 | |
| Nut CASE | 1501008166885 | ROCKFORD 480/550R |
| ZWUZWF / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| Ø50 1550HR FIAT HITACHI Nut 1 3/16" included | 6501551652300 | 2501551600300 + 2501555200300 |
| Ø62 1550HR CATERPILLAR bolt+washer included (*) | 6501551652800 | 2501551600800 + WDL 9168 |
| DOM-Doppelmitnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H100 | 2501559000100 | CAT 8V6827 |
| H108 | 2501559000108 | CAT |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| SAE 146/4-12,7 Lz.243/025 08° 9.03 rilsan lateral | 501559305353L0246 | |
| SAE 146/4-14 Lz 238/025 6C 15° 9.03 rilsan lateral | 501559304360L0238 | |
| SAE 174/8-9,6 Lz.242/025 08° 9.03 rilsan lateral | 501559305454L0242 | |
| 1550HR Lz.168/038 15° 9.03 rilsan lateral | 501559307070L0168 | CASE L127278 |
| 1550HR Lz.191/038 15° 9.03 rilsan lateral | 501559307070L0191 | CASE 103 710 A1 |
| 1550HR Lz.205/038 15° 9.03 rilsan lateral | 501559307070L0205 | CASE L127277 |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| SAE 146/4-12,7 Lz.392/063 22° 88,9x3,4 | 501550105353L0392 | H104600B |
| SAE 146/4-12,7 Lz 825/110 25° 88,9x3,4 | 501550105353L0825 | DAF |
| 1550 HR Lz 381/063 22° 90,0x4,0 | 501550107070L0381 | 9U3664 CAT |
| 1550 HR Lz.600/63,5 22° 88,9x3,4 | 501550107070L0600 | 8E6825 CAT |
| 1550 HR - SAE146/4-12,7 Lz 600/63,5 88,9x3,4 | 501550107053L0600 | 11003074 VCE |
| ZW - Zwischenwelle / Mid ship shaft / Transmission á palier / Transmisión puente central/ Semitransmissione fissa / промежуточный вал | | |
| SAE 146/4-12 - HR L.705 22° WDL 9036 | 5015504053Z2L0705 | 11003073 VCE |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 34,90x126,10 lateral grease | WD 10557 | EDS |
| 34,90x126,10 lateral grease | WD 13247 | DANA SPL 70-1X |
| 34,90x126,10 HR with strap lateral grease | WD 14377 | EDS ROCKFORD 550R |
| 34,90x126,10 service free | WD 13200 | DANA SPL 70X |
| 34,90x74,141 / 126,10 service free | WD 13200AAM | AAM |
| 34,90x126,10 6C HWD lateral grease | WD 50047 | 6C-3X 6C HWD / SPL 70 conversion |
| 34,90x126,10/49,2x108,0 1550/58WBHWT lateral grease | WD 50527 | GMB conversion kit 58WB - 1550 |
| U BOLT KIT - Klemmbügel / U-bolt-kit / Kit - U(Visserie+Pontets) / Abrazaderas y tornillos U-bolt / Viti kit / набор U-образных болтов | | |
| U-BOLT KIT | U-BOLT KIT 1480/1550 | (zinc plated) , 45 - 50 Nm |
| STRAP KIT - Klemmbügel / Strap kit / Kit de vis et pontets end yoke / Abrazaderas y tornillos end yoke / Viti kit / Комплект хомутов | | |
| 2 straps Ø 34,90 + 4 bolts 7/16" x 24 UNF | STRAP KIT 1480-1550 | (zinc plated) , 75 - 85 Nm |

Spicer 1610 - 47,60x134,90

| Dimensions | EDS Part Number | Comments |
|--|--------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 150/8-10 H83 35° | 2501612700010 | GS metric bolts |
| SAE 174/8-9,6 H47,8 08° | 2501612400210 | |
| SAE 174/8-9,6 H70 22° | 2501612400000 | |
| SAE 174/8-9,6 H73 35° | 2501612400100 | |
| SAE 174/8-10 H73 35° | 2501612400200 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H76,2 88,90x3,40 35° | 2501614000000 | |
| H76,2 101,6x3,40 26° | 2501614400000 | |
| H76,2 101,6x3,40 35° metric | 2501614700100 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H088,9 67,9-18T 08° | 2501613600089 | yoke shaft 2501617600000 |
| H108,0 67,9-18T 08° | 2501613600108 | ysa 6501617131020 |
| H124,0 67,9-18T 16° | 2501613600124 | yoke shaft 2501617600154 |
| H198,4 2"-16T 22° | 2501613000000 | stub shaft 2501611000000 |
| H225,6 2"-16T 22° | 2501613000100 | yoke shafts 2501617000200 and 2501617000000 |
| H240,0 2,5"-16T 22° | 2501613100240 | yoke shaft CAT 2501617100100 |
| H303,3 2"-16T 35° | 2501613700000 | for ysa 6501617131070 and stub 2501611200000 |
| H303,3 2"-16T 35° | 2501613700100 | for stub shaft 2501611000300 |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap rubber | DUST CAP 1610 | |
| Dust cap rubber | DUST CAP 1710-1760 | |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H192,1 2"-16T La 73,20 88,90x3,40 rilsan | 2501611000000 | for slip yoke 2501613000000 |
| H217,5 2"-16T La 120,0 88,90x3,40 rilsan | 2501611000100 | for slip yoke 2501613000100 |
| H258,8 2"-16T La 140,0 88,90x3,40 rilsan | 2501611200000 | for slips 2501613700000 and 2501613700100 |
| H246,1 2"-16T La 124,0 88,90x3,40 rilsan | 2501611000400 | for slip yoke 2501613700100 |
| H250,0 2"-16T La 124,0 101,60x3,40 rilsan | 2501611000200 | for slip yoke 2501613700100 |
| H214,3 2,5"-16T La 87,2 101,60x3,40 rilsan CAT | 2501611100300 | for slip yoke 2501613100240 |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H105,0/025 67,9x18T 08° | 2501617600000 | for slip yoke 2501613600089 |
| H153,0/063 67,9x18T 16° | 2501617600154 | for slip yoke 2501613600124 |
| H200,0/058 2"-16T 22° rilsan | 2501617000000 | for slip yoke 2501613000100 |
| H265,1/086 2"-16T 35° rilsan | 2501617000200 | for slip yoke 2501613000100 |
| H306,3/127 2"-16T 35° rilsan | 2501617000100 | for slip yoke 2501613000000 and 2501613700000 |
| H330,0/110 2,5"-16T 22° rilsan | 2501617100100 | for slip yoke 2501613100240 |

**Spicer 1610 - 47,60x134,90**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| WZUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H231/073 2"-16T 22° 88,9x3,4 rilsan relube | Not available | 2501613000000 + 2501611000000 |
| H310/135 2"-16T 35° 88,9x3,4 rilsan relube | Not available | 2501613700100 + 2501611000400 |
| H333/147 2"-16T 35° 88,9x3,4 rilsan relube | Not available | 2501613700000 + 2501611200000 |
| H312/124 2"-16T 35° 101,6x3,4 rilsan relube | Not available | 2501613700100 + 2501613700100 |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC/Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H141/019 08° 67,9x18T | 6501617131141 | 2501617600000 + 2501613600089 |
| H160/024 08° 67,9x18T | 6501617131160 | 2501617600000 + 2501613600108 |
| H200/040 16° 67,9x18T CASE | 6501617131200 | 2501617600154 + 2501613600124 |
| H273/053 22° 2"-16T rilsan | 6501617131273 | 2501617000000 + 2501613000000 |
| H300/060 22° 2"-16T rilsan | 6501617131300 | 2501617000000 + 2501613000100 |
| H301/073 22° 2"-16T rilsan | 6501617131301 | 2501617000200 + 2501613000000 |
| H325/085 22° 2"-16T rilsan | 6501617131325 | 2501617000200 + 2501613000100 |
| H343/073 22° 2"-16T rilsan | 6501617131343 | 2501617000100 + 2501613000000 |
| H380/089 22° 2,5"-16T rilsan CATERPILLAR metric | 6501617131380 | 2501617100100 + 2501613100240 |
| H403/076 35° 2"-16T rilsan | 6501617131403 | 2501617000100 + 2501613700000 |
| Note : all these slip assy (except the CASE ones) are supplied and must be ordered in separate parts | | |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 88,9x3,4 | Tube 88,9x3,4 | 1610 series tube |
| Tube 101,6x3,4 | Tube 101,6x3,4 | SPL90/100/ 1710 / 1610HD series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H105 Ø45 Ep24,6 44,4x10T 88,90x3,40 Nut 1 5/8" | 2501611600000 | for SAE 2501615200100 , WDL 9036 / 9157 |
| H107 Ø45 Ep28,7 44,4x34T 101,6x3,40 Nut 1 5/8" | 2520901600000 | for HR 2501615200330 + XS 150 2520905200570 |
| H110 Ø45 Ep24,6 44,4x10T 101,6x3,4 Nut 1 5/8" | 2501711600300 | for HR 2501615230200 ,WDL 9036 / 9157 |
| H188 Ø65 Ep45,3 59,6x46T 101,6x3,4 Bolt | 2501711600200 | CATERPILLAR , no companion , c/bearing CAT |
| H251 Ø75 Ep153 59,6x46T 101,6x3,4 Bolt (*) | 2501611600381 | CATERPILLAR , for HR EY |
| (*) Bolt 1501558000800 + washer 1501555000800 + WDL9168 supplied separately | | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 150/4-13 H059 43,2x34T 1610 / SPL 90 RVI | 2520905200570 | for mid stub 2520901600000 |
| SAE 174/8-9,6 H073 44,4x10T 1610 / SPL 90 RVI | 2501615200100 | for mid stub 2501611600000 |
| HR EY H104,6 44,4x34T 1610 CASE | 2501615200330 | for mid stub 2520901600000 |
| HR EY H104,6 44,4x16T 1610 DAF | 2501615230200 | for mid stub 2501611600300 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø45x193x27 LL H69 | WDL 9036 | 5000287986 RVI |
| Ø45x193x27 RL H69 | WDL 9157 | 1404560 DAF |
| Ø45x193x27 LL H69 | WDL 9336 | 9345 8251 IVECO , EDS alternative to WDL 9036 and WDL 9157 |
| BUMU-Bundmutter / Nut / Ecrrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut 1 5/8" SPL 70 - 90 /1550-1810 / C2030-C2035 | 1501008102200 | |
| ZWZUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| HR EY metric H327 Ø61,8 50,60x37T 101,6x3,4 | 6501611652100 | |
| HR EY H245 Ø60 59,60x16T 090,0x4,0 Nut 1 5/8" | 6501611652300 | FIAT HITACHI (included nut + washer) |
| HR-EY Ø49,20 | 6501611633200 | CASE |
| HR H280 Ø75 Ep 152 59,60x46T101,6x3,40 Bolt+washer | 6501611652400 | FIAT HITACHI HR END YOKE (*) |
| (*) bolt 1501558000800 + washer 1501555000800 CATERPILLAR are supplied with mid end assy | | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| HR EY Lz.200/040 16° standard u-joint WD 30307 rilsan | 501619307070L0200 | CASE L125803 |
| HR EY Lz.380/089 22° special u-joint WD 30405 rilsan | 501619307070L0380 | 5V2975 (950 B) obsolete replaced by 4E9658 CAT (966 D) |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| HR EY Lz 0147/000 07° 90,2x3,55 | 501610307070L0147 | 8Y0783 CAT |
| HR EY Lz 0169/000 07° 90,2x3,55 | 501610307070L0169 | 5V2972 CAT |
| HR EY Lz 0197/000 22° 101,6x3,40 | 501610307070L0197 | |
| HR EY Lz 0505/075 22° 101,6x3,40 | 501610107070L0505 | 115-1651 CAT |
| ZW - Zwischenwelle / Mid ship shaft / Transmission á palier / Transmisión puente central/ Semitrasmissione fissa / промежуточный вал | | |
| HR EY L.690 Ø 65 101,6x3,4 | 501610407020L0690 | 8Y0787 CAT c/bearing and CF not included |
| HR EY L.815 Ø 75 101,6x3,4 rigid c/bearing bolt + washer | 501610407022L0815 | 115-1652 CAT |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 47,60x134,90 lateral grease | WD 30017 | DANA |
| 47,60x134,90 lateral grease | WD 31017 | EDS 1610 replacement |
| 47,60x134,90 lateral grease | WD 30067 | DANA HR KIT |
| 47,60x134,90 central grease | WD 30405 | DANA HR KIT metric CAT |
| STRAP KIT - Klemmbügel / Strap kit / Kit de vis et pontets end yoke / Abrazaderas y tornillos end yoke / Viti kit / Комплект хомутов | | |
| KIT=2 Straps+4 bolts Half Round End Yoke | STRAP KIT 1610 | 75 - 85 Nm |

**Spicer 1650 - 41,20x142,00 obsolete**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H74 88,90x3,40 22° | 2501654000000 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H248/114 2"-16T 22° DUST CAP | 2501653200000 | |
| H207/80 2"-16T 22° DUST CAP | 2501653200100 | |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap rubber | DUST CAP 1650 | |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H192 2"-16T La 73,20 88,90x3,40 Rilsan | 2501611000000 | for slip yoke 2501613000000 |
| WZUNMV- Wellenzapfen u. Nab. vollst/Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extrasorto/Шлиц. вал и скользящ. вилка в сборе | | |
| H237-258/072 88,9x3,4 22,5° | 6501651030000 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 90x4 | Tube 90x4 | 8C ELBE/1650/ELBE 158/358/1600/1550 (89x3,4) |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| 1650 / 7C HWD Lc.352/072 22,5° rilsan relube | 501659306060L0352 | 38134111000 FURUKAWA + TEREX |
| (*) For other 1650 short coupled applications non listed here please contact WELTE sales team | | |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| 7C HWD Lz.1784/072 22,5° 88,9x3,4 rilsan relube | 501650106060L1784 | MANITOWOC 7364990115 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 41,20x142,00 lateral grease nipple | WD 12847 | DANA |
| 41,20x142,00 1650 / 7C HWD lateral grease nipple | WD 51017 | EDS |
| 41,20x142,00 1650 / 7C HWD lateral grease nipple | WD 50017 | DANA |

Spicer 1710 - 49,20x154,80

| Dimensions | EDS Part Number | Comments |
|--|--------------------|--|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 150/4-13 H081 25° | 2501712000500 | |
| XS 180/4-15 H083 25° | 2501712300500 | |
| DIN 165/8-16 H101 35° | 2501712000100 | |
| DIN 180/8-14 H60.5 15° | 2501712300180 | |
| DIN 180/8-14 H101 35° | 2501712800000 | |
| SAE 203/8-9,6 H050,8 8° | 2501712400300 | |
| SAE 203/12-10 H050,8 8° | 2501712400350 | |
| SAE 203/8-9,6 H076 29° | 2501712400000 | |
| SAE 203/12-9,6 H076 20° | 2501712400200 | |
| SAE 203/8-11 H076 20° | 2501712400400 | |
| SAE 203/12-11 H076 20° | 2501712400100 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H77,0 89,0x4,00 or 89,5x4,75 30° | 2501714000000 | |
| H77,0 101,6x3,4 or 103,9x4,6 30° | 2501714400000 | |
| H93,7 101,6x3,4 or 103,9x4,6 45° | 2501714700000 | |
| H77,0 115,9x4,2 30° | 2501714400100 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H104.5 3.25"-18T 8° dust cap steel | 2501713600105 | for yoke shaft 2501717600133 |
| H124 3.25"-18T 8° dust cap steel | 2501713600124 | for yoke shaft 2501717600133 |
| H171 2,5"-16T 21° dust cap | 2501713000200 | |
| H189,7 2,5"-16T 21° dust cap | 2501713000000 | for short coupled ysa H 208 / H229 / H245 / H258 |
| H243,6 2,5"-16T 21° dust cap | 2501713000100 | for stubs 2501711000100 and 2501711000300 |
| H261,9 2,5"-16T 21° dust cap | 2501713000300 | |
| H297,0 2,5"-16T 29° dust cap | 2501713700000 | for stubs 2501711000000 and 2501711000400 |
| H323,1 2,5"-16T 45° dust cap interaxle | 2501713700100 | for stubs 2501711000000 and 2501711000400 |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap rubber 1710-1760 | DUST CAP 1710-1760 | |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H235,0 2,5"-16T slip 98,6 89,00x4,0 rilsan | 2501711000300 | for slip yoke 2501713000100 |
| H261,0 2,5"-16T slip 125 89,00x4,0 rilsan | 2501711000400 | for slip yoke 2501713700000 and 2501713700100 |
| H268,2 2,5"-16T slip 133,4 101,6x3,4 rilsan | 2501711000000 | for slip yoke 2501713700000 and 2501713700100 |
| H236,0 2,5"-16T slip 98,6 101,6x3,4 rilsan | 2501711000100 | for slip yoke 2501713000100 |
| H270,5 2,5"-16T slip 138 115,9x4,2 rilsan | 2501711000200 | for slip yoke 2501713700100 |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H133,0/19,0 3.25"-18T 8° | 2501717600133 | |
| H208,0/60,8 2,5"-16T 22° rilsan | 2501717100200 | for slip yoke H189 |
| H229,4/74,2 2,5"-16T 30° rilsan | 2501717100500 | for slip yoke H189 |
| H245,3/71,1 2,5"-16T 29° rilsan | 2501717100600 | for slip yoke H243 / H297 / H323 |
| H258,0/84,1 2,5"-16T 29° rilsan | 2501717100400 | for slip yoke H243 / H297 / H323 |
| H271,0/96,7 2,5"-16T 29° rilsan | 2501717100700 | for slip yoke H243 / H323 |
| H296,0/122 2,5"-16T 29° rilsan | 2501717100800 | for slip yoke H243 / H323 |
| H308,7/113,4 2,5"-16T 29° rilsan | 2501717100300 | for slip yoke H243 / H323 |
| H370,0/122 2,5"-16T 29° rilsan | 2501717100100 | for slip yoke H243 / H297 / H323 |

**Spicer 1710 - 49,20x154,80**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| WZUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе | | |
| H275/110 2,5"-16T 21° 089,0x4,0 dust 6.3-86-18 rilsan | NA | slip yoke 2501713000100 + stub shaft 2501711000300 |
| H332/125 2,5"-16T 29° 089,0x4,0 dust 6.3-86-18 rilsan | NA | slip yoke 2501713700000 + stub shaft 2501711000400 |
| H358/125 2,5"-16T 45° 089,0x4,0 dust 6.3-86-18 rilsan | NA | slip yoke 2501713700100 + stub shaft 2501711000400 |
| H279/110 2,5"-16T 21° 101,6x3,4 dust 6.3-86-18 rilsan | NA | slip yoke 2501713000100 + stub shaft 2501711000100 |
| H332/140 2,5"-16T 29° 101,6x3,4 dust 6.3-86-18 rilsan | NA | slip yoke 2501713700000 + stub shaft 2501711000000 |
| H358/140 2,5"-16T 45° 101,6x3,4 dust 6.3-86-18 rilsan | NA | slip yoke 2501713700000 + stub shaft 2501711000000 |
| H363/140 2,5"-16T 45° 115,9x4,2 dust 6.3-86-18 rilsan | NA | slip yoke 2501713700100 + stub shaft 2501711000000 |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC/Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H168/19 8° 3.25"-18T dust cap steel D3E | 6501717636168 | ysa 2501717600105 + slip yoke 2501713600133 |
| H189/19 8° 3.25"-18T dust cap steel D3E | 6501717636189 | ysa 2501717600124 + slip yoke 2501713600133 |
| H270/50,8 22° 2,5"-16T Rilsan | 6501717131270 | ysa 2501717100200 + slip yoke 2501713000000 |
| H273/60,3 29° 2,5"-16T Rilsan | 6501717131273 | ysa 2501717100500 + slip yoke 2501713000000 |
| H289/57,1 29° 2,5"-16T Rilsan | 6501717131289 | ysa 2501717100600 + slip yoke 2501713000000 |
| H300/060 25° 2,5"-16T Rilsan c/w dust cover | 6501717030300 | no individual parts |
| H302/057 29° 2,5"-16T Rilsan | 6501717131302 | ysa 2501717100400 + slip yoke 2501713000000 |
| H338/062 21° 2,5"-16T Rilsan | 6501717131338 | ysa 2501717100600 + slip yoke 2501713000100 |
| H338/075 21° 2,5"-16T Rilsan | 6501717131339 | ysa 2501717100400 + slip yoke 2501713000100 |
| H353/098 21° 2,5"-16T Rilsan | 6501717131353 | ysa 2501717100300 + slip yoke 2501713000100 |
| H390/062 29° 2,5"-16T Rilsan | 6501717131390 | ysa 2501717100600 + slip yoke 2501713700000 |
| H390/074 29° 2,5"-16T Rilsan | 6501717131390 | ysa 2501717100400 + slip yoke 2501713700000 |
| H392/122 29° 2,5"-16T Rilsan | 6501717131392 | ysa 2501717100800 + slip yoke 2501713700000 |
| H400/096 29° 2,5"-16T Rilsan | 6501717131400 | ysa 2501717100700 + slip yoke 2501713700000 |
| H413/098 21° 2,5"-16T Rilsan | 6501717131413 | ysa 2501717100100 + slip yoke 2501713000100 |
| H418/061 29° 2,5"-16T Rilsan | 6501717131418 | ysa 2501717100600 + slip yoke 2501713700100 |
| H418/074 29° 2,5"-16T Rilsan | 6501717131419 | ysa 2501717100400 + slip yoke 2501713700100 |
| H418/122 29° 2,5"-16T Rilsan | 6501717131420 | ysa 2501717100800 + slip yoke 2501713700100 |
| H426/096 29° 2,5"-16T Rilsan | 6501717131426 | ysa 2501717100700 + slip yoke 2501713700100 |
| H427/103 29° 2,5"-16T Rilsan | 6501717131427 | ysa 2501717100300 + slip yoke 2501713700100 |
| H432/133 29° 2,5"-16T Rilsan | 6501717131432 | ysa 2501717100100 + slip yoke 2501713700000 |
| H452/140 29° 2,5"-16T Rilsan | 6501717131452 | ysa 2501717100100 + slip yoke 2501713700100 |
| Note : all slip assemblies must be purchased in separate parts , for short versions not listed please contact WELTE sales team | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 090,0x4,50 old 1700 GS / 1710 DANA | Tube 90x4,5 | SCANIA P300 / 1710 old replacement of obsolete 89x4 (1700) |
| Tube 101,6x3,40 | Tube 101,6x3,4 | SPL90/100/1710/1610HD |
| Tube 103,9x4,60 | Tube 103,9x4,6 | 1760/1710HD/SPL90/100SPECIAL |
| Tube 115,9x4,20 special for critical speed | Tube 115,9x4,2 | SPL140/Old 1880 replaced by 114,3x3,4/1710 special |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H131 Ø50 Ep31,8 50,80x38T 101,6x3,4 Nut 1 5/8 " | 2501711600000 | for SAE / HR End yoke companion flanges |
| H188 Ø65 Ep45,3 59,59x46T 101,6x3,4 Bolt | 2501711600200 | CATERPILLAR , no companion flange for rigid bearing |
| H230 Ø65 Ep50,0 54,80x22T 101,6x3,4 Nut 1 5/8 " | 2501711600300 | FIAT HITACHI ,under request, CF 2501715200300 |
| H251 Ø75 Ep153 59,60x46T 101,6x3,4 Bolt | 2501611600381 | CATERPILLAR , companion 2501713306231 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| SAE 203/12-10 H92,7 50,80x38T | 2501715200000 | mid stub std DANA 2501711600000 |
| HR EY H127 50,80x38T | 2501713302100 | mid stub std DANA 2501711600000 |
| HR EY H145 54,80x22T | 2501715200300 | mid stub 2501711600300 obsolete FIAT HITACHI |
| HR/SAE H173 58,42x46T 251/8-M12 Ø112 | 2501713306231 | CAT 9C4080 / 9V2400 mid stub 2501611600381 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø50x193x20 LL H72 IVECO | WDL 9038 | 0476 5836 IVECO |
| Ø50x193x30 RL H71 RVI / DAF | WDL 9100 | 5000820884 RVI |
| BUMU-Bundmutter / Nut / Ecrrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut 1 5/8" SPL 70 - 90 /1550-1810 / C2030-C2035 | 1501008102200 | required washer 1501005000100 |
| ZWZUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| H245 Ø 65 Ep 050 54,5x22T Nut 1 5/8" + washer | 6501711652300 | FIAT HITACHI obsolete -- complete shaft 8808504060Z3L0762 available |
| DOM-Doppelmittnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H116,0 30° | NA | see double joint 9501710508116 |
| H154,9 42° | 2501719000000 | see double joint 9501710508155 |
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | |
| HR End yoke H116,0 30° | 501719507070L0116 | 125-8808 CAT |
| HR End yoke H154,9 42° | 501719507070L0155 | 4V7079 CAT |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| SHORT COUPLED SHAFT FOR BOVA BUSES | | |
| 1710 HR Lz.272/060 29° | 501719307070L0272 | BOVA 219567 |
| 1710 HR Lz.340/075 21° | 501719307070L0340 | BOVA 219565 |
| 1710 HR - XS 150/4-13 Lz.371/076 25° | 501719307032L0371 | BOVA 241356 |
| XS 150/4-13 - 1710 HR Lz.396/076 25° | 501719303270L0396 | BOVA 219563 |
| XS 180/4-15 - 1710 HR Lz.398/076 25° | 501719303370L0398 | BOVA 262885 |
| 1710 HR - XS 180/4-15 Lz.423/076 25° | 501719307033L0423 | BOVA 219566 |
| SHORT COUPLED SHAFT FOR NEOMAN BUS | | |
| 1710 HR Lz.250/051 20° | 501719307070L0250 | NEOMAN 11012425 |
| 1710 HR Lz.302/057 29° | 501719307070L0302 | NEOMAN 11012428 |
| 1710 HR Lz.338/075 21° | 501719307070L0338 | NEOMAN 11072153 |

**Spicer 1710 - 49,20x154,80**

| Dimensions | EDS Part Number | Comments |
|--|---------------------|-------------------------|
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| DRIVESHAFTS FOR BOVA BUS | | |
| XS 150/4-13 - 1710 HR Lz.485/76 | 501710103270L0485 | BOVA 252554 |
| XS 150/4-13 - 1710 HR Lz.515/76 | 501710103270L0515 | BOVA 219564 |
| XS 180/4-15 - 1710 HR Lz.533/76 | 501710103370L0533 | BOVA 262889 |
| XS 180/4-15 - 1710 HR Lz.1960/85 | 501710103370L1960 | BOVA 241358 |
| DRIVESHAFTS FOR CATERPILLAR | | |
| 1710 HR Lz.490/100 21° | 501710107070L0490 | 155-5607 CAT |
| 1710 HR Lz.511/100 21° | 501710107070L0511 | 4V7082 CAT |
| 1710 HR Lz.610/100 21° | 501710107070L0610 | 125-8807 CAT |
| ZW - Zwischenwelle / Mid ship shaft / Transmission à palier / Transmisión puente central/ Semitransmissione fissa / промежуточный вал | | |
| 1710 HR L.668 Ø 75mm bearing | 5017104070Z0L0668 | 125-8817 CAT |
| 1710 HR - EY L.751 | 5017104070Z2L0751 | 296-4293 CAT |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 49,20x154,80 BP | WD 30027 | DANA 5-280X |
| 49,20x154,80 BP | WD 31027 | EDS |
| 49,20x154,80/157,10 BP/HR | WD 30077 | DANA 5-515X |
| 49,20x154,80 8,5C HWD -1710 BP | WD 51077 | EDS |
| 49,20x154,80 8,5C HWD -1710 BP | WD 50077 | DANA 5-549X |
| STRAP KIT - Klemmbügel / Strap kit / Kit de vis et pontets end yoke / Abrazaderas y tornillos end yoke / Viti kit / Комплект хомутов | | |
| KIT=2 Straps+4 bolts Half Round End Yoke | STRAP KIT 1710-1810 | 6,5-70-18X , 75 - 85 Nm |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Boccola / опорная втулка; втулка подшипника в комплекте | | |
| Bearing cap HR Ø 49,2 1710-1760-1810 | 6501710600000 | |
| Bearing cap BP Ø 49,2 1710-1760-1810 | 6501710600100 | |

Spicer 1760 - 49,20x177,80

| Dimensions | EDS Part Number | Comments |
|--|---------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 180/4-15 H088 25° | 2501762000500 | |
| DIN 180/8-14 H108 30° | 2501762700070 | |
| DIN 180/8-16 H108 30° | 2501762700100 | |
| DIN 180/10-16 H108 30° | 2501762700080 | |
| SAE 203/12-10 H086 30° | 2501762400050 | |
| SAE 203/12-11 H086 30° | 2501762400000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H77 103,9x4,6 30° | 2501764000000 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H233 2,5"-16T 30° dust cover | 2501763000100 | for stub shaft 2501711000100 |
| H283 2,5"-16T 30° dust cover | 2501763000000 | for stub shaft 2501711000000 |
| KAPPE Kappe / Dust cover / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap | DUST CAP 1710-1760 | standard same for all existing slip yokes 1760 |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H236 2,5"-16T La 098,6 101,6x3,4 or 103,9x4,6 rilsan | 2501711000100 | for slip yoke 2501763000100 |
| H268 2,5"-16T La 133,4 101,6x3,4 or 103,9x4,6 rilsan | 2501711000000 | for slip yoke 2501763000000 |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H279,4 2,5"-16T 28° | 2501767100279 | |
| WZUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе | | |
| H271/100 2,5"-16T 30° 103,9x4,6 dust 6.3-86-18 rilsan | Not available | slip yoke 2501763000100 + stub shaft 2501711000100 |
| H308/140 2,5"-16T 30° 103,9x4,6 dust 6.3-86-18 rilsan | Not available | slip yoke 2501763000000 + stub shaft 2501711000000 |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 103,9x4,60 | Tube 103,9x4,6 | 1760/1710HD/SPL90/100SPECIAL |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H129 Ø 60 Ep 31,8 54,8x22T 103,9x4,6 Nut 1 5/8" RVI | 2501761600100 | obs. replaced by 2501761600000, for CF2501765200000 |
| H135 Ø 60 Ep 31,8 59,7x16T 103,9x4,6 Nut 1 5/8" RVI | 2501761600000 | for CF SAE '2501815200000 and HR EY (2 models) |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitransmissione / Присоединительный фланец | | |
| SAE 203/12-11 H095,0 54,80x22T RVI old | 2501765200000 | for mid 2501761600100, obs. repl. '2501815200000 |
| SAE 203/12-11 H087,3 59,70x16T RVI new | 2501815200000 | for mid stub 2501761600000 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø60x200x36 H80 | WDL 9135 | RVI 500819211 / 5001845474 / 5001843910 |
| 60x218x36 RL H85,7 | WDL 9167 | DAF |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut 1 5/8" SPL 70 - 90 /1550-1810 / C2030-C2035 | 1501008102200 | required washer 1501005000100 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 49,20x177,80 lateral grease | WD 30037 | DANA |
| 49,20x177,80 lateral grease | WD 31037 | EDS |
| 49,20x177,80/180,10 HR End Yoke lateral grease | WD 30087 | DANA |
| STRAP KIT - Klemmbügel / Strap kit / Kit de vis et pontets end yoke / Abrazaderas y tornillos end yoke / Viti kit / Комплект хомутов | | |
| KIT=2 Straps+4 bolts Half Round End Yoke | STRAP KIT 1710-1810 | 75 - 85 Nm |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Boccola / опорная втулка; втулка подшипника в комплекте | | |
| Bearing cap HR Ø 49,2 1710-1760-1810 | 6501710600000 | |
| Bearing cap BP Ø 49,2 1710-1760-1810 | 6501710600100 | |

**Spicer 1810 - 49,20x191,80**

| Dimensions | EDS Part Number | Comments |
|---|---------------------|--|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 180/4-15 H88 25° | 2501812000500 | EDS |
| DIN 180/08-14 H92 22° | 2501812000100 | |
| DIN 180/10-16 H92 22° | 2501812000000 | |
| SAE 203/12-11 H66 12° | 2501812400100 | |
| SAE 203/12-11 H86 30° | 2501812400000 | |
| SAE 240 blank 160mm spigot | 3501812400240 | EDS |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H85,9 115,9x4,2 30° | 2501814000000 | |
| H85,9 114,7x6,6 30° | 2501814000100 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H136,6 3,25"-18T 12° dust cap steel | 2501813600136 | |
| H227,0 3"-16T 30° dust cap | 2501813000100 | |
| H260,3 3"-16T 30° dust cap | 2501813000000 | for stub shaft 2501811000000 |
| H301,8 3"-16T 30° dust cap | 2501813200000 | for stub shaft 2501811200000 |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap rubber 1710-1760 | DUST CAP 1710-1760 | standard for all 1810 except '2501813000136 |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H240,5/086 2,5"76,2x16T 115,9x4,2 rilsan | 2501811000000 | for slip yoke 2501813000000 |
| H285,7/127 76,2x16T 115,9x4,2 rilsan | 2501811200000 | for slip yoke 2501813200000 |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H171,0/036 3,25"-18T 12° | 2501817600171 | |
| H183,4/050 3,25"-18T 12° | 2501817600183 | |
| H290,5/098 3"-16T 30° rilsan | 2501817100100 | |
| H309,6/182 3"-16T 30° rilsan | 2501817100400 | |
| H315,8/182 3"-16T 30° rilsan | 2501817100500 | |
| WZUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе | | |
| H301/086 3"-16T 30° 115,9x4,2 dust 6.3-86-18 rilsan | NA | slip yoke 2501813000000 + stub shaft 2501811000000 |
| H346/127 3"-16T 30° 115,9x4,2 dust 6.3-86-18 rilsan | NA | slip yoke 2501813200000 + stub shaft 2501811200000 |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC/Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H211/027 3,25"-18T 12° | 6501817636211 | Slip yoke 2501813000136 + ysa 2501817100171 |
| H221/029 3,25"-18T 12° | 6501817636221 | Slip yoke 2501813000136 + ysa 2501817100200 |
| H323/086 3"-16T 30° rilsan | 6501817130323 | Slip yoke 2501813000100 + ysa 2501817100500 |
| H330/086 3"-16T 30° rilsan | 6501817130330 | Slip yoke 2501813000100 + ysa 2501817100100 |
| H344/099 3"-16T 30° rilsan | 6501817130344 | Slip yoke 2501813000000 + ysa 2501817100500 |
| H346/140 3"-16T 30° rilsan | 6501817130346 | Slip yoke 2501813200000 + ysa 2501817100500 |
| H362/086 3"-16T 30° rilsan | 6501817130362 | Slip yoke 2501813000000 + ysa 2501817100100 |
| H404/086 3"-16T 30° rilsan | 6501817130404 | Slip yoke 2501813200000 + ysa 2501817100100 |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| ROHR 115,9x4,2 | Tube 115,9x4,2 | SPL140/Old 1880 and 1810 /1710 special series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H134,9 Ø 60 Ep 36,6 59,7x16T 114,7x6,6 Nut 1 5/8" | 2501761600000 | for HR EY CF |
| H134,9 Ø 60 Ep 31,7 59,7x16T 114,7x6,6 Nut 1 5/8" | 2501761600100 | for SAE CF |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| SAE 203/12-11 H095,0 54,80x22T RVI old | 2501765200000 | for mid 2501761600100, obs. repl. 2501815200000 |
| SAE 203/12-11 H087,3 59,70x16T RVI new | 2501815200000 | for mid stub 2501761600000 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø60x200x36 H80 RVI | WDL 9135 | RVI 500819211 / 5001845474 / 5001843910 |
| Ø60x218x36 RL H85,7 DAF | WDL 9167 | DAF |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediare / Tuercas puente central / Dado autobloccante / Гайка | | |
| Nut 1 5/8" SPL 70 - 90 /1550-1810 | 1501008102200 | required washer 1501005000100 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| SAE 203/12-11 Lz 508/086 30° 9.03 rilsan relube | 501819305555L0508 | |
| FR EY Lz 402/086 30° 9.03 rilsan relube | 501819307171L0470 | TEREX |
| Note : for other lengths or another short coupled non listed here please contact WELTE sales service | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 49,20x191,80 lateral grease | WD 30047 | DANA |
| 49,20x191,80 lateral grease | WD 31047 | EDS |
| 49,20x191,80/194,10 lateral grease | WD 30097 | DANA |
| 49,20x191,80 / 9C HWD lateral grease | WD 50087 | DANA |
| STRAP KIT - Klemmbügel / Strap kit / Kit de vis et pontets end yoke / Abrazaderas y tornillos end yoke / Viti kit / Комплект хомутов | | |
| KIT=2 Straps+4 bolts | STRAP KIT 1710-1810 | 75 - 85 Nm |
| LBV - Lagerbüchse vollständig / Bearing cap / Roulement à aiguilles / Dado agujas / Восьца / опорная втулка; втулка подшипника в комплекте | | |
| Bearing cap HR Ø 49,2 1710-1760-1810 | 6501710600000 | |
| Bearing cap BP Ø 49,2 1710-1760-1810 | 6501710600100 | |

**Spicer 1880 - 55,60x205,60**

| Dimensions | EDS Part Number | Comments |
|--|--------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| SAE 241/8-16 H88,9 22° | 2501882400000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H101,6 114,7x6,6 22° | 2501884000000 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H254,8 3"-16T 22° dust cover | 2501883000100 | for stub shaft 2501881000100 |
| H296,0 3"-16T 22° dust cover | 2501883000200 | for stub shaft 2501881000200 |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap rubber 1810-1880 | DUST CAP 1810-1880 | |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H251,6 3"-16T La 089 114,7x6,6 rilsan | 2501881000100 | for slip yoke 2501883000100 |
| H292,9 3"-16T La 127 114,7x6,6 rilsan | 2501881000200 | for slip yoke 2501883000200 |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H325/089 3"-16T 22° rilsan relube | 2501887100325 | for slip yoke 2501883000100 |
| H351/089 3"-16T 22° rilsan relube | 2501887100351 | for slip yoke 2501883000100 |
| H377/089 3"-16T 22° rilsan relube | 2501887100377 | for slip yoke 2501883000100 |
| H390/089 3"-16T 22° rilsan relube | 2501887100390 | for slip yoke 2501883000100 |
| WZUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе | | |
| H304/089 3"-16T 22° 114,7x6,6 dust 6.3-86-38 rilsan | NA | slip yoke 2501883000100 + stub shaft 2501881000100 |
| H345/127 3"-16T 30° 114,7x6,6 dust 6.3-86-38 rilsan | NA | slip yoke 2501883000200 + stub shaft 2501881000200 |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H378/089 3"-16T 12° rilsan | 6501887636378 | Slip yoke 2501883000100 + ysa 2501887100325 |
| H403/089 3"-16T 12° rilsan | 6501887636403 | Slip yoke 2501883000100 + ysa 2501887100351 |
| H429/089 3"-16T 30° rilsan | 6501887636429 | Slip yoke 2501883000100 + ysa 2501887100377 |
| H454/089 3"-16T 30° rilsan | 6501887636454 | Slip yoke 2501883000100 + ysa 2501887100390 |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 114,7x6,6 | Tube 114,7x6,6 | 1880/18010HD, replaced old 1880 115,9x4,2 , available under request |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 55,60x205,60 BP lateral grease | WD 30057 | DANA |
| 55,60x205,60 FR lateral grease | WD 12877 | DANA 1950 series on request |
| 55,60x205,60 9C HWD / BP lateral grease | WD 50037 | DANA |
| 55,60x205,60 9C HWD / FR lateral grease | WD 50517 | GMB 1950 / 9C HWD |
| 55,60x205,60 9C HWD / BP lateral grease | WD 51037 | EDS |
| 55,60x205,60 9C HWT / BP lateral grease | WD 50477 | DANA |

Spicer 1900 - 71,48x223,00

| Dimensions | EDS Part Number | Comments |
|--|-----------------|----------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 71,48x223,00 lateral grease | WD 30257 | |

Spicer SPL 90 /100 - 41,30x126,10

| Dimensions | EDS Part Number | Comments |
|---|-----------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| HR EY H75,4 101,6x3,4 25° service free | 7521000408000 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| HR EY H301,6/110 101,60x3,40 25° 48,9x30T rilsan relube | 7520900100000 | |
| HR EY H301,6/110 101,60x3,40 25° 48,9x30T rilsan service free | 7521000108000 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 120/4-11 H70 25° | 2520902000500 | |
| XS 150/4-13 H75 25° | 2520902300570 | |
| DIN 120/8-10 H83,3 25° | 2520902000000 | |
| DIN 150/8-12 H83,3 25° | 2520902700000 | |
| SAE 174/8-10 H83,3 25° | 2520902400000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H75,4 101,6x3,4 25° | 2520904000000 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H256,3 48,90x30T 25° push dust cap relube | 2520903700000 | |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| welch plug | 1520901400000 | |
| Dust cap rubber | DUST CAP SPL90 | push on style |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H256,3 La 110 48,9x30T 101,6x3,4 rilsan | 2520901200000 | |
| WZUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H301,6/110 101,60x3,40 25° 48,9x30T rilsan relube | NA | Slip yoke 2520903700000 + stub shaft 2520901200000 |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 101,6x3,4 SPL90 | Tube 101,6x3,4 | SPL90 /1710 / 1610HD series tube |
| Tube 103,9x4,6 SPL100 | Tube 103,9x4,6 | 1760 / 1710HD /SPL 100 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H107,3 Ø 45 Ep 24,6 44,4x34T 101,6x3,40 Nut 1 5/8" | 2520901600000 | |
| H110,4 Ø 45 Ep 24,6 44,4x10T 101,6x3,40 Nut 1 5/8" | 2520901600100 | for SAE CF only (no for XS/HR EY), on request |

**Spicer SPL 90 /100 - 41,30x126,10**

| Dimensions | EDS Part Number | Comments |
|---|------------------|---|
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 120/4-11 H059,0 43,2x34T IVECO / RVI / DAF | 2501555200500 | for mid stub 2520901600000 |
| XS 150/4-13 H059,0 43,2x34T IVECO / RVI / DAF | 2520905200570 | for mid stub 2520901600000 |
| SAE 174/8-9,6 H073,1 44,4x10T RVI | 2501615200100 | for mid stub 2520901600100 |
| HR EY H116,5 43,2x34T DAF | 2520905200330 | for mid stub '2520901600000 |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø45x193x27 LL H69 | WDL 9036 | OEM 5000287986 RVI / 9345 8251 IVECO |
| Ø45x193x27 LL H69 | WDL 9336 | EDS 5000287986 RVI / 9345 8251 IVECO |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediare / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut 1 5/8" SPL 70 / SPL 90 1550-1810 | 1501008102200 | no washer required on SPL 90/100 series |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 41,30x126,10 central grease | WD 10695 | DANA IVECO 4253 2346 |
| 41,30x126,10 central grease | WD 13995 | EDS |
| 41,30x126,10 service free | WD 10500 | DANA RVI 5001856094 |
| STRAP KIT - Klemmbügel / Strap kit / Kit de vis et pontets end yoke / Abrazaderas y tornillos end yoke / Viti kit / Комплект хомутов | | |
| KIT=2xstraps+4xbolts M10x1 | STRAP KIT SPL100 | |
| KIT=2xstraps+4xbolts 3/8"-24 UNF | STRAP KIT SPL90 | |

Spicer SPL 140 - 49,20x138,60

| Dimensions | EDS Part Number | Comments |
|---|------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 150/4-13 H79 25° | 2521402000500 | |
| XS 180/4-15 H82 25° | 2521402300570 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H89 114,3x3,4 or 115,9x4,2 25° | 2521404000000 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer SPL140 - 250 / 687.40 - 687.55 RVI / 1710 - 1810 | 1501005000100 | Nut 1522508100000 |
| DIHÜV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H150 steel with rubber seal | 6521400900000 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H274/110 78x30T 115,9x4,2 25° Muff dust cover Europe | 6521407080200 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 114,3x3,4 | Tube 114,3x3,4 | SPL140 series tube obsolete to be replaced by 1810 tube 115,9x4,2 |
| Tube 115,9x4,2 | Tube 115,9x4,2 | SPL140 / Old 1880 / 1810 RVI / 1710 / SPL 140 special series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H116,6 Ø50 Ep31 49,4x38T 115,9x4,2 Nut +washer | 2521401600000 | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 180/4-15 H65 78x38T Involute spline | 2521405200500 | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø50x193x30 RL H71 RVI | WDL 9100 | 5000820884 RVI |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediare / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut SPL 140-SPL250/C2040-C2055 | 1522508100000 | 644 - 712 Nm, washer required 1501005000100 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 49,20x138,60 central grease | WD 35015 | DANA |
| STRAP KIT - Klemmbügel / Strap kit / Kit de vis et pontets end yoke / Abrazaderas y tornillos end yoke / Viti kit / Комплект хомутов | | |
| KIT = 2xStraps + 4xBolt | STRAP KIT SPL140 | |

Spicer SPL 170 - 55,00x163,90

| Dimensions | EDS Part Number | Comments |
|---|-----------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 150/4-13 H082,5 25° | 2521702000500 | |
| XS 165/4-13 H108,0 44° | 2521702717500 | |
| XS 180/4-15 H087,0 25° | 2521702300500 | |
| SAE 203/12-11 H081,5 25° | 2521702400000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H120 100x5 44° interaxle | 2521704700100 | |
| H120 120x5 35° | 2521704700000 | |
| H094 126x3 and 128,5x4,25 25° | 2521704000000 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer SPL140 - 250 / 687.40 - 687.55 RVI / 1710 - 1810 | 1501005000100 | Nut 1522508100000 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H172 98x38T 128,5x4,25 rilsan | 2521708000000 | SPL 170 / 250 (110 mm slip) , muff Europe |
| H172 98x38T 128,5x4,25 rilsan | 2521708000100 | SPL 170 / 250 (110 mm slip) , boot USA |
| MANSCHE - Manschette / Boot kit / Souffle jeu / Fuele-reten juego / Anello di tenuta kit / манжета | | |
| Rubber boot kit SPL 170 (boot + 2 clamps) 110 mm slip | NA | under request |
| DIHÜV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H152 | 6521700900000 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H270/110 98x38T 126x3 or 128,5x4,2 25° Rilsan | 6521707080200 | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC/Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H327/080 25° 87,98x34T Involute rilsan relube | NA | obsolete replaced by 687.45/47 |
| H374/080 25° 87,98x34T Involute rilsan relube | NA | obsolete replaced by 687.45/47 |
| H395/080 25° 87,98x34T Involute rilsan relube | NA | obsolete replaced by 687.45/47 |

**Spicer SPL 170 - 55,00x163,90**

| Dimensions | EDS Part Number | Comments |
|---|------------------|--|
| ROHR - Rohr / Tube / Tubo / Труба | | |
| 126x3 | Tube 126x3 | SPL170 standard |
| 128,5x4,25 | Tube128,5x4,25 | SPL170HD also used to replace 126x3 |
| 130x5 | Tube130x5 | SPL170/SPL250/286.22/286.33/186.33 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H135 Ø60 Ep31 59,5x16T 128,5x4,25 Nut 1 5/8" + washer | 2521701600000 | SAE 25018152000 |
| H135 Ø60 Ep34 59,7x46T 128,5x4,25 Nut 250- + washer | F2522501600000 | XS 2521705200500 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 180/4-15 H62 59,7x46T Inv SPL 170****687.45/47 | 2521705200500 | mid stub 2522501600000 ; RVI - VOLVO |
| SAE 203/12-11H87 59,7x16T 1760/1810 / SPL 170 | 2501815200000 | mid stub 2521701600000 ; RVI - VOLVO |
| SAE 203/12-11H87 59,7x46T Inv spline SPL 170 **687.55 | 2522505200200 | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø60x200x36 H80 | WDL 9135 | RVI 500819211 / 5001845474 / 5001843910 |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut SPL 140-SPL250/C2040-C2055 | 1522508100000 | washer required 1501005000100 |
| Nut 1 5/8" SPL 70 / SPL 90 1550-1810 | 1501008102200 | washer required 1501005000100 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 55,00x163,90 SPL 170 central grease | WD 35035 | DANA |
| STRAP KIT - Klemmbügel / Strap kit / Kit de vis et pontets end yoke / Abrazaderas y tornillos end yoke / Viti kit / Комплект хомутов | | |
| KIT = 2xStraps + 4xBolt | STRAP KIT SPL170 | 135 - 160 Nm |

Spicer SPL 250 - 60,00x162,80

| Dimensions | EDS Part Number | Comments |
|---|------------------|---|
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| H347/180 25° 89x38T 130x5 HR | 7522500722000 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 180/4-15 H91 25° | 2522502000500 | |
| SAE 203/12-11 H91 25° | 2522502400000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H104 130x5 or 132x6 25° | 2522504000000 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer SPL140 - 250 / 687.40 - 687.55 RVI / 1710 - 1810 | 1501005000100 | Nut 1522508100000 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H172 98x38T 128,5x4,25 rilsan SPL 170 / SPL 250 rilsan | 2521708000000 | SPL 170 / 250 (110 mm slip) muff Europe |
| H172 98x38T 128,5x4,25 rilsan SPL 170 / SPL 250 rilsan | 2521708000100 | SPL 170 / 250 (110 mm slip) boot USA |
| MANSCH - Manschette / Boot kit / Souffle jeu / Fuelle-reten juego / Anello di tenuta kit / манжета | | |
| Rubber boot kit SPL 250 (boot + 2 clamps) 110 mm slip | Not available | 136 - 180 Nm torque |
| DHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H152 | 6521700900000 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H277/110 130x5 or 132x6 98x38T 25° | 6522507080200 | |
| H347/180 130x5 or 132x6 98x38T 25° | 6522507782200 | |
| ROHR - Rohr / Tube / Tubo / Труба | | |
| Tube 130x5 | Tube130x5 | SPL170/SPL250/286.22/286.33/186.33 |
| Tube 132x6 | Tube 132x6 | SPL250HD; available under request |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H134,9 Ø60 Ep 34,6 59,7x46T 130x5 or 132x6 Nut 250+w | 2522501600000 | |
| H124,9 Ø60 Ep 31,3 59,7x46T 130x5 or 132x6 Nut 250+w | 2522501600100 | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| XS 180/4-15 H89,0 59,7 x 46Z Involute spline | 2522505200500 | mid stub 2522501600000 ; RVI - VOLVO |
| SAE 203/12-11 H87,3 59,7 x 46Z Involute spline | 2522505200200 | mid stub 2521701600000 ; RVI - VOLVO |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø60x200x36 H80 | WDL 9135 | RVI 500819211 / 5001845474 / 5001843910 |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut SPL 140-SPL250/C2040-C2055 | 1522508100000 | 644 - 712 Nm, washer required 1501005000100 |
| Nut 1 5/8" SPL 70 / SPL 90 1550-1810 | 1501008102200 | washer required 1501005000100 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 60,00x162,80 SPL 250 central grease | WD 35055 | DANA |
| STRAP KIT - Klemmbügel / Strap kit / Kit de vis et pontets end yoke / Abrazaderas y tornillos end yoke / Viti kit / Комплект хомутов | | |
| KIT = 2xStraps + 4xBolt | STRAP KIT SPL250 | |

**MERITOR RPL 20 - 52,32x174,75**

| Dimensions | EDS Part Number | Comments |
|---|-----------------|--|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H094,0 104x4,57 32° | 2530204000000 | |
| H114,3 104x4,57 44° | 2530204700000 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer 69,7x33,4x3,6 | 1530005000000 | suits both mid stubs |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H290,8 2,5"-16 32° | 2530203000291 | |
| H306,1 2,5"-16 44° | 2530203700306 | |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H252 2,5"-16 104x4,57 rilsan | 2530201000100 | |
| H270 2,5"-16 104x4,57 rilsan | 2530201000000 | for slip yokes 2530203000291 and 2530203700306 |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H341,6 2,5"-16 42° | 2530207100342 | |
| H354,3 2,5"-16 32° | 2530207100354 | |
| H360,7 2,5"-16 32° | 2530207100361 | |
| H367,0 2,5"-16 32° | 2530207100367 | |
| H386,1 2,5"-16 42° | 2530207100386 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 104x4,57 | Tube 104x4,57 | |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H134,8 Ø60x37 59,7x46T 104x4,57 | 2530201600000 | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| RPL END YOKE H124,5 59,7x46T | 2530205200330 | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø60x218x36 H85,7 16x19 | WDL 9267 | MERITOR |
| BUMU-Bundmutter / Nut / Erou de palier intermediare / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut 1 1/4"-25 | 1530008102000 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 52,32x174,75/71,40x179,55 RPL20 service free | WD 50490 | MERITOR 4 bolts supplied with the u-joint kit |
| 52,32x174,75/71,40x179,55 RPL20 service free | WD 51490 | EDS |
| SKTSCHR - Sechskantschraube / Bolts for bearing / Vis pontets ou roulements / Tornillos aletas cru / Bullone per crociera / Болт | | |
| Bolt 1/2"x1,75" | 1530008082052 | |

MERITOR RPL 25 - 52,32x208,28

| Dimensions | EDS Part Number | Comments |
|---|-----------------|---|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H94 24° 116,6x4,57 | 2530254000000 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H286,5 2,5"-16 32° | 2530253000286 | seal kit included |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer 69,7x33,5x3,6 | 1530005000000 | |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H270 2,5"-16 116,6x4,57 | 2530251000000 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 116,6x4,57 | Tube 116,6x4,57 | |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H134,8 Ø60 Ep 36 59,7x46T 116,6x4,57" | 2530251600000 | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| RPL END YOKE H124,5 59,7x46T | 2530255200330 | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø60x218x36 H85,7 16x19 | WDL 9267 | MERITOR --- please use WDL 9167 |
| BUMU-Bundmutter / Nut / Erou de palier intermediare / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut 1 1/4"-25 | 1530008102000 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 52,32x208,28/71,40x213,34 RPL25 service free | WD 50500 | MERITOR 4 bolts supplied with the u-joint kit |
| 52,32x208,28/71,40x213,34 RPL25 service free | WD 51500 | EDS |
| SKTSCHR - Sechskantschraube / Bolts for bearing / Vis pontets ou roulements / Tornillos aletas cru / Bullone per crociera / Болт | | |
| Bolt 1/2" x 1,75" | 1530008082052 | |

**VOLVO NK 300 - 44,00x126,00**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| SAE 174/8-9,6 H137 23° | 7800300414295 | |
| SAE 174/8-9,6 H137 23° SF | 7800300401060 | WD 30100 |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| SAE 174/8-9,6 H373/110 85x4 23° 55x2,5 DIN5482 | 7800300714308 | |
| SAE 174/8-9,6 H373/110 85x4 23° 55x2,5 DIN5482 SF | 7800300701260 | WD 30100 |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 150/8-10 H62 23° | 2800362015776 | obsolete |
| DIN 150/8-12 H75 35° | 2800362015804 | |
| SAE 174/8-9,6 H62 23° | 2800302015725 | |
| SAE 174/8-11,2 H76 30° | 2800302400100 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H75 85x4 23° | 2800304015794 | |
| H75 90x3 23° | 2800364015766 | obsolete |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer | 1800201915261 | VOLVO 948269 , nut 1800308115802 |
| Lockwasher | 1800201915262 | VOLVO 383992 , circlip 1800306715803 |
| VERKA-Verschlußkappe / Plug-cap / Coupelle de coulisse / Tapón corredera / Disco de chiusura / Колпачок | | |
| Plug-cap VOLVO NK 400 | 1800301415757 | under request |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H225 55x2,5 DIN 5482 85x4 rilsan | 2800308018624 | VOLVO 263065 |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H153 | 6800300915798 | VOLVO 263061 |
| ABSTREI-Abstreifer / Muff seal / Joint manchon de protection / Junta manguito / Paraolio / стриппер | | |
| Muff seal | 1800308515796 | for dust cover 6800300915798 , under request |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H311/110 55x2,5 DIN5480 85x4 23° | 6800307815718 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 85x4 VOLVO NK 300 | Tube 85x4 | |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H180 Ø55 Ep 50 50,8x10T 90x3 Nut M30x1,5 | 2800361615768 | Obsolete |
| H193 Ø55 Ep 42 50,8x10T 90x3 Nut M30x1,5 | 2800361615774 | Obsolete |
| H150 Ø60 Ep 30 60x18 DIN5482 85x4 Nut M40x1,5 | 2800301614506 | VOLVO 263070 , for companion '2800305215801 , WDL 9119 / 9120 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| SAE 174/8-9,6 H067 60x18 DIN5482 | 2800305215801 | VOLVO 382992 , for mid stub 2800301614506 , WDL 9119 / 9120 |
| ZWLGW / C/bearing + companion /Bride+palier / Brida + soporte puente / Supporto + flangia / Подвесной подшипник + Присоединительный фланец | | |
| SAE 174/8-9,6 Ø 60 Ep 30 Nut M40x1,5 no mid stub | 6800305114509 | In separate parts,CF 2800305215801 + c/bearing WDL 9119 / 9120 (*) |
| (*) To add flinger 1800201915263 + circlip 1800306715803 + lockwasher 1800201915261 | | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø45x194x19 RL H69 | WDL 9122 | 3126290 VOLVO , obsolete replaced WDL 9140 (SF) |
| Ø45x194x19 RL H69 | WDL 9114 | 1070171 VOLVO , relube replaced by service free WDL 9140 |
| Ø45x194x19 RL H69 | WDL 9140 | 20362601 VOLVO |
| Ø60x198x30 RL H80 40 Shore | WDL 9120 | 263000 / 621235 VOLVO |
| Ø60x198x30 RL H80 80 Shore | WDL 9119 | 6212888/1696389 VOLVO |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut M40x1,5 | 1800308115802 | VOLVO 948320 |
| ABSCHIRMBLECH / Flinger / Rondelle / Arandela puente / Anello Seeger / Гайка | | |
| Flinger | 1800201915263 | |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto completo / Шлицевой вал под подвесной подшипник | | |
| SAE 174/8-9,6 H153 85x4 , WDL 9114 / 9122 relube | 7800300918589 | obsolete , replaced by service free 7800300901060 |
| SAE 174/8-9,6 H153 85x4 , WDL 9140 service free | 7800300901060 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| DIN 150/8-12 - SAE174/8-9,6 Lz.420/40 | 800309305454L0420 | 3039882 VOLVO |
| DIN 150/8-12 - DIN 150/8-12 Lz.465/80 | 800300301212L0465 | 053250 MOXY |
| SAE 174/8-9,6 - SAE 174/8-9,6 Lz.390/30 | 800309305454L0390 | 11043046 VCE |
| SAE 174/8-9,6 - SAE 174/8-9,6 Lz.410/40 | 800309305454L0410 | 4881379 VCE |
| SAE 174/8-9,6 - DIN150/8-12 Lz.457/80 | 800309305412L0457 | 9517146 VCE |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 44,00x126,00 central grease | WD 30175 | VOLVO 23458 |
| 44,00x126,00 central grease | WD 30185 | EDS |
| 44,00x126,00 service free | WD 30100 | DANA |

**VOLVO NK 400 - 50,00x152,60**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| SAE 174/8-9.6 H166 91x4,5 or 92x5 35° | 7800400416156 | Interaxle |
| SAE 174/8-9.6 H166 91x4,5 or 92x5 22° + 22,5° Shifted | 7800400417236 | |
| SAE 203/8-9.6 H166 91x4,5 or 92x5 22° | 7800460415814 | |
| SAE 203/8-10 H166 91x4,5 or 92x5 22° | 7800460415827 | |
| SAE 203/12-11 H166 91x4,5 or 92x5 22° | 7800400414298 | VOLVO 1651029 |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| SAE 174/8-9.6 H430/160 91x4,5 35° 65x2,5 DIN 5480 | 7800400716155 | Interaxle |
| SAE 174/8-9.6 H430/160 91x4,5 35° 65x2,5 DIN 5480 | 7800400717233 | |
| SAE 203/8-9.6 H409/130 91x4,5 22° 65x2,5 DIN 5480 | 7800400715719 | |
| SAE 203/8-9.6 H430/160 91x4,5 35° 65x2,5 DIN 5480 | 7800400717235 | |
| SAE 203/12-11 H409/130 91x4,5 22° 65x2,5 DIN 5480 | 7800400714505 | VOLVO 1651115 |
| FLM-Flanschmitchnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 180/8-12 H75 22° | 2800402015767 | obsolete , no replacement |
| SAE 174/8-9.6 H74 35° | 2800462015778 | on request |
| SAE 174/8-9.6 H74 22° Shifted + 22,5° | 2800402017249 | see interaxle version 2800452016406 |
| SAE 174/8-9.6 H74 35° Shifted + 22,5° | 2800452016406 | VOLVO 232397 interaxle |
| SAE 174/8-11 H74 32° | 2800452400300 | |
| SAE 203/8-9.6 H74 22° | 2800402415816 | VOLVO 1651030 |
| SAE 203/12-10 H74 22° | 2800402400200 | |
| SAE 203/12-11 H74 22° Shifted + 12,5° | 2800402015268 | |
| SAE 203/16-10 H74 22° | 2800402018745 | |
| SAE 203/16-11 H74 22° | 2800402400100 | |
| ZM-Zapfenmitchnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H090 92x5 or 91x 4,5 22° | 2800404015720 | VOLVO 1651031 |
| H110 92x5 or 91x 4,5 35° | 2800404700000 | |
| SCHIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer | 1800201915261 | VOLVO 948269 , for nut 1800308115802 |
| Circlip | 1800306715803 | |
| Lockwasher | 1800201915262 | VOLVO 383992 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H235 91x4,5 65x2,5 DIN5482 rilsan relube | 2800408018029 | for slip assy 6800407815811 (110 mm slip) |
| H258 91x4,5 65x2,5 DIN5482 rilsan relube | 2800408017982 | for slip assy 68004077802000397 (160 mm slip) |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H180 VOLVO NK 400 | 6800400915808 | VOLVO 1651119 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H333/110 65x2,5 DIN 5482 85x4 22° | 6800407080220 | |
| H333/110 65x2,5 DIN 5482 92x5 or 91x4,5 22° | 6800407815811 | |
| H354/160 65x2,5 DIN 5482 92x5 or 91x4,5 22° | 68004077802000397 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 91x4,5 | Tube 91x4,5 | VOLVO NK400 -- please use 92x5 |
| Tube 92x5 | Tube 92x5 | 8C / 186.33/286.33 / VOLVO NK 400 |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H172 Ø 55 Ep 28 10Zx50,8 SAE 90x4,0 Nut NEF 1 1/4 " | 2800461615787 | Obsolete |
| H150 Ø 60 Ep 30 60x18 DIN5482 91x4,5 Nut M40x1,5 | 2800401614507 | VOLVO 263089 , for WDL 9119/9120 (VOLVO) , WDL 9113 (MOXY) |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| DIN 180/8-14 H62 60x18 DIN 5482 | 2800405200180 | obsolete with stock |
| SAE 203/8-9.6 H62 60x18 DIN 5482 | 2800405214731 | |
| SAE 203/12-11 H62 60x18 DIN 5482 | 2800405215527 | VOLVO 1523282 |
| 8,5C H62 60x18 DIN5482 | 2880855210000 | MOXY , on request |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø60x198x30 Casting | WDL 9113 | MOXY |
| Ø60x198x30 RL H80 40 Shore A | WDL 9120 | 263000 / 621235 VOLVO |
| Ø60x198x30 RL H80 80 Shore A | WDL 9119 | 6212888/1696389 VOLVO |
| BUMU-Bundmutter / Nut / Ecou de palier intermediare / Tuercas puente central / Dado autobloccante / Гайка | | |
| Nut M40x1,5 | 1800308115802 | VOLVO 948320 + required washer 1800201915261 + lockwasher |
| 1800201915262 (VOLVO 383992) + circlip 1800306715803 | | |
| ABSCHIRMBLECH / Flinger / Rondelle / Arandela puente / Deflettore / Гайка | | |
| Flinger | 1800201915263 | for c/bearing WDL 9119 / 9120 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| SAE 203/12-11 - SAE 174/8-11 Lz.415/30 | 800419305544L0415 | 11049825 |
| SAE 203/8-9.6 - SAE 203/8-9.6 Lz.420/30 | 800409305656L0420 | 1199483 |
| SAE 203/12-11 - SAE 203/12-11 Lz.420/30 | 800409305555L0421 | |
| SAE 203/12-11 - SAE 174/8-11 Lz.425/35 | 800419305544L0425 | 4881347 |
| SAE 203/16-11 - SAE 203/16-11 Lz.425/35 | 800419305757L0425 | 11050234 |
| SAE 203/12-10 - SAE 203/12-10 Lz.440/40 | 800409304646L0440 | 11027393/4880996 |
| SAE 203/12-11 - SAE 203/12-11 Lz.441/40 | 800409305555L0441 | |
| SAE 203/12-11 - SAE 203/12-11 Lz.460/60 | 800409305555L0460 | |
| SAE 203/8-9.6 - SAE 203/8-9.6 Lz.490/80 | 800409305656L0490 | 1199488 |
| SAE 203/12-11 - SAE 203/12-11 Lz.491/80 | 800409305555L0491 | |
| SAE 203/12-11 - SAE 203/12-11 Lz.515/80 | 800409305656L0515 | 1199490 |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| SAE 174/8-9.6 - SAE 174/8-9.6 Lz.0690/160 | 800400205454L0690 | 0262946 |
| SAE 174/8-11 - SAE 203/12-11 Lz.1140/160 | 800400205544L1140 | 11056071 |
| SAE 174/8-11 - SAE 203/12-11 Lz.1000/160 | 800400215455L1000 | 4881619 |
| SAE 203/16-10 - SAE 203/16-10 Lz.1590/110 | 800400204747L1590 | 4941234 |
| Note : for other VOLVO NK 400 driveshafts not listed please contact WELTE sales team | | |

**VOLVO NK 400 - 50,00x152,60**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|-------------|
| ZW - Zwischenwelle / Mid ship shaft / Transmission á palier / Transmisión puente central/ Semitransmissione fissa / промежуточный вал | | |
| 8,5C HWD Lz.1585 SAE 203/12-10 WDL 9113 double | 800404406046L1585 | MOXY 153467 |
| Note : for other VOLVO NK 400 mid ship shafts not listed please contact WELTE sales team | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 50,00x152,60 | central grease | WD 30115 |
| 50,00x152,60 | central grease | WD 30195 |
| | | EDS |

VOLVO NK 500 - 57,00x152,60

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | |
| SAE 203/08-9,6 H195 100x6 23° relube | 7800500415838 | |
| SAE 203/12-11 H195 100x6 22° relube | 7800500414296 | VOLVO 1651225 |
| SAE 203/12-11 H195 100x6 22° service free | 7800500400000 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | |
| SAE203/8-9,6 H422/110 100x6 22° 75x2,5 DIN5480 relube | 7800500715836 | |
| SAE203/12-11H422/110 100x6 22° 75x2,5 DIN5480 relube | 7800500715721 | |
| SAE203/12-11H422/110 100x6 22° 75x2,5 DIN5480+12,5° | 7800500714294 | VOLVO 1651227 |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| SAE 203/8-9,6 H80 22° | 2800502015834 | |
| SAE 203/12-11 H78 22° + 12,5° Shifted | 2800502017163 | obsolete replaced by '2800602017858 |
| SAE 203/12-11 H80 22° + 12,5° Shifted | 2800502015717 | obsolete replaced by '2800602017858 |
| SAE 203/12-11 H80 22° + 12,5° Shifted | 2800602017858 | |
| SAE 203/16-11 H80 22° | 2800502000160 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H115 100x6 23° | 2800504015838 | VOLVO 1651212 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H245 100x6 75x2,5 DIN 5482 rilsan | 2800508017983 | VOLVO 1651224 , for slip assy 6800507815723 |
| DHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H180 | 6800500915830 | VOLVO 1651221 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H342/110 74x2,5 DIN5482 100x6 22° | 6800507815723 | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H300/080 100x6 75x2,5 DIN 5482 10° | 6800507030200 | obsolete , please use 687.45 or 687.55 series |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 100x6 | Tube 100x6 | 587.35 / VOLVO NK500 /8,5C / KLEIN 600 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H130 Ø70 Ep 20 70x21 DIN5482 100x6 Nut M60x2 | 2800501614508 | VOLVO 1651218 , WDL 9123 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitransmissione / Присоединительный фланец | | |
| SAE 203/12-9,6 H52,6 70x21DIN5482 | 2800505215833 | on request |
| SAE 203/12-11 H52,6 70x21DIN5482 | 2800505216448 | VOLVO 1523262 |
| ZWLVG / C/bearing + companion /Bride+palier / Brida + soporte puente / Supporto + flangia / Подв. подшипник + Присоединительный фланец | | |
| SAE 203/12-11 Ø 70 Ep 20 Nut M60x2 no mid stub | 6800605115430 | In separate parts,CF '2800505216448 + c/bearing WDL 9123 |
| circlip 1800506715520 , mid nut 1800501915264 , lockwasher 1800361915265 | | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø70x198x20RL H80 | WDL 9123 | 263567 |
| Ø70x198x20RL H80 | WDL 9323 | EDS |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut M 60x2 | 1800501915264 | 1522293 |
| Circlip | 1800506715520 | 914484 |
| Lockwasher | 1800361915265 | 1523319 |
| ABSCHIRMBLECH / Flinger / Rondelle / Arandela puente / Deflettore / Гайка | | |
| plastic flinger | 1800501924149 | suits mid stub and comp. flange |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| SAE 203/12-9,6 - SAE 203/12-9,6 Lz.426/040 | 800509305757L0426 | VOLVO 20817821 obsolete repl. by 9687450310426 |
| SAE 203/12-11 - SAE 203/12-11 Lz.460/080 | 800509305555L0460 | VOLVO replaced by 9687450310460 |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| SAE 203/12-11 Lz 1615/110 22° SAE 203/12-11 relube | 800500204646L1615 | VOLVO 11060331 |
| Note : for other VOLVO NK 500 driveshafts non included here please contact WELTE sales team | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 57,00x152,60 | central grease | WD 30135 |
| 57,00x152,60 | central grease | WD 30205 |
| 57,00x152,60 | central grease | WD 31135 |
| 57,00x152,60 | service free | WD 30120 |
| 57,00x152,60 | service free | WD 30210 |
| | | EDS |



| VOLVO NK 600 - 57,00x152,60 | | | |
|---|------------------------|--|-------------------|
| Dimensions | EDS Part Number | | Comments |
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | | |
| SAE 203/12-11 H195 114,3x5,5 23° | 7800600415266 | VOLVO 1651173 | |
| WG-Wellengelenk / Slip joint / Joint coulissant / Juntas correderas / Giunto Scorrevole / Шлицевая пара в сборе с фланцем | | | |
| SAE 203/12-11 H430/110 114,3x5,5 22° 85x2,5 DIN 5480 | 7800600715267 | VOLVO 1651174 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | | |
| SAE 203/12-11 H80 22° + 12,5° Shifted NK 500 / NK 600 | 2800602017858 | VOLVO 1651172 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | | |
| H115 114,3x5,5 23° | 2800604015722 | VOLVO 1651191 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | | |
| H255 114,3x5,5 85x2,5 DIN 5482 rilsan | 2800608017367 | VOLVO 1651195 , for slip assy '6800607815716 | |
| DHÜV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | | |
| H160 VOLVO NK 600 | 6800600917252 | VOLVO 1651196 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | | |
| H350/110 114,3x5,5 22° 85x2,5 DIN 5482 | 6800607815716 | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | | |
| Tube 114x5,5 | Tube 114,3x5,5 | VOLVO NK 600 / SCANIA P600 series tube | |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | | |
| H130 Ø 70 Ep 20 70x21 DIN5482 114,3x5,5 Nut M60x2 | 2800601614911 | for CF NK 500 / 600 2800505216448 | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmisione / Присоединительный фланец | | | |
| SAE 203/12-11 H52,6 70x21 DIN 5482 NK 500 / NK 600 | 2800505216448 | VOLVO 1523262 | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | | |
| Ø70x198x20RL H80 | WDL 9123 | 263567 VOLVO | |
| Ø70x198x20RL H80 | WDL 9323 | EDS | |
| BUMU-Bundmutter / Nut / Erou de palier intermediare / Tuerca puente central / Dado autobloccante / Гайка | | | |
| Nut M 60x2 | 1800501915264 | VOLVO 1522293 | |
| Circlip | 1800506715520 | VOLVO 914484 | |
| Lockwasher | 1800361915265 | VOLVO 1523319 | |
| KAPPE / Flinger / Rondelle / Arandela puente / Deflettore / Гайка | | | |
| plastic flinger | 1800501924149 | suits mid stub and comp. flange | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | |
| 57.00x152,60 | central grease | WD 30135 | VOLVO 1657229 OEM |
| 57.00x152,60 | central grease | WD 30205 | INA VOLVO |
| 57.00x152,60 | central grease | WD 30135 | EDS VOLVO |
| 57.00x152,60 | service free | WD 30120 | VOLVO 1067293 OEM |
| 57.00x152,60 | service free | WD 30210 | EDS |



| SCANIA P30 - P300 - 38,00x148,00 | | |
|--|-----------------|--|
| Dimensions | EDS Part Number | Comments |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H85 90x5 or 89x4 20° | 2888304000000 | original friction welding obsolete |
| H65 90x5 20° | 2888304000100 | MIG welding version |
| WMUNHV- Wellenzapf. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H274/90 90x5 20° 68x26T DIN5482 rilsan MIG version | 6888307180200 | EDS |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 90x4,5 | Tube 90x4,5 | |
| Tube 90x5,0 | Tube 90x5 | |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H183 Ø60 Ep20 90x5 60x24 DIN 5482 Nut M44x1,5 | 2888301600000 | MIG welding version |
| H183 Ø60 Ep20 90x5 60x24 DIN 5482 Nut M44x1,5 | 2888301600100 | Original SCANIA Friction welding version , relube WDL 9105 |
| H175 Ø60 Ep20 90x5 60x24 DIN 5482 Nut M44x1,5 SF | 2888301600160 | Original SCANIA Friction welding version , service free , WDL 9108 |
| all mid stubs matching end yoke 2888305200000 | | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| End Yoke P300 H59 4,5° | 2888305200000 | Original SCANIA |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø60x22X85 P300 round relube 85 mm seal | WDL 9105 | 1387764 + 1403663 SCANIA , Relube |
| Ø60x26x85 P300 round service free 85 mm seal | WDL 9108 | 1387764 + 1403663 SCANIA Service Free |
| Ø60x22X80 P030 round relube 80 mm seal | WDL 9101 | SCANIA P30-50 relube old version |
| Note : for WDL 9108 please order special flinger 1888001983513 separately | | |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediare / Tuerca puente central / Dado autobloccante / Гайка | | |
| M44x1,5 | 1888008102000 | |
| SCHMUAB - Schmutzabweiser / Slinger / Collet / Tirante de fijación aletas / Deflettore perno / грязеотвод | | |
| Flinger | 1888001983513 | for SF center brg WDL 9108 (fits mid stub) |
| plastic flinger | 1888001900503 | for center brg WDL 9105 (fits end yoke) |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto completo / Шлицевой вал под подвесной подшипник | | |
| H195 4,5° MIG relube | 7888300983000 | mid stub 28883016000 , WDL 9105 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 38,00x148,00 P30 straight brackets central grease | WD 51055 | INA P30 |
| 38,00x148,00 P30 with brackets 4,5° central grease | WD 51105 | INA P300 |
| 38,00x148,00 P300 with brackets 4,5° central grease | WD 51155 | SKF SCANIA |
| 38,00x148,00 P300 with brackets 4,5° service free | WD 51160 | SKF SCANIA |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| M12x55 | 1888008201522 | Suits all brackets P300-500 |

| SCANIA P40 - P400 - P420 - 48,00x162,00 | | |
|--|-----------------|---|
| Dimensions | EDS Part Number | Comments |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS155/4-15 H78 135PCD | 2888402000500 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H72 100x5 or 100x4,75 22° | 2888404016816 | SCANIA P40 MIG welding |
| H75 100x5 or 100x4,75 20° | 2888404000000 | EDS SCANIA P400 H75 MIG welding |
| H96 100x5 or 100x4,75 22° | 2888404000100 | Genuine SCANIA P40 friction welding |
| H95 095x5 35° | 2888404700000 | SCANIA P420 interaxle 35° , MIG welding |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H268 55,6x24T 22° P40 push - cap relube | 2888403016066 | P40 |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H256/100 100x5 55,6x24T Involute | 2888401014196 | P40 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H223 68x26T DIN 5482 rilsan P400 standard (22°) | 2888408000000 | SCANIA friction welding for slip assy 6888407180200 |
| H240 68x26T DIN 5482 rilsan P420 interaxle (32°) | 2888408200100 | mig welding for slip assy 6888407782200 |
| note: genuine interaxle shaft use sleeve 2800408017982 | | |
| DHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H169 Ø90 | 6888400900169 | |
| WZUNMV- Wellenzapf. u. nab. vollst./Slip assy/Ens.Coul./Junta corr./Scorrevole con tubo/Шлиц. вал и скользящ. вилка в сборе (с чехлом) | | |
| H311/100 100x5 24° x55,6x24T | 6888401313913 | SCANIA P40 43-0612-466XL , GKN UC - 13913 |
| WMUNHV- Wellenzapf. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H295/100 100x5 68x26T DIN 5480 22° | 6888407180200 | P400 friction welding version |
| H343/130 100x5 22° | 6888407180250 | P400 mig welding , alternative version |
| H335/160 95x5 32° | 6888407782200 | SCANIA P420 Interaxle 32° MIG welding |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 95,0x5 | Tube 95x5 | SCANIA T70 / SCANIA P420 interaxle series tube, under request |
| Tube 100x5 | Tube 100x5 | Original SCANIA 100x4,75 to be replaced by standard 100x5 |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H183 Ø60 Ep 26 100x5 59,3x24T Nut 44x1,5 | 2888401600000 | P40 mig welding version |
| H183 Ø60 Ep 26 100x5 59,3x24T Nut 44x1,5 | 2888401600732 | P400 mig welding version |
| H175 Ø60 Ep 26 100x5 59,3x24T Nut 44x1,5 | 2888401600100 | Genuine P400 friction welding - relube obsolete WDL 9105 |
| H175 Ø60 Ep 26 100x5 59,3x24T Nut 44x1,5 | 2888401600160 | Genuine P400 friction welding - service free version WDL 9108 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| H144 59,3x24T P400 4,5° End Yoke | 2888405200000 | 1422427 Scania |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø60x22X85 P400 round relube 85 mm seal | WDL 9105 | 1387764 + 1403663 SCANIA , Relube |
| Ø60x26x85 P400 round service free 85 mm seal | WDL 9108 | 1387764 + 1403663 SCANIA Service Free |
| Ø60x22X80 P040 round relube 80 mm seal | WDL 9101 | SCANIA P30-50 relube old version |
| Note : all three c/bearing the bearing support 1888406283000 is included except WDL 9108 with special flinger 1888001983513 delivered separately | | |

**SCANIA P40 - P400 - P420 - 48,00x162,00**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| M44x1,5 SCANIA P300 - P600 | 1888008102000 | |
| SCHMUAB - Schmutzabweiser / Slinger / Collet / Tirante de fijación aletas / Deflettore perno / грязеотвод | | |
| Flinger | 1888001983513 | for SF center brg WDL 9108 (fits mid stub) |
| plastic flinger | 1888001900503 | for center brg WDL 9105 (fits end yoke) |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto completo / Шлиц. вал под подв. подшипник | | |
| mid end assy H218 68x26T 4,5° MIG relube | 7888400983000 | on request , relube version, mid stub 2888401600732 , WDL 9105 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| Lz.355/080 24° P400 4,5° | 88840930S4S2L0355 | 1515830/1465654 / 1315830 |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| SCANIA P400 shafts (100 mm slip , 22° tube 100x5) | | |
| P400 Lz. 0390/100 4,5° - 22° relube | 88840020S2S2L0390 | 1317087 replace 1317239 |
| P400 Lz. 1132/100 4,5° - 22° service free | 88840026S2S2L1132 | 1758407 |
| P400 Lz. 1623/100 4,5° - 22° relube | 88840020S2S2L1623 | 1317176 |
| P400 Lz. 1653/100 4,5° - 22° relube | 88840020S2S2L1653 | 1317179 |
| P400 Lz. 1743/100 4,5° - 22° relube | 88840020S2S2L1743 | 1758430 |
| P400 Lz. 1783/100 4,5° - 22° relube | 88840020S2S2L1783 | 1317191 |
| SCANIA P420 interaxle shafts (160 mm slip , 32° tube 95x5) | | |
| P420 Lz 490/160 4,5° - 32° | 88842024S2S2L0490 | 337760 |
| P420 Lz 588/160 4,5° - 32° | 88842024S2S2L0588 | 1377029 |
| Note : for other SCANIA lengths for P400 or interaxle P420 shafts please contact WELTE sales team | | |
| ZW - Zwischenwelle / Mid ship shaft / Transmission à palier / Transmisión puente central/ Semitransmissione fissa / промежуточный вал | | |
| P400 Lz 1239 | 88840046S2Z3L1239 | 1465701 |
| P400 Lz 1637 | 88840040S2Z3L1637 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 48,00x161,00 P040 straight brackets central grease | WD 51205 | INA |
| 48,00x161,00 P400 with brackets 4,5° central grease | WD 51305 | SKF |
| 48,00x161,00 P400 with brackets 4,5° central grease | WD 51265 | EDS |
| 48,00x161,00 P400 with brackets 4,5° service free | WD 51310 | SKF |
| LAGBO - Lagerbock / Bracket / Pontet | | |
| P40 | 1888406283200 | S1 |
| P400 4,5° | 1888406283000 | S2 |
| P400 4,5° 16x2 | 1888406283100 | S3 |
| P400 4,5° TELMA | 1888406283300 | S4 BUS application |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| M12x55 | 1888008201522 | Suits all brackets P300-500 |

SCANIA P50 - P500 - P520 - 57,00x164,00

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS176/4-15 H100,5 | 2888502700500 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H075 102x6,0 22° | 2888504016826 | P50 |
| H108 108x5,5 22° | 2888504000000 | P500 friction welding |
| H120 108x5,5 22° | 2888504000100 | P500 MIG welding |
| H90,5 110x6 22° | 2888504400110 | P500 MIG welding |
| H104 120x6,0 22° | 2888504000120 | P500 EDS mid welding , HD tube version |
| H105 92x5,0 35° | 2888524700000 | P520 EDS interaxle 35° MIG welding |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H280 64,5x26T 22° P40 push - cap relube | 2888403016066 | P50 |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H260 64,5x26T La 082 100x5 | 2888501014513 | P50 |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H214 79x30T 108x5,5 | 2888508000000 | P500 MIG welding on request |
| H214 79x30T 108x5,5 | 2888508200000 | P500 Friction Welding |
| H257 79x30T 092x5,0 | 2888528000257 | P520 interaxle (35° - 160 mm slip) for sleeve assy 6888527780200 |
| DIHÜV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H169 Ø100 | 6888500900169 | |
| WZUNMV- Wellenzap. u. nab. vollst./Slip assy/Ens.Coul./Junta corr./Scorrevole con tubo/Шлиц. вал и скользящ. вилка в сборе (с чехлом) | | |
| H331/082 108x5,5 24° 64,5x26T no rilsan P50 | 6888501313914 | P50 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H298/110 108x5,5 78x30 DIN5480 22° | 68885071802010329 | friction welding |
| H376/130 108x5,5 22° | 6888507180250 | mig welding , alternative version |
| H310/110 110x6 22° | 6888507180260 | mig welding , alternative version |
| H330/140 120x6,0 78x2 DIN 5480 22° | 6888507182220 | EDS mig welding , HD tube version ,GWB 2055 spline |
| H385/160 92,0x5,0 65x2,5 DIN 5480 35° | 6888527780200 | EDS interaxle MIG welding |
| RING - Ring / Ring / Bague / Casquillo de empalme / Disco de chiusura ring / кольцо | | |
| H45 Ø97108x5,5 conversion friction welding /MIG welding | 1888506000000 | tube yoke |
| H40 Ø97108x5,5 conversion friction welding /MIG welding | 1888506000100 | sleeve |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| ROHR 92x5 | Tube 92x5 | 8C IC-UG / 186.33/286.33 / VOLVO NK 400 / P520 interaxle tube |
| Tube 108x5,5 | Tube 108x5,5 | |

**SCANIA P50 - P500 - P520 - 57,00x164,00**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H175 Ø 60 Ep 22 108x5,5 59,7x24T P050 Nut M44x1,5 | 2888501616835 | for WDL 9101 |
| H177 Ø 60 Ep 22 108x5,5 59,7x24T P500 Nut M44x1,5 | 2888501600000 | P 500 MIG welding version for WDL 9105 |
| H175 Ø 60 Ep 22 108x5,5 59,7x24T P500 Nut M44x1,5 | 2888501600100 | Genuine P500 - Friction Welding Relube, for WDL 9105 |
| H175 Ø 60 Ep 26 108x5,5 59,7x24T P500 Nut M44x1,5 SF | 2888501600160 | Genuine P500 - Friction Welding Service Free, for WDL 9108 SF |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| H113 59,7x26T | 2888505283000 | P50 obsolete with stock |
| H113 59,7x26T 4,5° - 24° P500 service free - relube | 2888505200000 | 1422430 |
| H134 59,7x24T 4,5° - 35° P520 interaxle | 2888525200000 | 1325906 fits axle spline |
| H134 55,0x22T 4,5° - 35° P520 interaxle | 2888525200100 | fits axle spline |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø60x22X85 P400 round relube 85 mm seal | WDL 9105 | 1387764 + 1403663 SCANIA, Relube |
| Ø60x26x85 P400 round service free 85 mm seal | WDL 9108 | 1387764 + 1403663 SCANIA, Service Free |
| Ø60x22X80 P040 round relube 80 mm seal | WDL 9101 | SCANIA P30-50 relube old version, |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediare / Tuerca puente central / Dado autobloccante / Гайка | | |
| M44x1,5 SCANIA P300 - P600 | 1888008102000 | |
| SCHMUAB - Schmutzabweiser / Slinger / Collet / Tirante de fijación aletas / Deflettore perno / грязеотвод | | |
| Flinger c/bearing WDL 9108 service free | 1888001983513 | Service Free, for WDL 9108, delivered separately |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto completo / Шлицевый вал под подвесной подшипник | | |
| H212 108x5,5 59,6x26T 4,5° - 24° P500 relube | 7888500917524 | on request only |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| P500 SCANIA Lz 400/060 25° w/brackets 4,5° 9.01 | 9888500300400 | SCANIA 317391 on request |
| Note : for other lengths for SCANIA P500 series please contact WELTE sales service | | |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| SCANIA P500 shafts (110 mm slip, 24° tube 108x5,5) | | |
| P500 Lz 1000/110 24° - 4,5° relube | 88850020S2S2L1000 | SCANIA 1317298 |
| P500 Lz 1150/110 24° - 4,5° relube | 88850020S2S2L1150 | SCANIA 1336592 |
| P500 Lz 1540/110 24° - 4,5° relube | 88850020S2S2L1540 | SCANIA 1465541 |
| P500 Lz 1560/110 24° - 4,5° relube | 88850020S2S2L1570 | SCANIA 1317343 |
| P500 Lz 1620/110 24° - 4,5° relube | 88850026S2S2L1620 | SCANIA 1465544 |
| P500 Lz 1890/110 24° - 4,5° service free | 08885002830001840 | SCANIA 1465553 |
| SCANIA P520 interaxle shafts (160 mm slip, 35° tube 92x5) | | |
| P520 Lz.0491/160 35° - 4,5° relube | 88852024S2S2L0491 | SCANIA 1376170 / 1543138 |
| P520 Lz.0535/160 35° - 4,5° relube | 88852024S2S2L0535 | SCANIA 1376171 / 1543139 |
| P520 Lz.0570/160 35° - 4,5° relube | 88852024S2S2L0570 | SCANIA 1376172 / 1543140 |
| P520 Lz.0600/160 35° - 4,5° relube | 88852024S2S2L0600 | SCANIA 1796591 |
| P520 Lz.0715/160 35° - 4,5° relube | 88852024S2S2L0715 | SCANIA 1543144 / 1796593 |
| Note : for other SCANIA lengths for P050 - P520 or mid shafts shafts please contact WELTE sales team | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 57,00x164,00 straight brackets central grease | WD 51355 | INA |
| 57,00x164,00 brackets 4,5° central grease | WD 51405 | INA |
| 57,00x164,00 threaded brackets 4,5° service free | WD 51420 | SKF |
| 57,00x164,00 threaded brackets 4,5° central grease | WD 51425 | INA |
| 57,00x164,00 brackets 4,5° central grease | WD 51455 | SKF |
| 57,00x164,00 brackets 4,5° central grease | WD 51415 | EDS |
| 57,00x164,00 brackets 4,5° service free | WD 51460 | SKF |
| 57,00x152,00/164,00 brackets 4,5° central grease | WD 51005 | P50/587.42 conversion kit |
| LAGBO - Lagerbock / Bracket / Pontet | | |
| P50 | 1888506283200 | S1 |
| P500 4,5° | 1888506283000 | S2 |
| P500 4,5° 16x2 | 1888506283100 | S3 |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| M12x55 | 1888008201522 | Suits all brackets P300-500 |

SCANIA P600 - 65,00x190,00

| Dimensions | EDS Part Number | Comments |
|---|-----------------|--|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| XS 208/4-15 H100 25° P600 | 2888602000500 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H137 114,3x5,5 30° | 2888604000000 | friction welding |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| NH H295 114,3x5,5 85x32T rilsan | 2888608000000 | friction welding |
| DIHÜV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H190 | 688860900190 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H403/110 114,3x5,5 85x32T 30° rilsan | 6888607180201 | friction welding |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 114,3x5,5 | Tube 114,3x5,5 | VOLVO NK 600 / SCANIA P600 series tube |
| Tube 114,7x6,6 | Tube 114,7x6,6 | SCANIA P600 special tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H177 59,70x26T 114,3x5,5 | 2888601600000 | P600 MIG suits WDL 9105 |
| H175 59,70x26T 114,3x5,5 | 2888601600100 | Genuine P600 friction welding fits WDL 9105 obsolete |
| H175 59,70x26T 114,3x5,5 | 2888601600160 | Genuine P600 friction welding fits WDL 9108 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| H140 Ø 65 60x26T | 2888605200000 | SCANIA 1319646, straps and bolts included |
| XS 208/4-15 60x26T | 2888605200500 | |

**SCANIA P600 - 65,00x190,00**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|--|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø60x22X85 | WDL 9105 | 1387764 + 1403663 SCANIA , Relube |
| Ø60x26x85 | WDL 9108 | 1387764 + 1403663 SCANIA , Service |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediare / Tuerca puente central / Dado autobloccante / Гайка | | |
| M44x1,5 SCANIA P300 - P600 | 1888008102000 | |
| SCHMUAB - Schmutzabweiser / Slinger / Collet / Tirante de fijación aletas / Deflettore perno / грязеотвод | | |
| Flinger c/bearing WDL 9108 service free | 1888001983513 | Service Free , for WDL 9108 , delivered separately |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| P600 - P600 Lz.495/110 30° | 888609167070L0495 | 1780605 |
| Note . For any other length please contact WELTE sales team | | |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| P600 XS 208/4-15 Lz. 1380/110 | 888600265E5EL1380 | 1758715 |
| P600 XS 208/4-15 Lz. 1735/110 | 888600265E5EL1735 | K6041010 |
| P600 Lz.1000/110 30° relube | 888600207070L1000 | 1465591 |
| P600 Lz.1045/110 30° relube | 888600207070L1045 | 1376634 |
| P600 Lz.2031/110 30° service free | 888600267070L2031 | 1785505 |
| ZW - Zwischenwelle / Mid ship shaft / Transmission á palier / Transmisión puente central/ Semitransmissione fissa / промежуточный вал | | |
| 208/4-15 L.1245 | 888600405E5EL1245 | 2052605 |
| 208/4-15 L.970 | 888600465E5EL0970 | K6120585S |
| 208/4-15 L.1755 | 888600465E5EL1755 | 2105286 / K6141370S |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 65,00x190,00 central grease | WD 11955 | SKF |
| 65,00x190,00 central grease | WD 11885 | INA |
| 65,00x190,00 central grease | WD 15885 | EDS |
| 65,00x190,00 service free | WD 13320 | SKF |
| 65,00x190/172 central grease | WD 14445 | CONVERSION KIT Scania P600**587.48/687.65 |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| Backplate/Strap kit for P600 end yoke | 6888605083000 | |

SCANIA T60 / T61 - 44,00x149,00 obsolete

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H75 90x5 or 88,9x4 22° | 2888614013905 | T60 |
| H89 95x5 35° | 2888614700000 | T60 Interaxle 35° |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H237 50,8x16T 22° T60 dust cover Spicer 1610 5-86-88 | 2888613016194 | |
| KAPPE Kappe / Dust cap / Joint cache poussiere / Junta estanqueidad / Coperchio / Колпачок | | |
| Dust cap for slip yokes 1550 / 1610 / T60 SCANIA | DUST CAP 1610 | |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H238 89x4 or 90x5 50,8x16T rilsan T60 | 2888611016196 | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H240 68x26T DIN 5482 rilsan | 2888408200100 | interaxle (DANA version only, genuine use 2800408017982) |
| WZUNMV- Wellenzap. u. nab. vollst./Slip assy/Ens.Coul./Junta corr./Scorrevole con tubo/Шлиц. вал и скользящ. вилка в сборе (с чехлом) | | |
| H353/114 89x4 or 90x5 50,8x16T 22° rilsan T60 | Not available | slip yoke 2888613016194 , stub shaft 2888611016196 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H335/160 095x5 68x26T DIN 5482 35° rilsan relube | 6888617782200 | T61 interaxle |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 90x5 | Tube 90x5 | 7C/ SCANIA T60 / SCANIA P300 series tube |
| Tube 95x5 | Tube 95x5 | SCANIA T70 / SCANIA P420 interaxle /T61 interaxle , under request |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H145 Ø 55 Ep20 22Zx54,8 89x4 or 90x5 Nut M50x1,5 | 2888611613906 | CF 2888615200000 , WDL 9110 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitransmissione / Присоединительный фланец | | |
| end yoke T60/T61 | 2888615200000 | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediare / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø55x20 Relube | WDL 9110 | |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediare / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut M50x1,5 SCANIA T60 - T70 | 1888008115003 | |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| SCANIA T61 interaxle shafts (160 mm slip , 35° tube 95x5) | | |
| T61 Lz.720/160 35° | 888610247070L0720 | Interaxle |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 44,00x149,00 lateral grease | WD 11657 | |
| BÜGEL / Brackets / Pontets / Aletas / Supporti crociera / Скоба | | |
| Bracket T60 c/w bolts | 1888616244000 | 2 brackets / u-joint required |

**SCANIA T70 - 50,00x164,00 obsolete**

| Dimensions | EDS Part Number | Comments |
|---|-----------------|---|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H86 95x5 or 94,7x5 22° | 2888714013907 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H266 62x12T 22° T70 | 2888713016195 | |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H261 La 110 95x5 62x12T rilsan T70 | 2888711016197 | |
| WZUNMV- Wellenzap. u. nab. vollst./Slip assy/Ens.Coul./Junta corr./Scorrevole con tubo/ Шлиц. вал и скользящ. вилка в сборе (с чехлом) | | |
| H347/110 95x5 62x12T 22° rilsan T70 | Not available | slip yoke 2888713016195 , stub shaft 2888711016197 |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 95x5 | Tube 95x5 | SCANIA T70 / SCANIA P420 interaxle /T61 interaxle , under request |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H132 Ø 55 Ep 20 22Zx54,8 95x5 Nut M50x1,5 | 2888611613906 | On request ,replaced by new 2888711616185,WDL 9110 |
| H147 Ø 55 Ep 20 22Zx54,8 95x5 Nut M50x1,5 | 2888711616185 | WDL 9110 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| End yoke T70 | 2888715200000 | |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | |
| Ø55x20 round relube | WDL 9110 | |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut M50x1,5 | 1888008115003 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 50,00x164,00 | WD 11757 | |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| for brackets 1888716250000 on request | | |
| BÜGEL / Brackets / Pontets / Aletas / Supporti crociera / Скоба | | |
| Bracket T70 c/w bolts | 1888716250000 | 2 brackets / u-joint required |

**TOYOTA 20,00x57,00**

| Dimensions | EDS Part Number | Comments | |
|--|-----------------|----------|-------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | |
| 20,00x57,00 | service free | WD 10950 | GMB TOYOTA service free |

TOYOTA 22,00x57,50 STAKED

| Dimensions | EDS Part Number | Comments | |
|--|-----------------|--------------|-------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | |
| 22,00x57,50 | staked | WD 40040 GMB | GMB TOYOTA staked |

TOYOTA 26,00x42,00I

| Dimensions | EDS Part Number | Comments | |
|--|-----------------|----------|-----------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | |
| 26,00x42,00 | 1xend lube | WD 20271 | GMB TOYOTA 1xend lube |

TOYOTA 26,00x53,30I

| Dimensions | EDS Part Number | Comments | |
|--|-----------------|----------|---------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | |
| 26,00x53,30 / 55,80I | lateral grease | WD 20267 | GMB TOYOTA lateral grease |

TOYOTA 28,58x49,00I

| Dimensions | EDS Part Number | Comments | |
|--|-----------------|---------------|--|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | |
| 28,58x49,00/56,80I | 1xend lube | WD 20541 | |
| ZG CV Zapfengelenk / CV-fixed joint / Joint fixe homo. / Junta fija homocinética / Giunto fisso homo. / Фланец в сборе с вилкой в трубу | | | |
| 105/4-08 H147 65,0x1,5 spigot MØ46 60/68,5 | | 9701290500001 | for alternative please see BC215 section |
| 105/4-10 H165 65,0x1,5 spigot MØ46 60/68,5 | | 9701290500002 | |
| 105/4-10 H165 65,0x1,5 spigot MØ46 60,0/60 | | 9701290500003 | |
| 105/4-10 H165 65,0x1,5 spigot MØ46 61,5/70 | | 9701290500004 | |
| 105/4-10 H165 50,8x2,4 spigot MØ46 66,0/66 | | 9701290500005 | |

TOYOTA 29,00x49,00I

| Dimensions | EDS Part Number | Comments | |
|---|-----------------|---------------------|---|
| ZG-Zapfengelenk / Fixed joint / Joint fixe / Junta fija / Giunto fisso / Фланец в сборе с вилкой в трубу | | | |
| SAE 105/4-10 H95 30° spigot Ø46 60/60 | | 7702290400000 | |
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | | |
| SAE 102/4-8 H45 30° spigot Ø46 54/64 TOYOTA | | Not available alone | See complete forklift shaft 9701290301013 |
| SAE 105/4-10 H45 30° spigot Ø46 60/60 TOYOTA | | 2701292700000 | See alternative 1310 version |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | | |
| H055 65x1,5 30° TOYOTA | | 2701294700000 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | | |
| H185 32x20T Ø 40 30° | | 2701293700000 | for stub shaft 2701291000000 |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | | |
| H193 32x20T 65x1,5 no rilsan TOYOTA | | 2701291000000 | |
| DHÜV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | | |
| H098 TOYOTA | | 6701290900100 | |
| H128 TOYOTA | | 6701290900000 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | | |
| Tube 65,00x1,5 | | Tube 65x1,5 | TOYOTA tube not available |
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermédiaire / Puente central / Supporto oscillante / Подвесной подшипник | | | |
| Ø30x148,7x13 H56 TOYOTA HI-LUX | | WDL 9085 | |
| Ø30x147,0x13 LL H56 TOYOTA HILUX Monotron SF | | WDL 9229 | |
| ZWG-Zwischenwellengelenk / Mid end assy / Ensemble palier / Conjunto puente / Gruppo supporto / Шлицевой вал под подвесной подшипник | | | |
| ZWG H120 SAE 105/4-10 65x1,5 | | 7701290900000 | WDL 9085 |
| ZWG H200 Strang Toyota HILUX Strang SF | | 7701290900100 | WDL 9229 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | |
| 29x49/52I | central grease | WD 20295 | EDS |
| 29x49/52I | central grease | WD 22295 | GMB |
| 29x49/52I | 1xend lube | WD 20301 | EDS |
| 29x49/52I | 1xend lube | WD 20301 | GMB |
| 29x49/52I | service free | WD 21330 | EDS |

**TOYOTA 32,00x61,00I**

| Dimensions | EDS Part Number | Comments |
|--|-----------------|------------------------------|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| 112/4-11,2 H41 22° spigot Ø 46 60/68 TOYOTA | 2701322446200 | |
| 117/4-11,2 H41 22° spigot Ø 46 66/66 TOYOTA | 2701322446100 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H47 65x1,5 25° TOYOTA | 2701324000000 | |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H158 32x20T Ø40 outside | 2701323000150 | |
| H190 32x20T Ø40 outside | 2701323000090 | |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H157 32x20T 65x1,5 no rilsan | 2701321000000 | for slip yokes 2701323000150 |
| H235 32x20T 65x1,5 no rilsan | 2701321000235 | for slip yokes 2701323000190 |
| DHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H098 TOYOTA | 6701290900100 | |
| H128 TOYOTA | 6701290900000 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 65,00x1,5 | Tube 65x1,5 | TOYOTA tube not available |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 32x61/63,8l | lateral grease | WD 20287 |

TOYOTA 34,00x106,80

| Dimensions | EDS Part Number | Comments |
|--|-----------------|------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 34,00x106,80 | lateral grease | WD 10967 GMB TOYOTA |

DAIHATSU 20,02x54,60

| Dimensions | EDS Part Number | Comments |
|--|-----------------|----------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 20,02x54,60 | 1xend lube | WD 11061 DAIHATSU |

DAIHATSU 22,50x34,90I

| Dimensions | EDS Part Number | Comments |
|--|-----------------|---------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 22,50x34,90 | 1xend lube | WD 20441 GMB DAIHATSU or EDS |

DAIHATSU 24,09x48,26I

| Dimensions | EDS Part Number | Comments |
|--|-----------------|----------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 24,49x48,26l | 1xend lube | WD 21091 DAIHATSU |

DAIHATSU 28,00x80,00

| Dimensions | EDS Part Number | Comments |
|--|-----------------|---------------------|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| SAE 113/4-10 H50 30° | 2707282450000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H48.5 65x1,5 30° | 2707284700000 | Under request |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H240 30x16T 30° | 2707283700000 | |
| WZ-Wellenzapfen / Stub shaft / Embout coulissant / Barrón estriado / Codulo scanalato / Шлицевой вал | | |
| H218 30x16T 65x1,5 no rilsan | 2707281200000 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 65,00x1,5 | NA | please use 63,5x2,4 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 28,00x80,00 | lateral grease | WD 11075 EDS |

DAIHATSU 30,00x55,10I

| Dimensions | EDS Part Number | Comments |
|--|-----------------|-----------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 30,00x55,10/61,10l | central grease | WD 21255 EDS |

**ISUZU 20,00x56,50**

| Dimensions | EDS Part Number | Comments |
|--|-----------------|----------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 20,00x56,50 lateral grease | WD 11087 | EDS |

ISUZU 23,82x61,29

| Dimensions | EDS Part Number | Comments |
|--|-----------------|----------|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| SAE 88/4-8 H30 22° spigot Ø 54 56/46 | 2711242454000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H42 65x1,50 22° | 2711244400000 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 20,00x56,50 lateral grease | WD 11087 | EDS |

ISUZU 29,00x50,001

| Dimensions | EDS Part Number | Comments |
|--|-----------------|----------|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| SAE 105/4-10,2 H46 30° spigot Ø 65 69/50 | 2711292465000 | |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H47 63,5x2,4 30° | 2711294000000 | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 29,00x50,00/53,10 lateral grease | WD 20487 | EDS |
| 29,00x50,00/53,10 lateral grease | WD 20487 GMB | GMB |

ISUZU 29,00x69,001

| Dimensions | EDS Part Number | Comments |
|--|-----------------|----------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 29,00x69,00/72,201 lateral grease | WD 21397 | EDS |

ISUZU 35,00x103,92

| Dimensions | EDS Part Number | Comments |
|--|-----------------|----------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 35,00x103,92 central grease | WD 13725 | GMB |
| See 1410/1480 section for alternative parts on this series | | |

ISUZU 36,00x97,00 Strap

| Dimensions | EDS Part Number | Comments |
|--|-----------------|----------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 36,00x97,00 Strap lateral grease | WD 30367 | GMB |

ISUZU 40,00x115,00

| Dimensions | EDS Part Number | Comments |
|--|-----------------|----------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 40,00x115,00 central grease | WD 14485 | GMB |

**MITSUBISHI / HYUNDAI 30,00x55,10I**

| Dimensions | EDS Part Number | Comments |
|---|---------------------|--|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| SAE 110/4-10,2 spigot Ø45 64/64 male - square | Not available alone | See complete shafts Hyundai Terracan |
| SAE 115/4-10,2 spigot Ø45 69/58 male - square | Not available alone | See complete shafts Hyundai Terracan |
| SAE 130/4-10,2 spigot Ø45 74/74 male - square | Not available alone | See complete shafts Hyundai Terracan |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| SAE130/4-10 Ø45 74/74 Lz1050 SAE110/4-10 Ø45 64/64 | W71228 | 49020 - H1160 , Hyundai Terracan Rear Shaft |
| SAE115/4-10 Ø45 69/58 Lz1062 SAE130/4-10 Ø45 74/74 | W71226 | 49020 - H1322 , Hyundai Terracan GLS 2,9L Automatic. |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 30,00x55,10/58,10I | central grease | WD 20425 |
| 30,00x55,10/58,10I | central grease | WD 20425 |
| | | GMB |
| | | EDS |

NISSAN 28,58x49,00I

| Dimensions | EDS Part Number | Comments |
|--|-----------------|-------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 28,58x49,00/56,80I | 1xend lube | WD 20541 |
| ZG CV Zapfengelenk / CV-fixed joint / Joint fixe homo. / Junta fija homocinética / Giunto fisso homo. / Фланец в сборе с вилкой в трубу | | |
| 115/4-10 H165 50,8x2,4 spigot ØM50 57/57 | 9704290500100 | |
| 115/4-12 H165 45,0x3,0 spigot ØM65 67/67 | 9704290500150 | |
| 115/4-12 H148 50,0x2,5 spigot ØF65 67/67 | 9704290500200 | 1310 Series alternative |
| 115/4-12 H165 45,0x3,5 spigot ØF65 67/67 | 9704290500250 | |
| 115/4-12 H145 45,0x3,5 spigot ØM65 67/67 | 9704290500300 | 1310 Series alternative |

**2C WING BEARINGS 80M20**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H26 50x3 20° | 2880024000000 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H160/050 20° 30,2x16T relube | 6880021030000 | |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 50,0x3,0 | Tube 50x3 | 287.10/ELBE 109/ELBE 110/2C IC-UG/4C IC-UG / 184.10 series tube |
| DOM-Doppelmitnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H-pieces on request | | |
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | |
| L.75 20° LWD | 880029506262L0075 | BOBCAT |
| L.74 20° LWD/LWT | 880029566262L0074 | DOOSAN A271042 |
| L.120 20° LWD | 880029566262L0120 | DOOSAN A141179 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| Lz.165/025 LWT/LWD | 880029306363L0165 | KOMATSU 42Y-20-HOP07 |
| Lz.168/030 LWD | 880029366262L0168 | DOOSAN A123651 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 33,30x59,50 LWD | WD 60511 | EDS |
| 33,30x59,50 LWD/LWT | WD 60521 | EDS |
| 33,30x59,50 LWT | WD 60561 | EDS |
| 33,30x59,50 LWT | WD 61567 | GMB |
| 26,97x81,70/2C LWT | WD 501712 | 1310 / 2C LWT |
| 25,4x54,70/59,4I/2C LWD | WD 502412 | GMB |
| 25,4x54,70/59,4I/2C LWT | WD 502912 | GMB |
| SKTTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| Bolt 5/16"-24UNFx 1 1/2 " DIN 933 12.9 34 Nm | 1880008015624 | |
| Bolt 5/16"-24UNFx 7/8 " DIN 933 12.9 34Nm | 1880008015621 | |
| Bolt 5/16"-24UNFx 3/4 " DIN 933 12.9 34Nm | 1880008015622 | |

3C WING BEARINGS

| Dimensions | EDS Part Number | Comments |
|---|-----------------|-------------------------|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H26 60x3 20° 5/16"-24UNF | 2880034000000 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H150/45 63,5x3,25 20° 34,9x10T | 6880031030000 | |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 60,0x3,0 | Tube 60x3 | 287.10 / 3C series tube |
| DOM-Doppelmitnehmer / H-Piece / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| 2,5R center yoke assy CV | 2880252056000 | ROCKFORD |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 36,50x69,90 HWD | WD 603712 | |
| 36,50x69,90 LWT | WD 60507 | EDS |
| 36,50x69,90 LWD | WD 61027 | |
| 28,60x60,1/64,9/3C LWT | WD 50197 | |
| 28,60x60,1/64,9/3C HWD | WD 50355 | |
| SKTTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| Bolt 5/16"-24UNF x 1 1/2 " DIN 933 12.9 34 Nm | 1880008015624 | |
| Bolt 5/16"-24UNF x 7/8 " DIN 933 12.9 34Nm | 1880008015621 | |
| Bolt 5/16"-24UNF x 3/4 " DIN 933 12.9 34Nm | 1880008015622 | |

4C WING BEARINGS 108M40

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H35 50,0x3,0 22° | 2880044014867 | |
| H40 63,5x2,4 30° | 2880044700000 | Obsolete |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H161/50 50,0x3,0 20° 35x2x16 DIN5480 | 6880041314861 | relube , obsolete , replaced by 6888041030100 |
| H161/50 50,0x3,0 22° 35x2x16 DIN5480 | 6880041030100 | rilsan relube |
| H230/64 63,5x2,4 30° 35x2x16 DIN5480 | 6880041037200 | obsolete with stock |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC/Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H125/045 20° | 6880047030125 | |
| H195/070 25° | 68800470302000195 | obsolete with stock |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 50x3 | Tube 50x3 | 287.10 /ELBE 109 / ELBE 110 /2C IC-UG / 4C IC-UG / 184.10 tube |
| Tube 63,5x2,4 | Tube 63,5x2,4 | 687.15 / 1300 / 1310 /1 350 / 4C DANA / 1410 series tube |
| DOM-Doppelmitnehmer / Center plate / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H024 15° | 2880049000024 | |
| H038 20° | 2880049000038 | on request |
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | |
| H086 15° LWT/HWD | 880049506363L0086 | |
| H116 15° HWD | 880049506060L0116 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| H178/028 15° 35x2x16 DIN5480 HWD | 880049306060L0178 | |
| H186/028 22° 35x2x16 DIN5480 HWD | 880049306060L0186 | |
| H201/035 22° 35x2x16 DIN5480 HWD | 880049306060L0201 | |
| H225/043 22° 35x2x16 DIN5480 HWD | 880049306060L0225 | |
| H257/050 22° 35x2x16 DIN5480 HWD | 880049306060L0257 | |

**4C WING BEARINGS 108M40**

| Dimensions | | | EDS Part Number | Comments |
|--|---------|----------------|-----------------|----------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | |
| 36,50x87,30 | HWD | lateral grease | WD 60447 | DANA |
| 36,50x87,30 | HWD | service free | WD 60460 | DANA |
| 36,50x87,30 | HWD | lateral grease | WD 60457 | EDS |
| 36,50x87,30 | HWD | service free | WD 60450 | EDS |
| 36,50x87,30 | LWT | lateral grease | WD 60357 | GMB |
| 36,50x87,30 | LWD | lateral grease | WD 60317 | EDS |
| 36,50x87,30 | HWD/LWT | lateral grease | WD 60487 | EDS |
| 30,18x106,30 / 4C | HWD | lateral grease | WD 50067 | DANA |
| 30,18x106,30 / 4C | HWD | service free | WD 50460 | DANA |
| 28,60x077,60/82,401 / 4C | HWD | lateral grease | WD 50377 | GMB |
| 28,60x077,60/82,401 / 4C | LWT | lateral grease | WD 50397 | |
| 28,60x077,60/82,401 / 4C | LWD | lateral grease | WD 50027 | |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | | | |
| Bolt 5/16"-24UNFx1 1/2" DIN 933 12.9 34 Nm | | | 1880008015624 | |
| Bolt 5/16"-24UNFx 7/8 " DIN 933 12.9 34Nm | | | 1880008015621 | |
| Bolt 5/16"-24UNFx 3/4 " DIN 933 12.9 34Nm | | | 1880008015622 | |
| Bolt M8x1x40 DIN960 35 Nm 10.9 or 8.8 31 Nm | | | M8x1x40 | |

5C WING BEARINGS 115M50

| Dimensions | | | EDS Part Number | Comments |
|---|---------------|--|-------------------|--------------------------------------|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | | | |
| H066 20° 5R incl repair kit | | | 2880052056000 | ROCKFORD 516 , BORG WAGNER |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | | | |
| ZM H45 | 58,0x4,00 30° | | 2880054017759 | Old IC-UG replaced by 2880054014868 |
| ZM H42 | 58,0x4,00 30° | | 2880054014868 | DANA |
| ZM H44 | 60,0x4,00 30° | | 2880054000000 | ELBE |
| ZM H44 | 60,0x4,00 30° | | 2880054000010 | ELBE metric M10x1,25 |
| ZM H55/72 | 63,5x4,05 30° | | 2880054700100 | DANA obsolete with stock, solid base |
| ZM H37 | 74x4,5 30° | | 2880054700200 | DOOSAN |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | | | |
| H190/060 58x4 30° 45x2x21 DIN5480 | | | 6880051314862 | replaced by 6880051030120 |
| H190/060 58x4 30° 45x2x21 DIN5480 rilsan | | | 6880051030120 | DANA |
| H258/120 58x4 30° 42x2x20 DIN5480 rilsan | | | 6880057080220 | DANA |
| H206/105 60x4 30° 42x2x20 DIN5480 rilsan | | | 6880057080200 | ELBE |
| H230/140 60x4 30° 42x2x20 DIN5480 rilsan | | | 6880057080250 | ELBE metric M10x1,25 |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC/Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | | | |
| H131/26 17° 42x2x20 DIN5480 rilsan | | | 6880057030131 | DANA |
| H148/20 08° 42x2x20 DIN5480 rilsan | | | 6880057030148 | |
| H153/45 17° 42x2x20 DIN5480 rilsan | | | 6880057030153 | DANA |
| H192/35 17° 42x2x20 DIN5480 rilsan | | | 6880057030192 | |
| H201/45 25° 42x2x20 DIN5480 rilsan | | | 6880057030201 | |
| H220/65 25° 42x2x20 DIN5480 rilsan | | | 6880057030220 | |
| H225/72 25° 42x2x20 DIN5480 rilsan | | | 6880057030225 | |
| H235/55 25° 42x2x20 DIN5480 rilsan | | | 6880057030235 | |
| H240/60 30° 42x2x20 DIN5480 rilsan | | | 6880057030240 | |
| H270/55 25° 42x2x20 DIN5480 rilsan | | | 6880057030270 | obsolete replaced by 6880057080272 |
| H270/90 30° 42x2x20 DIN5480 rilsan | | | 6880057030272 | |
| H280/60 30° 42x2x20 DIN5480 rilsan | | | 6880057030280 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | | | |
| Tube 58x4 | | | Tube 58x4 | |
| Tube 60x4 | | | Tube 60x4 | |
| STEHLAGER-Stehlager / Pillow block bearing / Palier rigid / Soporte puente central rígido / Cuscino rigido / Подвесной подшипник | | | | |
| Ø45x146 w/ring | | | WDL 9348 | FAG/SKF |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | | | |
| Nut | | | 1880058001036 | required washer 1880051900015 |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | | | |
| Washer | | | 1880051900015 | |
| ZWUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | | | |
| H210 Ø45 40x25T 58x4 | | | 6880051652010 | |
| DOM-Doppelmitnehmer / Center plate / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | | | |
| H031 15° | | | 2880059000031 | |
| H035 18° | | | 2880059000035 | |
| H039 20° | | | 2880059000039 | |
| H046 20° | | | 2880059000046 | |
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | | | |
| H116 20° HWD | | | 880059506060L0116 | |
| 5C LWD - NM 62,8mm/43,6x40 Z24- LF.160 | | | 8800595068NML0160 | A433233 DOOSAN |
| H170 20° LWT CV 5R | | | 78800508000531 | ROCKFORD 512 , BORG WAGNER 71004676 |
| H184 70x4 5C CV 3/8" - 24UNF bolts | | | 7880050800100 | ELBE |
| MR-Mitnehmerring / Center yoke / Bol / Junta Doble palier / Corpo centrale / Сдвоенная вилка | | | | |
| H066 20° LWT 5R BORG WAGNER included repair kit | | | 2880052056000 | ROCKFORD 516 , BORG WAGNER |

**5C WING BEARINGS 115M50**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|----------------------|
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| Lz.155/020 07° 45x2x21 DIN5480 HWD rilsan relube | 880059306060L0155 | DANA |
| Lz.186/020 10° 45x2x21 DIN5480 HWD rilsan relube | 880059306060L0186 | DANA on request |
| Lz.201/026 17° 45x2x21 DIN5480 HWD rilsan relube | 880059306060L0201 | DANA |
| Lz.223/045 17° 45x2x21 DIN5480 HWD rilsan relube | 880059306060L0223 | DANA |
| Lz.232/045 17° 45x2x21 DIN5480 HWD rilsan relube | 880059306060L0232 | DANA on request |
| Lz.256/045 17° 45x2x21 DIN5480 HWD rilsan | 880059306060L0256 | KOMATSU 4002 814 M91 |
| Lz.295/072 17° 45x2x21 DIN5480 HWD rilsan | 880059306060L0295 | O&K |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissions scorrevoli / карданный вал | | |
| Lz.0545/105 30° 60x4 HWD | 880050206060L0545 | FAUN 7207 723 |
| Lz.1500/140 30° 60x4 HWD | 880050216060L1500 | KOMATSU 42R-20-16180 |
| Lz.1598/140 30° 60x4 HWD | 880050216060L1598 | KOMATSU 42R-20-16170 |
| Note : for other lengths or OEM part numbers please contact WELTE sales team | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 42,90x88,90 HWD lateral grease | WD 60387 | DANA |
| 42,90x88,90 HWD lateral grease | WD 60347 | EDS |
| 42,90x88,90 HWD/LWT lateral grease | WD 60397 | DANA |
| 42,90x88,90 HWD/LWT lateral grease | WD 60367 | EDS |
| 42,90x88,90 HWD service free | WD 60410 | DANA |
| 42,90x88,90 LWT lateral grease | WD 60427 | GMB |
| 42,90x88,90 LWT/LWD lateral grease | WD 60437 | EDS |
| 42,90x88,90 LWD lateral grease | WD 60677 | GMB |
| 42,90x88,90 HWD/LWD lateral grease | WD 60887 | EDS |
| 30,18x106,30 / 5C HWD 5C / 1410 lateral grease | WD 50187 | DANA |
| ZKG 34,90x106,40/5C HWD 5C / 1480 lateral grease | WD 50057 | DANA |
| ZKG 34,90x106,40/5C LWT 5C / 1480 lateral grease | WD 50287 | GMB |
| ZKG 34,90x106,40/5C HWT 5C / 1480 service free | WD 50250 | DANA |
| ZKG 38,00x106,00/5C HWD 5C / 113 2xend lube | WD 50122 | ELBE 5C |
| ZKG 38,00x106,00/5C HWD 5C / 113 2xend lube | WD 50442 | ELBE 5C -CV |
| ZKG 32,00x083,90/881 /5C HWD lateral grease | WD 50167 | GMB 5C - KOMATSU |
| ZKG 33,30x079,20/841/5C LWT lateral grease | WD 50217 | EDS |
| ZKG 33,40x079,20/841/5C HWD lateral grease | WD 50207 | EDS KOMATSU |
| ZKG 33,30x079,20/841/5C HWT lateral grease | WD 50487 | FIAT , M10x1 |
| ZKG 33,30x079,20/841/5C HWD lateral grease | WD 53007 | FIAT - Campagnola |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| Bolt 3/8"x 1" 10.9 DIN933 DANA SIC 55 - 65 Nm | 1880008015619 | |
| Bolt 3/8"x 1 3/4" 10.9 DIN 933 ELBE 55 - 65 Nm | 1880008015627 | |
| Bolt M10x1,25x45 10.9 DIN 933 ELBE 55-65 Nm | 1880008015628 | |
| Bolt M10x1,50x45 10.9 DIN 933 DANA 55-65 Nm | 1880008015629 | |

6C WING BEARINGS 140M60

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 150/4-M12 / 6C H20 10° | 2880062000000 | adaptor flange |
| DIN 150/4-M12 / 6C H20 10° | 2880062000100 | adaptor flange |
| 6C CV H66 25° | 2880062056000 | ROCKFORD 518 , BORG WAGNER |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H47 70x4 25° | 2880064000000 | ELBE |
| H47 80x3,5 25° | 2880064700100 | EDS |
| H40 70x4 28° | 2880064014869 | DANA |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H97 25° 40x2x25T DIN5480 | 2880065200100 | KOMATSU 42Y-20-H0P01 + FIAT HITACHI |
| H200 25° 1 3/4"-16 | 2880063000000 | DOOSAN |
| H241 25° 1 3/4"-16 | 2880063000100 | USA , under request , for slip assy ysa 6880067132415 |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H225 1 3/4"-16 74x4,5 | 2880061000000 | DOOSAN |
| H365/101 1 3/4"-16 76,2x2,4 | 2880067200365 | USA , under request , for slip assy ysa 6880067132415 |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| WZ Stub shaft + NM slip yoke (WZUNMV) | | |
| H198/060 70x4 25° 45x2 DIN5480 | 6880061314863 | obsolete replaced by 6880061030100 |
| H198/060 70x4 25° 45x2 DIN5480 rilsan | 6880061030100 | DANA |
| H215/064 70x4 25° 45x2 DIN5480 rilsan | 6880061037200 | DANA USA obsolete |
| WM yoke shaft + NH sleeve (WMUNHV) | | |
| H241/105 70x4 25° 50x2,0 DIN5480 rilsan | 6880067080220 | ELBE |
| H241/120 70x4 25° 50x2,0 DIN5480 rilsan | 6880067080230 | ELBE |
| H242/120 70x4 25° 45x2,5 DIN5480 rilsan | 68800670802000258 | DANA |
| H240/100 80x3,5 25° 52x2,5 rilsan | 6880067080250 | EDS |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC / Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H135/015 08° 50x2 DIN5480 rilsan | 6880067030135 | |
| H150/020 10° 50x2 DIN5480 rilsan | 6880067030150 | |
| H190/050 15° 50x2 DIN5480 rilsan | 6880067030190 | |
| H202/060 25° 50x2 DIN5480 rilsan | 6880067030202 | |
| H210/060 25° 50x2 DIN5480 rilsan | 6880067030210 | |
| H230/072 25° 50x2 DIN5480 rilsan | 6880067030230 | |
| H260/080 25° 50x2 DIN5480 rilsan | 6880067030260 | |
| H275/080 25° 50x2 DIN5480 rilsan | 6880067030275 | |
| H415/101 25° 44,45x16T | 6880067132415 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 70,00x4,00 | Tube 70x4 | 6C / ELBE 113 / UNIMOG 587.12 series tube |

**6C WING BEARINGS 140M60**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H240 Ø55 74x4,5 | 2880061600000 | DOOSAN |
| H154 Ø60 Ep 110 40x2x25Z DIN5480 Nut 1880058001036 | 2880061600200 | DANA , see also complete mid end assy 6880061652020 |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| H097 40x2x25T DIN 5480 3/8" - 24UNF | 2880065200200 | |
| H108 45x42x33T SAE 3/8" - 24UNF | 2880065200300 | |
| STEHLAGER-Stehlager / Pillow block bearing / Palier rigid / Soporte puente central rígido / Cuscino rigido / Подвесной подшипник | | |
| Ø45x146 | WDL 9348 | FAG/SKF |
| Ø55x171x26 H62 | WDL 9359 | INA rigid |
| Ø70x210x47 H80 | WDL 9347 | INA rigid |
| Note : for other FAG / INA / SKF rigid options please contact WELTE sales service | | |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut 5/6C | 1880058001036 | DANA , required washer 1880051900015 |
| SCHIEBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer 5/6C | 1880051900015 | DANA |
| ZWUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| H210 Ø45 Ep 070 40x2x25T DIN5480 70x4 | 6880061652010 | DANA |
| H210 Ø50 Ep 090 40x2x25T DIN5480 70x4 | 6880061617480 | KOMATSU |
| H170 Ø55 Ep 075 40x2x25T DIN5480 70x4 | 6880061652002 | DANA |
| H230 Ø60 Ep 110 40x2x25T DIN5480 70x4 | 6880061652020 | DANA - FIAT HITACHI, see mid stub 2880061600200 |
| DOM-Doppelmitnehmer / Center plate / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H28,5 10° | 2880069000028 | DANA on request |
| H034 10° | 2880069000034 | DANA on request |
| H057 19° | 2880069000057 | DANA on request , use CAT 9880060500127 |
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | |
| H162 HWD 43° CV | 7880060800162 | DANA or BORG WAGNER 4-71467 and 4-71474 |
| H151 HWD 40° CV service free | 9880060550006 | DANA |
| H127 HWD 20° | 880069506060L0127 | CAT 5M7882 |
| H120 HWD 20° | 880069506060L0120 | KOMATSU 144-15-17101 |
| H188 HWD 20° metric | 880069506060L0188 | KOMATSU 419-20-H4010 |
| MR-Mitnehmerring / Center yoke / Bol / Junta Doble palier / Corpo centrale / Сдвоенная вилка | | |
| H087 25° | 2880069500087 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| Lz.165/021 10° 45x2x21 DIN5480 | 880069306060L0165 | O&K 1939033 |
| Lz.205/015 08° 50x2 DIN5480 | 880069306060L0205 | KOMATSU 42Y-20-H4310 |
| Lz.211/020 10° 50x2 DIN5480 | 880069306060L0211 | KOMATSU 42Y-20-H4300 |
| Lz.220/020 10° 50x2 DIN5480 | 880069306060L0221 | O&K 4571706 |
| Lz.241/050 25° 45x2x21 DIN5480 | 880069306060L0241 | |
| Lz.260/050 15° 50x2 DIN5480 | 880069306060L0260 | |
| Lz.280/075 28° 45x2x21 DIN5480 | 880069306060L0280 | KOMATSU 4002813M |
| Lz.310/075 29° 45x2x21 DIN5480 | 880069306060L0310 | |
| Lz.345/075 30° 45x2x21 DIN5480 | 880069306060L0345 | O&K |
| Lz.375/080 29° 45x2x21 DIN5480 | 880069106060L0375 | O&K |
| Note : for other short coupled shafts MECHANICS 6C not listed here please contact WELTE sales service | | |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| Lz.0760/120 24° HWD | 880060806060L0760 | KOMATSU 3085986M |
| Lz.0920/120 25° HWD | 880060806060L0920 | KOMATSU 3085985M91 |
| Lc.1100/120 25° HWD | 880060206060L1100 | KOMATSU 42Y-20-H2300 |
| Note : for other lengths or OEM part numbers on MECHANICS 6C series please contact WELTE sales service | | |
| ZW - Zwischenwelle / Mid ship shaft / Transmission à palier / Transmisión puente central/ Semitrasmissione fissa / промежуточный вал | | |
| L..523 Ø 55 HWD | 8800604060Z2L0523 | KOMATSU 42Y-20-H3300 |
| L. 640 Ø 60 HWD | 8800604060Z2L0640 | FIAT HITACHI 76032505 |
| Lz.641/30 Ø 55 HWD | 8800624060Z1L0641 | KOMATSU 419-20-H3010 |
| L.570 HWD | 8800604060Z3L0570 | DOOSAN 26000064A |
| L.577 HWD | 8800604660Z3L0577 | HYUNDAI 81LN30210 |
| Note : for another lengths or OEM number on MECHANICS 6C please contact WELTE sales service | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 42,90x114,30 6C LWT lateral grease | WD 60327 | EDS |
| 42,90x114,30 6C HWD lateral grease | WD 60267 | DANA |
| 42,90x114,30 6C HWD lateral grease | WD 60277 | EDS |
| 42,90x114,30 6C LWD lateral grease | WD 60657 | GMB |
| 42,90x114,30 6C LWD/LWT lateral grease | WD 60337 | GMB |
| 42,90x114,30 6C HWD/LWT lateral grease | WD 60287 | GMB |
| 42,90x114,30 6C HWD service free | WD 60300 | DANA |
| 42,90x114,30 6C HWD lateral grease | WD 60597 | DANA double key |
| 34,90x126,20 6C / 1550 LWT lateral grease | WD 50277 | DANA |
| 34,90x126,20 6C / 1550 HWD lateral grease | WD 50047 | DANA |
| 34,90x126,20 6C / 1550 HWD lateral grease | WD 51047 | GMB |
| 34,90x126,20 6C / 1550 HWD service free | WD 50260 | DANA |
| 38,00x106,00 6C / ELBE 113 HWD central grease | WD 50415 | ELBE 6C / 113 |
| 38,00x106,00 6C / ELBE 113 HWD 2xend lube | WD 50132 | ELBE 6C / 113 |
| 48,00x126,00 6C / E 158 / 358 HWD 2xend lube | WD 50232 | ELBE 6C / 158 |
| 33,34x105,08 6C LWT lateral grease | WD 50307 | EDS |
| 33,40x104,62/109,4 6C HWD lateral grease | WD 50407 | EDS |
| 33,40x104,62/109,4 6C LWT lateral grease | WD 50457 | EDS |
| 33,53x104,60/109,40 6C HWD lateral grease | WD 50147 | EDS KOMATSU |
| 34,00x104,60/109,40 6C HWD lateral grease | WD 50547 | EDS KOMATSU 418-20-32620, see WD5014 Ø33,53 |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| Bolt 3/8" x 1" 10.9 DIN 933 55 Nm | 1880008015619 | |
| Bolt 3/8 x 1 3/4" 10.9 DIN 933 55 Nm | 1880008015627 | |
| Bolt M10x1,25x45 10.9 DIN 933 55-65 Nm | 1880008015628 | |
| Bolt M10x1,50x45 10.9 DIN 933 55-65 Nm | 1880008015629 | |

**7C WING BEARINGS 148M70**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| 7C SAE 1710 203/8-9,6 | 2880072400000 | adaptor plate |
| CV 7R H58 25° LWT repair kit included | 2880072056000 | BORG WARNER 517 |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H54 80x4 25° 1/2" 20 UNF | 2880074000000 | ELBE |
| H50 80x5 25° 1/2" 20 UNF | 2880074014870 | obsolete replaced by 2880074017760 |
| H50 80x5 25° 1/2" 20 UNF | 2880074017760 | DANA |
| H50 90x5 25° 1/2" 20 UNF | 2880074018651 | DANA |
| H54 90x5 25° 1/2" 20 UNF | 2880074000200 | EDS |
| H65 100x3 25° 1/2" 20 UNF | 2880074400100 | |
| H70 120x5 25° 1/2" 20 UNF | 2880074400120 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H240/110 80x4 25° 55x2,5x20 DIN5480 rilsan | 6880077080200 | ELBE |
| H260/125 90x5 28° 55x2,5x20 DIN5480 rilsan | 6880077080260 | EDS |
| H242/130 90x5 25° 55x2,5x20 DIN5480 rilsan | 6880077080210 | DANA |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC/Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H130/015 17° 55x2,5x20T DIN5480 | 6880077030130 | |
| H143/015 25° 55x2,5x20T DIN5480 rilsan | 6880077030143 | |
| H158/020 25° 55x2,5x20T DIN5480 rilsan | 6880077030158 | |
| H178/045 25° 55x2,5x20T DIN5480 rilsan | 6880077030178 | |
| H198/075 25° 55x2,5x20T DIN5480 rilsan | 6880077030198 | |
| H202/060 25° 55x2,5x20T DIN5480 rilsan | 6880077030202 | |
| H210/060 25° 55x2,5x20T DIN5480 rilsan | 6880077030210 | |
| H227/075 25° 55x2,5x20T DIN5480 rilsan | 6880077030227 | |
| H257/080 25° 55x2,5x20T DIN5480 rilsan | 6880077030257 | |
| H290/100 25° 50,8x16T | 68800770302000310 | obsolete replaced by 6880077030306 |
| H306/080 25° 55x2,5x20T DIN5480 rilsan | 6880077030306 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| ROHR 80x4 | Tube 80x4 | ELBE 148 / 7C ELBE series tube |
| ROHR 88x4 | Tube 88x4 | 7C IC-UG series tube , can be replaced by 90x5 |
| ROHR 90x5 | Tube 90x5 | 7C / SCANIA T60 / SCANIA P300 series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H151 Ø60 Ep26 90x5 52x2,5x32T DIN5480 | 2880071600100 | CATERPILLAR + O&K |
| H208 Ø55/Ø65 Ep 95/45 90x5 55x2,5x35T DIN5480 | 2880071600200 | standard for companion flange 2880075200100 |
| H235 Ø65 89x4,5 | 2880071600300 | |
| H192 Ø60 90x4 | 2880071600400 | Hitachi |
| H212 Ø62 90x3,5 | 2880071600500 | Rockford |
| H212 Ø62 90x5 50x1,5 35spline | 2880071600550 | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| H96 55x2,5x35T | 2880075200100 | DANA for MIDSHIP 2880071600200 |
| STHELAGER-Stehlager / Pillow block bearing / Palier rigid / Soporte puente central rigido / Cuscino rigido / Подвесной подшипник | | |
| Ø060x190,5x53,1 H69,9 | WDL 9256 | FAG/SKF - CATERPILLAR - O&K |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut 7/8,5C 32x1,5 20UNF | 1880078001037 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer 7C / 8,5 CC DANA IC | 1880075000014 | |
| ZWUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| H220 Ø60 Ep 26 52x2,5x32T DIN5480 90x5 | 6880071652002 | CATERPILLAR + O&K , mid stub 2880071600100 |
| H245 Ø55/65 Ep 95/45 55x2,5x35T DIN5480 90x5 | 6880071652200 | DANA standard mid end assy 7C (*) |
| H225 Ø61,93 90x3,5 | 6880071652500 | CHALLENGER |
| DOM-Doppelmittnehmer / Center plate / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H37,6 10° | 2880079000037 | DANA , see double joint Lz 120 9880070592120 available |
| H41,6 12° | 2880079000042 | DANA on request , see double joint Lz 124 9880070500124 |
| H44,6 15° | 2880079000045 | DANA on request , double joint not available |
| H53,6 22° | 2880079000054 | DANA ,see double joint 988070556215 available |
| H57,6 10° | 2880079000058 | ELBE , metric |
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | |
| H120 10° HWD | 880079506060L0120 | KOMATSU |
| H124 12° HWD | 880079506060L0124 | KOMATSU |
| H136,4 22,5° HWD | 880079506060L0136 | O&K 7207737 |
| H140 10° HWD | 880079506060L0140 | KOMATSU 423-20-H4010 |
| H204 43° HWD CV | 9880070556204 | DANA 148M70 |
| H215 25° HWD CV | 9880070556215 | FURUKAWA , BORG WAGNER 532 |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| Lz.181/015 15° 2"-16 HWD | 880079306060L0181 | DAEWOO 122-00022 |
| Lz.225/015 25° 55x2,5x20 DIN5480 HWD rilsan | 880079306060L0225 | |
| Lz.232/015 25° 55x2,5x20 DIN5480 HWD rilsan | 880079306060L0232 | |
| Lz.238/020 25° 55x2,5x20 DIN5480 HWD rilsan | 880079306060L0238 | |
| Lz.260/060 25° 55x2,5x20 DIN5480 HWD rilsan | 880079366060L0260 | MOXY 513814 |
| Lz.262/060 25° 55x2,5x20 DIN5480 HWD rilsan SF | 880079366060L0262 | MAN |
| Lz.262/040 25° 55x2,5x20 DIN5480 HWD rilsan | 880079306060L0262 | CAT 8D3259 / 127-3365 |
| Lz.280/055 25° 55x2,5x20 DIN5480 HWD rilsan | 880079306060L0280 | CAT 174-0083 |
| Lz.280/055 25° 55x2,5x20 DIN5480 HWD rilsan | 880079366060L0280 | MAN 81 39106 6814 |
| Lz.310/060 25° 55x2,5x20 DIN5480 HWD rilsan | 880079306060L0310 | IRISBUS 42700079 |
| Lz.310/060 25° 55x2,5x20 DIN5480 HWD rilsan | 880079306060L0310 | VOLVO 11116165 |
| Lz.340/080 25° 55x2,5x20 DIN5480 HWD rilsan SF | 880079366060L0340 | CAT 242-6235 |
| Lz.351/045 25° 55x2,5x20 DIN5480 HWD rilsan SF | 880079366060L0351 | HITACHI 394341-1100000 |
| Lz.351/045 25° 7C HWD - 180/4-15 | 880079363360L0363 | 5006311069 IRISBUS |
| Lz.391/080 25° 55x2,5x20 DIN5480 HWD rilsan SF | 880079306060L0391 | O&K 7207801 |
| Note : for other lengths or OEM part numbers on MECHANICS 7C series please contact WELTE sales team | | |

**7C WING BEARINGS 148M70**

| Dimensions | | EDS Part Number | | Comments |
|--|-----------|-------------------|-----------|--|
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissions scorrevoli / карданный вал | | | | |
| 7C HWD Lz 695/110 25° | | 706410106060L0695 | | KOMATSU WD 50157 u-joint |
| 7C HWD Lz.762/130 25° | | 880070266060L0762 | | HITACHI 388341-12001 |
| Note : for other lengths or OEM part numbers on MECHANICS 7C series please contact WELTE sales team | | | | |
| ZW - Zwischenwelle / Mid ship shaft / Transmission à palier / Transmisión puente central/ Semitransmissione fissa / промежуточный вал | | | | |
| Lz 680/70 HWD , special Komatsu mid stub | | 8800704060Z1L0680 | | KOMATSU 423-20-H3010 |
| Note : for other lengths or OEM part numbers on MECHANICS 7C series please contact WELTE sales team | | | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | |
| 49,20x117,50 | HWD | lateral grease | WD 60227 | DANA SIC |
| 49,20x117,50 | HWD | lateral grease | WD 63297 | ROCKFORD on request |
| 49,20x117,50 | HWD | lateral grease | WD 622214 | DANA SIC - MAN |
| 49,20x117,50 | HWD | lateral grease | WD 62297 | GMB |
| 49,20x117,50 | HWD | lateral grease | WD 60297 | EDS |
| 49,20x117,50 | HWD | lateral grease | WD 61097 | EDS KOYO 10mm bolt holes |
| 49,20x117,50 | HWD | service free | WD 60230 | DANA |
| 49,20x117,50 | HWD | service free | WD 60980 | EDS |
| 49,20x117,50 | HWD | 2xend lube | WD 60902 | DANA |
| 49,20x117,50 | LWT | lateral grease | WD 60407 | GMB |
| 49,20x117,50 | LWD | lateral grease | WD 60667 | GMB |
| 49,20x117,50 | LWT/HWD | lateral grease | WD 60247 | GMB |
| 49,20x117,50 | LWT/LWD | lateral grease | WD 60257 | GMB |
| 41,30x142,10 7C/1650 | HWD | lateral grease | WD 50017 | DANA |
| 41,30x142,10 7C/1650 | HWT 7/16" | lateral grease | WD 50537 | GMB |
| 41,30x142,10 7C/1650 | HWD | lateral grease | WD 51017 | EDS |
| 41,20x104,30/110,8/7C | HWD | lateral grease | WD 50157 | EDS KOMATSU 14X-11-11-110 inside circlip |
| 47,60x135,00 7C/1610 | HWD | 2xend lub | WD 50552 | EDS |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | | | |
| Bolt 7/16"-20UNFx1" DIN 933 10.9 100 Nm | | 1880008015620 | | LWT u-joints |
| Bolt 1/2" -20UNFx2" DIN 933 10.9 100 Nm | | 1880008015628 | | HWD u-joints |
| M12x1,50x60 DIN960 10.9 90-120 Nm | | M12x1,5x60 | | ELBE METRIC special |
| M12x1,75x60 DIN960 10.9 90-120 Nm | | M12x1,75x60 | | DANA METRIC on request |

ARVIN MERITOR / ROCKWELL - WING BEARINGS 58WB

| Dimensions | | EDS Part Number | | Comments |
|---|---------|-----------------|----------|--|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | | | |
| H46 90x3 25° | | 2880584000000 | | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | | | |
| Yoke shaft + slip yoke (WZUNMV) | | | | |
| H265/110 90x3 25° | | 6880581030100 | | under request |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | | | |
| ROHR 90,0x3,0 | | Tube 90,0x3,0 | | 687.30/1550 special/SPL55/506/687.25/ROCKWELL 58WB |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | |
| 49,20x108,00 | HWD | lateral grease | WD 60067 | |
| 49,20x108,00 | LWT | lateral grease | WD 60047 | |
| 49,20x108,00 | HWD/DWT | lateral grease | WD 60857 | |
| 34,9x126/49,2x108 1550/58WB | HWT | lateral grease | WD 50527 | conversion kit 58WB / 1550 |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | | | |
| Bolt 7/16" -20UNF x1,12" | | SP1010 | | ARVIN MERITOR ROCKWELL |
| Bolt 7/16" -20UNF x2" | | SP1012 | | ARVIN MERITOR ROCKWELL |

TWIN DISC - WING BEARINGS TDJ 170

| Dimensions | | EDS Part Number | | Comments |
|--|-----|---------------------------|----------|--------------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | |
| 62,00x125,20 | HWD | TDJ170 lateral grease | WD 60057 | USA - TDJ170 |
| 71,4x123,8/62,0x125,2 | HWD | 8,5C/TJ170 lateral grease | WD 60107 | AEC-384 , HWD 8,5C / J170 conversion |

IC-UG - WING BEARINGS 180M146

| Dimensions | | EDS Part Number | | Comments |
|--|-----|-----------------|----------|---------------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | |
| 60,00x146,00 | HWD | lateral grease | WD 65117 | |
| 71,4/60,0 x123,8/146,0 | HWD | central grease | WD 60965 | EDS 8,5C / 180M146 HWD conversion kit |

**8C WING BEARINGS 206M80**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H68 90x4 or 92x5 30° 1/2" | 2880084000000 | obsolete with stock |
| H65 93x5 30° 1/2" | 2880084014871 | DANA obsolete with stock |
| H65 100x6 30° 1/2" | 2880084000100 | DANA |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H257/076 93x5 25° 69.85x26T | 6880081314832 | DANA obsolete with stock |
| H300/110 100x6 30° 75x2,5x28 DIN5480 rilsan SF | 6880087080250 | DANA |
| H350/110 90x4 25° 60x2,5x22 DIN5480 rilsan SF | 6880087080200 | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC/Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H232/050 25° 60x2,5x22 DIN 5480 rilsan | 6880087030232 | |
| H262/060 30° 75x2,5x28 DIN 5480 rilsan | 6880087030262 | DANA , see short couple shaft 9880080310344 DANA SIC |
| H297/075 30° 75x2,5x28 DIN 5480 rilsan | 6880087030297 | DANA |
| H352/110 25° 60x2,5x22 DIN 5480 rilsan | 6880087030352 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 90x4 | Tube 90x4 | 8C ELBE /1650 /ELBE 158/358 /1600 / 1550 (89x3,4) series tube |
| Tube 92x5 | Tube 92x5 | 8C IC-UG / 186.33/286.33 / VOLVO NK 400 / P520 series tube |
| Tube 100x6 | Tube 100x6 | 587.35 / VOLVO NK500 /8.5C IC-UG / 8C IC-UG series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| mid stubs available on request , please contact sales team | | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| companion flanges available on MECHANICS 8C series on request | | |
| BUMU-Bundmutter / Nut / Ecrou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | |
| Nut 7/8,5C 32x1,5 20UNF | 1880078001037 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer 7C / 8,5 C | 1880075000014 | |
| DOM-Doppelmitnehmer / Center plate / Double MBM / Horquilla fija doble / Forcella doppia / Н - образный шарнир, корпус сдвоенного шарнира | | |
| H050 30° 8C 1/2 " - 20 UNF | 2880089000050 | |
| H95,6 30° 8C 1/2 " - 20 UNF | 2880089000096 | on request , see DG 9880080500178 |
| H155 30° 8C 1/2 " - 20 UNF | 2880089000155 | on request , see DG 9880080500237 |
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | |
| H178 30° HWD | 880089506060L0178 | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| Lz.365/075 30° 75x2,5x28 DIN5480 HWD rilsan relube | 880089306060L0365 | |
| Lz.344/060 30° 75x2,5x28 DIN5480 HWD rilsan relube | 880089306060L0344 | VCE 4881671-4 |
| Note : for another lengths or OEM part numbers on MECHANICS 8C series please contact WELTE sales team | | |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| 8C HWD Lc.520/110 30° 8C HWD rilsan | 880080206060L0520 | |
| Note : for another lengths or OEM part numbers on MECHANICS 8C series please contact WELTE sales team | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 49,2x174,60 HWD lateral grease | WD 60207 | DANA |
| 49,2x174,60 HWD lateral grease | WD 60757 | EDS |
| 49,2x174,60 HWD service free | WD 60190 | DANA |
| 49,2x174,60 LWD lateral grease | WD 61037 | GMB |
| 49,2x174,60 LWT lateral grease | WD 60177 | DANA |
| 49,2x174,60 LWT/LWD lateral grease | WD 60577 | GMB |
| 49,2x174,60 LWT/HWD lateral grease | WD 60167 | EDS |
| 41,30x168,26l / 8 C HWD lateral grease | WD 50437 | GMB , inside circlip |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| Bolt 1/2"-20UNFx 2" DIN 933 10.9 100 Nm | 1880008015628 | HWD u-joints |
| M12x1,50x60 DIN960 10.9 90-120 Nm | M12x1,5x60 | ELBE METRIC special |
| M12x1,75x60 DIN960 10.9 90-120 Nm | M12x1,75x60 | DANA METRIC standard, under request |

8,5C WING BEARINGS 165M85

| Dimensions | EDS Part Number | Comments |
|--|-----------------|--|
| FLM-Flanschmitnehmer / Flange Yokes / Machoire à Bride / Platos / Flangia / Фланец | | |
| DIN 180/10-16 / 8,5C H35 20° | 2880852000180 | Obsolete with stock ,Special flange for 8,5C - DIN 180 |
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H76 100x5 25° 1/2" | 2880854000000 | |
| H70 100x6 25° 1/2" | 2880854018652 | |
| H70 100x6 25° M12x1.5 | 2880854000070 | |
| H68 100x6 25° 1/2" | 2880854700200 | EDS |
| H66 101.6x4.8 30° 1/2" | 2880854700100 | DOOSAN |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H180 65x2,5x24 DIN5480 rilsan | 2880853000120 | |
| H145 75x2,5x28 DIN5480 rilsan | 2880853000140 | see valve 1000008608030 |
| H280 2.5"-16 | 2880853700000 | DOOSAN |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H292 2.5"-16 30° | 2880857100292 | DOOSAN/HYUNDAI |
| DHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| H185 | 6880850900185 | DANA |
| VERSCHIE-Verschluss Scheibe / Welch plug / Capsule d'étanchéité / Capsula de retención / Disco de chiusura / Колпачок | | |
| Welch Plug 8,5C | 1880851400000 | DANA |
| ELUEVEN-Entlueftungsventil / Valve / Soupape de décharge / Válvula de escape / Valvola di sfogo / воздушный клапан | | |
| Valve 8,5C | 1000008608030 | DANA |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | |
| H188 120x4 75x2,5x28 DIN5480 | 2888858000188 | DANA 9.01 style IRISBUS |
| See short coupled shaft '880859106033L0460 combination 8,5C HWD / 687.45 | | |

**8,5C WING BEARINGS 165M85**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| Slip yoke + Stub shaft (WZUNMV) | | |
| H257/076 98x7,5 25° 70x2,5x26 DIN5480 LWT 1/2" relube | 6880851314865 | DANA obsolete replaced by 6880857080250 |
| H320/130 101.6x4.8 2,5"-16 30° | 6880851237100 | DOOSAN in parts 2880851200100+2880853700000 |
| Yoke shaft + sleeve (WMUNMV) | | |
| H306/110 100x5 25° 65x2,5x24 DIN5480 1/2" | 6880857080200 | ELBE |
| H280/130 100x6 25° 75x2,5x28 DIN5480 1/2" | 6880857080280 | EDS |
| H286/130 100x6 25° 75x2,5x28 DIN5480 1/2" | 6880857080250 | DANA |
| H286/130 100x6 25° 75x2,5x28 DIN5480 M12x1.5 | 6880857080270 | DANA |
| WMUNMV-Weil. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H208/040 25° 65x2,5x24 DIN5480 | 6880857030208 | ELBE |
| H210/065 25° 75x2,5x28 DIN5480 | 6880857030210 | DANA |
| H223/040 25° 75x2,5x28 DIN5480 | 6880857030223 | DANA |
| H238/050 25° 65x2,5x24 DIN5480 | 6880857030238 | ELBE |
| H240/065 25° 75x2,5x28 DIN5480 | 6880857030240 | DANA |
| H268/085 25° 75x2,5x28 DIN5480 | 6880857030266 | DANA |
| H298/080 25° 65x2,5x24 DIN5480 | 6880857030298 | ELBE |
| H373/060 25° 65x2,5x24 DIN5480 | 6880857030373 | ELBE |
| ROHR - Rohr / Tube / Tube / Tubo / Tubo / Труба | | |
| Tube 100x5 | Tube 100x5 | 286.37/286.22/ELBE117/8,5C ELBE/GS1800/GS1700/SCANIA P400 |
| Tube 100x6 | Tube 100x6 | 587.35/VOLVO NK500/8,5C IC-UG/8C IC-UG |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H165 Ø60 Ep 27 100x5 60x2,5x46 DIN5480 Nut 32x1,5 | 2880851600100 | CATERPILLAR for companion flange 2880855200100 |
| H150 Ø60 Ep 30 91x4,5 60x18 DIN5482 Nut M40x1,5 | 2800401614507 | NK400 / 8,5C - VOLVO 263089 , for companion 2880855210000 |
| H201 Ø80 Ep 63 100x6 74x18T SAE | 2880851692001 | KOMATSU , no companion on KOMATSU |
| Note : for other applications FIAT - HITACHI , CATERPILLAR etc contact WELTE sales team | | |
| ZWFL-Zwischenwellenflansch / Comp. flange / Bride de palier / Brida puente / Flangia per semitrasmissione / Присоединительный фланец | | |
| 2880855200100 | 2880855200100 | for mid stub 2880855200100 |
| 2880855210000 | 2880855210000 | VCE , for mid stub 2800401614507 |
| STEHLAGER-Stehlager / Pillow block bearing / Palier rigid / Soporte puente central rigido / Cuscino rigido / Подвесной подшипник | | |
| Ø65x210 8,5C O&K | WDL9232 | SKF , 100-SY 513M + 100YAR 213-2F ; under request (*) |
| Ø60x184 w/ring frontal 4 bolts 7C CATERPILLAR | WDL9256 | FAG/SKF |
| BUMU-Bundmutter / Nut / Erou de palier intermediare / Tuercas puente central / Dado autobloccante / Гайка | | |
| Nut 32x1,5 | 1880078001037 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | |
| Washer | 1880075000014 | |
| ZWUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | |
| H255 Ø65 100X6 55x2,5x26 DIN5480 Nut 32x1,5 | 6880851652000 | for pillow block bearing or rigid c/bearing 1000008707014 |
| H245 Ø65 98X7,5 55x2,5x26 DIN5480 Nut 32x1,5 | 6880851652300 | for pillow block bearing or rigid c/bearing 1000008707014 |
| H232 Ø65 100x5 | 6880851652013 | MOXY on request |
| H265 Ø80 100x6 | 6880851652100 | |
| DOM-Doppelmitnehmer / Center plate / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | |
| H050,8 16° | 2880859000051 | see 9880850554152 |
| H067,4 22° | 2880859000067 | see KOMATSU 9880850592011 |
| H093,4 25° | 2880859000093 | |
| H0125 25° | 2880859000125 | |
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | |
| Lz 152,4 16° 8,5C HWD O&K | 880859506060L0152 | O&K |
| Lz 153,3 18° 8,5C HWD KOMATSU | 9880850592153 | KOMATSU 154-20-11000 |
| Lz 169,0 23° 8,5C HWD KOMATSU | 9880850592011 | KOMATSU 421-20-H4010 |
| Lz 221,6 43° 8,5C HWD - CV central grease | 9880850556221 | TEREX |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| Lz 265/015 10° HWD 75x2,5x28 DIN5480 | 880859306060L0265 | |
| Lz 275/030 13° HWD 75x2,5x28 DIN5480 SF | 880859366060L0275 | BELL 290665 |
| Lz 290/053 13° HWD 75x2,5x28 DIN5480 | 880859366060L0290 | |
| Lz 310/065 25° HWD 75x2,5x28 DIN5480 | 880859306060L0310 | VCE 11116163 |
| Lz 310/065 25° LWD 75x2,5x28 DIN5480 | 880859306262L0310 | IVECO 0472 7676 |
| Lz 325/061 25° HWD/HWT 75x2,5x28 DIN5480 | 880859306969L0325 | IVECO 9843 2439 |
| Lz 340/065 25° HWD 75x2,5x28 DIN5480 | 880859306060L0340 | VCE 11116164/11056352 |
| Lz 342/065 25° HWD 75x2,5x28 DIN5480 | 880859306060L0342 | IVECO 0476 0640 |
| Lz 368/085 25° HWD 75x2,5x28 DIN5480 | 880859306060L0368 | VCE 15013306 |
| Lz 385/085 25° LWD 75x2,5x28 DIN5480 | 880859306262L0385 | IVECO 0482 0095 |
| Lz 460/080 35° 75x2,5 8,5C * XS 180/4-15(687.45) | 880859106033L0460 | DANA - 500386704 (RVI) / 500337463 (IVECO) IRISBUS |
| Lz 565/130 35° 75x2,5 8,5C * XS 180/4-15(687.45) | 880859106033L0565 | DANA - 500386696 (RVI) / 500337463 (IVECO) IRISBUS |
| Note : for other lengths or OEM part numbers on MECHANICS 8,5C series please contact WELTE sales team | | |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| Lz 0510/130 25° HWD 100x6 | 880850106060L0510 | O&K 7225755 |
| Lz 0813/110 30° HWD 4"x0,35" | 880850106060L0813 | HITACHI 84L1-00660 |
| Lz 0815/130 25° HWD 100x6 | 880850206060L0815 | FIAT - HITACHI 76041563 |
| Lz 1284/130 25° HWD 100x6 | 880850266060L1284 | TEREX 15251901 |
| Lz 1455/130 25° HWD 100x6 | 880850266060L1455 | CAT 177-1717 |
| Lz 1850/130 45° 8,5C HWD 100x6 CV both sides | 880850606060L1850 | TEREX 54000130006 |
| Note : for other lengths or OEM part numbers on MECHANICS 8,5C series please contact WELTE sales team | | |
| ZW - Zwischenwelle / Mid ship shaft / Transmisión á palier / Transmisión puente central/ Semitrasmissione fissa / промежуточный вал | | |
| L.649 Ø80 Ep63 100x6 74x18T no Nut,no bearing,no CF | 8808524060Z0L0649 | KOMATSU 421-20-H3010 |
| L.740 Ø60 4"x0,35" | 8808504060Z2L0740 | HYUNDAI 84L1-00740 |
| L.620 Ø60 100x6 c/w ctr brg | 8808504660Z2L0620 | TEREX 5400010072 |
| L.896 Ø70 100x6 | 8808504660Z1L0896 | CAT 7U6483 |
| L.700 Ø65 101,6x4,6 | 8808504660Z3L0700 | HYUNDAI 81L8-01000 |
| L.762 Ø60 100x6 c/w ctr brg | 8808504060Z3L0762 | FIAT - HITACHI 760347222 |
| Note : for other lengths or OEM part numbers on MECHANICS 8,5C series please contact WELTE sales team | | |

**8,5C WING BEARINGS 165M85**

| Dimensions | | EDS Part Number | | Comments |
|--|-----------------------|---------------------------|---------------|---|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | |
| 71,40x123,80 | HWD | central grease | WD 60215 | DANA |
| 71,40x123,80 | HWD | central grease | WD 63215 | ROCKFORD on request |
| 71,40x123,80 | HWD | central grease | WD 60805 | EDS bolts included |
| 71,40x123,80 | HWD | 2xend lub+ central grease | WD 60802 | EDS bolts included |
| 71,40x123,80 | HWD | central grease | WD 61195 | DANA double key |
| 71,40x123,80 | HWD | service free | WD 60810 | DANA |
| 71,40x123,80 | LWD | lateral grease | WD 60477 | DANA |
| 71,40x123,80 | LWD | central grease | WD 60825 | EDS |
| 71,40x123,80 | LWT | central grease | WD 60915 | GMB |
| 71,40x123,80 | DWT | central grease | WD 60765 | DANA |
| 71,40x123,80 | HWD/DWT | central grease | WD 60635 | DANA |
| 71,40x123,80 | HWD/DWT | central grease | WD 60875 | EDS |
| 71,40x123,80 | HWD/LWT | lateral grease | WD 61007 | GMB |
| 49,20x154,80 | HWD 8,5C / 1710 | lateral grease | WD 50077 | DANA |
| 53,00x165,00 | HWD 8,5C | lateral grease | WD 50607 | EDS KOMATSU 421-20-13620 |
| 71,4x123,8/62x125,2 | HWD 8,5C/J170 | lateral grease | WD 60107 | EDS |
| 71,4/60,0x123,8/146 | HWD 8,5C/180M146 | central grease | WD 60965 | EDS |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | | | |
| Bolt 1/2"-20UNFx2 1/2" | DIN 933 10.9 156 Nm | | 1880008015626 | DANA SIC - ELBE - DANA , DIN 933 standard |
| Bolt 1/2"-20UNFx1 1/4" | DIN 933 10.9 156 Nm | | 1880008115625 | DIN 933 , special short available under request |
| Bolt 1/2"-20UNFx1 1/4" | DIN 912 10.9 156 Nm | | 1000008200912 | DIN 912 FOR IVECO LWD u-joints |
| Bolt M12x1,75x60 | DIN960 10.9 90-120 Nm | | M12x1,75x60 | DANA metric |
| Bolt M12x1,50x60 | DIN960 10.9 90-120 Nm | | M12x1,50x60 | |

IC-UG - WING BEARINGS S-990

| Dimensions | | EDS Part Number | | Comments |
|--|---------------|-----------------|----------|--------------------------------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | | | |
| 72,00x138,00 | HWD | lateral grease | WD 60847 | DANA S-990 |
| 71,4/72,0x123,8/138,0 | 8,5C/S-990HWD | lateral grease | WD 61177 | EDS 8.5 / S-990 conversion kit |
| 71,4/72,0x168,2/138,0 | 9C/S-990 HWD | lateral grease | WD 60977 | EDS 9C / S-990 conversion kit |

9C WING BEARINGS 209M90

| Dimensions | | EDS Part Number | | Comments |
|---|---------------------------------------|-----------------|---------------|---|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | | | |
| H64 110x6,0 | 25° 1/2" - 20 UNF | | 2880094000000 | ELBE |
| H64 110x6,0 | 25° M12x1,5 | | 2880094000300 | ELBE |
| H63 114.3x5.5 | 25° M12 | | 2880094000100 | EDS |
| H62 114.3x6.6 | 30° 1/2" - 20 UNF | | 2880094700000 | EDS |
| H73 115x7,5 | 20° 1/2" - 20 UNF | | 2880094014873 | DANA |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | | | |
| END YOKE | | | 2880095200330 | VANDEL , under request |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | | | |
| For ELBE use 120 series dust cover , for SIC use 587.42 dust cover | | | | |
| NH-Nabenhülse / Sleeve / Coulisse / Horquilla corredera / Manicotto / Шлицевая втулка | | | | |
| for ELBE use 120 series sleeve , SIC sleeves on request | | | | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | | | |
| H319/110 | 110x6,0 25° 75x2,5x28 DIN54801/2" | | 6880097080200 | ELBE |
| H319/110 | 110x6,0 25° 75x2,5x28 DIN5480 M12x1,5 | | 6880097080230 | |
| H307/150 | 115x7,5 25° 95x2,5x34 DIN54801/2" | | 6880097080220 | DANA |
| WMUNMV-Weil. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | | | |
| H223/040 | 25° 90x2,5x34 DIN5480 HWD 1/2" rilsan | | 6880097030223 | DANA |
| H245/072 | 25° 90x2,5x34 DIN5480 HWD 1/2" rilsan | | 6880097030245 | DANA , see GWK 9880090310347 |
| H289/075 | 25° 90x2,5x54 DIN5480 HWD 1/2" rilsan | | 6880097030289 | DANA , see GWK 9880090310391 |
| H333/095 | 25° 90x2,5x54 DIN5480 HWD 1/2" rilsan | | 6880097030333 | DANA , see GWK 9880090310435 |
| H371/095 | 25° 90x2,5x54 DIN5480 HWD 1/2" rilsan | | 6880097030371 | |
| H333/150 | 25° 90x2,5x54 DIN5480 HWD 1/2" rilsan | | 6880097030333 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | | | |
| Tube 110x6,0 | | Tube 110x6,0 | | ELBE 9C/ 587.42/802.68/ELBE 120/KLEIN 650 series tube |
| Tube 115x7,5 | | Tube 115x7,5 | | 9C DANA SIC series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | | | |
| H220 Ø75 Ep 062 | 114,7x6,6 72x22Z Nut 3 threats x M10 | | 2880091600100 | CATERPILLAR |
| H221 Ø75 Ep 062 | 108,0x5,5 72x22Z Nut 1 threat x M16 | | 2880091600200 | |
| H215 Ø75 Ep 062 | 5"x0,35" | | 2880091600300 | |
| STEHLAGER-Stehlager / Pillow block bearing / Palier rigid / Soporte puente central rígido / Cuscino rígido / Подвесной подшипник | | | | |
| pillow block bearings and c/bearing on MECHANICS 9C series on request , for any inquiry please contact WELTE sales service | | | | |
| BUMU-Bundmutter / Nut / Erou de palier intermediaire / Tuerca puente central / Dado autobloccante / Гайка | | | | |
| Nut 32x1,5 | | | 1880078001037 | |
| SCHEIBE / Washer / Rondelle / Arandela / Rondella / Шайба | | | | |
| Washer | | | 1880075000014 | |
| ZWUZWFL / Mid end assy / Embout + bride de palier / Barrón + brida puente / Gruppo Innesto con flangia / Вал под подвесной подшипник | | | | |
| H216 Ø68,2 Ep 043 | 108,0x5,5 72x10T | | 6880091652100 | USA |
| H252 Ø70,0 Ep 043 | 108,0x5,5 72x10T | | 6880091652200 | USA |
| H295 Ø90,0 Ep 110 | 115,0x7,5 72x44T | | 6880091652000 | DANA |
| DOM-Doppelmittnehmer / Center plate / Double MBM / Horquilla fija doble / Forcella doppia / H - образный шарнир, корпус сдвоенного шарнира | | | | |
| center plates available on request | | | | |

**9C WING BEARINGS 209M90**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|---|
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | |
| Lz 148,4 HWD | 880099506060L0148 | under request |
| Lz 165,1 HWD | 880099506060L0165 | under request |
| Lz 216,0 HWD | 880099506060L0216 | KOMATSU HSW 570-07-0153 , under request |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| Lz.325/040 25° 90x2,5x34 DIN5480 HWD 9.03 relube | 880099306060L0325 | |
| Lz.347/072 25° 90x2,5x34 DIN5480 HWD 9.03 relube | 880099306060L0347 | VCE 15013308 |
| Lz.391/075 25° 90x2,5x34 DIN5480 HWD 9.03 relube | 880099306060L0391 | TEREX 15300843 |
| Lz.435/095 25° 90x2,5x34 DIN5480 HWD 9.03 relube | 880099306060L0435 | |
| Lz.472/095 25° 90x2,5x34 DIN5480 HWD 9.03 relube | 880099306060L0472 | |
| Lz.497/150 25° 90x2,5x34 DIN5480 HWD 9.01 relube | 880099366060L0497 | |
| Note : for any other application or length you may require please contact WELTE sales team | | |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| Lz 0768/150 25° 115x7,5 25° 90x2,5DIN5480 HWD | 880090206060L0768 | CAT 107-5007 |
| Lz 0816/110 25° 110x6 25° 75x2,5DIN5480 HWD | 880090206060L0816 | KOMATSU 421-20-H2010 |
| Note : for other lengths or OEM part numbers on MECHANICS 9C series please contact WELTE sales team | | |
| ZW - Zwischenwelle / Mid ship shaft / Transmission à palier / Transmisión puente central/ Semitransmissione fissa / промежуточный вал | | |
| Lz 749,5 Ø75 108x5,5 HWD relube central grease | 8800904060Z1L0749 | CAT 107-5005 |
| Note : for other lengths or OEM part numbers on MECHANICS 9C series please contact WELTE sales team | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 71,40x168,20 HWD lateral grease | WD 60187 | DANA |
| 71,40x168,20 HWD lateral grease | WD 63187 | ROCKFORD under request |
| 71,40x168,20 HWD lateral grease | WD 60707 | EDS |
| 71,40x168,20 HWD central grease | WD 60955 | EDS |
| 71,40x168,20 HWD service free | WD 60730 | DANA |
| 71,40x168,20 HWT lateral grease | WD 60547 | DELTA 9C |
| 71,40x168,20 LWD lateral grease | WD 60997 | GMB |
| 71,40x168,20 HWD/LWT lateral grease | WD 60947 | GMB |
| 49,20x191,50 9C / 1810 HWD lateral grease | WD 50087 | DANA |
| 55,60x205,60 9C / 1880 HWD lateral grease | WD 50037 | DANA |
| 55,60x205,60 9C / 1880 HWD lateral grease | WD 51037 | EDS |
| 55,60x205,60 9C / 1880 HWD lateral grease | WD 50517 | GMB |
| 55,60x205,60 9C / 1880 HWT lateral grease | WD 50477 | DANA |
| 71,472.0x168,2/138,0 HWD lateral grease | WD 60977 | EDS 9C / S-90 |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| Bolt 1/2"-20UNF x 2 1/2" DIN 933 10.9 156 Nm | 1880008015626 | HWD u-joints |
| Bolt 1/2"-20UNF x 1 1/4" DIN 933 10.9 156 Nm | 1880008115625 | |
| Bolt M12x1,75x60 DIN960 10.9 90-120 Nm | M12x1,75x60 | |
| Bolt M12x1,50x60 DIN960 10.9 90-120 Nm | M12x1,50x60 | |

IC-UG - WING BEARINGS 210M168

| Dimensions | EDS Part Number | Comments |
|--|-----------------|----------|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H110 120mm solid base | 2881214000000 | EDS |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 70,00x168,00 210M168 HWD lateral grease | WD 60097 | EDS |
| 70,00x168,00 210M168 HWD lateral grease | WD 62097 | DANA |

10C WING BEARINGS 213M100

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H85 144x7 25° 5/8" thread | 2880104400000 | |
| DIHUV-Dichthülse voll. / Dust cover / Manchon avec joint / Guardapolvos junta / Protezione scanalato / Пыльник | | |
| use 587.48 dust cover | | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H375/150 144x7 25° 90x2,5x34 DIN5480 rilsan | 6880107080200 | |
| WMUNMV-Well. Nab.Volls./Slip assy ysa/Ens.Coul.TC /Conj. cardancillos/Scorrevole extracorto/Вилка с шлицевым валом в сборе (с чехлом) | | |
| H310/095 25° 95x2,5x34 DIN5480 | 6880107030310 | |
| H343/100 25° 95x2,5x34 DIN5480 | 6880107030343 | |
| H390/100 25° 95x2,5x34 DIN5480 | 6880107030390 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 144x7 | Tube 144x7 | 587.50 / 802.79 / 10C / 11C IC-UG series tube |
| ZWZ-Zwischenwellenzapfen / Mid stub / Embout palier / Barrón puente / Perno / цапфа под подвесной подшипник | | |
| H213 Ø75 Ep36 115,9x4,2 74,60x46T Bolt M18x2 | 2880101600100 | 2080749 |
| H211 Ø75 Ep47 115,9x4,2 72,23x22T Bolt M18x2 | 2880101600200 | 2073010 |
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centraje / Doppio giunto / Сдвоенный шарнир | | |
| L. 254 | 880109506060L0254 | KOMATSU HSW 585-07-0015 , under request |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| Lz.440/095 25° 90x2,5x34 DIN5480 HWD 5/8" | 880109306060L0440 | TEREX 15336537 |
| Lz.522/100 25° 90x2,5x34 DIN5480 HWD 5/8" | 880109366060L0522 | VCE 11302250 |
| Lz.606/150 25° 90x2,5x34 DIN5480 HWD 5/8" | 880109306060L0606 | VCE 15309647 |
| Lz.621/150 25° 90x2,5x34 DIN5480 HWD 5/8" | 880109106060L0621 | KOMATSU 566-20-11005 |
| For any other lengths or applications please contact WELTE sales team | | |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| Lz 0656/150 144x7 25° 90x2,5x34 DIN5480 HWD rilsan | 880100206060L0656 | KOMATSU 426-20-12110 |
| Lz 1370/150 144x7 25° 90x2,5x34 DIN5480 HWD rilsan | 880100206060L1370 | TEREX O&K 15300992 |
| Lz.1412/100 144x7 25° 90x2,5x34 DIN5480 HWD rilsan | 880100206060L1412 | CAT 8W9435 |
| Note : for another lengths or OEM part numbers on MECHANICS 10C series please contact WELTE sales team | | |

**10C WING BEARINGS 213M100**

| Dimensions | EDS Part Number | Comments |
|--|-------------------------|---|
| ZW - Zwischenwelle / Mid ship shaft / Transmission à palier / Transmisión puente central/ Semitransmissione fissa / промежуточный вал | | |
| L.1152 144x7 25° | 8801004060Z1L1152 | CAT 234-2621 / 9U-4982 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 92,10x165,10 HWD | lateral grease WD 60147 | DANA |
| 92,10x165,10 HWD | lateral grease WD 60717 | EDS obsolete , please use WD 62717 |
| 92,10x165,10 HWD | lateral grease WD 62717 | EDS |
| 92,10x165,10 HWD | service free WD 60740 | DANA |
| 92,10x165,10 HWD | lateral grease WD 60787 | KOMATSU 15/17mm bolt holes conversion kit |
| 92,10x165,10 HWD | lateral grease WD 60777 | KOMATSU 15mm bolt holes |
| 92,10x165,10 LWD | lateral grease WD 60617 | EDS |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| Bolt 5/8"-18UNFx 3" DIN 933 10.9 320 Nm | 1880008015626 | HWD u-joints |

TWIN DISC - WING BEARINGS TDJ490

| Dimensions | EDS Part Number | Comments |
|--|-----------------|----------|
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 88,90x172,70 HWD TDJ490 222M110 lateral grease | WD 60117 | EDS |

11C WING BEARINGS 222M110

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H85 144x7 25° 3/4" | 2880114000300 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H403/150 144x7 25° 90x2,5x34 DIN5480 rilsan relube | 6880117080200 | |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H353,6 4"x37 spline rilsan | 2880117100354 | Rockford |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H292 4"x37 spline | 2880113000292 | Rockford |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 144x7 | Tube 144x7 | 587.50 / 802.79 / 10C / 11C IC-UG series tube |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| H558/120 25° 90x2,5x34 DIN5480 HWD 11C 3/4" rilsan | 880119106060L0558 | on request |
| For any other lengths or applications please contact WELTE sales service | | |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| Lz 1400/150 25° 11C/J600 HWD | 880110206060L1400 | TEREX 8024631 / O&K 15256745 |
| Note : for other lengths or OEM part numbers on MECHANICS 11C series please contact WELTE sales service | | |
| ZW - Zwischenwelle / Mid ship shaft / Transmission à palier / Transmisión puente central/ Semitransmissione fissa / промежуточный вал | | |
| L.1152 no center brg / comp. flange | 880110406099L1152 | CAT 234-2621 / 9U-4982 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 88,90x172,70 HWD 3/4" lateral grease | WD 60137 | DANA |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| Bolt 3/4"-16UNFx3,5" DIN 933 10.9 450Nm | 1880118200000 | |
| Bolt 3/4"-16UNFx3,5" ferry head 10.9 530Nm | 2880158100600 | CAT 2N2486 |

TWIN DISC - WING BEARINGS J600

| Dimensions | EDS Part Number | Comments |
|--|-----------------|------------|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H75 162,00x9,85 25° M20 HWD J600 | 2880114000600 | HWD |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 88,9x172,7 LGN HWD TDJ600 | WD 60157 | EDS |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| Bolt 3/4"-16UNFx3,5" DIN 933 10.9 450Nm | 1880118200000 | |
| Bolt 3/4"-16UNFx3,5" ferry head 10.9 530Nm | 1880158100600 | CAT 2N2486 |

IC-UG - WING BEARINGS 246M210

| Dimensions | EDS Part Number | Comments |
|---|-------------------|------------|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H80 125x7,5 25° HWD M17 246M210 | 2881244000100 | DANA SIC |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| Yoke shaft + sleeve (WMUNMV) on request | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| 125x7.5 on request | | |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| H443/040 18° | 881249306060L0443 | on request |
| H474/100 18° | 881249306060L0474 | on request |
| H514/100 18° | 881249306060L0514 | on request |
| H539/080 18° | 881249306060L0539 | on request |
| H609/080 18° | 881249306060L0609 | on request |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 82,00x198,00 HWD lateral grease | WD 60127 | DANA |
| 82,00x198,00 HWD lateral grease | WD 62127 | EDS |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| Bolt M16x1,5x75 DIN 960 8.8 270- 300Nm | M16x15x75 | |

**12C WING BEARINGS 288M120**

| Dimensions | EDS Part Number | Comments |
|--|-------------------|----------------------|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H90 160x10 or 152x6 25° M14x1,5 | 2880124000000 | |
| H65 160x10 or 152x6 25° M14x1,5 | 2880124000100 | EDS |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе | | |
| H357/150 160x10 25° 120x2,5x46 DIN5480 HWD M14x1,5 | 6880127080200 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 160x10 | Tube 160x10 | |
| DG - Doppelgelenk / Double joint / Double joint / Nudo doble centrado / Doppio giunto / Сдвоенный шарнир | | |
| Lz 366 25° HWD M14x1,5 | 880129506060L0366 | on request |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| Lz.585/150 25° 120x2,5x46 DIN5480 HWD M14x1,5 | 880120216060L0585 | on request |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| Lz.930/120 25° 160x10 | 880120216060L0930 | КОМАТСУ 561-20-12003 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 92,10x241,30 HWD lateral grease | WD 60727 | EDS |
| 92,10x241,30 HWD lateral grease | WD 62727 | DANA |
| 92,10x241,30 HWD center hole lateral grease | WD 61187 | КОМАТСУ 561-20-62100 |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| Bolt M14x1,5x80 DIN 960 10.9 200 - 220 Nm | 1880121900080 | |

IC-UG - WING BEARINGS 280M220

| Dimensions | EDS Part Number | Comments |
|---|-------------------|----------------------|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H90 140x10 or 144x7 25° M19 | 2881284000100 | obsolete |
| H98 160x10 | 2881284000000 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H369/100 140x10 or 144x7 25° 120x2,5x46 DIN5480 HWD M19 | 6881281030000 | obsolete |
| H357/150 160x10 | 6881287080200 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 140x10 | Tube 140x10 | 12,5C - 280M220 tube |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| H496/094 16° HWD | 881289306060L0496 | on request |
| H538/094 16° HWD | 881289306060L0538 | on request |
| H600/084 16° HWD | 881289306060L0600 | on request |
| H660/084 16° HWD | 881289306060L0660 | on request |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| Lz.1500/100 HWD | 881280206060L1500 | TEREX 15258114 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 92x227 HWD lateral grease | WD 60627 | DANA |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| Bolt M18x1,5x90 DIN 960 10.9 450 Nm | 1880148200100 | DANA |

14C WING BEARINGS 339M140

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H100 219,2x13,3 25° M18x1,5 | 2880144400000 | on request |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H370/135 219,2x13,3 25° 150x3x30x48 DIN5480 | 6880147080200 | on request , bolts M18x1,5 |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| 219x13,3 | Tube 219x13,3 | 390.70 / 392.60 / 14C IC-UG / 14,5C-310M230 series tube |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| Lz.772/100 HWD M18x1,5 relube | 880140206060L0772 | КОМАТСУ 427-20-12211 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 134,88x269,50 HWD central grease | WD 60795 | |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| Bolt M18x1,5x90 DIN 960 10.9 450 Nm | 1880148200100 | |

14,5C WING BEARINGS 310M230

| Dimensions | EDS Part Number | Comments |
|---|-------------------|--|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H100 218,2x8,7 25° M22x1,5 | 2881314400000 | |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе (с чехлом) | | |
| H370/135 218,2x8,7 25° 150x3x30x48 DIN5480 M22x1,5 | 6880317080200 | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| Tube 218,2x8,7 | Tube 218,2x8,7 | 390.65 / 392.55/ 14,5C IC-UG series tube |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| H642/148 25° 150x3x30x48 DIN5480 HWD | 881319106060L0640 | CAT 149-3099 |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 107,00x252,00 HWD lateral grease | WD 60587 | DANA |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| Bolt M22x1,5x90 DIN 960 10.9 825-780 Nm | 1880148200310 | |

**15C/J800 WING BEARINGS 260M150**

| Dimensions | EDS Part Number | Comments |
|---|-------------------|---|
| ZM-Zapfenmitnehmer / Tube yoke / Machoire bout mâle / Horquillas Fijas / Forcella al tubo / Вилка в трубу | | |
| H95 6.5x0,375" 3/4"-16UNF | 2880154000400 | ROCKFORD |
| H95 6.5x0,375" M20x2.5 | 2880154000500 | ROCKFORD |
| H82,5 162x9,85 or 160,0x10,0 25° 3/4" -16UNF | 2880154000000 | USA obsolete replaced by 2880154000100 / ..200 |
| H94,6 162x9,85 or 160,0x10,0 25° M20x2,5 | 2880154000100 | DANA |
| H104 168,8x9,8 25° M20x2,5 | 2880154000200 | DANA |
| WM-Wellenmitnehmer / Yoke shaft / Machoire Embout / Horquilla eje / Forcella maschio / Вилка с шлицевым валом | | |
| H310 4"x37 spline | 2880157100310 | Rockford |
| H340 4"x37 spline | 2880157100340 | Rockford |
| NM-Nabenmitnehmer / Slip Yoke / Machoire à coulisse / Horquillas correderas / Forcella Femmina / Скользящая вилка | | |
| H353 4"x37 spline | 2880153000353 | Rockford |
| H245 4"x37 spline | 2880153000245 | Rockford |
| WMUNHV- Wellenzap. u. nab. vollst./ Slip assy / Ens. Coul. / Junta corr. / Scorrevole con tubo / Шлиц. вал и шлиц. втулка в сборе | | |
| H334/130 160x10 or 162,0x9,85 25° 120x2,5x46 DIN5480 | 6880157080200 | DANA imperial 3/4", under request, new metric 6880157080250 |
| H342/130 160x10 or 162,0x9,85 25° 120x2,5x46 DIN5480 | 6880157080250 | DANA metric standard |
| Note . There is also another slip assy ROCKFORD for CAT for tube 165,1x6,35 & spline 101,6x37T Involute (see GW driveshaft kit 0880150200000) | | |
| ROHR - Rohr / Tube / Tube / Tubo / Труба | | |
| 160,0x10,0 | Tube 160,0x10,0 | 12C IC-UG / 15C IC-UG , standard 15C new , under request |
| 162,0x9,85 | Tube 162,9x9,85 | 15C IC-UG/587.55/587.60 as option to replace standard 160,00x100,00 |
| 165,1x6,35 | NA | 15C ROCKFORD - CATERPILLAR , not available |
| 167,7x9,80 | Tube 167,7x9,80 | 392.50 / 390.60 / 587.60 together with 168x10 /15C IC-UG old |
| GWK-Gelenkwellenkupplung / Short couples / Transmissions courtes / Cardancillos / Trasm. Corto / Короткий вал | | |
| H514/080 25° 120x2,5x46 DIN5480 M20x2,5x90 | 880159306060L0514 | CAT 252-5657 |
| H549/100 25° 120x2,5x46 DIN5480 M20x2,5x90 | 880159306060L0549 | |
| GW - Gelenkwellen / Driveshaft / Transmission coulissante / Transmisión corredera / Transmissione scorrevoli / карданный вал | | |
| Lz.0915/130 25° 160,0x10,0 120x2,5x46 DIN5480 M20 | 880150206060L0915 | CAT 168-1916 |
| Lz.1549/130 25° 160,0x10,0 120x2,5x46 DIN5480 M20 | 880150206060L1549 | CAT 08X465 |
| 15C shaft kit incl. Imperial bolts 3/4" | 880150100000 | ROCKFORD |
| 15C shaft kit incl. Metric bolts 20x2.5 | 880150100100 | ROCKFORD |
| (*) no u-joints , no tube 165,1x6,35 included in ROCKFORD shaft kit | | |
| ZKG-Zapfenkreuzgelenk / U-joint / Bloc de réchange / Cruceta o Cruz de cardán / Crociera / крестовина | | |
| 100,00x199,94 HWD lateral grease | WD 60537 | DANA |
| 100,00x199,94 HWD lateral grease | WD 60937 | EDS 15C/J800 , M20x2,5 bolts |
| SKTSCHR - Sechskantschraube / Bolts for u-joints / Vis pontets ou roulements / Tornillos aletas cruceta / Bullone per crociera / Болт | | |
| Bolt M20x2,5x90 DIN 960 10.9 620 Nm DIN 960 | 1880158200100 | CAT 9X-6480 |
| Bolt 3/4"-16UNFx3,5" ferry head 10.9 530Nm | 1880158100600 | |



TIGHTENING TORQUE - WING BEARING BOLTS

| SERIES | EDS Part Number | Bolt Size | Length | GRADE / TORQUE + / - 10% | | | DIN |
|---------------------------|-------------------------|------------------|--------|--------------------------|--------|--------|------------|
| | | | | 8.8 | 10.9 | 12.9 | |
| 2C - 3C | 1880008015622 | 5/16" - 24 UNF | 19 mm | ---- | ---- | 036 Nm | DIN 933 |
| | 1880008015621 | | 22 mm | | | | |
| | 1880008015624 | | 38 mm | | | | |
| 4C | M8x1x40 (***) | M8x1 | 40 mm | 031 Nm | 035 Nm | ---- | DIN 960 |
| | 1880008015622 | 5/16" - 24 UNF | 19 mm | ---- | ---- | 034 Nm | DIN 933 |
| | 1880008015621 | | 22 mm | | | | |
| 1880008015624 | 38 mm | | | | | | |
| 5C - 6C | 1880008015619 | 3/8" - 24 UNF | 25 mm | ---- | 55 Nm | ---- | DIN 933 |
| | 1880008015627 | | 45 mm | | | | |
| | 1880008015628 (*) | M10x1,25 | 45 mm | ---- | 60 Nm | ---- | |
| 7C - 8C | 1880008015620 | 7/16" - 20 UNF | 27 mm | ---- | 135 Nm | ---- | DIN 933 |
| | 1880008015628 | 1 / 2 " - 20 UNF | 51 mm | | | | |
| | M12x1,5x60 (*) | M12x1,50 | 60 mm | ---- | 130 Nm | ---- | |
| 8,5C - 9C | 1000008200912 IVECO | 1/2" - 20 UNF | 32 mm | ---- | 156 Nm | ---- | DIN 912 |
| | 1880008115625 | 7/16" - 20 UNF | 27 mm | ---- | 135 Nm | ---- | DIN 933 |
| | 1880008015626 | 1 / 2 " - 20 UNF | 51 mm | | | | |
| | M12x1,50x60 | M12x1,50 | 60 mm | ---- | 140 Nm | ---- | |
| | M12x1,75x60 | M12x1,75 | | | | | |
| 10 C - 213 M 100 | 1880008015626 (*) | 5/8" - 18 UNF | 76 mm | ---- | 320 Nm | ---- | DIN 933 |
| 11C - 222 M 110 | 1880118200000 (*) | 3/4" - 16 UNF | 89 mm | ---- | 410 Nm | ---- | DIN 933 |
| | 2880158100600 | | | | 530 Nm | | Ferry Head |
| 11,5 C - 246 M210 | M16x15x75 | M16x1,5 | 75 mm | 285 Nm | ---- | ---- | DIN 960 |
| 12C - 288 M 120 | 1880121900080 | M14x1,5 | 80 mm | ---- | 200 Nm | ---- | DIN 960 |
| | M14x15x70 | | 70 mm | 180 Nm | ---- | | |
| 12,5C - 280 M 220 | 1880148200100 | M18x1,5 | 90 mm | ---- | 450 Nm | ---- | DIN 960 |
| 14C - 339 M 140 | 1880148200100 | M18x1,5 | 90 mm | ---- | 450 Nm | ---- | DIN 960 |
| 14,5 C - 310 M 230 | 1880148200310 | M22x1,5 | 90 mm | ---- | 750 Nm | ---- | DIN 960 |
| 15C - 260 M 150 | 1880118200000 (*) | 3/4" - 16 UNF | 89 mm | ---- | 450 Nm | ---- | DIN 933 |
| | 2880158100600 | | | | 530 Nm | | Ferry Head |
| | 1880158200100 (***) CAT | M20x2,5 | | | 530 Nm | | DIN 960 |

(*) Available bolts under request , check replacement by another equivalent

(**) DANA SIC - WING BEARINGS genuine for CATERPILLAR (CATERPILLAR 9X-6480)

(***) Both tensile strength 8.8 and 10.9 have same EDS Part Number (please check quality on head before tightening them)

**TUBING**

| OUTSIDE (mm) | THICKNESS (mm) | EDS P/N | WEIGHT | Tcs (Nm) (*) | COMMENTS |
|---|------------------|----------------|-------------|------------------|--|
| ROHR - Röhre / Tube / Tube / Tubo / Tubo / Трубa | | | | | |
| 28,00 | 1,50 | Tube 28x1,5 | 00,98 Kgs/m | 00388 Nm | 473.10 / ELBE 105 |
| 31,70 | 3,00 | Tube 31,7x3 | 02,12 Kgs/m | 00878 Nm | 1310 USA CHRYSLER, under request in 0,8 meters length |
| 32,00 | 1,50 | Tube 32x1,5 | 01,13 Kgs/m | 00517 Nm | ELBE 106 |
| 32,00 | 6,00 | Tube 32x6 | 03,85 Kgs/m | 01347 Nm | Special tube , under request |
| 36,00 | 1,50 | Tube 36x1,5 | 01,28 Kgs/m | 00665 Nm | 473.20 |
| 38,00 | 2,50 | Tube 38x2,5 | 02,19 Kgs/m | 01148 Nm | 473.20 HD |
| 40,00 | 2,00 | Tube 40x2 | 01,87 Kgs/m | 01067 Nm | 473.30 / ELBE 107 |
| 42,00 | 2,00 | Tube 42x2 | 01,97 Kgs/m | 01185 Nm | Special tube , under request |
| 42,00 | 3,50 | Tube 42x3,5 | 03,32 Kgs/m | 01860 Nm | Special tube , under request |
| 42,40 | 3,20 | Tube 42,4x3,2 | 03,09 Kgs/m | 01776 Nm | 1310 special , under request |
| 45,00 | 2,00 | Tube 45x2 | 02,12 Kgs/m | 01374 Nm | Special tube , under request |
| 50,00 | 2,00 | Tube 50x2 | 02,37 Kgs/m | 01719 Nm | 287.00 / ELBE 109 / 473.30 / 1140 |
| 50,00 | 3,00 | Tube 50x3 | 03,48 Kgs/m | 02427 Nm | 287.10/ ELBE 109/ ELBE 110 / 2C / 4C |
| 50,00 | 4,00 | Tube 50x4 | 04,54 Kgs/m | 03044 Nm | 1350 special |
| 50,80 | 1,64 | Tube 50,8x1,64 | 01,99 Kgs/m | 01490 Nm | 1100 / 1140 / 1210 / 1300 / 1310 , under request |
| 50,80 | 2,10 | Tube 50,8x2,1 | 02,52 Kgs/m | 01856 Nm | 1210/1310 , under request |
| 50,80 | 2,40 | Tube 50,8x2,4 | 02,86 Kgs/m | 02083 Nm | 1310 / 1330 |
| 52,00 | 3,50 | Tube 52x3,5 | 04,19 Kgs/m | 02995 Nm | 687.15 |
| 52,00 | 4,00 | Tube 52x4 | 04,74 Kgs/m | 03324 Nm | KLEIN 123 / KLEIN 200 |
| 58,00 | 4,00 | Tube 58x4 | 05,33 Kgs/m | 04237 Nm | 5C SIC |
| 60,00 | 2,00 | Tube 60x2 | 02,86 Kgs/m | 02526 Nm | 801.10 NCV1 series tube |
| 60,00 | 3,00 | Tube 60x3 | 04,22 Kgs/m | 03603 Nm | 287.10 / 3C |
| 60,00 | 4,00 | Tube 60x4 | 05,52 Kgs/m | 04566 Nm | ELBE 112 / 5C ELBE |
| 60,00 | 4,35 | Tube 60x4,35 | 05,97 Kgs/m | 04878 Nm | Special , under request |
| 60,30 | 4,50 | Tube 60,3x4,5 | 06,19 Kgs/m | 05063 Nm | UNIMOG 587.12 , under request |
| 63,50 | 1,64 | Tube 63,5x1,64 | 02,50 Kgs/m | 02374 Nm | 1120 / 1140 / 1310 special |
| 63,50 | 2,10 | Tube 63,5x2,1 | 03,18 Kgs/m | 02974 Nm | 1310 special , under request |
| 63,50 | 2,40 | Tube 63,5x2,4 | 03,62 Kgs/m | 03350 Nm | 687.15 / 1300 / 1310 / 1350 / 4C DANA / BTB BC215 / 1410 |
| 70,00 | 2,00 | Tube 70x2 | 03,35 Kgs/m | 03489 Nm | 801.00 / 801.10 / 801.17 / 801.18 |
| 70,00 | 3,00 | Tube 70x3 | 04,96 Kgs/m | 05011 Nm | 287.10 / 287.20 / ELBE112 / 801.21 |
| 70,00 | 4,00 | Tube 70x4 | 06,51 Kgs/m | 06398 Nm | 6C / ELBE 113 / 387.20 |
| 76,20 | 1,64 | Tube 76,2x1,64 | 03,02 Kgs/m | 03463 Nm | 1310 / 687.15 / 1140 / 1330 |
| 76,20 | 2,10 | Tube 76,2x2,1 | 03,84 Kgs/m | 04354 Nm | 1350 / 1410 |
| 76,20 | 2,40 | Tube 76,2x2,4 | 04,37 Kgs/m | 04917 Nm | 1330/1350/1410/687.15/687.20/1510 |
| 80,00 | 2,00 | Tube 80x2 | 03,85 Kgs/m | 04606 Nm | 184.10 / VW - LT series tube / 801.18 - NCV3 tube |
| 80,00 | 2,50 | Tube 80x2,5 | 04,78 Kgs/m | 05650 Nm | 287.20, under request |
| 80,00 | 3,50 | Tube 80x3,5 | 06,60 Kgs/m | 07616 Nm | 587.15 / 687.30 Special / KLEIN253 |
| 80,00 | 4,00 | Tube 80x4 | 07,50 Kgs/m | 08540 Nm | ELBE 148/7C ELBE |
| 80,00 | 5,00 | Tube 80x5 | 09,25 Kgs/m | 10276 Nm | Special , under request |
| 84,00 | 1,70 | Tube 84x1,7 | 03,45 Kgs/m | 04379 Nm | New Daily |
| 85,00 | 4,00 | Tube 85x4 | 07,99 Kgs/m | 09727 Nm | VOLVO NK300 |
| 85,00 | 5,00 | Tube 85x5 | 09,86 Kgs/m | 11731 Nm | 587.20 / 687.35 SPECIAL / KLEIN 375 |
| 88,00 | 4,00 | Tube 88x4 | 08,29 Kgs/m | 10477 Nm | please use 90x5 |
| 88,00 | 4,50 | Tube 88x4,5 | 09,27 Kgs/m | 11585 Nm | Special , under request |
| 88,90 | 1,64 | Tube 88,9x1,64 | 03,53 Kgs/m | 04757 Nm | 1310 / 687.15 / 1330 , under request |
| 88,90 | 1,65 | Tube 89x1,65 | 03,55 Kgs/m | 04785 Nm | 1410 |
| 88,90 | 2,10 | Tube 88,9x2,1 | 04,50 Kgs/m | 05997 Nm | 1480/SPL55 / 1310 special , under request |
| 88,90 | 2,40 | Tube 89x2,4 | 05,12 Kgs/m | 06785 Nm | 687.25/1550/1510/1410+ 687.30 |
| 88,90 | 3,40 | Tube 88,9x3,40 | 07,17 Kgs/m | 09290 Nm | 1610 |
| 89,50 | 4,75 | Tube 89,5x4,75 | 09,93 Kgs/m | 12574 Nm | 1700 obsolete , please use 90x5 |
| 90,00 | 2,00 | Tube 90x2 | 04,34 Kgs/m | 05879 Nm | Special 1410 |
| 90,00 | 2,50 | Tube 90x2,5 | 05,39 Kgs/m | 07226 Nm | 286.22 / 287.20 / 802.31 series tube |
| 90,00 | 3,00 | Tube 90x3 | 06,44 Kgs/m | 08527 Nm | 687.30 / 1550 special/ SPL55/506/ 687.25/ 58WB |
| 90,00 | 3,50 | Tube 90x3,5 | 07,47 Kgs/m | 09782 Nm | obsolete , on request |
| 90,00 | 4,00 | Tube 90x4 | 08,48 Kgs/m | 10992 Nm | 8C ELBE / 1650 / ELBE 158 / 358 / 1 600 / 1550 (89x3,4) |
| 90,00 | 4,50 | Tube 90x4,5 | 09,49 Kgs/m | 12159 Nm | SCANIA P300 / 1710 old replacement of obsolete 89x4 |
| 90,00 | 5,00 | Tube 90x5 | 10,48 Kgs/m | 13284 Nm | 7C/SCANIA T60 / SCANIA P300 |
| 90,00 | 5,50 | Tube 90x5,5 | 11,46 Kgs/m | 14367 Nm | KLEIN 495 / 587.30 special to replace by 92x6,5/1700 |
| 90,20 | 5,26 | Tube 90,2x5,26 | 11,02 Kgs/m | 13919 Nm | 1610 special BUS , under request |
| 91,00 | 4,50 | Tube 91x4,5 | 09,60 Kgs/m | 12452 Nm | VOLVO NK400 |
| 92,00 | 5,00 | Tube 92x5 | 10,73 Kgs/m | 13932 Nm | 8C SIC / 186.33/286.33 / VOLVO NK 400 / SCANIA P520 |
| 92,00 | 6,50 | Tube 92x6,5 | 13,71 Kgs/m | 17233 Nm | 587.30 special (90x5,5) / SCANIA P300 |
| 93,00 | 5,00 | Tube 93x5 | 10,85 Kgs/m | 14262 Nm | obsolete , on request |
| 95,00 | 5,00 | Tube 95x5 | 11,10 Kgs/m | 14933 Nm | SCANIA T70 / SCANIA P420 and T61 interaxle,under request |
| 98,00 | 2,00 | Tube 98x2 | 04,74 Kgs/m | 07009 Nm | KLEIN 196 |
| 98,00 | 7,00 | Tube 98x7 | 15,71 Kgs/m | 21008 Nm | obsolete , on request |
| 100,00 | 2,00 | Tube 100x2 | 04,83 Kgs/m | 07307 Nm | Special |
| 100,00 | 3,00 | Tube 100x3 | 07,18 Kgs/m | 10634 Nm | 687.35 / GS606 |
| 100,00 | 4,00 | Tube 100x4 | 09,47 Kgs/m | 13755 Nm | 287.40 / 387.40 |
| 100,00 | 4,50 | Tube 100x4,5 | 10,60 Kgs/m | 15241 Nm | 687.40 / KLEIN 490 |
| 100,00 | 5,00 | Tube 100x5 | 11,71 Kgs/m | 16679 Nm | 286.37 / 286.22 / ELBE117 / 8,5C ELBE / SCANIA P400 |
| 100,00 | 6,00 | Tube 100x6 | 13,91 Kgs/m | 19415 Nm | 587.35 / VOLVO NK500 / 8,5C SIC |

(*) Tcs = Functional limit torque or the maximum permissible torque that can be transmitted for a limited time without damaging the operating tube ability

**TUBING**

| OUTSIDE (mm) | THICKNESS (mm) | EDS P/N | WEIGHT | Tcs (Nm) (*) | COMMENTS |
|--|------------------|-----------------|--------------|------------------|--|
| ROHR - Röhr / Tube / Tube / Tubo / Tubo / Tpy6a | | | | | |
| 101,60 | 2,11 | Tube 101,6x2,11 | 05,18 Kgs/m | 07939 Nm | 1550/SPL70 / 1350/ 1310 special |
| 101,60 | 3,40 | Tube 101,6x3,4 | 08,23 Kgs/m | 12310 Nm | SPL90/100 / 1710 / 1610HD |
| 103,90 | 4,60 | Tube 103,9x4,6 | 11,26 Kgs/m | 16856 Nm | 1760 / 1710HD / SPL90/100 Special |
| 104,00 | 8,00 | Tube 104x8 | 18,94 Kgs/m | 26589 Nm | 587.36/37 |
| 108,00 | 5,50 | Tube 108x5,5 | 13,90 Kgs/m | 21340 Nm | SCANIA P500 |
| 110,00 | 4,00 | Tube 110x4 | 10,46 Kgs/m | 16828 Nm | obsolete , on request |
| 110,00 | 5,00 | Tube 110x5 | 12,95 Kgs/m | 20463 Nm | 687.45 |
| 110,00 | 6,00 | Tube 110x6 | 15,39 Kgs/m | 23885 Nm | 587.42 / 802.68 / ELBE 120 / ELBE 9C / KLEIN 650 |
| 111,50 | 6,75 | Tube 111,5x6,75 | 17,44 Kgs/m | 27110 Nm | 587.42 |
| 114,30 | 3,40 | Tube 114,3x3,4 | 09,30 Kgs/m | 15757 Nm | SPL140 old obsolete replaced by 115,9x4,2 or 114,7x6,6 |
| 114,30 | 5,50 | Tube 114,3x5,5 | 14,76 Kgs/m | 24107 Nm | VOLVO NK600 / SCANIA P600 |
| 114,70 | 6,60 | Tube 114,7x6,6 | 17,59 Kgs/m | 28308 Nm | SCANIA P600 / 1880 / 18010HD to replace old 115,9x4,2 |
| 115,00 | 7,50 | Tube 115x7,5 | 19,88 Kgs/m | 31589 Nm | 9C SIC |
| 115,90 | 4,20 | Tube 115,9x4,2 | 11,57 Kgs/m | 19623 Nm | SPL140 / old 1880 replaced by 114,3x3,4 / 1710 special |
| 120,00 | 3,00 | Tube 120x3 | 08,66 Kgs/m | 15546 Nm | 687.40 / GS 706 / KLEIN490 |
| 120,00 | 4,00 | Tube 120x4 | 11,44 Kgs/m | 20212 Nm | 687.45/47 / GS 806 / KLEIN 590 |
| 120,00 | 5,00 | Tube 120x5 | 14,18 Kgs/m | 24634 Nm | 687.50 / 687.47 |
| 120,00 | 6,00 | Tube 120x6 | 16,87 Kgs/m | 28822 Nm | 687.55/ELBE 122/190.50/906/KLEIN 620 |
| 123,50 | 8,00 | Tube 123,5x8 | 22,79 Kgs/m | 38912 Nm | 587.50 replacement for 123,8x7,5 applications |
| 124,00 | 8,00 | Tube 124x8 | 22,89 Kgs/m | 39259 Nm | ELBE 122HD |
| 126,00 | 3,00 | Tube 126x3 | 09,10 Kgs/m | 17201 Nm | SPL170 standard used SPL 170HD 128,5x4,5 |
| 128,50 | 4,25 | Tube 128,5x4,25 | 13,02 Kgs/m | 24644 Nm | SPL170HD standard used replacing 126x3 |
| 130,00 | 5,00 | Tube 130x5 | 15,41 Kgs/m | 29193 Nm | SPL170 / SPL250 / 286.22 / 286.33 / 186.33 |
| 130,00 | 6,00 | Tube 130x6 | 18,35 Kgs/m | 34223 Nm | 687.60 |
| 140,00 | 5,00 | Tube 140x5 | 16,65 Kgs/m | 34141 Nm | 587.48/ 587.42HD/ 385.60/ 286.37/ KLEIN 600 / KLEIN680 |
| 140,00 | 6,00 | Tube 140x6 | 19,83 Kgs/m | 40090 Nm | Special , under request |
| 140,00 | 10,00 | Tube 140x10 | 32,06 Kgs/m | 61249 Nm | 12,5C SIC |
| 142,00 | 6,00 | Tube 142x6 | 20,12 Kgs/m | 41320 Nm | 687.65 / 10C IC-UG / 587.48 |
| 143,00 | 7,50 | Tube 143x7,5 | 25,06 Kgs/m | 50781 Nm | GWB 190.55 alternative for 152,4x14,2 (check torque) |
| 144,00 | 7,00 | Tube 144x7 | 23,65 Kgs/m | 48625 Nm | 587.50 / 802.79 / 10C / 11C IC-UG |
| 150,00 | 5,00 | Tube 150x5 | 17,88 Kgs/m | 39476 Nm | KN680 |
| 152,40 | 6,30 | Tube 152,4x6,3 | 22,70 Kgs/m | 50112 Nm | Special , under request |
| 152,40 | 14,20 | Tube 152,4x14,2 | 48,40 Kgs/m | 96432 Nm | 190.55 / 291.50, under request |
| 160,00 | 6,00 | Tube 160x6 | 22,79 Kgs/m | 53221 Nm | Special , under request |
| 160,00 | 8,00 | Tube 160x8 | 29,99 Kgs/m | 68318 Nm | Special , under request |
| 160,00 | 10,00 | Tube 160x10 | 36,99 Kgs/m | 82208 Nm | 15C SIC |
| 161,50 | 9,00 | Tube 161,5x9 | 33,85 Kgs/m | 76952 Nm | 190.60 / 190.60S together with 165,1x14,2 ,under request |
| 162,90 | 9,85 | Tube 162,9x9,85 | 37,18 Kgs/m | 84458 Nm | GEWES 83 - 587.55 / 587.60 |
| 165,10 | 14,20 | Tube 165,1x14,2 | 52,84 Kgs/m | 115683 Nm | 291.55 / 190.60S together with 161,5x9 ,under request |
| 167,70 | 9,80 | Tube 167,7x9,8 | 38,16 Kgs/m | 89607 Nm | 392.50 / 390.60 / 587.60 together with 168x10 |
| 168,00 | 10,00 | Tube 168x10 | 38,97 Kgs/m | 91460 Nm | 587.60R can be used for 587.60 |
| 168,80 | 7,30 | Tube 168,8x7,30 | 29,07 Kgs/m | 70825 Nm | GWB 587.55 together with GEWES 83 162,9x9,85 |
| 180,00 | 4,00 | Tube 180x4 | 17,36 Kgs/m | 47031 Nm | VOLVO 2060 |
| 193,50 | 9,00 | Tube 193,5x9 | 40,95 Kgs/m | 113609 Nm | GWB 190.65 together with 193,7x14,2, under request |
| 193,70 | 14,20 | Tube 193,7x14,2 | 62,86 Kgs/m | 165536 Nm | WELTE 190.65 / 291.60 together with 193,5x9, under request |
| 218,00 | 10,50 | Tube 218x10,5 | 53,73 Kgs/m | 167390 Nm | 190.70 ,see 219,1x16 190.70S |
| 218,20 | 8,70 | Tube 218,2x8,7 | 44,95 Kgs/m | 142494 Nm | 390.65 / 392.55 / 14,5C SIC |
| 219,00 | 13,30 | Tube 219x13,3 | 67,47 Kgs/m | 205946 Nm | 390.70 / 392.60 |
| 219,10 | 16,00 | Tube 219,1x16 | 80,14 Kgs/m | 238850 Nm | 190.70 / 291.65 |
| 244,00 | 20,00 | Tube 244x20 | 110,48 Kgs/m | 360300 Nm | 291.70 , under request |
| 267,00 | 25,00 | Tube 267x25 | 149,20 Kgs/m | 520376 Nm | 190.75 / 190.80 / 291.75 ,under request |
| 273,00 | 11,60 | Tube 273x11,6 | 74,78 Kgs/m | 295052 Nm | 390.75,under request |
| 273,00 | 19,00 | Tube 273x19 | 119,02 Kgs/m | 444987 Nm | GWB 392.70 / 390.80 , under request |

(*) Tcs = Functional limit torque or the maximum permissible torque that can be transmitted for a limited time without damaging the operating tube ability

**CENTER BEARINGS BY DIMENSIONS**

| EDS P/N | SERIES / APPLICATION | OEM | DIMENSIONS | COMMENTS |
|---|----------------------|---------------|-----------------------------------|---|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9159 | | FORD | Ford rubber | suits WDL 9001 and WDL 9004 |
| WDL 9269 | | VOLVO | Ø25x74,5x12 M8 H63,5 | 515 410 0081 |
| WDL 9075 | | FIAT | Ø25x76x18 M8 H54 | 4181556 |
| WDL 9121 | | MERCEDES | Ø25x110x12 RL H14 | 201 410 0581 |
| WDL 9111 | | MERCEDES | Ø25x118x12 H15 | 124 410 0181 |
| WDL 9152 | | MERCEDES | Ø25x124x12 LL H15 | 202 410 0381 |
| WDL 9182 | PANDA 4x4 | FIAT | Ø25x140x18 M8 | |
| WDL 9335 | CRV 2002-2006 | HONDA | Ø25x162x12 RL11 / LL11x14 | 40100-S9A-901 |
| WDL 9171 | | MAZDA | Ø25x163x15 LL | P030-25-310 |
| WDL 9399 | RAV4 | TOYOTA | Ø25x168x12 LL | 37100-42090 |
| WDL 9203 | | SUBARU | Ø25x171x13 RL | 27037AK010 |
| WDL 9251 | SPORTAGE | KIA | Ø25x165x15 H37 LL20x26 | M05425310A / M05325310A |
| WDL 9280 | | KIA | Ø25x174x12 RL/LL | |
| WDL 9201 | | HONDA | Ø25x174x12 H12 RL11 / LL11x14 | 40520S10003 / 40100S10A01/ 40100SXSA01 |
| WDL 9202 | | SUBARU | Ø25x175x15 RL | 27037AA010 |
| WDL 9337 | IMPREZA | SUBARU | Ø25x178x12 | |
| WDL 9463 | Sedici | FIAT | Ø25x185x15 H51/-21 11x23 | |
| WDL 9504 | CIVIC | HONDA | Ø25x203x12 H0/-43 RL11 / LL 11x13 | 40100S2H003 |
| WDL 9149 | | MERCEDES | Ø25x209x12 LL H63 | 210 410 1881 |
| WDL 9172 | | MAZDA | Ø28x163x16 LL | SA02-25-310 |
| WDL 9473 | | KIA | Ø28x165x16 H38/-10 LL20x26 | MP03625310A |
| WDL 9506 | SORENTO 2003-06 | KIA | Ø28x170x16 H09 LL20x26 | 495783E300 |
| WDL 9505 | SORENTO | KIA | Ø28x170x16 H11 LL20x26 | 495783E200 |
| WDL 9381 | SORENTO | KIA | Ø28x170x15 H20 LL20x26 | 495753E100 |
| WDL 9272 | | MAZDA | Ø28x173x16 H45 | |
| WDL 9271 | | MAZDA | Ø28x175x14 RL H40 | POA4-25-310 |
| WDL 9273 | | MAZDA | Ø28x176x16 LL H40 | POA5-25-310 |
| WDL 9274 | | MAZDA | Ø28x175x16 LL H40 | special sealing |
| WDL 9472 | | KIA | Ø28x180x15 H30/60 LL20x26 | 0K95A25300A |
| WDL 9144 | RANGER TURBO 4x4 | FORD | Ø28x181x16 LL | SA54-25-100 |
| WDL 9469 | TUCSON 2006-2010 | KIA | Ø28x185x16 H18 RL11 LL11x14 | 495752E000 |
| WDL 9185 | | NISSAN | Ø30x16 | 37521-33G26 |
| WDL 9173 | | NISSAN | Ø30x16 | 37521-33G25 |
| WDL 9096 | | NISSAN | Ø30x016 round | |
| WDL 9236 | LEXUS SC400 | NISSAN | Ø30x016 round | 37521-V5225 / 37521-41L5 |
| WDL 9248 | SAGINAW 3R | CHEVROLET | Ø30x017x45 3/8" H90 | DANA 210527X |
| WDL 9300 | KYRON 4WD | SSANGYONG | Ø30x045x16 M12x1,25 H105 | |
| WDL 9301 | ACTYON/KYRON 2WD | SSANGYONG | Ø30x045x16 M12x1,25 H99 | |
| WDL 9302 | ACTYON SPORTS | SSANGYONG | Ø30x045x16 M12x1,25 H76 | |
| WDL 9303 | MUSSO / KORANDO | SSANGYONG | Ø30x045x16 M12x1,25 H119 | |
| WDL 9304 | MUSSO / KORANDO | SSANGYONG | Ø30x047x16 M12x1,25 H80 | |
| WDL 9305 | MUSSO SPORTS | SSANGYONG | Ø30x045x16 M12x1,25 H98 | |
| WDL 9430 | | MERCEDES | Ø30x57x13 H73 | 222 410 0881 |
| WDL 9270 | | VOLVO | Ø30x57,5x13 M8 H54 | |
| WDL 9204 | LEXUS LS400 | LEXUS | Ø30x058x12 LL H60 | 37230-24090/24100 |
| WDL 9205 | LEXUS GS300 | LEXUS | Ø30x058x12 LL H60 | 37230-50011 |
| WDL 9221 | TOUAREG / CAYENNE | VW/PORSCHE | Ø30x068x20 M8 H70 | OEM |
| WDL 9321 | TOUAREG / CAYENNE | VW/PORSCHE | Ø30x068x19 M8 H70 | Aftermarket version |
| WDL 9203 | | SUBARU | Ø30x075x15 RL | 27037AK010 |
| WDL 9175 | | SPECIAL | Ø30x076x13 M8 H54 | Kit Car application |
| WDL 9093 | | JAGUAR | Ø30x076,5x13 5/16" H64 | 3180-3002 |
| WDL 9453 | FREELANDER II | LANDROVER | Ø30x082x15 H54 M8 | EDS |
| WDL 9380 | | ISUZU / HONDA | Ø30x092x16 H85 M12 | 8-97081-649-0 |
| WDL 9311 | | VOLVO | Ø30x092x13 M8 H54 | |
| WDL 9160 | | AUDI | Ø30x096 round | repair kit , fits all versions |
| WDL 9255 | C5 4x4 | DANGEL | Ø30x093x15 H55 | |
| WDL 9479 | D-MAX | ISUZU | Ø30x94x16 H81 M12 | 8-97942-877-0 |
| WDL 9200 | | ISUZU | Ø30x095x15 H80 M12 | 8-94482-472-0 |
| WDL 9148 | | OPEL | Ø30x095x15,5 M8 H50 | 0458 009 |
| WDL 9156 | | OPEL | Ø30x095x15,5 M8 H50 | 0458 014 |
| WDL 9307 | VW / AUDI / PORSCHE | | Ø30x096x15,5 round | rubber/bearing Insert OEM |
| WDL 9142 | 1310 ML-Class | MERCEDES | Ø30x100x14 RL H60 | 163 410 0010 , incl. 1310 strap kit + mid nut |
| WDL 9442 | 1310 ML-Class | MERCEDES | Ø30x100x14 RL H60 | ML Aftermarket , incl. 1310 strap kit + mid nut |
| WDL 9010 | CF VAN | BEDFORD | Ø30x110x13 | |
| WDL 9328 | 3500 | KIA | Ø30x115x16 H74 | rubber insert |
| WDL 9312 | | VOLVO | Ø30x116x13 M8 H30 | silicone cushion |
| WDL 9346 | | MERCEDES | Ø30x118x13 LL H15 | 124 410 0281 |
| WDL 9313 | | VOLVO | Ø30x118x13 M8 H27 | |
| WDL 9153 | | MERCEDES | Ø30x119x13 H25 LL9x17 | 126 410 0181 |
| WDL 9115 | | MERCEDES | Ø30x120x12 LL | 124 410 0781 |
| WDL 9133 | 1410/SPL41 | MERCEDES | Ø30x120x13 LL H19 | 126 410 0181 |
| WDL 9233 | | MERCEDES | Ø30x123x13 LL | 129 410 0481 / 129 410 0881 |
| WDL 9512 | C-Class | MERCEDES | Ø30x123x13 H20 LL 9x25 | 202 410 0281 |
| WDL 9315 | E46 rear | BMW | Ø30x124x13 LL H25 | 26121229682 |
| WDL 9150 | | MERCEDES | Ø30x124x13 LL H40 | 115 410 4381 |
| WDL 9116 | | MERCEDES | Ø30x125x12 LL | 140 410 0181 |

**CENTER BEARINGS BY DIMENSIONS**

| EDS P/N | SERIES / APPLICATION | OEM | DIMENSIONS | COMMENTS |
|---|-----------------------|------------|----------------------------------|--|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9253 | | MERCEDES | Ø030x125x13 H25 | 115 410 4481 |
| WDL 9155 | | MERCEDES | Ø030x125x12 LL | 129 410 1881 |
| WDL 9131 | | MERCEDES | Ø030x125x13 LL H29,5 | 115 410 4281 |
| WDL 9500 | COASTER | TOYOTA | Ø030x125x16 H70 LL 11x25 | 37230-36H00 |
| WDL 9174 | | ALFA | Ø030x128x13RL H75 | ALFA SPIDER |
| WDL 9126 | | BMW | Ø030x130x13 LL H53 | 26121226723 |
| WDL 9263 | X5 | BMW | Ø030x130x13 LL H57 | 26121229726 |
| WDL 9334 | RANGE ROVER DISCOVERY | ROVER | Ø030x130x13 H58 RL10 | TVB500360 EDS |
| WDL 9400 | DISCOVERY | LANDROVER | Ø030x130x13 H58 RL10 | TVB500360 OEM |
| WDL 9210 | | AUDI | Ø030x130x15,5 LL H41 | |
| WDL 9268 | KANGOO | RENAULT | Ø030x130,5x15 LL | |
| WDL 9368 | SCENIC | | Ø030x130,5x13,5 LL | 708867 genuine |
| WDL 9468 | SCENIC | | Ø030x130,5x13,5 LL | EDS FAG bearing |
| WDL 9109 | | MERCEDES | Ø030x131x13 H15 | 123 410 1081 |
| WDL 9478 | VOYAGER | CHRYSLER | Ø030x131x13 H62 11,5x30 | |
| WDL 9439 | AUDI 80/90 | AUDI | Ø030x133x15 H44 | B2/B3/B4 |
| WDL 9507 | DISCOVERY | LANDROVER | Ø030x134x16 H60 RL10 15° bracket | LR037027 |
| WDL 9154 | | BMW | Ø030x135x12 H50 | 26111206502 |
| WDL 9078 | 184.10 | VW-LT | Ø030x135x13 round | 293 521 351 |
| WDL 9006 | FREELANDER | ROVER | Ø030x138x13 LL H63 | |
| WDL 9387 | FREELANDER | ROVER | Ø030x138x15 LL H90 | TOQ000060 |
| WDL 9243 | PANDA 4x4 new | FIAT | Ø030x138x15 LL H65 | |
| WDL 9124 | | BMW | Ø030x140x13 LL H63 | 26211225152 |
| WDL 9001 | 1140 | FORD | Ø030x140x13 LL | 88VB-4286-AA 15° bracket |
| WDL 9222 | TRANSIT | FORD | Ø030x144x13 LL H57,9 | 4104708 / YCIW4826BC |
| WDL 9278 | RAV4 | TOYOTA | Ø030x144x13 LL H67 | 37230-24051 |
| WDL 9003 | TRANSIT | FORD | Ø030x144x13 LL H63,3 w/flingers | 95VB-4826-AA |
| WDL 9480 | SHARAN | VW | Ø030x145x19 H45 LL11x25 | 7MO521351B |
| WDL 9276 | | LEXUS | Ø030x145x13 LL | 37230-50030 |
| WDL 9238 | FAIR LADY Z32 / 300ZX | NISSAN | Ø030x146x13 RL | 37521-33P25 |
| WDL 9229 | TACOMA / TUNDRA | TOYOTA | Ø030x148x13 LL H8 | 37230-35130 / 37230-OK030 |
| WDL 9218 | VITO | MERCEDES | Ø030x148x13 LL | 639 410 0481 |
| WDL 9219 | VITO | MERCEDES | Ø030x148x13 LL H65 | 639 410 0581 |
| WDL 9220 | VITO | MERCEDES | Ø030x148x13 LL H70 | 639 410 0681/1081 |
| WDL 9318 | VITO | MERCEDES | Ø030x148x13 LL | EDS |
| WDL 9319 | VITO | MERCEDES | Ø030x148x13 LL H70 | EDS |
| WDL 9455 | VITO II 2014- | MERCEDES | Ø030x148x13 H40 11x19 | KIT 447 410 3300 |
| WDL 9456 | VITO II 2014- | MERCEDES | Ø030x148x13 H54 11x19 | KIT 447 410 3400 |
| WDL 9457 | VITO II 2014- | MERCEDES | Ø030x148x13 H43 11x19 | KIT 447 410 3600 |
| WDL 9085 | HI-LUX | TOYOTA | Ø030x148,7x13 H56 | 37230-35090 |
| WDL 9310 | T5 | VW | Ø030x148x15,5 RL H61 | |
| WDL 9199 | RANGER | FORD | Ø030x149x13 RL H49 | |
| WDL 9189 | HIACE | TOYOTA | Ø030x149x13 | 37230-26020 |
| WDL 9183 | SIERRA | FORD | Ø030x150x13LL H47 | 83BG4K080AA |
| WDL 9004 | TAUNUS/CORTINA | FORD | Ø030x150x14LL H8,5 | 1480-3003, straight bracket, rubber WDL 9159 |
| WDL 9207 | RX300 front | LEXUS | Ø030x151x13 LL H15 | 37230-22100 |
| WDL 9234 | PREVIA | TOYOTA | Ø030x152x13 LL | 37230-28010 |
| WDL 9409 | HILUX 4x2 | TOYOTA | Ø030x152x13 LL | 37230-0K011 / 37230-34020 / 37230-35130 |
| WDL 9411 | HILUX 4x4 | TOYOTA | Ø030x152x13 LL | 37230-0K021 / 37230-0K020 / 37230-35120 |
| WDL 9282 | | AUDI | Ø030x152x15 H70 | |
| WDL 9208 | | AUDI | Ø030x152x15 H70 | |
| WDL 9446 | 4-MOTION | VW | Ø030x152x19 H55 10x24 | |
| WDL 9516 | COROLLA | TOYOTA | Ø030x154x13 H15 L113x20 | 37320-12120 |
| WDL 9308 | Q7 | AUDI | Ø030x154x15 H12 | OEM |
| WDL 9408 | Q7 | AUDI | Ø030x154x15 H12 | EDS Aftermarket |
| WDL 9162 | L200 97-99 | MITSUBISHI | Ø030x155x15,7 | MR 223119 |
| WDL 9012 | 309D | MERCEDES | Ø030x156x20 RL H26 | 309 410 1122 |
| WDL 9275 | | LEXUS | Ø030x157x13 LL | 37230-51010 |
| WDL 9412 | FRONTIER | NISSAN | Ø030x157x16 RL | 37521-57G26 |
| WDL 9522 | | MITSUBISHI | Ø030x157x13 H0/-40 RL25 | MR196669 |
| WDL 9216 | | MITSUBISHI | Ø030x158x25 RL | |
| WDL 9235 | LEXUS SC 400 | TOYOTA | Ø030x160x13 LL | 37230-24070 |
| WDL 9254 | BMW Z3 | BMW | Ø030x160x13 H39 | 26121226731 |
| WDL 9333 | | BMW | Ø030x160x13 H50 | 26121229492 |
| WDL 9410 | | BMW | Ø030x160x13 | 26127521855 |
| WDL 9342 | RANGE ROVER SPORT | ROVER | Ø030x160x15 RL | |
| WDL 9341 | X5 | BMW | Ø030x160x13 LL | 26127558745 |
| WDL 9213 | L200 | MITSUBISHI | Ø030x160x15 LL | MB154080 |
| WDL 9215 | | MITSUBISHI | Ø030x160x16 RL 25mm | MR165252 |
| WDL 9306 | | MITSUBISHI | Ø030x160x16 RL 12mm | MR357998 |
| WDL 9407 | L200 TRITON | MITSUBISHI | Ø030x160x16 | MR580647 / MR580648 |
| WDL 9164 | STAREX | HYUNDAI | Ø030x160x16 RL 11mm | 491304A000 |
| WDL 9449 | RANGE ROVER | ROVER | Ø030x161x13 H45 | |
| WDL 9309 | T5 | VW | Ø030x162x15,5 RL H97 | |
| WDL 9550 | | ARO | Ø030x162x13 H63,5 | on request |
| WDL 9462 | Panamera | PORSCHE | Ø030x163x15,5 H0 Ø12 | |

**CENTER BEARINGS BY DIMENSIONS**

| EDS P/N | SERIES / APPLICATION | OEM | DIMENSIONS | COMMENTS |
|---|------------------------|------------|--------------------------------|---|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9095 | L 200 95-97 MITSUBISHI | MITSUBISHI | Ø030x163,2x15,7 | MB154199/000815 |
| WDL 9214 | | MITSUBISHI | Ø030x164x16 RL 25mm | MR165252 |
| WDL 9433 | SRX 2010 front | CADILLAC | Ø030x164x16,5 H35,1 LL 10,5x30 | |
| WDL 9434 | SRX 2010 rear | CADILLAC | Ø030x164x16,5 H35,1 LL 10,5x20 | |
| WDL 9330 | SORENTO | KIA | Ø030x165x13 | |
| WDL 9421 | DAILY MY15 | IVECO | Ø030x168x16 H60 | 42569349 |
| WDL 9369 | | FORD | Ø030x168,4x14 LL H60 | |
| WDL 9299 | AMAROK | VW | Ø030x169x15 H57 LL | 2H0598351B OEM |
| WDL 9499 | AMAROK | VW | Ø030x169x15 H57 LL | Aftermarket EDS version |
| WDL 9331 | | JAGUAR | Ø030x170x13 LL H58 | |
| WDL 9329 | SORENTO | KIA | Ø030x171x13 | |
| WDL 9237 | LEXUSRX300/HIGHLANDER | TOYOTA | Ø030x172x13 LL | 37230-48010 / 37230-49015 |
| WDL 9514 | FORESTER | SUBARU | Ø030x172x16 RL16 | 27111SA011 |
| WDL 9158 | RANGER AT | FORD | Ø030x175x15,5 LL H35 | DANA 212165-1X |
| WDL 9165 | RANGER MT | FORD | Ø030x175x15,5 LL H35 | |
| WDL 9474 | | BMW | Ø030x13x176 | 26127525966 |
| WDL 9447 | DUSTER | DACIA | Ø030x176x13 H20/45 11x30 | 397740385R |
| WDL 9209 | TT / TTS | AUDI | Ø030x177x15 H70 | |
| WDL 9206 | LEXUS RX300 | TOYOTA | Ø030x177,8x13 | 37230-21020 |
| WDL 9277 | CELICA / RAV4 | TOYOTA | Ø030x178x13 LL11x23 / 15x25 | 37201-20130 / 37100-42060 |
| WDL 9392 | TUCSON | HYUNDAI | Ø030x178x16 | 49300-0L000 |
| WDL 9513 | LEGACY | SUBARU | Ø030x179x13 H60 RL11,5 | 27111AG220 |
| WDL 9397 | OUTLANDER front | MITSUBISHI | Ø030x179x13 | MR953919 |
| WDL 9372 | A6/C4 | AUDI | Ø030x180x15 H69 | |
| WDL 9441 | A6 V8 | AUDI | Ø030x180x15 H75 | C4 |
| WDL 9393 | SANTA FE | HYUNDAI | Ø030x180x13 | 49300-2B500 |
| WDL 9394 | RX35 | HYUNDAI | Ø030x180x13 | 49300-2S000 |
| WDL 9279 | RAV4 | TOYOTA | Ø030x184x13 10x23/15x23 | 37230-29025 / 37230-48010 / 37230-19015 |
| WDL 9417 | | AUDI | Ø030x187x15 H39 | 4D0-521-113G |
| WDL 9266 | RODIUS | SSANGYONG | Ø030x187x16 RL H61 | |
| WDL 9405 | 300C | CHRYSLER | Ø030x188x13 H88 | |
| WDL 9429 | GOLF 4-motion | VW | Ø030x190x13 H35 12x22 | |
| WDL 9322 | RANGE ROVER | ROVER | Ø030x190x13 LL | |
| WDL 9316 | CAPTIVA / OPEL ANTARA | CHEVROLET | Ø030x190x13 LL H41 | 96624772 |
| WDL 9212 | LANCER EVO / GALANT | MITSUBISHI | Ø030x190x25 RL | MB 505495/837388 |
| WDL 9398 | OUTLANDER XT | MITSUBISHI | Ø030x197x13 RL | 3401A022 |
| WDL 9396 | OUTLANDER rear | MITSUBISHI | Ø030x199x13 RL | MR953922 |
| WDL 9239 | RAV4 SXA10 95-99 | TOYOTA | Ø030x200x13 LL | 37230-42010 |
| WDL 9211 | | MITSUBISHI | Ø030x200x15 RL | 505286 |
| WDL 9452 | VITO II 2014- | MERCEDES | Ø030x205/265x13 H13 11,7x26 | KIT 447 410 3100 alu bracket |
| WDL 9454 | VITO II 2014- | MERCEDES | Ø030x205/265x13 H0 11,7x26 | KIT 447 410 3200 steel bracket |
| WDL 9345 | | MERCEDES | Ø030x208x13 LL H65 | 221 410 5081 |
| WDL 9190 | E-CLASS 220 CDI | MERCEDES | Ø030x208x13 H63 | 211 410 0381 |
| WDL 9117 | | MERCEDES | Ø030x209x13 LL H48 | 210 410 1681 |
| WDL 9339 | BRERA front | ALFA | Ø030x220x13 square holes | |
| WDL 9294 | BRERA rear | ALFA | Ø030x220x13 square holes | |
| WDL 9510 | CX-7 | MAZDA | Ø030x225x13 H23 LL 23,2/27 | PH0125100B |
| WDL 9509 | CX-9 | MAZDA | Ø030x226x13 H30 RL23 | KG0325109U |
| WDL 9451 | Q5 | AUDI | Ø030x227x15 RL12 | EDS |
| WDL 9481 | RS6 | AUDI | Ø030x227x15 H69 RL12 | 4FO 521101 H |
| WDL 9482 | A5 Quattro | AUDI | Ø030x227x15 H116 RL12 | 8TO 521101 P |
| WDL 9444 | A4 / A6 | AUDI | Ø030x227x15 H71 | C6 / B7 RS4 |
| WDL 9459 | RS6 | AUDI | Ø030x227x15 H71 | |
| WDL 9461 | RS4 | AUDI | Ø030x229x15 H85 Ø13 | |
| WDL 9416 | | AUDI | Ø030x229x15 H85 | |
| WDL 9062 | | TOYOTA | Ø030x230x13 H12 | 37230-35061 |
| WDL 9242 | | TOYOTA | Ø030x230x13 LL | 35230-35080 |
| WDL 9508 | CX-7 | MAZDA | Ø030x232x13 H-40 LL23x25 | PH0125100 |
| WDL 9443 | | AUDI | Ø030x241x15 H82 | |
| WDL 9283 | | AUDI | Ø030x242x15 H105 | |
| WDL 9354 | PHAETON | VW | Ø030x260x15 H55 | |
| WDL 9483 | A8 | AUDI | Ø030x227x15 H125 RL12 | 4HO 521101 B |
| WDL 9353 | TIGUAN | VW | Ø030x403x13 H116 | OEM |
| WDL 9352 | TIGUAN | VW | Ø030x403x13 H116 | Aftermarket Steel bracket |
| WDL 9502 | Q3 | AUDI | Ø030x410x13 H116 LL12,5x23 | 5N0521101C |
| WDL 9383 | VITO | MERCEDES | Ø032x148x13 LL | OEM KIT |
| WDL 9355 | VITO | MERCEDES | Ø032x148x13 LL H64 | OEM KIT |
| WDL 9371 | RANGER | FORD | Ø032x149,2x24 H51 | |
| WDL 9217 | 740 - 760 | VOLVO | Ø035x080x17 M8 H63 | |
| WDL 9176 | 1350 | FORD | Ø035x100x13 oval | E7NN-4642-AA |
| WDL 9250 | | DAIHATSU | Ø035x119x18 M12 H80 | |
| WDL 9184 | 687.15 / 687.20 | LIEBHERR | Ø035x126 H47,6 | |
| WDL 9178 | | BMW | Ø035x130x13 H50 LL | 26121226657 |
| WDL 9384 | FIREBIRD / CAMARO | GM | Ø035x135x14 H55 | |
| WDL 9264 | | FORD | Ø035x144x14 LL H65 | 8C11 4826AA / 1510905 |
| WDL 9007 | | MERCEDES | Ø035x155x20RL H26 | 310 410 0822 |

**CENTER BEARINGS BY DIMENSIONS**

| EDS P/N | SERIES / APPLICATION | OEM | DIMENSIONS | COMMENTS |
|---|----------------------------|------------|---------------------------------|---|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9008 | 801.21 | MERCEDES | Ø035x160x20 round BHC27 | 460 410 0222 |
| WDL 9358 | | BMW | Ø035x160x13 H46 LL 8x16 | 26122282496 |
| WDL 9503 | 7-Series | BMW | Ø030x160x13 H43 LL 9,5x30 | 26121227997 |
| WDL 9403 | 5+ 6 Series | | Ø035x160x13 H49 LL 8x16 | 26127521856 |
| WDL 9415 | | BMW | Ø035x160x14 H20 LL 8x16 | 26127526632 |
| WDL 9414 | RANGE ROVER 02-09 | ROVER | Ø035x160x14 LL H50 | TOQ000050 |
| WDL 9406 | RANGER 4x4 | FORD | Ø035x163x14 | SA54-25-300 |
| WDL 9097 | 1310 TRAFFIC | RENAULT | Ø035x168x14 RL H70 | 7701014294/7701056062,alternat.WDL 9080 (H75) |
| WDL 9080 | 1310 TRAFFIC | RENAULT | Ø035x168x14 RL H75 | 7701034902 (H75) /7701034294-7701056062(H70) |
| WDL 9031 | 1310 | IVECO | Ø035x168x17 RL H58 | 0439 0495 , alternative DANA WDL 9055 |
| WDL 9049 | 1350 | IVECO | Ø035x168x17 RL H58 | 0998 4261 |
| WDL 9241 | | RENAULT | Ø035x168x25 RL H88 | 7701056063 |
| WDL 9029 | CF VAN | BEDFORD | Ø035x168x25 LL H71 | |
| WDL 9179 | DAILY 1310 | IVECO | Ø035x168x25 RL H57,2 | 93160324 / 42936726 |
| WDL 9134 | DAILY 1310 old | IVECO | Ø035x168x25 RL H57,1 | 9316 3376 |
| WDL 9092 | DAILY 1310 new | IVECO | Ø035x168x25 RL H62,1 | |
| WDL 9030 | | IVECO | Ø035x168x25 RL H58 | 0998 4261 / 0993 2698 |
| WDL 9055 | 287.00/10/1310//687.15 | DANA | Ø035x168x27 RL H57,2 | |
| WDL 9378 | | GMC | Ø035x168,3x25 H57 | |
| WDL 9422 | Silverado | GMC | Ø035x168,2x25 H54,9 M10x1,5x32 | 40024017 |
| WDL 9425 | Sonoma | GMC | Ø035x168,2x25 H57,2 | 12475525 / 74087042 |
| WDL 9258 | | DANGEL | Ø035x170x25 H60 | |
| WDL 9423 | Colorado | GMC | Ø035x172x25 H54,90 LL13x17 | 40099621 |
| WDL 9458 | | BMW | Ø035x176x14 | 26127513218 |
| WDL 9401 | RANGER 4x4 | FORD | Ø035x181x14 | SA68-25-300 EDS |
| WDL 9501 | RANGER 4x4 | FORD | Ø035x181x14 | SA68-25-300 OEM |
| WDL 9125 | | MERCEDES | Ø040x018 bearing alone | 352 410 0051 |
| WDL 9284 | | CADILLAC | Ø040x038,1x15 5/16" H64 | 7807531 |
| WDL 9286 | | CADILLAC | Ø040x057,2x15 3/8" H88 | 7802242 |
| WDL 9094 | VAUXHALL / BEDFORD | OPEL | Ø040x080x13 H63 | 3180-4001 |
| WDL 9327 | | VOLVO | Ø040x080x18 M8 H63 | 940-960 |
| WDL 9608 | UCF208 | | Ø040x102x102 square | |
| WDL 9376 | | GM | Ø040x110x22 H52 | |
| WDL 9285 | | CADILLAC | Ø040x130x15 | |
| WDL 9348 | | SKF | Ø040x135,5x35 H49,20 | PASE 40 |
| WDL 9352 | | SKF | Ø040x138 | P208 |
| WDL 9450 | FIREFIGHTING | MAGIRUS | Ø040x150x98x47 H32 RL10 | |
| WDL 9048 | 687.25 | IVECO | Ø040x168x18 RL H62,8 | 9316 0223 IVECO |
| WDL 9548 | 687.25 | IVECO | Ø040x168x18 RL H62,8 | 42536965 IVECO /93160223 EDS |
| WDL 9132 | 1410/SPL41 | IVECO | Ø040x168x22 LL H58 w/seal | 9315 8202 IVECO Daily CS Monotron |
| WDL 9032 | 287.20 | VOLVO | Ø040x168x22 LL H62,7 | 0298 2504 / 3953472 |
| WDL 9356 | 687.20 / 1310 / 1410/SPL41 | IVECO | Ø040x168x22 RL H57,2 | 4253 5254 Daily Monot. new altern. to WDL9056 |
| WDL 9033 | 1410/SPL41 | IVECO | Ø040x168x22 RL H57,2 | 4253 0546 / 9315 8202 genuine Daily Monotron |
| WDL 9056 | 687.20 / 1310 / 1410/SPL41 | IVECO | Ø040x168x22 RL H57,2 | 4253 5254 Daily Monotron new |
| WDL 9445 | DAILY MY15 | IVECO | Ø040x168x22 H60 | 42569357 incl. Bolt/washer |
| WDL 9103 | 1480/SPL55 | IVECO | Ø040x168x27 LL H62,7 | 4253 2794 Daily OEM, see altern. WDL 9102 |
| WDL 9088 | 1480 / SPL55 | DANA | Ø040x168x27 RL H62,7 | 211605-1X DANA 1480 Spicer solid rubber version |
| WDL 9166 | 1410/SPL41/1480/SPL55 | DAF | Ø040x168x27 RL H62,7 solid | 1404554 zinc plated |
| WDL 9060 | 1410/SPL41 / 1480/SPL55 | IVECO | Ø040x168x27 RL H62,7 | 9315 8202 genuine |
| WDL 9438 | RAM | DODGE | Ø040x168,2x22 H58,1 RL13Ø | 05183079AB / 05183075AA |
| WDL 9436 | RAM | DODGE | Ø040x168,2x22 H58,10 LL 13x29 | 05183095AC / 74083577 |
| WDL 9437 | RAM | DODGE | Ø040x168,2x22 H63,75 LL11x27 | 68065238AA |
| WDL 9435 | Escalade / Avalanche | GMC | Ø040x168,2x22 H54,90 M10x1,5x32 | 15898102 / 23165405 |
| WDL 9418 | 2008-2010 Silverado | GMC | Ø040x168,2x22 H54,90 M10x1,5x32 | 15898099 , 23165405 , 40021934 |
| WDL 9431 | | GMC | Ø040x168,2x22 H67,9 10x1,5x50 | 20759862 / 19257957 |
| WDL 9427 | RAM 2500 Dakota | DODGE | Ø040x168,2x22 H57,20 | 05093379AD / 05114390AA |
| WDL 9426 | RAM 3500 | DODGE | Ø040x168,2x22 H57,20 13x29 | 05159977AA / 74086573 |
| WDL 9424 | RAM 2500 Laremie | DODGE | Ø040x168,3x22 H63,75 RL 11 ALU | 68065263AA |
| WDL 9449 | RANGE ROVER | ROVER | Ø030x161x13 H45 | |
| WDL 9445 | DAILY MY15 | IVECO | Ø040x168x22 H60 | 42569357 |
| WDL 9379 | | GMC | Ø040x168,3x22 H51 | |
| WDL 9377 | | DODGE | Ø040x168,2x22 H58 | |
| WDL 9432 | TITAN | NISSAN | Ø040x169,25x22 H56,45 RL 10,5mm | 37520-75200 |
| WDL 9314 | | HYUNDAI | Ø040x170x18 | |
| WDL 9470 | 3600 | KIA | Ø040x193x18 H80 LL16x22 | 0K4H125150 |
| WDL 9137 | FRONTERA | OPEL | Ø045x080x16 H63 | 249735 / 249175 /1340501 |
| WDL 9002 | | DAF | Ø045x080x13 H63 | RTC4766DAF |
| WDL 9005 | TRANSIT | FORD | Ø045x144X16LL H61,2 | 92VB-4826-AA |
| WDL 9169 | | ISUZU | Ø045x158x19 H62 | 9-37510031-0 |
| WDL 9128 | 801.21 | MERCEDES | Ø045x160x18 H97 | 670 411 0112 |
| WDL 9023 | 802.31/286.22 | MERCEDES | Ø045x160x19 H89 | 970 411 0012 |
| WDL 9138 | TRANSIT | FORD | Ø045x168x17,5 LL H63 | |
| WDL 9181 | 1410/SPL41 | IVECO | Ø045x168x18 LL H58 solid | 9315 6460/4253 8439 |
| WDL 9034 | 687.15/687.20/287.20/1410 | IVECO | Ø045x168x18 LL H58 | 9315 6460/4253 8439 Daily Monotron old BTB |
| WDL 9147 | ATLEON / MASCOT | NISSAN/RVI | Ø045x168x19 RL H58 | 5001857958 |

**CENTER BEARINGS BY DIMENSIONS**

| EDS P/N | SERIES / APPLICATION | OEM | DIMENSIONS | COMMENTS |
|---|-----------------------------|---------------|---------------------------------|--|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9357 | MASCOTT | RVI | Ø045x168x19 LL H88 | 7485123948 |
| WDL 9083 | | KEMPF | Ø045x168x22 RL H80 | KEMPF genuine |
| WDL 9102 | 1480/1550/SPL55/SPL70 | RVI/IVECO | Ø045x168x27 RL H62 | 5000821936 |
| WDL 9413 | NAVARA D40 | NISSAN | Ø045x172x19 | 37522-JR60 |
| WDL 9009 | 286.22 | MERCEDES | Ø045x190x23 round side mounting | 381 410 1522 |
| WDL 9035 | 587.15 / ELBE 113 | IVECO | Ø045x193x19 LL H69,1 | 0468 2902/4253 6523 |
| WDL 9057 | 687.30 / 687.35 | IVECO | Ø045x193x19 RL H69 | 9316 0226 |
| WDL 9036 | 1550/SPL70/1610/SPL90 | RVI/IVECO/DAF | Ø045x193x27 LL H69 | 5000287986 RVI /93158251 IVECO /1404560 DAF |
| WDL 9336 | 1550/SPL70/1610/SPL90 | IVECO | Ø045x193x27 RL H69 | 9345 8251 alternative to WDL 9036 |
| WDL 9157 | 1610 | DAF / RVI | Ø045x193x27 RL H69 | 1404560 |
| WDL 9084 | | RVI | Ø045x194x18 RL H80 | RVI 0003 397 002 KEMPF genuine |
| WDL 9140 | 687.30/ 35 /VOLVO NK 300 | VOLVO | Ø045x194x19 H69 | 20362601 , altern. for WDL 9114 |
| WDL 9025 | SPRINTER | MERCEDES | Ø045x194x19 LL H71,5 | 901 410 0312 |
| WDL 9363 | CRAFTER/Sprinter | VW-MERCEDES | Ø045x194x19 LL H71,5 | 2DO 598 351A / A903 410 0010 genuine KIT |
| WDL 9122 | 687.30/687.35/VOLVO NK300 | VOLVO | Ø045x194x19 RL H69 | 3126290 obsolete replaced by WDL 9140 |
| WDL 9021 | 801.00 / 801.10 | MERCEDES | Ø045x194x19 RL H69 | 611 410 1710/2110 |
| WDL 9114 | 687.30 / VOLVO NK 300 | VOLVO | Ø045x194x19RL H69,1 | 1070171 obsolete to replace by WDL 9140 |
| WDL 9089 | 1550 / SPL 70 | DAF | Ø045x198x27 RL H69 | DANA solid rubber |
| WDL 9054 | 287.20 / 587.15 | MAN | Ø045x200x18 RL H69 | 81 39400 6089, alternative to WDL 9016 |
| WDL 9016 | 287.20/587.15 | MAN | Ø045x200x18 RL H69 | 81 39400 6089 OEM,see alternative WDL 9054 |
| WDL 9037 | 587.15 | IVECO | Ø045x200x27 RL H69 | 4200 2121/0447 3105, GWB 6387200127080 |
| WDL 9223 | NCV 3 monotron | MERCEDES | Ø047x194x21 LL H73 | 906 410 0081 / 0281 / 0781 / 1181 / 1881 |
| WDL 9224 | NCV 3 monotron | MERCEDES | Ø047x194x21 LL H68 | 906 410 0181 / 0381 / 1281 / 1781 |
| WDL 9297 | NCV 3 mid shaft | MERCEDES | Ø047x194x21 LL H73 | 906 410 0881 / 1381 |
| WDL 9290 | NCV 3 mid shaft | MERCEDES | Ø047x194x21 LL H68 | 906 410 0681 / 1081 |
| WDL 9257 | NCV 3 mid shaft | MERCEDES | Ø047x194x21 LL H68 | 906 410 1581 Kit c/w comp. flange |
| WDL 9320 | NCV 3 mid shaft | MERCEDES | Ø047x194x21 LL H73 | 906 410 1681 Kit c/w comp. flange |
| WDL 9361 | CRAFTER | VW | Ø047x194x21 LL H73 | 2EO 598 351B |
| WDL 9362 | CRAFTER | VW | Ø047x194x21 LL H68 | 2EO 598 351C |
| WDL 9324 | NCV 3 monotron | EDS | Ø047x194x21 LL H68 | EDS KIT incl. Boot/clamps monotron |
| WDL 9325 | NCV 3 monotron | EDS | Ø047x194x21 LL H73 | EDS KIT incl. Boot/clamps monotron |
| WDL 9240 | | CASE | Ø049,2x58,7 square 111,1x111,1 | genuine Rockford |
| WDL 9610 | UCF210 | | Ø050x111x111 square | |
| WDL 9630 | UCF310 | | Ø050x132x132 square | |
| WDL 9350 | | SKF | Ø050x158x51,6 oval | FYTB510M |
| WDL 9038 | 1710 | IVECO | Ø050x193x20 LL H72 | 0476 5836 |
| WDL 9100 | 1710 / SPL 140 / 687.40 | RVI / DAF | Ø050x193x30 RL H71 RVI | 5000820884 RVI genuine 1710 - 687.40 - SPL 140 |
| WDL 9293 | | RVI | Ø050x194 Cast Housing | obsolete old RVI 7810232 |
| WDL 9360 | | SKF | Ø050x210 | SYNT 50L |
| WDL 9226 | 287.30 | MAN | Ø055mm | rigid housing |
| WDL 9129 | | MERCEDES | Ø055mm | 363 410 0051 bearing alone |
| WDL 9110 | SCANIA T60 / T70 | SCANIA | Ø055x20 round | 550621 |
| WDL 9471 | | HYUNDAI | Ø055x20 H85 | 0K89A25150 w/o bracket |
| WDL 9621 | UCF211 | | Ø055x130x130 square | |
| WDL 9631 | UCF311 | | Ø055x140x140 square | |
| WDL 9050 | EUROCARGO | IVECO | Ø055x168x18 RL H62,8 | 4253 2291 |
| WDL 9051 | EUROCARGO | IVECO | Ø055x168x18 RL H62,8 | 4253 2291 c/w seal kit |
| WDL 9090 | | VOLVO | Ø055x168x18RL H80 | 6648769 genuine KEMPF |
| WDL 9359 | | SKF | Ø055x171 | PASE 55 |
| WDL 9448 | G211 | INA | Ø055x175x36 H64 | G211 |
| WDL 9141 | 186.33/286.33 | MERCEDES | Ø055x190x23 | 973 411 0012 / 973 410 0112 |
| WDL 9022 | 186.33/286.33 | MERCEDES | Ø055x190x25 round BHC27 | 973 410 0022 |
| WDL 9099 | 186.33/286.33 / 286.37 | MERCEDES | Ø055x190x25 round BHC27 | 385 410 0922 |
| WDL 9011 | 186.33/286.33/286.37 | MERCEDES | Ø055x190x25 round BHC27 | 385 410 1722/1522 |
| WDL 9186 | | VOLVO | Ø055x191x120 | 337321 cast bracket |
| WDL 9098 | 687.50 | RVI | Ø055x193x18 LL H71,2 | 5000816926(GWB)/5000815989(DANA) |
| WDL 9197 | 687.35 | DAF | Ø055x193x18 RL H70,5 | 1408525 |
| WDL 9058 | 687.40 | IVECO / RVI | Ø055x193,5x18RL H71,5 | 0819 4600 IVECO / RVI 5000816926 genuine GWB |
| WDL 9351 | | RVI | Ø055x193,5 | G81 0031 on request |
| WDL 9086 | 687.45/47 | RVI | Ø055x194x17 RL H72 | 5000815989 (DANA)/ 5000816926 (GWB) |
| WDL 9127 | | VOLVO | Ø055x194x18 RL H65 | VCE solid rubber genuine GWB |
| WDL 9039 | 587.15 / 587.20 | IVECO | Ø055x194x36,6LL H71,5 | 0248 3546 |
| WDL 9145 | 687.30 | AVIA | Ø055x194x40 RL H69 | DAEWOO |
| WDL 9081 | 687.40 / 687.45/47 / 687.50 | VOLVO | Ø055x200x18 LL H71,5 | 1068208 |
| WDL 9064 | 687.35 / 40 / 45 / 47 / 50 | DAF | Ø055x200x18 LL H69,1 | 1298157 ,1252249 |
| WDL 9063 | 687.35 / 687.40 | DAF | Ø055x200x18 LL H71,8 | 1252249 obsolete replaced by WDL 9064 |
| WDL 9074 | 687.45/47 | VOLVO | Ø055x200x18 LL H71,8 | 20471422 |
| WDL 9045 | 587.20 / 687.45/47 | IVECO | Ø055x200x18 RL H71,5 | 9316 3091 |
| WDL 9545 | 587.20 / 687.45/47 | IVECO | Ø055x200x18 RL H71,5 | 9316 3091 EDS |
| WDL 9065 | 587.20 / KLEIN 490 | DAF | Ø055x200x36 LL H71,5 | 102203 |
| WDL 9059 | 587.20 | IVECO | Ø055x200x36 LL H71,5 | 0447 3129 |
| WDL 9017 | 587.20/587.30/KLEIN490 | IVECO / MAN | Ø055x200x36 RL H71,5 | 4200 2123 IVECO , 81 39410 6010 MAN |
| WDL 9317 | 587.30 | MAN - IVECO | Ø055x200x36,6 RL H71,5 | 81 39410 6010 MAN |
| WDL 9420 | | TORO | Ø055x210x49 LL H88 | SANDVIC |
| WDL 9194 | 687.40 | IVECO | Ø055x220x22 RL H90 | 4255 5172 IVECO |

**CENTER BEARINGS BY DIMENSIONS**

| EDS P/N | SERIES / APPLICATION | OEM | DIMENSIONS | COMMENTS |
|---|-----------------------------|---------------|-----------------------------------|---|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9231 | ATEGO | MERCEDES | Ø055x220x25 RL H86 | 318 410 1522 |
| WDL 9296 | | MERCEDES | Ø055x233x25 Cast Housing | 346 586 0041 |
| WDL 9227 | 587.30 | MAN | Ø060mm | 81 39400 6087 cast housing |
| WDL 9298 | Center Brg. Kit | MAN | Ø060mm | Brg. / Seal Kit |
| WDL 9118 | 286.37 | MERCEDES | Ø060mm | 363 410 0151 bearing alone |
| WDL 9101 | SCANIA P30 - P40 - P50 | SCANIA | Ø060x022X80 round | 294270 |
| WDL 9105 | SCANIA P300-400-500 | SCANIA | Ø060x022X85 round | 1387764 |
| WDL 9108 | SCANIA P300 - 400 - 500 | SCANIA | Ø060x026x85 round SF | 1403663 |
| WDL 9136 | VOLVO NK 300 - NK 400 | VOLVO | Ø060x030 bearing alone | 1696389 |
| WDL 9332 | UCF212 | | Ø060x143x143 square | |
| WDL 9632 | UCF312 | | Ø060x150x150 square | |
| WDL 9256 | | SKF | Ø060x190,5x53,1 H69,9 | PASE 60 |
| WDL 9143 | 286.37 | MERCEDES | Ø060x190x22 | 654 411 0012 |
| WDL 9052 | 687.30 / 687.35 | IVECO/DAF/RVI | Ø060x194x18 RL H69 | 4252 2292 IVECO / DAF 1409056 / RVI MIDLUM |
| WDL 9053 | 687.30 | IVECO | Ø060x194x19 RL H69 w/seal kit | 4253 2292 IVECO |
| WDL 9287 | | DAF | Ø060x194x22 H70,5 | 1782199 |
| WDL 9113 | VOLVO NK 400 | MOXY | Ø060x198x30 casting | |
| WDL 9120 | VOLVO NK 300 - NK 400 | VOLVO | Ø060x198x30 RL H80 40 Shore A | 263000 / 621235 |
| WDL 9520 | VOLVO NK 300 - NK 400 | VOLVO | Ø060x198x30 RL H80 40 Shore A | 263000 / 621235 EDS |
| WDL 9119 | VOLVO NK 400 | VOLVO | Ø060x198x30 RL H80 80 Shore A | 6212888/1696389 |
| WDL 9079 | 687.45 /47 / 687.50 | RVI | Ø060x200x22 LL H81,5 | 0003397101 obs.,use WDL 9040 or 9135 |
| WDL 9135 | 687.45/47/55/1760-SPL250 | RVI | Ø060x200x36 H80 | 500819211/5001845474/5001843910/5001836682 |
| WDL 9340 | 687.45/47 | RVI | Ø060x200x36 LL H80 | 5000 838 696 RVI/480 3933 IVECO EDS |
| WDL 9040 | 587.30/35/36/42 / 687.45/47 | IVECO | Ø060x200x36 LL H80 | 0480 3933 IVECO/5000 838 696 RVI |
| WDL 9067 | 587.36 | VOLVO | Ø060x200x37 LL H80 | 555364 genuine GWB |
| WDL 9440 | | EVOBUS | Ø060x200x36 H80 | 000 410 0502 reinforced bracket |
| WDL 9068 | 587.30 / 587.35/36 | DAF | Ø060x200x37 LL H80 | 102204 genuine GWB |
| WDL 9167 | 1760 /1810/SPL250 | DAF | Ø060x219x36 RL H85,7 | genuine DANA |
| WDL 9267 | MERITOR RPL20/25 | MERITOR | Ø060x219x36 RL H85,7 | MERITOR genuine |
| WDL 9404 | | VOLVO | Ø060x219x36 RL H85,7 | 8127224 212067-2X greaseable |
| WDL 9225 | 687.55 | RVI | Ø060x219x36 RL H84,6 | 21026452 |
| WDL 9047 | | IVECO | Ø060x220x22 RL H88 | 9315 7125 |
| WDL 9066 | 587.42 / KLEIN 680 | DAF | Ø060x220x35 LL H88 | 128235 |
| WDL 9043 | KLEIN 680 | IVECO | Ø060x220x35 RL H88 | 9315 7626 |
| WDL 9188 | 687.60 / GS 906 | IVECO | Ø060x220x36 RL H86 GC906 | 9315 7626 |
| WDL 9326 | | HITACHI | Ø060x240x48 round | 388341-00132/388341-00121 |
| WDL 9024 | 286.37 | MERCEDES | Ø060x247x22 round BHC50 | 654 410 0022 |
| WDL 9014 | 286.37 | MERCEDES | Ø060x247x25 round BHC50 | 389 410 0222 |
| WDL 9146 | | MERCEDES | Ø060x247x27 round | 387 410 0010 repair kit |
| WDL 9168 | 1550/SPL70 | CATERPILLAR | Ø062x187x64 H69 rigid | 6I-8531 |
| WDL 9623 | UCF213 | | Ø065x149x149 square | |
| WDL 9633 | UCF313 | | Ø065x166x166 square | |
| WDL 9265 | | JAGUAR | Ø065x170x18 H67,5 | |
| WDL 9163 | KLEIN 196 | MAN | Ø065x194x18 RL H74 w/boot | 81 39410 6028 |
| WDL 9061 | 186.33/286.33 | RVI | Ø065x194x20 RL H82 | 50000807209 |
| WDL 9151 | KLEIN 490 | IVECO | Ø065x200x15 LL H70 | 4254 1384 |
| WDL 9230 | KLEIN 590 | DAF | Ø065x200x19 LL H71,5 | 1779697 reinforced bracket OEM |
| WDL 9530 | 590 | DAF | Ø065x200x19 LL H71,5 | 1779697 reinforced bracket EDS |
| WDL 9107 | KLEIN 490 | IVECO | Ø065x200x19 LL H72 slotted rubber | 4253 6078 |
| WDL 9070 | 687.45/47 | DAF | Ø065x200x19 LL H71,5 | 143555/1288120/1323765 OEM |
| WDL 9570 | 687.45/47 | DAF | Ø065x200x19 LL H71,5 | 143555/1288120/1323765 EDS |
| WDL 9130 | KLEIN 590 | IVECO | Ø065x200x19 RL H72 | 4253 4499 |
| WDL 9041 | 687.45/47 | IVECO | Ø065x200x19 RL H71,5 | 9319 4978 |
| WDL 9541 | 687.45/47 | IVECO | Ø065x200x19 RL H71,5 | 9319 4978 EDS |
| WDL 9232 | | | Ø065x203x68,3 H76,2 | PASE65 |
| WDL 9247 | KLEIN 196 | MAN | Ø065x220x18 RL H86 w/boot | 81 39410 6030 |
| WDL 9018 | 587.35/36/42/687.40/45/47 | MAN | Ø065x225x23 RL H85,8 | 81 39410 6019 |
| WDL 9019 | 587.42 / 687.40 | MAN | Ø065x230x23 RL H85,8 | 81 39410 6017 obsolete replaced by WDL 9018 |
| WDL 9013 | 687.45 | MAN | Ø065x230x23 RL H85,8 | 81 39410 6017 alternative |
| WDL 9091 | NK500-600 | VOLVO | Ø070x020 w/o bracket | 8171366 |
| WDL 9624 | UCF214 | | Ø070x152x152 square | |
| WDL 9069 | 385.60 / 802.68 / 802.79 | MERCEDES | Ø070x190x20 H96 | 656 411 0012 |
| WDL 9123 | 687.55/VOLVO NK 500-600 | VOLVO | Ø070x198x20RL H80 | 263567 |
| WDL 9323 | 687.55/VOLVO NK 500-600 | VOLVO | Ø070x198x20RL H80 | 263567 alternative |
| WDL 9347 | | SKF | Ø070x210x47 H80 | RASE 70 |
| WDL 9292 | 687.55 | TORO | Ø070x210x49 H79 | SANDVIC 1933338/29605746 |
| WDL 9170 | 1880 | DANA | Ø070x219x20RL H85 | |
| WDL 9104 | 687.60 | VOLVO | Ø070x220x20 LL H85,8 | 20471428 |
| WDL 9087 | 687.60 / 687.65 | VOLVO | Ø070x220x20 LL H85,8 | 1068222, alternative for WDL 9104 |
| WDL 9071 | 587.48/687.55/687.60/687.65 | DAF | Ø070x220x20 LL H85,8 | 1235569 / 0678426 DAF genuine GWB |
| WDL 9082 | 687.55 / 687.60 | IVECO | Ø070x220x20 RL H85,8 | use WDL 9076(687.55)/WDL 9077(687.60) |
| WDL 9076 | 687.40 | IVECO | Ø070x220x20 RL H85 | 4253 9442 |
| WDL 9077 | 587.42/687.55/687.60/687.65 | IVECO | Ø070x220x20 RL H85,8 | |
| WDL 9046 | 587.42 / 587.48 | IVECO / DAF | Ø070x220x20 RL H86 | 4208 7542 IVECO / 701756 |
| WDL 9546 | 587.42 / 587.48 | IVECO / DAF | Ø070x220x20 RL H86 | 4208 7542 IVECO / 701756 EDS |

**CENTER BEARINGS BY DIMENSIONS**

| EDS P/N | SERIES / APPLICATION | OEM | DIMENSIONS | COMMENTS |
|---|----------------------|-------------|-------------------------------------|---|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9338 | 687.40 | IVECO | Ø070x220x26 RL H90 | 4256 5564 |
| WDL 9288 | 687.55/60/65 | VOLVO | Ø070x220x26 LL H85,0 | 21081150 KIT with flingers and bolts |
| WDL 9289 | 687.55 / 687.60 | VOLVO | Ø070x220x26 LL H85,0 | 21082632 |
| WDL 9196 | | IVECO | Ø070x220x22 RL H90 | |
| WDL 9072 | 587.48 | DAF | Ø070x220x43 LL H88 | 1288242 |
| WDL 9344 | 587.48 | IVECO | Ø070x220x43 RL H88 Cast Bracket | 4209 7410/ 4253 6962 altern. to WDL 9044 / 9072 |
| WDL 9044 | 587.48 | IVECO | Ø070x220x43 RL H88 Cast Bracket | 4208 7410/4253 6962 |
| WDL 9139 | | MERCEDES | Ø070x247x22 round | 655 410 0022 |
| WDL 9015 | 587.42/385.60/802.68 | MERCEDES | Ø070x247x25 BHC50 round | 395 410 0622 |
| WDL 9260 | 1610/1710 | CAT | Ø075x216x78 H82 rigid | 296-4292 |
| WDL 9042 | 687.55 | IVECO | Ø075x220x19 RL H85,8 | 9319 2572 |
| WDL 9042 | 687.55 | IVECO | Ø075x220x19 RL H85,8 | 9319 2572 |
| WDL 9027 | 587.35 / 687.45 BUS | MAN | Ø075x220x20 RL H85 | 81 39400 6107 |
| WDL 9028 | 687.45/47 | IVECO | Ø075x220x20 RL H85 | 4253 8361 |
| WDL 9073 | 687.55 | DAF | Ø075x220x20 LL H86 | 1425157/1288231/1740904 genuine |
| WDL 9373 | 687.55 | DAF | Ø075x220x20 LL H86 | 1425157/1288231/1740904 EDS |
| WDL 9191 | 687.40 / 687.45/47 | RVI | Ø075x220x26 RL H85 | 400606506 Monotron |
| WDL 9195 | 687.40 / 687.45/47 | IVECO | Ø075x220x26 RL H90 | 4255 5168 Monotron |
| WDL 9193 | 687.40 / 687.45/47 | MAN / IVECO | Ø075x225x26 RL H90 | 81 39410 6032 |
| WDL 9252 | 687.45 | MAN | Ø075x225x26 RL H90 84 shore | 81 39410 6037 |
| WDL 9249 | 687.55 | MAN | Ø075x230x20 LL H89 | 81 39410 6021 |
| WDL 9020 | 687.40 / 45 / 47 | MAN | Ø075x230x20 RL H85 | 81 39410 6020 / 6021 MAN-MIS |
| WDL 9180 | 687.45/47 | IVECO | Ø080x220x22 RL H85 | 4253 8889 |
| WDL 9382 | | SKF | Ø080x232x77,9 H88,9 | 100SYJ516 |
| WDL 9106 | 587.50 / 802.79 | MERCEDES | Ø080x247x25 BHC50 mm side | 659 411 0112 |
| WDL 9192 | 687.55 | IVECO | Ø085x220x13 RL H90 | 4254 3603 Monotron new 07...09,WDL 9228 -2009 |
| WDL 9161 | 687.55 | MAN | Ø085x220x13 RL H85 55 Shore A | 81 39410 6023 / 6024 MAN 02-06,new WDL 9177 |
| WDL 9177 | 687.55 | MAN | Ø085x220x13 RL H85 70 Shore A | 81 39410 6031 Monotron 06-09, new WDL 9228 |
| WDL 9228 | 687.55 | MAN / IVECO | Ø085x220x26 RL H90 | 89.39410.6034 OEM GWB Monotron 2009- |
| WDL 9428 | | MAN | Ø085x220x26 RL H90 | EDS-Version |
| WDL 9628 | UCF218 | | Ø090x187x187 square | |
| WDL 9187 | | TEREX | Ø090x258x90 LL H100 | SKF SY J90TF , rigid c/bearing |
| WDL 9526 | | IVECO / MAN | Ø100x194x14 RL H68 circlip included | 9319 2009 IVECO,81 39410 6018 MAN EDS |
| WDL 9026 | KLEIN 196 | IVECO / MAN | Ø100x194x14 RL H68 circlip included | 9319 2009 IVECO,81 39410 6018 MAN genuine |

**CENTER BEARINGS BY EDS P/N**

| EDS P/N | SERIES / APPLICATION | OEM | DIMENSIONS | COMMENTS |
|---|-----------------------------|---------------|-------------------------------------|--|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9001 | 1140 | FORD | Ø030x140x13 LL 15° bracket | 1480-3002 , rubber alone WDL 9159 |
| WDL 9002 | | DAF | Ø045x080x13 H63 | RTC4766 |
| WDL 9003 | TRANSIT | FORD | Ø030x144x13 LL H63,3 + 2 flingers | 95VB-4826-AA |
| WDL 9004 | TAUNUS / CORTINA | FORD | Ø030x150x14LL H8,5 straight bracket | 1480-3003 , rubber alone WDL 9159 |
| WDL 9005 | TRANSIT | FORD | Ø045x144X16LL H61,2 | 92VB-4826-AA |
| WDL 9006 | FREELANDER | ROVER | Ø030x138x13LL H63 | |
| WDL 9007 | | MERCEDES | Ø035x155x20RL H26 | 310 410 0822 |
| WDL 9008 | 801.21 | MERCEDES | Ø035x160x20 round BHC27 | 460 410 0222 |
| WDL 9009 | 286.22 | MERCEDES | Ø045x190x23 round | 381 410 1522 |
| WDL 9010 | CF VAN | BEDFORD | Ø030x110x13 | |
| WDL 9011 | 186.33/286.33/286.37 | MERCEDES | Ø055x190x25 round BHC27 | 385 410 1722/1522 |
| WDL 9012 | 801.10 | MERCEDES | Ø030x156x20 RL H26 | 309 410 1122 |
| WDL 9013 | ELBE 117 | MAN | Ø065x230x23 RL H85,8 | 81 39410 6017 EDS |
| WDL 9014 | 286.37 | MERCEDES | Ø060x247x25 round BHC50 | 389 410 0222 |
| WDL 9015 | 587.42/385.60/802.68 | MERCEDES | Ø070x247x25 round BHC50 | 395 410 0622 |
| WDL 9016 | 287.20/587.15/ELBE113 | MAN | Ø045x200x18 RL H69 | 81 39400 6089 genuine,alternative WDL 9054 |
| WDL 9017 | 587.20/587.30/KLEIN490 | IVECO / MAN | Ø055x200x36 RL H71,5 | 4200 2123 IVECO,81 39410 6010 MAN |
| WDL 9018 | 587.35/36/42/687.40/45/47 | MAN | Ø065x225x23 RL H85,8 | 81 39410 6019 |
| WDL 9019 | 587.42 / 687.40 | MAN | Ø065x230x23 RL H85,8 | 81 39410 6017obsolete replaced by WDL 9018 |
| WDL 9020 | 687.40 / 45 / 47 | MAN | Ø075x230x20 RL H85 | 81 39410 6020 / 6021 replaced by WDL 9193 |
| WDL 9021 | 801.00 / 801.10 | MERCEDES | Ø045x194x19 RL H69 | 6114101710/2110 |
| WDL 9022 | 186.33/286.33 | MERCEDES | Ø055x190x25 round BHC27 | 973 410 0022 |
| WDL 9023 | 802.31/286.22 | MERCEDES | Ø045x160x19 H89 | 970 411 0012 |
| WDL 9024 | 286.37 | MERCEDES | Ø060x247x22 round BHC50 | 654 410 0022 |
| WDL 9025 | 801.15/ 801.21 NCV2 | MERCEDES | Ø045x194x19 LL H71,5 | 901 410 0312 |
| WDL 9026 | KLEIN 196 | IVECO / MAN | Ø100x194x14 RL H68 | 9319 2009 IVECO,81 39410 6018 MAN |
| WDL 9027 | 587.35/36 / 687.45/47 | MAN | Ø075x220x20 RL H85 | 81 39400 6107 |
| WDL 9028 | 687.45/47 | IVECO | Ø075x220x20 RL H85 | 4253 8361 |
| WDL 9029 | CF VAN | BEDFORD | Ø035x168x25 LL H71 | |
| WDL 9030 | | IVECO | Ø035x168x25 RL H58 | 0998 4261 / 0993 2698 |
| WDL 9031 | 1310 | IVECO | Ø035x168x17 RL H58 | 0439 0495 , alternative DANA WDL 9055 |
| WDL 9032 | 287.20 | VOLVO | Ø040x168x22 LL H62,7 | 0298 2504 IVECO / 3953472 VOLVO |
| WDL 9033 | 1410/SPL41 | IVECO | Ø040x168x22 RL H57,2 | 4253 0546 / 9315 8202 |
| WDL 9034 | 687.15/687.20/287.20/1410 | IVECO | Ø045x168x18 LL H58 | 9315 6460/4253 8439 Daily old BTB |
| WDL 9035 | 587.15 / ELBE 113 | IVECO | Ø045x193x19 LL H69,1 | 0468 2902/4253 6523 |
| WDL 9036 | 1550/SPL70/1610/SPL90 | RVI/IVECO/DAF | Ø045x193x27 LL H69 | 5000287986 RVI / 93158251 IVECO /1404560 DAF |
| WDL 9336 | 1550/SPL70/1610/SPL90 | IVECO | Ø045x193x27 LL H69 | 9345 8251 alternative to WDL 9036 |
| WDL 9037 | 587.15 | IVECO | Ø045x200x27 RL H69 | 4200 2121/0447 3105 |
| WDL 9038 | 1700 | IVECO | Ø050x193x20 LL H72 | 0476 5836 |
| WDL 9039 | 587.15 / 587.20 | IVECO | Ø055x194x36,6LL H71,5 | 0248 3546 |
| WDL 9040 | 587.30/35/36/42 / 687.45/47 | IVECO | Ø060x200x36 LL H80 | 0480 3933 IVECO/5000 838 696 RVI |
| WDL 9340 | 687.45/47 | RVI | Ø060x200x36 LL H80 | 5000 838 696 RVI/480 3933 IVECO |
| WDL 9040 | 587.30 / 587.35/36 / 687.50 | IVECO | Ø060x200x36 LL H80 | 0480 3933 IVECO / 5000 838 696 RVI |
| WDL 9041 | 687.45/47 | IVECO | Ø065x200x19 RL H71,5 | 9319 4978 |
| WDL 9042 | KLEIN 620 | IVECO | Ø075x220x19 RL H85,8 | 9319 2572 |
| WDL 9043 | KLEIN 680 | IVECO | Ø060x220x35 RL H88 | 9315 7626 |
| WDL 9044 | 587.48 | IVECO | Ø070x220x43 RL H88 Cast Bracket | 4208 7410/4253 6962 |
| WDL 9344 | 587.48 | IVECO | Ø070x220x43 RL H88 Cast Bracket | 4209 7410/4253 6962 alternative |
| WDL 9045 | 587.20 / 687.45/47 | IVECO | Ø055x200x18 RL H71,5 | 9316 3091 |
| WDL 9046 | 587.42 / 587.48 | IVECO / DAF | Ø070x220x20 RL H86 | 4208 7542 IVECO / 701756 DAF |
| WDL 9047 | | IVECO | Ø060x220x22 RL H88 | 9315 7125 |
| WDL 9048 | 687.25 | IVECO | Ø040x168x18 RL H62,8 | 9316 0223 |
| WDL 9049 | 1350 | IVECO | Ø035x168x17 RL H58 | 0998 4261 |
| WDL 9050 | EUROCARGO | IVECO | Ø055x168x18 RL H62,8 | 4253 2291 |
| WDL 9051 | EUROCARGO | IVECO | Ø055x168x18 RL H62,8 | 4253 2291 c/w seal kit |
| WDL 9052 | 687.30 / 687.35 | IVECO/DAF/RVI | Ø060x194x18 RL H69 | 4252 2292 IVECO / DAF 1409056 / RVI MIDLUM |
| WDL 9053 | 687.30 | IVECO | Ø060x194x19 RL H69 w/seal kit | 4253 2292 , c/w seal kit |
| WDL 9054 | 287.20 / 587.15 / ELBE 113 | MAN | Ø045x200x18 RL H69 | 81 39400 6089 , alternative to WDL 9016 |
| WDL 9055 | 287.00/10/1310/1350/687.15 | DANA | Ø035x168x27 RL H57,2 | DANA 210090-1X |
| WDL 9056 | 687.20 / 1310 / 1410/SPL41 | IVECO | Ø040x168x22 RL H57,2 | 4253 5254 Daily Monotron new |
| WDL 9356 | 687.20 / 1310 / 1410/SPL41 | IVECO | Ø040x168x22 RL H57,2 | 4253 5254 EDS alternative to WDL9056 |
| WDL 9057 | 687.30 / 687.35 | IVECO | Ø045x193x19 RL H69 | 9316 0226 |
| WDL 9058 | 687.40 | IVECO / RVI | Ø055x193,5x18RL H71,5 | 0819 4600 IVECO / RVI 5000816926 |
| WDL 9059 | 587.20 | IVECO | Ø055x200x36 LL H71,5 | 0447 3129 |
| WDL 9060 | 1410/SPL41 / 1480/SPL55 | IVECO | Ø040x168x27 RL H62,7 | 9315 8202 , see WDL 9166 zinc plated |
| WDL 9061 | 186.33/286.33 | RVI | Ø065x194x20 RL H82 | 50000807209 genuine KEMPF rigid casting |

**CENTER BEARINGS BY EDS P/N**

| EDS P/N | SERIES / APPLICATION | OEM | DIMENSIONS | | COMMENTS |
|---|-----------------------------|------------|--------------------|--------------------|--|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | | |
| WDL 9062 | | TOYOTA | Ø030x230x13 | H12 | 37230-35061 |
| WDL 9063 | 687.35 / 687.40 | DAF | Ø055x200x18 LL | H71,8 | 1252249 obsolete replaced by WDL 9064 |
| WDL 9064 | 687.35 / 40 / 45 / 47 / 50 | DAF | Ø055x200x18 LL | H69,1 | 1298157 genuine GWB,1252249 DAF |
| WDL 9065 | 587.20 / KLEIN 490 | DAF | Ø055x200x36 LL | H71,5 | 102203 |
| WDL 9066 | 587.42 / KLEIN 680 | DAF | Ø060x220x35 LL | H88 | 128235 |
| WDL 9067 | 687.60 | VOLVO | Ø060x200x37 LL | H80 | 555364 |
| WDL 9068 | 587.30 / 587.35/36 | DAF | Ø060x200x37 LL | H80 | 102204 |
| WDL 9068 | 587.30 | DAF | Ø060x200x37 LL | H80 | 102204 |
| WDL 9069 | 385.60 / 802.68 / 802.79 | MERCEDES | Ø070x190x20 | H96 | 656 411 0012 |
| WDL 9070 | 687.45/47 | DAF | Ø065x200x19 LL | H71,5 | 143555/1288120/1323765 |
| WDL 9071 | 587.48/687.55/687.60/687.65 | DAF | Ø070x220x20 LL | H85,8 | 1235569 / 0678426 |
| WDL 9072 | KLEIN 700 | DAF | Ø070x220x43 LL | H88 | 1288242 |
| WDL 9073 | 687.55 | DAF | Ø075x220x20 LL | H86 | 1425157/1288231/1740904 genuine |
| WDL 9373 | 687.55 | DAF | Ø075x220x20 LL | H86 | 1425157 / 1288231 / 1740904 EDS |
| WDL 9074 | 687.45/47 | VOLVO | Ø055x200x18 LL | H71,8 | 20471422 |
| WDL 9075 | | FIAT | Ø025x076x18 M8 | H54 | 4181556 |
| WDL 9076 | 687.40 | IVECO | Ø070x220x20 RL | H85 | 4253 9442 |
| WDL 9077 | 587.42/687.55/687.60/687.65 | IVECO | Ø070x220x20 RL | H85,8 | 9316 3689 |
| WDL 9078 | 184.10 LT VAN | VW | Ø030x135x13 LL | round | 293 521 351 |
| WDL 9079 | 687.45 / 47 / 687.50 | RVI | Ø060x200x22 LL | H81,5 | 0003397101 obs. ,use WDL 9040 |
| WDL 9080 | 1310 TRAFFIC | RENAULT | Ø035x168x14 RL | H75 | 7701034902 (H75) / 7701034294 |
| WDL 9081 | 687.40 / 687.45/47 / 687.50 | VOLVO | Ø055x200x18 LL | H71,5 | 1068208 |
| WDL 9082 | 687.55 / 687.60 | IVECO | Ø070x220x20 RL | H85,8 | old obsolete,use WDL 9076 |
| WDL 9083 | | KEMPF | Ø045x168x22 RL | H80 | |
| WDL 9084 | | RVI | Ø045x194x18 RL | H80 | 0003 397 002 |
| WDL 9085 | HILUX 29x49I | TOYOTA | Ø030x148,7x13 | H56 | 37230-35090 |
| WDL 9086 | 687.45/47 | RVI | Ø055x194x17x RL | H72 | 5000815989 (DANA)/5000816926 (GWB) |
| WDL 9087 | 687.60 / 687.65 | VOLVO | Ø070x220x20 LL | H85,8 | 1068222 |
| WDL 9088 | 1480 / SPL55 | DANA | Ø040x168x27 RL | H62,7 | 211605-1X DANA 1480 Spicer solid rubber |
| WDL 9089 | 1550 / SPL 70 | DAF | Ø045x198x27 RL | H69 | DANA solid rubber |
| WDL 9090 | | VOLVO | Ø055x168x18RL | H80 | 6648769 genuine KEMPF |
| WDL 9091 | NK500-600 | VOLVO | Ø070x20 | w/o bracket | 8171366 |
| WDL 9092 | DAILY 1310 | IVECO | Ø035x168x25 RL | H62,1 | 93160324 / 42936726 EDS |
| WDL 9093 | | JAGUAR | Ø030x76,5x13 5/16" | H64 | 3180-3002 |
| WDL 9094 | VAUXHALL / BEDFORD | OPEL | Ø040x80x13 | H63 | 3180-4001 |
| WDL 9095 | L 200 95-97 | MITSUBISHI | Ø030x163,2x15,7 | H0 | MB154199/000815 |
| WDL 9096 | | NISSAN | Ø030x16 | round | |
| WDL 9097 | TRAFFIC | RENAULT | Ø035x168x14 RL | H70 | 7701014294/7701056062 |
| WDL 9098 | 687.50 | RVI | Ø055x193x18 LL | H71,2 | 5000816926(GWB)/5000815989(DANA) |
| WDL 9099 | 186.33/286.33 / 286.37 | MERCEDES | Ø055x190x25 round | BHC27 | 385 410 0922 |
| WDL 9100 | 1710 / SPL 140 / 687.40 | RVI / DAF | Ø050x193x30 RL | H71 RVI | 5000820884 |
| WDL 9101 | SCANIA P30 - P40 - P50 | SCANIA | Ø060x22X80 | round | 294270 |
| WDL 9102 | 1480/1550/SPL55/SPL70 | RVI/IVECO | Ø045x168x27 RL | H62 | 5000821936 |
| WDL 9103 | 1480/SPL55 DAILY | IVECO | Ø040x168x27 LL | H62,7 | 4253 2794 |
| WDL 9104 | 687.60 | VOLVO | Ø070x220x20 LL | H85,8 | 20471428 |
| WDL 9105 | SCANIA P300-400-500 | SCANIA | Ø060x22X85 | round relube | 1387764 + 1403663 old relube |
| WDL 9106 | 587.50 / 802.79 | MERCEDES | Ø080x247x25 | BHC50 mm side mol | 659 411 0112 |
| WDL 9107 | KLEIN 490 | IVECO | Ø065x200x19 LL | H72 slotted rubber | 4253 6078 |
| WDL 9108 | P300 - 400 - 500 - 600 | SCANIA | Ø060x26x85 | round SF | 1387764 + 1403663 new service free |
| WDL 9109 | | MERCEDES | Ø030x131x13 LL | H15 | 123 410 1081 |
| WDL 9110 | SCANIA T60 / T70 | SCANIA | Ø055x20 | round | 550621 |
| WDL 9111 | | MERCEDES | Ø025x118x12 | H15 | 124 410 0181 |
| WDL 9112 | SCANIA T70 old | SCANIA | Ø055x20 | round | 189466+177426+208393 |
| WDL 9113 | NK 400 | MOXY | Ø060x198x30 | Casting | |
| WDL 9114 | 687.30 / VOLVO NK 300 | VOLVO | Ø045x194x19RL | H69,1 | 1070171 obsolete to replace by WDL 9140 |
| WDL 9115 | | MERCEDES | Ø030x120x13 LL | | 124 410 0781 |
| WDL 9116 | | MERCEDES | Ø030x125x12 LL | | 140 410 0181 |
| WDL 9117 | | MERCEDES | Ø030x209x13 LL | | 210 410 1681 |
| WDL 9118 | 286.37 | MERCEDES | Ø060mm | BEARING ALONE M | 363 410 0151 , bearing alone 186.37 series |
| WDL 9119 | VOLVO NK 400 | VOLVO | Ø060x198x30 RL | H80 80 Shore A | 6212888/1696389 |
| WDL 9120 | VOLVO NK 300 - NK 400 | VOLVO | Ø060x198x30 RL | H80 40 Shore A | 263000 / 621235 |
| WDL 9121 | | MERCEDES | Ø025x110x12 RL | H14 | 201 410 0581 |
| WDL 9122 | 687.30/687.35/VOLVO NK300 | VOLVO | Ø045x194x19 RL | H69 | 3126290 obsolete replaced by WDL 9140 |
| WDL 9123 | 687.55/VOLVO NK 500-600 | VOLVO | Ø070x198x20RL | H80 | 263567 |
| WDL 9124 | | BMW | Ø030x140x13LL | H63 | 26211225152 |
| WDL 9125 | | MERCEDES | Ø040x18 | bearing alone | 352 410 0051 |
| WDL 9126 | | BMW | Ø030x130x13 LL | H53 | 26121226723 |

**CENTER BEARINGS BY EDS P/N**

| EDS P/N | SERIES / APPLICATION | OEM | DIMENSIONS | | COMMENTS |
|---|--------------------------|-------------|------------------------|--------------------|---|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | | |
| WDL 9127 | | VOLVO | Ø055x194x18 RL | H65 solid rubber | VCE solid rubber |
| WDL 9128 | 801.21 / 286.22 | MERCEDES | Ø045x160x18 | H97 | 670 411 0112 |
| WDL 9129 | | MERCEDES | Ø055mm | bearing alone | 363 410 0051 bearing alone |
| WDL 9130 | KLEIN 590 | IVECO | Ø065x200x19 RL | H72 | 4253 4499 |
| WDL 9131 | | MERCEDES | Ø030x125x13 LL | H29,5 | 115 410 4281 |
| WDL 9132 | 1410/SPL41 | IVECO | Ø040x168x22 LL | H58 w seal prot. | 9315 8202 |
| WDL 9133 | 1410/SPL41 | MERCEDES | Ø030x120x13 LL | H19 | 126 410 0181 |
| WDL 9134 | DAILY 1310 | IVECO | Ø035x168x25 RL | H57,1 | 9316 3376 |
| WDL 9135 | 687.45/47/55/1760-SPL250 | RVI | Ø060x200x36 | H80 | 500819211/5001845474/5001843910/5001 836 682 |
| WDL 9136 | VOLVO NK 300 - NK 400 | VOLVO | Ø060x30 | bearing alone | 1696389 no bracket |
| WDL 9137 | FRONTERA | OPEL | Ø045x80x16 H63 | | 249735/249175 |
| WDL 9138 | TRANSIT | FORD | Ø045x168x17,5 LL | H63 | |
| WDL 9139 | | MERCEDES | Ø070x247x22 | round | 655 410 0022 |
| WDL 9140 | 687.30/ 35 /VOLVO NK 300 | VOLVO | Ø045x194x19 | H69 | 20362601 |
| WDL 9141 | 186.33/286.33 | MERCEDES | Ø055x190x23 | | 973 411 0012 / 973 410 0112 |
| WDL 9142 | ML-KIT | MERCEDES | Ø030x100x14 RL | H60 | 163 410 0010 incl. 2 straps + 4 bolts |
| WDL 9143 | 286.37 | MERCEDES | Ø060x190x22 | | 654 411 0012 |
| WDL 9144 | RANGER TURBO 4x4 | FORD | Ø028x181x16 LL | | SA54-25-100 |
| WDL 9145 | | AVIA | Ø055x194x40 RL | H69 | |
| WDL 9146 | | MERCEDES | Ø060x247x27 | round | 387 410 0010 repair kit |
| WDL 9147 | MASCOT / ATLEON | NISSAN/RVI | Ø045x168x19 RL | H58 | 5001857958 |
| WDL 9148 | | OPEL | Ø030x95x15,5 M8 | H50 | 0458 009 |
| WDL 9149 | | MERCEDES | Ø025x208x12 LL | H60 | 210 410 1881 |
| WDL 9150 | | MERCEDES | Ø030x124x13 LL | H40 | 115 410 4381 |
| WDL 9151 | KLEIN 490 | IVECO | Ø065x200x15 LL | H70 | 4254 1384 |
| WDL 9152 | | MERCEDES | Ø025x124x12 LL | H15 | 202 410 0381 |
| WDL 9153 | | MERCEDES | Ø030x119x13 H25 LL9x17 | | 126 410 0181 |
| WDL 9154 | | BMW | Ø030x135x12 RL | H50 | 26111206502 |
| WDL 9155 | | MERCEDES | Ø030x125x12 LL | | 129 410 1881 |
| WDL 9156 | | OPEL | Ø030x95x15,5 M8 | H50 | 0458 014 |
| WDL 9157 | 1610 | DAF / RVI | Ø045x193x27 RL | H69 | 1404560 211886-1X / 211604-1X solid rubber |
| WDL 9158 | RANGER AT | FORD | Ø030x175x15,5 LL | H35 | genuine DANA 212165-1X |
| WDL 9159 | | FORD | rubber only | | rubber for c/bearing WDL 9001 and WDL 9004 |
| WDL 9160 | | AUDI | Ø030x96x13,5 round | | repair kit ,fits all versions |
| WDL 9161 | 687.55 | MAN | Ø085x220x13 RL | H85 55 Shore A | 81 39410 6023 / 6024 |
| WDL 9162 | mitsubishi L200 97-99 | MITSUBISHI | Ø030x155x15,7 | | MR 223119 |
| WDL 9163 | KLEIN 196 | MAN | Ø065x194x18 RL | H74 w/boot | 81 39410 6028 |
| WDL 9164 | STAREX | HYUNDAI | Ø030x160x16 RL 11mm | | 491304A000 |
| WDL 9165 | RANGER MT | FORD | Ø030x175x15,5 LL | H35 | |
| WDL 9166 | 1410/SPL41/1480/SPL55 | DAF | Ø040x168x27 RL | H62,7 solid rubber | 1404554 zinc plated |
| WDL 9167 | 1760 /1810/SPL250 | DAF | Ø060x218x36 RL | H85,7 | DANA 212067-3X |
| WDL 9168 | 1550/SPL70 | CATERPILLAR | Ø062x187x64 | H69 rigid | 6I-8531 |
| WDL 9169 | | ISUZU | Ø045x158x19 H62 | | 9-37510031-0 |
| WDL 9170 | 1880 | DANA | Ø070x219x20RL H85 | | DANA 210748-1X |
| WDL 9171 | | MAZDA | Ø025x163 LL | | P030-25-310 |
| WDL 9172 | | MAZDA | Ø028x163 LL | | |
| WDL 9173 | | NISSAN | Ø030mm | | 37521-33G25 |
| WDL 9174 | SPIDER BERLINETTA | ALFA | Ø030x128x13RL H75 | | |
| WDL 9175 | | SPECIAL | Ø030x76x13 H54 M8 | | Kit Car application |
| WDL 9176 | 1350 | FORD | Ø035x100x13 | oval | E7NN-4642-AA |
| WDL 9177 | 687.55 | MAN | Ø085x220x13 RL | H85 70 Shore A | 81 39410 6031 |
| WDL 9178 | | BMW | Ø035x130x13 LL | H50 | 26121226657 |
| WDL 9179 | 1310 | IVECO | Ø035x168x25 RL | H57,2 | 93160324 / 42936726 OEM |
| WDL 9180 | KLEIN 620 | IVECO | Ø080x220x22 RL | H85 | 4253 8889 |
| WDL 9181 | 1410/SPL41 | IVECO | Ø045x168x18 LL | H58 | solid rubber, for standart version see WDL 9034 |
| WDL 9182 | PANDA 4x4 | FIAT | Ø025x140x18 M8 | | |
| WDL 9183 | SIERRA | FORD | Ø030x150x13LL | H47 | 83BG4K080AA |
| WDL 9184 | 687.15 / 687.20 | LIEBHERR | Ø035x126 | H47,6 | |
| WDL 9185 | | NISSAN | Ø030mm | bearing alone | 37521-33G26 |
| WDL 9186 | | VOLVO | Ø055x191x120 | | 337321 cast bracket |
| WDL 9187 | | TEREX | Ø090x258x90 LL | H100 | SKF SY J90TF , rigid c/bearing |
| WDL 9188 | 687.60 / GS 906 | IVECO | Ø060x220x36 RL | H86 GC906 | 9315 7626 |
| WDL 9189 | HIACE | TOYOTA | Ø030x149x13 | | 37230-26020 |
| WDL 9190 | E-CLASS 220 CDI | MERCEDES | Ø030x208x13 H63 | | 211 410 0381 |
| WDL 9191 | 687.40 / 687.45/47 | RVI | Ø075x220x26 RL | H85 | 400606506 |
| WDL 9192 | 687.55 | IVECO | Ø085x220x13 RL | H90 | 4254 3603 |
| WDL 9193 | 687.40 / 687.45/47 | MAN / IVECO | Ø075x225x26 RL | H90 | 81 39410 6032 |
| WDL 9194 | 687.40 | IVECO | Ø055x220x22 RL | H90 | 4255 5172 |

**CENTER BEARINGS BY EDS P/N**

| EDS P/N | SERIES / APPLICATION | OEM | DIMENSIONS | COMMENTS |
|---|-----------------------|------------|----------------------------------|--|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9195 | 687.40 / 687.45/47 | IVECO | Ø075x220x26 RL H90 | 4255 5168 |
| WDL 9196 | | IVECO | Ø070x220x22 RL H90 | |
| WDL 9197 | 687.35 | DAF | Ø055x193x18 RL H70,5 | 1408525 |
| WDL 9199 | RANGER | FORD | Ø030x149x13 RL H49 | |
| WDL 9200 | | ISUZU | Ø030x95x15 M12 H80 | 8-94482-472-0 |
| WDL 9201 | CRV 97-2001 | HONDA | Ø025x174x12 H12 RL11 / LL11x14 | 40520S10003 / 40100S10A01/ 40100SXSA01 |
| WDL 9202 | IMPENZA | SUBARU | Ø025x175x15 RL | 27037AA010 |
| WDL 9203 | | SUBARU | Ø025x171x13 RL | 27037AK010 |
| WDL 9204 | LS400 | LEXUS | Ø030x58x12 LL H60 | 37230-24090/24100 |
| WDL 9205 | GS300 | LEXUS | Ø030x58x12 LL H60 | 37230-50011 |
| WDL 9206 | RX300 rear | LEXUS | Ø030x177,8x13 LL | 37230-21020 |
| WDL 9207 | RX300 front | LEXUS | Ø030x151x13 H15 LL | 37230-22100 |
| WDL 9208 | | AUDI | Ø030x152x15 H70 | |
| WDL 9209 | | AUDI | Ø030x177x15 H70 | |
| WDL 9210 | | AUDI | Ø030x130x15 H41 | |
| WDL 9211 | | MITSUBISHI | Ø030x200x15 RL | 505286 |
| WDL 9212 | | MITSUBISHI | Ø030x190x25 RL | 505495/837388 |
| WDL 9213 | | MITSUBISHI | Ø030x160x15 LL | MB 154080 |
| WDL 9214 | | MITSUBISHI | Ø030x164x16 RL 25mm | MR 165252 |
| WDL 9215 | | MITSUBISHI | Ø030x160x15 LL | MR 154706 |
| WDL 9216 | | MITSUBISHI | Ø030x158x25 RL | MR 165048 |
| WDL 9217 | | VOLVO | Ø035x80x18 M8 H63 | |
| WDL 9218 | | MERCEDES | Ø030x148x13 LL | 639 410 0481 OEM KIT |
| WDL 9219 | | MERCEDES | Ø030x148x13 LL H65 | 639 410 0581 OEM KIT |
| WDL 9220 | | MERCEDES | Ø030x148x13 LL H70 | 639 410 0681 OEM KIT |
| WDL 9221 | TOUAREG / CAYENNE | VW/PORSCHE | Ø030x68x20 M8 H70 | OEM |
| WDL 9222 | 1300 / 687.20 | FORD | Ø030x144x13 LL H57,9 | 4104708 |
| WDL 9223 | NCV3 | MERCEDES | Ø047x194x20 LL H73 | 906 410 0081 / 0281 OEM KIT |
| WDL 9224 | NCV3 | MERCEDES | Ø047x194x20 LL H68 | 906 410 0181 / 0381 OEM KIT |
| WDL 9225 | 687.55 | RVI | Ø060x219x36 RL H84,6 | 21026452 |
| WDL 9226 | 287.30 | MAN | MAN Ø55mm rigid casting | |
| WDL 9227 | 587.30/35/42 | MAN | MAN Ø60mm rigid casting | 81 39400 6087 |
| WDL 9228 | 687.55 | MAN/IVECO | Ø085x220x26 RL H90 | 81.39410.6034 |
| WDL 9229 | TACOMA | TOYOTA | Ø030x148x13 LL H56 | 37230-35130 / 37230-OK030 |
| WDL 9230 | KLEIN 590 | DAF | Ø065x200x19 LL H71,5 | 1779697 |
| WDL 9231 | ATEGO | MERCEDES | Ø055x220x25 RL H86 | 318 410 1522 |
| WDL 9232 | | | Ø065x203x68,3 H76,2 | PASE65 |
| WDL 9233 | R129/W140 | MERCEDES | Ø030x123x13 LL | 129 410 0481 / 129 410 0881 |
| WDL 9234 | PREVIA | TOYOTA | Ø030x152x13 LL | 37230-28010 |
| WDL 9235 | SC400 | TOYOTA | Ø030x160x13 LL | 37230-24070 |
| WDL 9236 | | NISSAN | Ø030x16 round | 37521-V5225 / 37521-41L5 |
| WDL 9237 | LEXUS RX300 | TOYOTA | Ø030x174,6x13 LL | 37230-48010/ .49015 |
| WDL 9238 | FAIR LADY Z32 / 300ZX | NISSAN | Ø030x146x13 RL | 37521-33P25, |
| WDL 9239 | TOYOTA RAV4 95-99 | TOYOTA | Ø030x200x13 LL | 37230-42010 |
| WDL 9240 | | CASE | Ø049,2x58,7 111,1 casting square | |
| WDL 9241 | | RENAULT | Ø035x168x25 RL H88 | 7701056063 |
| WDL 9242 | | TOYOTA | Ø030x230x13 LL | 35230-35080 |
| WDL 9243 | PANDA 4x4 | FIAT | Ø030x138x15 LL H55 | |
| WDL 9244 | | TOYOTA | Ø030x152x13 M10 | 35230-35070 |
| WDL 9245 | | TOYOTA | Ø030x163,5x13 LL | 35230-22042 |
| WDL 9246 | | IVECO | Ø070x220x20 LL H86 | 4208 7542 IVECO / 701756 DAF EDS |
| WDL 9247 | KLEIN 196 | MAN | Ø065x220x18 RL H86 w/boot | 81 39410 6030 |
| WDL 9248 | AAM 3R | CHEVROLET | Ø030x017x45 H90 2x3 / 8" | DANA 210527X |
| WDL 9249 | KLEIN 620 | MAN | Ø075x230x20 LL H89 | 81 39410 6021 |
| WDL 9250 | | DAIHATSU | Ø035x119x18 M12 H80 | |
| WDL 9251 | SPORTAGE | KIA | Ø025x165x15 H37 LL20x26 | M05425310A / M05325310A |
| WDL 9252 | 687.45 | MAN | Ø075x225x26 RL H90 84 shore | 81 39410 6037 |
| WDL 9253 | | MERCEDES | Ø030x125x13 H25 | 115 410 4481 |
| WDL 9254 | BMW Z3 | BMW | Ø030x160x13 H39 | 26121226731 |
| WDL 9255 | C5 4x4 | DANGEL | Ø030x93x15 H55 | |
| WDL 9256 | | SKF | Ø060x190,5x53,1 H69,9 | PASE 60 |
| WDL 9257 | | MERCEDES | Ø047x194x21 LL H68 | 906 410 1581 OEM KIT c/w comp. flange |
| WDL 9258 | | DANGEL | Ø035x170x25 H60 | |
| WDL 9259 | | | Ø045x180x27 H69 | SY511M |
| WDL 9260 | | CAT | Ø075x216x78 H82 | 296-4292 |
| WDL 9261 | | | Ø045x150x44,5 | Y-PASE 45 |

**CENTER BEARINGS BY EDS P/N**

| EDS P/N | SERIES / APPLICATION | OEM | DIMENSIONS | COMMENTS |
|---|-----------------------|-------------|---------------------------|---|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9262 | | | Ø065x230 | PASE 65 |
| WDL 9263 | X5 | BMW | Ø030x130x13 LL H57 | 26121229726 |
| WDL 9264 | | FORD | Ø035x144x14 LL H65 | 8C11 4826AA / 1510905 |
| WDL 9265 | | JAGUAR | Ø065x170x18 H67,5 | |
| WDL 9266 | RODIUS | SSANGYONG | Ø030x16x47 M12x1,25 H80 | |
| WDL 9267 | MERITOR RPL20/25 | MERITOR | Ø060x218x36 RL H85,7 | |
| WDL 9268 | KANGOO | RENAULT | Ø030x130,5x15 LL | |
| WDL 9269 | | VOLVO | Ø025x74,5x12 M8 H63,5 | 515 410 0081 |
| WDL 9270 | | VOLVO | Ø030x57,5x13 M8 H54 | 515 410 0281 |
| WDL 9271 | | MAZDA | Ø028x175x14 RL H40 | POA4-25-310 |
| WDL 9272 | | MAZDA | Ø028x173x16 H45 | |
| WDL 9273 | | MAZDA | Ø028x176x16 LL H40 | POA5-25-310 |
| WDL 9274 | | MAZDA | Ø028x175x16 H45 | |
| WDL 9275 | | LEXUS | Ø030x157x13 LL | 37230-51010 |
| WDL 9276 | | LEXUS | Ø030x145x13 LL | 37230-50030 |
| WDL 9277 | CELICA / RAV4 | TOYOTA | Ø030x178x13 LL | 37201-20130 / 37100-42060 |
| WDL 9278 | RAV4 | TOYOTA | Ø030x144x13 LL H67 | 37230-24051 |
| WDL 9279 | RAV4 | TOYOTA | Ø030x184x13 10x23/15x23 | 37230-29025 / 37230-48010 / 37230-19015 |
| WDL 9280 | | KIA | Ø025x174x12 RL/LL | |
| WDL 9281 | | SKF | Ø040x155x23 LL H57,2 | SY510M |
| WDL 9282 | | AUDI | Ø030x152x15 H70 | |
| WDL 9283 | | AUDI | Ø030x242x15 H105 | |
| WDL 9284 | | CHRYSLER | Ø040x38x15 M8 H62 | 7807531 |
| WDL 9285 | | CHRYSLER | Ø040x130x15 | |
| WDL 9286 | | CHRYSLER | Ø040x57x15 3/8" H88 | 7802242 |
| WDL 9287 | | DAF | Ø060x194x22 H70,5 | 1782199 |
| WDL 9288 | 687.55/60/65 | VOLVO | Ø070x220x26 LL H85 | 21081150 KIT with flingers and bolts |
| WDL 9289 | 687.55 / 687.60 | VOLVO | Ø070x220x26 LL H85 | 21082632 |
| WDL 9290 | | MERCEDES | Ø047x194x21 LL H68 | 906 410 0681 / 1081 OEM KIT |
| WDL 9291 | 587.20 | UNIMOG | Ø060x200x36 LL H80 | 425 550 4321 |
| WDL 9292 | 687.55 | TORO | Ø070x210x49 H79 | SANDVIC 1933338/29605746 |
| WDL 9293 | | RVI | Ø050x194 Cast Housing | obsolete old RVI 7810232 |
| WDL 9294 | BRERA rear | ALFA | Ø030x220x13 square holes | |
| WDL 9296 | | MERCEDES | Ø055x233x25 Cast Housing | 346 586 0041 |
| WDL 9297 | NCV 3 mid shaft | MERCEDES | Ø047x194x21 LL H73 | 906 410 0881 / 1381 |
| WDL 9298 | | MAN | Ø060 | Center Brg Kit |
| WDL 9299 | AMAROK | VW | Ø030x169x15 LL H57 | 2H0598351B OEM |
| WDL 9300 | KYRON 4WD | SSANGYONG | Ø030x045x16 M12x1,25 H105 | |
| WDL 9301 | ACTYON/KYRON 2WD | SSANGYONG | Ø030x045x16 M12x1,25 H99 | |
| WDL 9302 | ACTYON SPORTS | SSANGYONG | Ø030x045x16 M12x1,25 H76 | |
| WDL 9303 | MUSSO / KORANDO | SSANGYONG | Ø030x045x16 M12x1,25 H119 | |
| WDL 9304 | REXTON (new) | SSANGYONG | Ø030x047x16 M12x1,25 H80 | |
| WDL 9305 | MUSSO SPORTS | SSANGYONG | Ø030x045x16 M12x1,25 H98 | |
| WDL 9306 | | MITSUBISHI | Ø030x160x16 RL 12mm | MR 357998 |
| WDL 9307 | | VW / AUDI | Ø030x096x15,5 round | rubber/bearing Insert OEM |
| WDL 9308 | Q7 | AUDI | Ø030x154x15 H12 | OEM |
| WDL 9309 | T5 | VW | Ø030x162x15,5 RL H97 | OEM |
| WDL 9310 | T5 | VW | Ø030x148x15,5 RL H61 | OEM |
| WDL 9311 | | VOLVO | Ø030x92x13 M8 H54 | OEM |
| WDL 9312 | | VOLVO | Ø030x116x13 M8 H30 | OEM silicone cushion |
| WDL 9313 | | VOLVO | Ø030x118x13 M8 H27 | OEM |
| WDL 9314 | | HYUNDAI | Ø040x170x18 | |
| WDL 9315 | E46 rear | BMW | Ø030x124x13 LL H25 | 26121229682 |
| WDL 9316 | CAPTIVA / OPEL ANTARA | CHEVROLET | Ø030x190x13 LL H41 | |
| WDL 9317 | 587.30 | MAN - IVECO | Ø055x200x36,6 RL H71,5 | 81 39410 6010 alternative for WDL 9017 |
| WDL 9318 | VITO | MERCEDES | Ø030x148x13 LL | EDS |
| WDL 9319 | VITO | MERCEDES | Ø030x148x13 LL H70 | EDS |
| WDL 9320 | NCV3 mid shaft | MERCEDES | Ø047x194x21 LL H73 | 906 410 1681 OEM KIT c/w comp. flange |
| WDL 9321 | TOUAREG / CAYENNE | VW/PORSCHE | Ø030x68x19 M8 H70 | aftermarket |
| WDL 9322 | RANGE ROVER | ROVER | Ø030x190x13 LL | |
| WDL 9323 | VOLVO NK500/600 | VOLVO | Ø070x198x20 RL H80 | 263567 alternative for WDL 9123 |
| WDL 9324 | NCV 3 | EDS | Ø047x194x21 LL H68 | EDS KIT incl. Boot/clamps monotron |
| WDL 9325 | NCV 3 | EDS | Ø047x194x21 LL H73 | EDS KIT incl. Boot/clamps monotron |
| WDL 9326 | | HITACHI | Ø060x240x48 round | 7C shaft 388341-13001 |
| WDL 9327 | | VOLVO | Ø040x080x18 M8 H63 | 940-960 |
| WDL 9328 | 3500 | KIA | Ø030x115x16 H74 | rubber insert |
| WDL 9329 | SORENTO | KIA | Ø030x171x13 | |
| WDL 9330 | SORENTO | KIA | Ø030x165x13 | |

**CENTER BEARINGS BY EDS P/N**

| EDS P/N | SERIES / APPLICATION | OEM | DIMENSIONS | COMMENTS |
|---|----------------------------|---------------|----------------------------|--------------------------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9331 | | JAGUAR | Ø030x170x13 LL H58 | |
| WDL 9332 | | SKF | Ø060x143x75 square | |
| WDL 9333 | | BMW | Ø030x160x13 H50 | 26121229492 |
| WDL 9334 | DISCOVERY | ROVER | Ø030x130x13 H58 RL10 | TVB500360 EDS |
| WDL 9335 | CRV 2002-2006 | HONDA | Ø025x162x12 RL11 / LL11x14 | 40100-S9A-901 |
| WDL 9336 | 1550/SPL70/1610/SPL90 | IVECO | Ø045x193x27 LL H69 | 9345 8251 alternative to WDL 9036 |
| WDL 9337 | IMPREZA | SUBARU | Ø025x178x12 | |
| WDL 9338 | 687.40 | IVECO | Ø070x220x26 RL H90 | 4256 5564 replaces WDL 9076 |
| WDL 9339 | BRERA | ALFA | Ø030x220x13 square holes | |
| WDL 9340 | | IVECO | Ø060x200x38 LL H80 | |
| WDL 9341 | X5 | BMW | Ø030x160x13 LL | 26127558745 |
| WDL 9342 | RANGE ROVER SPORT | ROVER | Ø030x160x15 RL | |
| WDL 9343 | | IVECO | Ø060x220x35 RL H88 | EDS |
| WDL 9344 | | IVECO | Ø070x220x43 RL H88 | EDS |
| WDL 9345 | | MERCEDES | Ø030x208x13 LL H65 | 221 410 5081 |
| WDL 9346 | | MERCEDES | Ø030x118x13 LL H15 | 124 410 0281 |
| WDL 9347 | | SKF | Ø070x210x47 H80 | RASE 70 |
| WDL 9348 | | SKF | Ø040x135,5x35 H49,20 | PASE 40 |
| WDL 9349 | KUGA | FORD | Ø030x058x13 H52 | |
| WDL 9350 | | SKF | Ø050x158x51,6 oval | |
| WDL 9351 | | RVI | Ø095x193,5 | G81 0031 on request |
| WDL 9352 | | SKF | Ø040x138 | P208 |
| WDL 9353 | TIGUAN | VW | Ø030x403x13 H116 | |
| WDL 9354 | PHAETON | VW | Ø030x260x15 H55 | |
| WDL 9355 | VITO | MERCEDES | Ø032x148x13 LL H65 | OEM KIT |
| WDL 9356 | 687.20 / 1310 / 1410/SPL41 | IVECO | Ø040x168x22 RL H57,2 | 4253 5254 altern. to WDL9056 |
| WDL 9357 | MASCOTT | RVI | Ø045x168x19 LL H88 | 7485123948 |
| WDL 9358 | | BMW | Ø035x160x13 H46 LL 8x16 | 26122282496 |
| WDL 9359 | | SKF | Ø055x171 | PASE 55 |
| WDL 9360 | | SKF | Ø050x210 | SYNT 50L |
| WDL 9361 | CRAFTER | VW | Ø047x194x21 LL H73 | 2EO 598 351B OEM KIT |
| WDL 9362 | CRAFTER | VW | Ø047x194x21 LL H68 | 2EO 598 351C OEM KIT |
| WDL 9363 | CRAFTER/SPRINTER | VW-MERC | Ø045x194x19 LL H71,5 | 2DO 598 351A / A903 410 0010 OEM KIT |
| WDL 9364 | VITO | MERCEDES | Ø030x148x13 LL | 639 410 0781 OEM KIT |
| WDL 9365 | VITO | MERCEDES | Ø030x148x13 LL | 639 410 0881 OEM KIT |
| WDL 9366 | VITO | MERCEDES | Ø030x148x13 LL H70 | 639 410 0981 OEM KIT |
| WDL 9367 | VITO | MERCEDES | Ø030x148x13 LL H70 | 639 410 1081 OEM KIT |
| WDL 9368 | SCENIC | RENAULT | Ø030x130,5x13,5 LL | 708867 genuine |
| WDL 9369 | TRANSIT | FORD | Ø030x168,4x14 LL H60 | |
| WDL 9370 | TOUAREG new | VW | Ø035x135x13 | OEM KIT |
| WDL 9371 | RANGER | FORD | Ø032x149,2x24 H51 | |
| WDL 9372 | | AUDI | Ø030x180x15 H69 | |
| WDL 9373 | | DAF | Ø075x220x19 H86 | EDS |
| WDL 9374 | | SKF | Ø050x157x20 H57,2 | 100SY-510M |
| WDL 9375 | | MAZDA / FORD | Ø030x149,2x13 H42 | |
| WDL 9376 | | GM | Ø040x110x22 H52 | |
| WDL 9377 | | DODGE | Ø040x168,2x22 H58 | |
| WDL 9378 | | GMC | Ø035x168,3x25 H57 | |
| WDL 9379 | | GMC | Ø040x168,3x22 H51 | |
| WDL 9380 | | ISUZU / HONDA | Ø030x092x16 H85 M12 | 8-97081-649-0 |
| WDL 9381 | SORENTO | KIA | Ø028x170x15 H20 LL20x26 | 495753E100 |
| WDL 9382 | | SKF | Ø080x232x77,9 H88,9 | SY80TF |
| WDL 9383 | VITO KIT | MERCEDES | Ø032x148x13 LL | |
| WDL 9384 | FIREBIRD / CAMARO | CHEVROLET | Ø035x135x14 H55 | |
| WDL 9385 | VITO KIT | MERCEDES | Ø032x148x13 LL H72 | |
| WDL 9386 | | DANA | Ø040x168,2x22 RL H70 | 212031X |
| WDL 9387 | FREELANDER | LANDROVER | Ø030x138x15 LL H90 | TOQ000060 |
| WDL 9388 | | IVECO | Ø055x194x31 LL H71,5 | 4674953 |
| WDL 9389 | RANGER | FORD | Ø028x181x16 LL | SA54-25-100 |
| WDL 9390 | RANGER | FORD | Ø035x163x14 LL | SA54-25-300 |
| WDL 9391 | RANGER | FORD | Ø035x181x14 LL | SA68-25-300 |
| WDL 9392 | TUCSON | HYUNDAI | Ø030x178x16 | 49300-0L000 |
| WDL 9393 | SANTA FE | HYUNDAI | Ø030x180x13 | 49300-2B500 |
| WDL 9394 | RX35 | HYUNDAI | Ø030x180x13 | 49300-2S000 |
| WDL 9395 | CRV 2007-2011 | HONDA | Ø025x168x12 | |
| WDL 9396 | OUTLANDER rear | MITSUBISHI | Ø030x199x13 | MR953922 |
| WDL 9397 | OUTLANDER front | MITSUBISHI | Ø030x179x13 | MR953919 |
| WDL 9398 | OUTLANDER XT | MITSUBISHI | Ø030x197x13 | 3401A022 |

**CENTER BEARINGS BY EDS P/N**

| EDS P/N | SERIES / APPLICATION | OEM | DIMENSIONS | COMMENTS |
|---|----------------------|------------|--------------------------------|---|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9399 | RAV4 | TOYOTA | Ø25x168x12 LL | 37100-42090 |
| WDL 9400 | DISCOVERY | LANDROVER | Ø30x130x13 H58 RL10 | TVB500360 OEM |
| WDL 9401 | RANGER 4x4 | FORD | Ø35x181x14 | SA68-25-300 |
| WDL 9402 | | IVECO | Ø55x220x22 RL H90 | |
| WDL 9403 | 5+ 6 Series | BMW | Ø35x160x13 H49 LL 8x16 | 26127521856 |
| WDL 9404 | | VOLVO | Ø60x219x36 RL H85,7 | 8127224 212067-2X greaseable |
| WDL 9405 | 300C | CHRYSLER | Ø30x188x13 H88 | |
| WDL 9406 | RANGER 4x4 | FORD | Ø35x163x14 | SA54-25-300 |
| WDL 9407 | L200 TRITON | MITSUBISHI | Ø30x160x16 | MR580647 / MR580648 |
| WDL 9408 | Q7 | AUDI | Ø30x154x15,5 RL H12 | EDS Aftermarket |
| WDL 9409 | HILUX 4x2 | TOYOTA | Ø30x152x13 LL | 37230-0K011 / 37230-34020 / 37230-35130 |
| WDL 9410 | | BMW | Ø30x160x13 | 26127521855 |
| WDL 9411 | HILUX 4x4 | TOYOTA | Ø30x152x13 LL | 37230-0K021 / 37230-0K020 / 37230-35120 |
| WDL 9412 | FRONTIER | NISSAN | Ø30x157x16 RL | 37521-57G26 |
| WDL 9413 | NAVARA D40 | NISSAN | Ø45x172x19 | 37522-JR60 |
| WDL 9414 | RANGE ROVER 02-09 | ROVER | Ø35x160x14 LL H50 | TOQ000050 |
| WDL 9415 | | BMW | Ø35x160x14 H20 LL 8x16 | 26127526632 |
| WDL 9416 | | AUDI | Ø30x229x15,5 RL H85 | |
| WDL 9417 | | AUDI | Ø30x187x15,5 LL H39 | 4D0-521-113G |
| WDL 9418 | 2008-2010 Silverado | GMC | Ø40x168,2x22 H54,90 M10x1,5x32 | 15898099 , 23165405 , 40021934 |
| WDL 9419 | TT / TTS | AUDI | Ø30x177x13 H36 LL 12/22,4 | KIT |
| WDL 9420 | | TORO | Ø55x210x49 LL H88 | SANDVIC |
| WDL 9421 | DAILY MY15 | IVECO | Ø30x168x16 H60 | 42569349 |
| WDL 9422 | Silverado | GMC | Ø35x168,2x25 H54,9 M10x1,5x32 | 40024017 |
| WDL 9423 | Colorado | GMC | Ø35x172x25 H54,90 LL13x17 | 40099621 |
| WDL 9424 | RAM 2500 Laremie | DODGE | Ø40x168,3x22 H63,75 RL 11 ALU | 68065263AA |
| WDL 9425 | Sonoma | GMC | Ø35x168,2x25 H57,2 | 12475525 / 74087042 |
| WDL 9426 | RAM 3500 | DODGE | Ø40x168,2x22 H57,20 13x29 | 05159977AA / 74086573 |
| WDL 9427 | RAM 2500 Dakota | DODGE | Ø40x168,2x22 H57,20 | 05093379AD / 05114390AA |
| WDL 9428 | | MAN | Ø85x220x26 RL H90 | EDS-Version |
| WDL 9429 | GOLF 4-motion | VW | Ø30x190x13 H35 12x22 | |
| WDL 9430 | | MERCEDES | Ø30x57x13 H73 | 222 410 0881 |
| WDL 9431 | | GMC | Ø40x168,2x22 H67,9 10x1,5x50 | 20759862 / 19257957 |
| WDL 9432 | TITAN | NISSAN | Ø40x169,25x22 H56,45 RL 10,5mm | 37520-75200 |
| WDL 9433 | SRX 2010 front | CADILLAC | Ø30x164x16,5 H35,1 LL 10,5x30 | |
| WDL 9434 | SRX 2010 rear | CADILLAC | Ø30x164x16,5 H35,1 LL 10,5x20 | |
| WDL 9435 | Escalade / Avalanche | GMC | Ø40x168,2x22 H54,90 M10x1,5x32 | 15898102 / 23165405 |
| WDL 9436 | RAM | DODGE | Ø40x168,2x22 H58,10 LL 13x29 | 05183095AC / 74083577 |
| WDL 9437 | | DODGE | Ø40x168,2x22 H63,75 LL11x27 | 68065238AA |
| WDL 9438 | RAM | DODGE | Ø40x168,2x22 H58,1 RL13Ø | 05183079AB / 05183075AA |
| WDL 9439 | AUDI 80/90 | AUDI | Ø30x133x15 LL H44 | B2/B3/B4 |
| WDL 9440 | | EVOBUS | Ø60x200x36 H80 | 000 410 0502 reinforced bracket |
| WDL 9441 | A6 V8 | AUDI | Ø30x180x15 H75 | C4 |
| WDL 9442 | 1310 ML-Class | MERCEDES | Ø30x100x14 H60 | Aftermarket , incl. 1310Strap kit + mid nut |
| WDL 9443 | | AUDI | Ø30x241x15 H82 | |
| WDL 9444 | A4 / A6 | AUDI | Ø30x227x15 H71 | C6 RS6 / B7 RS4 |
| WDL 9445 | DAILY MY15 | IVECO | Ø40x168x22 H60 | 42569357 incl. Bolt/washer |
| WDL 9446 | 4-MOTION | VW | Ø30x152x19 H55 10x24 | |
| WDL 9447 | DUSTER | DACIA | Ø30x176x13 H20/45 11x30 | 397740385R |
| WDL 9448 | G211 | INA | Ø55x175x36 H64 | |
| WDL 9449 | RANGE ROVER | ROVER | Ø30x161x13 H45 | |
| WDL 9450 | FIREFIGHTING | MAGIRUS | Ø40x150x98x47 H32 RL10 | |
| WDL 9451 | Q5 | AUDI | Ø30x227x15 RL | EDS |
| WDL 9452 | VITO II 2014- | MERCEDES | Ø30x205/265x13 H13 11,7x26 | KIT 447 410 3100 alu bracket |
| WDL 9453 | FREELANDER II | LANDROVER | Ø30x082x15 H54 M8 | EDS |
| WDL 9454 | VITO II 2014- | MERCEDES | Ø30x205/265x13 H0 11,7x26 | KIT 447 410 3200 steel bracket |
| WDL 9455 | VITO II 2014- | MERCEDES | Ø30x148x13 H40 11x19 | KIT 447 410 3300 |
| WDL 9456 | VITO II 2014- | MERCEDES | Ø30x148x13 H54 11x19 | KIT 447 410 3400 |
| WDL 9457 | VITO II 2014- | MERCEDES | Ø30x148x13 H43 11x19 | KIT 447 410 3600 |
| WDL 9458 | | BMW | Ø35x176x14 | 26127513218 |
| WDL 9459 | RS6 | AUDI | Ø30x15x227 H71 | |
| WDL 9460 | | AUDI | Ø30x176x15 H66 9x15 | |
| WDL 9461 | RS4 | AUDI | Ø30x229x15 H85 Ø13 | |
| WDL 9462 | Panamera | PORSCHE | Ø30x163x15,5 H0 Ø12 | |
| WDL 9463 | Sedici | FIAT | Ø25x185x15 H51/-21 11x23 | |
| WDL 9464 | SKF SE208 | | Ø35x170x31 H60 | |
| WDL 9465 | SKF SE209 | | Ø45x170x23 H60 | |
| WDL 9468 | SCENIC | RENAULT | Ø30x130,5x13,5 LL | EDS FAG bearing |

**CENTER BEARINGS BY EDS P/N**

| EDS P/N | SERIES / APPLICATION | OEM | DIMENSIONS | COMMENTS |
|---|-----------------------|-------------|-------------------------------------|---------------------------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9469 | TUCSON 2006-2010 | KIA | Ø28x185x16 H18 RL11 LL11x14 | 495752E000 |
| WDL 9470 | 3600 | KIA | Ø40x193x18 H80 LL16x22 | 0K4H125150 |
| WDL 9471 | | HYUNDAI | Ø55x20 H85 | 0K89A25150 w/o bracket |
| WDL 9472 | | KIA | Ø28x180x15 H30/60 LL20x26 | 0K95A25300A |
| WDL 9473 | | KIA | Ø28x165x16 H38/-10 LL20x26 | MP03625310A |
| WDL 9474 | | BMW | Ø30x176x13 | 26127525966 |
| WDL 9475 | TOUAREG new | VW | Ø35x135x13 | EDS |
| WDL 9476 | | BMW | Ø30x160x13 H50 | 26121227660 |
| WDL 9477 | | BMW | Ø35x160x14 H40 | 26121227997 |
| WDL 9478 | VOYAGER | CHRYSLER | Ø30x131x13 H62 11,5x30 | |
| WDL 9479 | D-MAX | ISUZU | Ø30x94x16 H81 M12 | 8-97942-877-0 |
| WDL 9480 | SHARAN | VW | Ø30x145x19 H45 LL11x25 | 7MO521351B |
| WDL 9481 | RS6 | AUDI | Ø30x227x15 H69 RL12 | 4FO 521101 H |
| WDL 9482 | A5 Quattro | AUDI | Ø30x227x15 H116 RL12 | 8TO 521101 P |
| WDL 9483 | A8 | AUDI | Ø30x280x15 H125 RL12 | 4HO 521101 B |
| WDL 9499 | AMAROK | VW | Ø30x169x15 H57 LL | 2H0598351B EDS |
| WDL 9500 | COASTER | TOYOTA | Ø30x125x16 H70 LL 11x25 | 37230-36H00 |
| WDL 9501 | RANGER 4x4 | FORD | Ø35x181x14 LL | SA68-25-300 OEM |
| WDL 9502 | Q3 | AUDI | Ø30x410x13 H116 LL12,5x23 | 5N0521101C |
| WDL 9503 | 7-Series | BMW | Ø30x160x13 H43 LL 9,5x30 | 26121227997 |
| WDL 9504 | CIVIC | HONDA | Ø25x203x12 H0/-43 RL11 / LL 11x13 | 40100S2H003 |
| WDL 9505 | SORENTO | KIA | Ø28x170x16 H11 LL20x26 | 495783E200 |
| WDL 9506 | SORENTO 2003-06 | KIA | Ø28x170x16 H09 LL20x26 | 495783E300 |
| WDL 9507 | DISCOVERY | LANDROVER | Ø30x134x16 H60 RL10 15° bracket | LR037027 |
| WDL 9508 | CX-7 | MAZDA | Ø30x232x13 H-40 LL23x25 | PH0125100 |
| WDL 9509 | CX-9 | MAZDA | Ø30x226x13 H30 RL23 | KG0325109U |
| WDL 9510 | CX-7 | MAZDA | Ø30x225x13 H23 LL 23,2/27 | PH0125100B |
| WDL 9512 | C-Class | MERCEDES | Ø30x123x13 H20 LL 9x25 | 202 410 0281 |
| WDL 9513 | LEGACY | SUBARU | Ø30x179x13 H60 RL11,5 | 27111AG220 |
| WDL 9514 | FORESTER | SUBARU | Ø30x172x16 RL16 | 27111SA011 |
| WDL 9516 | COROLLA | TOYOTA | Ø30x154x13 H15 LL13x20 | 37320-12120 |
| WDL 9520 | VOLVO NK 300 - NK 400 | VOLVO | Ø60x198x30 RL H80 40 Shore A | 263000 / 621235 EDS |
| WDL 9522 | | MITSUBISHI | Ø30x157x13 H0/-40 RL25 | MR196669 |
| WDL 9526 | 196 | IVECO / MAN | Ø100x194x14 RL H68 circlip included | 9319 2009 IVECO,81 39410 6018 MAN EDS |
| WDL 9530 | 590 | DAF | Ø65x200x19 LL H71,5 | 1779697 reinforced bracket EDS |
| WDL 9541 | 687.45/47 | IVECO | Ø65x200x19 RL H71,5 | 9319 4978 EDS |
| WDL 9542 | 687.55/620 | IVECO | Ø75x220x19 RL H85,8 | 9319 2572 EDS |
| WDL 9545 | 587.20 / 687.45/47 | IVECO | Ø55x200x18 RL H71,5 | 9316 3091 EDS |
| WDL 9546 | 587.42 / 587.48 | IVECO / DAF | Ø70x220x20 RL H86 | 4208 7542 IVECO / 701756 EDS |
| WDL 9548 | 687.25 | IVECO | Ø40x168x18 RL H62,8 | 42536965 IVECO /93160223 EDS |
| WDL 9550 | | ARO | Ø30x162x13 H63,5 | on request |
| WDL 9563 | | MAN | Ø65x194x18 RL H74 | 81394106028 EDS |
| WDL 9570 | 687.45/47 | DAF | Ø65x200x19 LL H71,5 | 143555/1288120/1323765 EDS |
| WDL 9608 | UCF208 | | Ø40x102x102 square | |
| WDL 9610 | UCF210 | | Ø50x111x111 square | |
| WDL 9621 | UCF211 | | Ø55x130x130 square | |
| WDL 9623 | UCF213 | | Ø65x149x149 square | |
| WDL 9624 | UCF214 | | Ø70x152x152 square | |
| WDL 9628 | UCF218 | | Ø90x187x187 square | |
| WDL 9630 | UCF310 | | Ø50x132x132 square | |
| WDL 9631 | UCF311 | | Ø55x140x140 square | |
| WDL 9632 | UCF312 | | Ø60x150x150 square | |
| WDL 9633 | UCF313 | | Ø65x166x166 square | |

**CENTER BEARINGS - ALFA ROMEO**

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|--------------------------|------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9174 | SPIDER BERLINETTA | | Ø030x128x13RL H75 | |
| WDL 9294 | BRERA rear | | Ø030x220x13 square holes | |
| WDL 9339 | BRERA front | | Ø030x220x13 square holes | |

CENTER BEARINGS - AUDI

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|----------------------------|---|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9160 | | | Ø030x093x13,5 round | rubber/bearing insert fits all AUDI center brgs |
| WDL 9307 | | | Ø030x096x15,5 round | rubber/bearing Insert OEM |
| WDL 9210 | | | Ø030x133x15,5 LL H40 | |
| WDL 9439 | AUDI 80/90 | | Ø030x133x15 H44 | B2/B3/B4 |
| WDL 9282 | | | Ø030x152x15 H70 | |
| WDL 9208 | | | Ø030x152x15 H70 | |
| WDL 9308 | Q7 | | Ø030x154x15 H12 | |
| WDL 9502 | Q3 | | Ø030x410x13 H116 LL12,5x23 | 5N0521101C |
| WDL 9209 | TT / TTS | | Ø030x177x15 H70 | |
| WDL 9372 | | | Ø030x180x15 H69 | |
| WDL 9441 | A6 V8 | | Ø030x180x15 H75 | C4 |
| WDL 9417 | | | Ø030x187x15 H39 | 4D0-521-113G |
| WDL 9444 | A4 / A6 | | Ø030x227x15 H71 | C6 / B7 RS4 |
| WDL 9451 | Q5 | | Ø030x227x15 RL | EDS |
| WDL 9459 | RS6 | | Ø030x227x15 H71 | |
| WDL 9481 | RS6 | | Ø030x227x15 H69 | 4FO 521101 H |
| WDL 9482 | A5 Quattro | | Ø030x227x15 H116 | 8TO 521101 P |
| WDL 9483 | A8 | | Ø030x280x15 H125 | 4HO 521101 B |
| WDL 9416 | | | Ø030x229x15 H85 | |
| WDL 9443 | | | Ø030x241x15 H82 | |
| WDL 9283 | | | Ø030x242x15 H105 | |

CENTER BEARINGS - AVIA

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|--------------------|------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9145 | | | Ø055x194x40 RL H69 | |

CENTER BEARINGS - BEDFORD

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|--------------------|------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9010 | CF VAN | | Ø030x110x13 | |
| WDL 9029 | CF VAN | | Ø035x168x25 LL H71 | |

CENTER BEARINGS - BMW

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|---------------------------|---------------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9126 | | | Ø030x130x13 LL H53 | 26121226723 |
| WDL 9263 | X5 | | Ø030x130x13 LL H57 | 26121229726 |
| WDL 9154 | | | Ø030x135x12 RL H50 | 26111206502 |
| WDL 9315 | E46 rear | | Ø030x124x13 LL H25 | 26121229682 |
| WDL 9124 | | | Ø030x140x13 LL H63 | 26211225152 |
| WDL 9254 | BMW Z3 | | Ø030x160x13 RL H39 | 26121226731 |
| WDL 9341 | X5 new | | Ø030x160x13 LL | 26127558745 |
| WDL 9410 | 5 Series | | Ø030x160x13 H48 LL 8x16 | 26127521855 |
| WDL 9474 | | | Ø030x13x176 | 26127525966 |
| WDL 9178 | | | Ø035x130x13 H50 | 26121226657 / 26121226442 |
| WDL 9415 | | | Ø035x160x14 H20 LL 8x16 | 26127526632 |
| WDL 9503 | 7-Series | | Ø030x160x13 H43 LL 9,5x30 | 26121227997 |
| WDL 9403 | 5+ 6 Series | | Ø035x160x13 H49 LL 8x16 | 26127521856 |
| WDL 9358 | | | Ø035x160x13 H46 LL 8x16 | 26122282496 |
| WDL 9458 | | | Ø35x14x176 | 26127513218 |

**CENTER BEARINGS - CHRYSLER/DODGE**

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|-------|-------------------------------|-------------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9405 | 300C | | Ø030x188x13 H88 | |
| WDL 9478 | VOYAGER | | Ø030x131x13 H62 11,5x30 | |
| WDL 9284 | | | Ø040x38x15 M8 H62 | 7807531 |
| WDL 9285 | | | Ø040x130x15 | |
| WDL 9436 | RAM | DODGE | Ø040x168,2x22 H58,10 LL 13x29 | 05183095AC / 74083577 |
| WDL 9438 | RAM | DODGE | Ø040x168,2x22 H58,1 RL13Ø | 05183079AB / 05183075AA |
| WDL 9437 | | DODGE | Ø040x168,2x22 H63,75 LL11x27 | 68065238AA |
| WDL 9286 | | | Ø040x57x15 3/8" H88 | 7802242 |

CENTER BEARINGS - CATERPILLAR

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|----------------------------|----------------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9240 | | | Ø049,2x58,7 casting square | 111,1x111,1 holes distance |
| WDL 9168 | 1550/SPL70 | | Ø062x187x64 H69 rigid | 6I-8531 |
| WDL 9260 | 1610/1710 | | Ø075x216x78 H82 rigid | 296-4292 |

CENTER BEARINGS - GM

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|-----|---------------------------------|---------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9284 | CADILLAC / BUICK | | Ø040x038,5x15 5/16" H64 | 7807531 |
| WDL 9286 | CADILLAC / BUICK | | Ø040x057,2x15 3/8" H88 | 7802242 |
| WDL 9376 | GM SUV | | Ø040x110x22 H52 | |
| WDL 9285 | CADILLAC / BUICK | | Ø040x130x15 | |
| WDL 9422 | Silverado | | Ø035x168,2x25 H54,9 M10x1,5x32 | 40024017 |
| WDL 9425 | Sonoma | | Ø035x168,2x25 H57,2 | 12475525 / 74087042 |
| WDL 9435 | Escalade / Avalanche | GMC | Ø040x168,2x22 H54,90 M10x1,5x32 | 15898102 / 23165405 |
| WDL 9431 | | GMC | Ø040x168,2x22 H67,9 10x1,5x50 | 20759862 / 19257957 |
| WDL 9423 | Colorado | | Ø035x172x25 H54,90 LL13x17 | 40099621 |
| WDL 9316 | CAPTIVA | | Ø030x190x13 LL H41 | |
| WDL 9384 | FIREBIRD / CAMARO | | Ø035x135x14 H55 | |
| WDL 9248 | IMPALA | | Ø030x17x45 3/8" H90 | |

CENTER BEARINGS - DAF

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|-----------------------------|-------|----------------------|-------------------------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9166 | 1410/SPL41/1480/SPL55 | | Ø040x168x27 RL H62,7 | 1404554 zinc plated, solid rubber |
| WDL 9002 | | | Ø045x080x13 H63 | RTC4766 |
| WDL 9036 | 1550/SPL70/1610/SPL90 | 18271 | Ø045x193x27 LL H69 | 1404560 |
| WDL 9089 | 1550 / SPL 70 | | Ø045x198x27 RL H69 | DANA solid rubber |
| WDL 9157 | 1610 | | Ø045x193x27 RL H69 | 1404560 |
| WDL 9100 | 1710 / SPL 140 / 687.40 | | Ø050x193x30 RL H71 | |
| WDL 9197 | 687.35 | | Ø055x193x18 RL H70,5 | 1408525 |
| WDL 9064 | 687.35 / 40 / 45 / 47 / 50 | 16837 | Ø055x200x18 LL H69,1 | 1298157 , 1252249 |
| WDL 9063 | 687.35 / 687.40 | 17997 | Ø055x200x18 LL H71,8 | 1252249 |
| WDL 9065 | 587.20 / KLEIN 490 | 12649 | Ø055x200x36 LL H71,5 | 102203 |
| WDL 9052 | 687.30 / 687.35 | 19029 | Ø060x194x18 RL H69 | 1409056 |
| WDL 9287 | | | Ø060x194x22 H70,5 | 1782199 |
| WDL 9068 | 587.30 / 587.35/36 | 11854 | Ø060x200x37 LL H80 | 102204 |
| WDL 9066 | 587.42 / KLEIN 680 | 18653 | Ø060x220x35 LL H88 | 128235 |
| WDL 9230 | KLEIN 590 | | Ø065x200x19 LL H71,5 | 1779697 |
| WDL 9070 | 687.45/47 | 19560 | Ø065x200x19 LL H71,5 | 1435557/1288120/1323765 |
| WDL 9071 | 587.48/687.55/687.60/687.65 | 18488 | Ø070x220x20 LL H85,8 | 1235569 / 0678426 |
| WDL 9046 | 587.42 / 587.48 | 13234 | Ø070x220x20 RL H86 | 701756 |
| WDL 9072 | 587.48 | | Ø070x220x43 LL H88 | 1288242 |
| WDL 9073 | 687.55 | 19561 | Ø075x220x20 LL H86 | 1425157/1288231/1740904 OEM |
| WDL 9373 | 687.55 | 19561 | Ø075x220x20 LL H86 | 1425157/1288231/1740904 alternative |

**CENTER BEARINGS - FIAT**

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|---------------------------|------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9075 | | | Ø025x076x18 M8 H54 | 4181556 |
| WDL 9182 | PANDA 4x4 | | Ø025x140x18 M8 | |
| WDL 9463 | Sedici | | Ø025x185x15 H51/-21 11x23 | |
| WDL 9243 | PANDA 4x4 new | | Ø030x138x15 H65 | |

CENTER BEARINGS - FORD

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|-------------------------------------|--|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9159 | | | FORD rubber | rubber for c/bearing WDL 9001 and WDL 9004 |
| WDL 9222 | | | Ø030x144x13 LL H57,9 | 4104708 |
| WDL 9199 | RANGER | | Ø030x149x13 RL H49 | |
| WDL 9183 | CORTINA | | Ø030x150x13 LL H47 | FORD 83BG4K080AA |
| WDL 9004 | | | Ø030x150x14LL H8,5 straight bracket | 1480-3003 0° bracket |
| WDL 9369 | | | Ø030x168,4x14 LL H60 | |
| WDL 9158 | RANGER AT | | Ø030x175x15,5 LL H35 | |
| WDL 9165 | RANGER MT | | Ø030x175x15,5 LL H35 | |
| WDL 9349 | KUGA | | Ø030x058x13 H52 | |
| WDL 9176 | 1350 | | Ø035x100x13 oval | E7NN-4642-AA |
| WDL 9264 | TRANSIT | | Ø035x144x14 LL H57,9 | 8C11 4826AA / 1510905 |
| WDL 9138 | TRANSIT | | Ø045x168x17,5 LL H63 | |
| WDL 9001 | | | Ø030x140x14LL H00 15° bracket | 1480-3002 15° bracket |
| WDL 9003 | TRANSIT | | Ø030x144x13 LL H63,3 + 2 flingers | 95VB-4826-AA |
| WDL 9005 | TRANSIT | | Ø045x144x16LL H61,2 | 92VB-4826-AA |

CENTER BEARINGS - HONDA

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|------------------------------------|--|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9201 | CR-V | | Ø025x174x12 H12 RL11 / LL11x14 | 40520S10003 / 40100S10A01/ 40100SXSA01 |
| WDL 9335 | CRV 2002-2006 | | Ø025x162x12 RL11 / LL11x14 | 40100-S9A-901 |
| WDL 9504 | CIVIC | | Ø025x203x12 H0/-43 RL11 / LL 11x13 | 40100S2H003 |

CENTER BEARINGS - HYUNDAI - ISUZU

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|---------------------|------------------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9164 | STAREX | | Ø030x160x16 RL11mm | 491304A000 |
| WDL 9200 | | | Ø030x095x15 H80 M12 | 8-94482-472-0 /8-94328-799-0 |
| WDL 9380 | RODEO | | Ø030x092x16 H85 M12 | 8-97081-649-0 |
| WDL 9169 | | | Ø045x158x19 H62 | 9-37510031-0 |
| WDL 9479 | D-MAX | | Ø030x94x16 H81 M12 | 8-97942-877-0 |
| WDL 9471 | | | Ø055x20 H85 | 0K89A25150 w/o bracket |

CENTER BEARINGS - IVECO

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|-------|-------------------------|------------------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9421 | DAILY MY15 | | Ø030x168x16 H60 | 42569349 |
| WDL 9031 | 1310 | 18531 | Ø035x168x17 RL H58 | 0439 0495 |
| WDL 9049 | 1350 | 17111 | Ø035x168x17 RL H58 | 0998 4261 |
| WDL 9179 | 1310 | | Ø035x168x25 RL H57,2 | 93160324 / 42936726 |
| WDL 9134 | 1310 | | Ø035x168x25 RL H57,1 | 9316 3376 |
| WDL 9092 | 1310 | | Ø035x168x25 RL H62,1 | 4390495 |
| WDL 9030 | | 11716 | Ø035x168x25 RL H58 | 0998 4261 / 0993 2698 |
| WDL 9450 | MAGIRUS FIREFIGHTING | | Ø040x150x98x47 H32 RL10 | |
| WDL 9048 | 687.25 | | Ø040x168x18 RL H62,8 | 9316 0223 |
| WDL 9548 | 687.25 | | Ø040x168x18 RL H62,8 | 42536965 IVECO /93160223 EDS |
| WDL 9132 | 1410/SPL41 | 11606 | Ø040x168x22 LL H58 | 9315 8202 |
| WDL 9033 | 1410/SPL41 | 11606 | Ø040x168x22 RL H57,2 | 4253 0546 / 9315 8202 |
| WDL 9056 | DAILY | 11513 | Ø040x168x22 RL H57,2 | 4253 5254 OEM |
| WDL 9356 | DAILY | 11513 | Ø040x168x22 RL H57,2 | 4253 5254 alternative |
| WDL 9103 | DAILY | | Ø040x168x27 LL H62,7 | 4253 2794 |
| WDL 9445 | DAILY MY15 | | Ø040x168x22 H60 | 42569357 incl. Bolt/washer |

**CENTER BEARINGS - IVECO**

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|-----------------------------|-------|-------------------------------------|-----------------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9060 | 1410/SPL41 / 1480/SPL55 | | Ø040x168x27 RL H62,7 | 9315 8202 |
| WDL 9034 | 687.15/687.20/287.20/1410 | 18245 | Ø045x168x18 LL H58 | 9315 6460/4253 8439 |
| WDL 9035 | 587.15 / ELBE 113 | 12593 | Ø045x193x19 LL H69,1 | 0468 2902/4253 6523 |
| WDL 9057 | 687.30 / 687.35 | 18830 | Ø045x193x19 RL H69 | 9316 0226 |
| WDL 9036 | 1550/SPL70/1610/SPL90 | 18271 | Ø045x193x27 LL H69 | 93158251 |
| WDL 9336 | 1550/SPL70/1610/SPL90 | 18271 | Ø045x193x27 LL H69 | 9345 8251 alternative |
| WDL 9037 | 587.15 | 13237 | Ø045x200x27 RL H69 | 4200 2121/0447 3105 |
| WDL 9038 | 1710 | 11809 | Ø050x193x20 LL H72 | 0476 5836 |
| WDL 9050 | EUROCARGO | 19194 | Ø055x168x18 RL H62,8 | 4253 2291 |
| WDL 9051 | EUROCARGO | | Ø055x168x18 RL H62,8 | 4253 2291 c/w seal kit |
| WDL 9058 | 687.40 | 18909 | Ø055x193,5x15RL H71,5 | 0819 4600 |
| WDL 9039 | 587.15 / 587.20 | 13238 | Ø055x193x36,6 LL H71,5 | 0248 3546 |
| WDL 9045 | 587.20 / 687.45/47 | | Ø055x200x18 RL H71,5 | 9316 3091/ 4254 1440 |
| WDL 9059 | 587.20 | 13239 | Ø055x200x36 LL H71,5 | 0447 3129 |
| WDL 9017 | 587.20/587.30/KLEIN490 | 13240 | Ø055x200x36 RL H71,5 | 4200 2123 |
| WDL 9194 | 687.40 | | Ø055x220x22 RL H90 | 4255 5172 |
| WDL 9052 | 687.30 / 687.35 | 19029 | Ø060x194x18 RL H69 | 4252 2292 |
| WDL 9053 | 687.30 | | Ø060x194x19 RL H69 | 4253 2292 c/w seal kit |
| WDL 9040 | 587.30/35/36/42 / 687.45/47 | 13243 | Ø060x200x36 LL H80 | 0480 3933 |
| WDL 9340 | 587.30 / 587.35/36 / 687.50 | 13241 | Ø060x200x36 LL H80 EDS | 0480 3933 alternative |
| WDL 9047 | | 17761 | Ø060x220x22 RL H88 | 9315 7125 |
| WDL 9043 | KLEIN 680 | | Ø060x220x35 RL H88 | 9315 7626 OEM |
| WDL 9188 | 687.60 / GS 906 | | Ø060x220x36 RL H86 GC906 | 9315 7626 |
| WDL 9151 | KLEIN 490 | | Ø065x200x15 LL H70 | 4254 1384 OEM |
| WDL 9107 | KLEIN 490 | | Ø065x200x19 LL H72 slotted rubber | 4253 6078 |
| WDL 9130 | KLEIN 590 | | Ø065x200x19 RL H72 | 4253 4499 |
| WDL 9041 | 687.45/47 | | Ø065x200x19 RL H71,5 | 9319 4978 OEM |
| WDL 9076 | 687.40 | 11454 | Ø070x220x20 RL H85 | 4253 9442 |
| WDL 9338 | 687.40 | | Ø070x220x26 RL H90 | 4256 5564 replaces WDL 9076 |
| WDL 9046 | 587.42 / 587.48 | 13234 | Ø070x220x20 RL H86 | 4208 7542 |
| WDL 9344 | 587.48 | | Ø070x220x43 RL H88 Cast Bracket | 4209 7410/4253 6962 |
| WDL 9044 | 587.48 | | Ø070x220x43 RL H88 Cast Bracket | 4208 7410/4253 6962 OEM |
| WDL 9042 | 687.55 | | Ø075x220x19 RL H85,8 | 9319 2572 |
| WDL 9028 | 687.45/47 | 11455 | Ø075x220x20 RL H85 | 4253 8361 |
| WDL 9195 | 687.40 / 687.45/47 | 12939 | Ø075x220x26 RL H90 | 4255 5168 |
| WDL 9180 | 687.45/47 | | Ø080x220x22 RL H85 | 4253 8889 |
| WDL 9192 | 687.55 | | Ø085x220x13 RL H90 | 4254 3603 |
| WDL 9026 | KLEIN 196 | 18657 | Ø100x194x14 RL H68 circlip included | 9319 2009 |

CENTER BEARINGS - JAGUAR

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|-------------------------|------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9093 | | | Ø030x076,5x13 5/16" H64 | 3180-3002 |
| WDL 9265 | | | Ø065x170x18 H67,5 | |

CENTER BEARINGS - KEMPF

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|--------------------|------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9083 | | | Ø045x168x22 RL H80 | |
| WDL 9084 | | | Ø045x194x18 RL H80 | |

**CENTER BEARINGS - KIA**

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|------------------------------|-------------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9473 | | | Ø028x165x16 H38/-10 LL20x26 | MP03625310A |
| WDL 9251 | SPORTAGE | | Ø025x165x15 H37 LL20x26 | M05425310A / M05325310A |
| WDL 9505 | SORENTO | | Ø028x170x16 H11 LL20x26 | 495783E200 |
| WDL 9381 | SORENTO | | Ø028x170x15 H20 LL20x26 | 495753E100 |
| WDL 9506 | SORENTO 2003-06 | | Ø028x170x16 H09 LL20x26 | 495783E300 |
| WDL 9472 | | | Ø028x180x15 H30/60 LL20x26 | 0K95A25300A |
| WDL 9469 | TUCSON 2006-2010 | | Ø028x185x16 H18 RL11 LL11x14 | 495752E000 |
| WDL 9469 | SPORTAGE 2004-2010 | | Ø028x185x16 H18 RL11 LL11x14 | 495752E000 |
| WDL 9470 | 3600 | | Ø040x193x18 H80 LL16x22 | 0K4H125150 |

CENTER BEARINGS - LEXUS

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|--------------------|--------------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9204 | LS400 | | Ø030x058x12 LL H60 | 37230-24090/24100 |
| WDL 9205 | GS300 | | Ø030x058x12 LL H60 | 37230-50011 |
| WDL 9237 | RX300/HIGHLANDER | | Ø030x172x13 LL | 37230-48010/ 37230-49015 |
| WDL 9235 | SC400 | | Ø030x160x13 LL | 37230-24070 |
| WDL 9206 | RX300 rear | | Ø030x080x12 LL | 37230-21020 |

CENTER BEARINGS - MAN

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------------|-------|-------------------------------------|---|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9054 | 287.20 / 587.15 / ELBE 113 | | Ø045x200x18 RL H69 | 81 39400 6089 alternative |
| WDL 9016 | 287.20/587.15/ELBE113 | 13216 | Ø045x200x18 RL H69 | 81 39400 6089 genuine |
| WDL 9226 | 287.30 | | Ø055mm casting | rigid housing |
| WDL 9017 | 587.20/587.30/KLEIN490 | 13240 | Ø055x200x36 RL H71,5 | 81 39410 6010 |
| WDL 9317 | 587.20/587.30/KLEIN491 | 13240 | Ø055x200x36,6 RL H71,5 | 81 39410 6010 alternative |
| WDL 9227 | 587.30 | | Ø60mm casting | 81 39400 6087 rigid housing |
| WDL 9163 | KLEIN 196 | 12357 | Ø065x194x18 RL H74 w/boot | 81 39410 6028 |
| WDL 9247 | KLEIN 196 | | Ø065x220x18 RL H86 w/boot | 81 39410 6030 |
| WDL 9018 | 587.35/36/42/687.40/45/47 | 11228 | Ø065x225x23 RL H85,8 | 81 39410 6019 |
| WDL 9019 | 587.42 / 687.40 | 17197 | Ø065x230x23 RL H85,8 | 81 39410 6017 obsolete replaced by WDL 9018 |
| WDL 9027 | 587.35/36 / 687.45/47 | | Ø075x220x20 RL H85 | 81 39400 6107 BUS genuine |
| WDL 9193 | 687.40 / 687.45/47 | 11452 | Ø075x225x26 RL H90 | 81 39410 6032 |
| WDL 9252 | 687.45 | 15745 | Ø075x225x26 RL H90 84 shore | 81 39410 6037 |
| WDL 9249 | 687.55 | | Ø075x230x20 LL H89 | 81 39410 6021 |
| WDL 9020 | 687.40 / 45 / 47 | 13079 | Ø075x230x20 RL H85 | 81 39410 6020 |
| WDL 9161 | 687.55 | 11453 | Ø085x220x13 RL H85 55 Shore A | 81 39410 6023 / 6024 |
| WDL 9177 | 687.55 | 12388 | Ø085x220x13 RL H85 70 Shore A | 81 39410 6031 |
| WDL 9228 | 687.55 | | Ø085x220x26 RL H90 | 81 39410 6034 |
| WDL 9428 | EDS-Version | MAN | Ø085x220x26 RL H90 | 81 39410 6034 |
| WDL 9026 | KLEIN 196 | 18657 | Ø100x194x14 RL H68 circlip included | 81 39410 6018 genuine |

CENTER BEARINGS - MAZDA

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|-------|----------------------------|------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9171 | | | Ø025x163 LL | P030-25-310 |
| WDL 9251 | 2200 | MAZDA | Ø025x165x15 H37 LL20x26 | M05425310A |
| WDL 9406 | RANGER 4x4 | | Ø035x163x14 | SA54-25-300 |
| WDL 9271 | | | Ø028x175x14 RL H40 | P0A4-25-310 |
| WDL 9272 | | | Ø028x173x16 H45 | |
| WDL 9273 | | | Ø028x176x16 LL H40 | P0A5-25-310 |
| WDL 9274 | | | Ø028x175x16 H45 | |
| WDL 9144 | RANGER TURBO 4x4 | | Ø028x181x16 LL | SA54-25-100 |
| WDL 9172 | | | Ø028x163 LL | SA0225310 |
| WDL 9510 | CX-7 | | Ø030x225x13 H23 LL 23,2/27 | PH0125100B |
| WDL 9509 | CX-9 | | Ø030x226x13 H30 RL23 | KG0325109U |
| WDL 9508 | CX-7 | | Ø030x232x13 H-40 LL23x25 | PH0125100 |

**CENTER BEARINGS - MERCEDES**

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|--------------------------|-------|-----------------------------------|---------------------------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9121 | | | Ø025x110x12 RL H14 | 201 410 0581 |
| WDL 9152 | | | Ø025x124x12 LL H15 | 202 410 0381 |
| WDL 9111 | | | Ø025x118x12 H15 | 124 410 0181 |
| WDL 9149 | | | Ø025x208x12 LL H60 | 210 410 1881 |
| WDL 9430 | | | Ø030x57x13 H73 | 222 410 0881 |
| WDL 9142 | M-CLASS | | Ø030x100x14 RL H60 | 163 410 0010 incl. 2 straps + 4 bolts |
| WDL 9153 | | | Ø030x119x13 H25 LL9x17 | 126 410 0181 |
| WDL 9346 | | | Ø030x118x13 LL H15 | 124 410 0281 |
| WDL 9115 | | | Ø030x120x12 LL | 124 410 0781 |
| WDL 9133 | | | Ø030x120x13 LL H19 | 126 410 0181 |
| WDL 9512 | C-Class | | Ø030x123x13 H20 LL 9x25 | 202 410 0281 |
| WDL 9233 | | | Ø030x123x13 LL | 129 410 0481 / 129 410 0881 |
| WDL 9150 | | | Ø030x124x13 LL H40 | 115 410 4381 |
| WDL 9116 | | | Ø030x125x12 LL | 140 410 0181 |
| WDL 9155 | | | Ø030x125x12 LL | 129 410 1881 |
| WDL 9253 | | | Ø030x125x13 H25 | 115 410 4481 |
| WDL 9131 | | | Ø030x125x13 LL H29,5 | 115 410 4281 |
| WDL 9109 | | | Ø030x131x13 LL H15 | 123 410 1081 |
| WDL 9455 | VITO II 2014- | | Ø030x148x13 H40 11x19 | KIT 447 410 3300 |
| WDL 9456 | VITO II 2014- | | Ø030x148x13 H54 11x19 | KIT 447 410 3400 |
| WDL 9457 | VITO II 2014- | | Ø030x148x13 H43 11x19 | KIT 447 410 3600 |
| WDL 9452 | VITO II 2014- | | Ø030x205/265x13 H13 11,7x26 | KIT 447 410 3100 alu bracket |
| WDL 9454 | VITO II 2014- | | Ø030x205/265x13 H0 11,7x26 | KIT 447 410 3200 steel bracket |
| WDL 9218 | VITO | | Ø030x148x13 LL | 639 410 0081/0481 OEM KIT |
| WDL 9219 | VITO | | Ø030x148x13 LL H65 | 639 410 0181/0581 OEM KIT |
| WDL 9220 | VITO | | Ø030x148x13 LL H70 | 639 410 0281/0681 OEM KIT |
| WDL 9364 | VITO | | Ø030x148x13 LL | 639 410 0781 OEM KIT |
| WDL 9365 | VITO | | Ø030x148x13 LL | 639 410 0881 OEM KIT |
| WDL 9366 | VITO | | Ø030x148x13 LL H70 | 639 410 0981 OEM KIT |
| WDL 9367 | VITO | | Ø030x148x13 LL H70 | 639 410 1081 OEM KIT |
| WDL 9012 | 801.10 | | Ø030x156x20 RL H26 | 309 410 1122 |
| WDL 9345 | | | Ø030x208x13 LL H65 | 221 410 5081 |
| WDL 9190 | E-CLASS 220 CDI | | Ø030x208x13 H63 | 211 410 0381 |
| WDL 9117 | | | Ø030x209x12 LL H48 | 210 410 1681 |
| WDL 9383 | | | Ø032x148x13 LL | OEM KIT |
| WDL 9355 | VITO | | Ø032x148x13 LL H64 | OEM KIT |
| WDL 9007 | | | Ø035x155x20RL H26 | 310 410 0822 |
| WDL 9008 | 801.21 | 14859 | Ø035x160x20 round BHC27 | 460 410 0222 |
| WDL 9125 | | | Ø040x18 bearing alone | 352 410 0051 |
| WDL 9128 | 801.21 / 286.22 | | Ø045x160x18 H97 | 670 411 0112 |
| WDL 9023 | 802.31/286.22 | 19463 | Ø045x160x18 H89 | 970 411 0012 |
| WDL 9009 | 286.22 | | Ø045x190x23 round ,side mounting | 381 410 1522 |
| WDL 9025 | 801.15/801.20 /801.21 | 18861 | Ø045x194x19 LL H71,5 | 901 410 0312 |
| WDL 9363 | | | Ø045x194x19 LL H71,5 | 903 410 0010 KIT genuine |
| WDL 9021 | 801.00 / 801.10 | 14602 | Ø045x194x19 RL H69 | 611 410 1710/2110 |
| WDL 9224 | | | Ø047x194x21 LL H68 | 906 410 0181 |
| WDL 9223 | | | Ø047x194x21 LL H73 | 906 410 0081/0281 |
| WDL 9297 | NCV 3 mid shaft | | Ø047x194x21 LL H73 | 906 410 0881 / 1381 |
| WDL 9290 | NCV 3 mid shaft | | Ø047x194x21 LL H68 | 906 410 0681 / 1081 |
| WDL 9257 | NCV 3 mid shaft | | Ø047x194x21 LL H68 | 906 410 1581 Kit c/w comp. flange |
| WDL 9320 | NCV 3 mid shaft | | Ø047x194x21 LL H73 | 906 410 1681 Kit c/w comp. flange |
| WDL 9129 | | | Ø055mm bearing alone | 363 410 0051 |
| WDL 9141 | 186.33/286.33 | | Ø055x190x23 | 973 411 0012 / 973 410 0112 |
| WDL 9022 | 186.33/286.33 | 19188 | Ø055x190x25 round BHC27 | 973 410 0022 |
| WDL 9099 | 186.33/286.33 / 286.37 | | Ø055x190x25 round BHC27 | 385 410 0922 |
| WDL 9011 | 186.33/286.33/286.37 | | Ø055x190x25 round BHC27 | 385 410 1722/1522 |
| WDL 9231 | | | Ø055x220x25 RL H86 | 318 410 1522 |
| WDL 9118 | 286.37 | | Ø060mm bearing alone | 363 410 0151 |
| WDL 9143 | 286,37 | | Ø060x190x22 | 654 411 0012 |
| WDL 9440 | EVOLBUS | | Ø060x200x36 H80 | 000 410 0502 reinforced bracket |
| WDL 9024 | 286.37 | 19552 | Ø060x247x22 round BHC50 hex. side | 654 410 0022 |
| WDL 9014 | 286.37 | | Ø060x247x25 round BHC50 hex. side | 389 410 0222 |
| WDL 9146 | | | Ø060x247x27 round | 387 410 0010 |
| WDL 9069 | 385.60 / 802.68 / 802.79 | 19548 | Ø070x190x20 H96 | 656 411 0012 |
| WDL 9139 | | 19454 | Ø070x247x22 round | 655 410 0022 |
| WDL 9015 | 587.42/385.60/802.68 | 16572 | Ø070x247x25 round BHC50 | 395 410 0622 |
| WDL 9106 | 587.50 / 802.79 | 19375 | Ø080x247x25 BHC50 side | 659 411 0112 |

**CENTER BEARINGS - MERITOR**

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|----------------------|------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9267 | RPL20/25 | | Ø060x218x36 RL H85,7 | |

CENTER BEARINGS - MITSUBISHI

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|-------------------------|---------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9162 | L200 97-99 | | Ø030x155x15,7 | MR 223119 |
| WDL 9522 | | | Ø030x157x13 H0/-40 RL25 | MR196669 |
| WDL 9216 | | | Ø030x158x25 RL | MR 165048 |
| WDL 9213 | | | Ø030x160x15 LL | MB 154080 |
| WDL 9215 | | | Ø030x160x16 RL 25mm | MB 154706 |
| WDL 9306 | | | Ø030x160x16 RL 12mm | MR 357998 |
| WDL 9407 | L200 TRITON | | Ø030x160x16 | MR580647 / MR580648 |
| WDL 9095 | | | Ø030x163,2x15,7 | MB 154199/000815 |
| WDL 9214 | | | Ø030x164x16 RL 25mm | MR 165252 |
| WDL 9212 | | | Ø030x190x25 RL | 505495/837388 |
| WDL 9397 | OUTLANDER front | | Ø030x179x13 | MR953919 |
| WDL 9396 | OUTLANDER rear | | Ø030x199x13 | MR953922 |
| WDL 9398 | OUTLANDER XT | | Ø030x197x13 | 3401A022 |
| WDL 9211 | | | Ø030x200x15 RL | 505286 |

CENTER BEARINGS - NISSAN

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|-----------------------|----|---------------------------------|--------------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9173 | | | Ø030mm | 37521-33G25 |
| WDL 9185 | | | Ø030mm bearing alone | 37521-33G26 |
| WDL 9096 | | | Ø030x016 round | 37521-57G25 |
| WDL 9236 | LEXUS SC400 | | Ø030x016 round | 37521-V5225 / 37521-41L5 |
| WDL 9238 | FAIR LADY Z32 / 300ZX | | Ø030x146x13 RL | 37521-33P25 |
| WDL 9412 | FRONTIER | | Ø030x157x16 RL | 37521-57G26 |
| WDL 9432 | TITAN | | Ø040x169,25x22 H56,45 RL 10,5mm | 37520-75200 |
| WDL 9413 | NAVARA D40 | | Ø045x172x19 H60 RL | 37522-JR60 |
| WDL 9147 | NISSAN Atleon | | Ø045x168x19 RL H58 | |

CENTER BEARINGS - OPEL

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|-----------------------|------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9148 | | | Ø030x095x15,5 M8 H50 | 0458 009 |
| WDL 9156 | | | Ø030x095x15,5 M8 H50 | 0458014 |
| WDL 9316 | ANTERA | | Ø030x190x14 LL H41 | 96624772 |
| WDL 9094 | VAUXHALL / BEDFORD | | Ø040x080x13 H63 | 3180-4001 |
| WDL 9137 | FRONTERA | | Ø045x80 bearing alone | 249735/249175 |

CENTER BEARINGS - PORSCHE

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|----------------------|------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9221 | CAYENNE | | Ø030x068x15,5 M8 H70 | OEM |
| WDL 9321 | CAYENNE | | Ø030x068x14 M8 H70 | aftermarket |
| WDL 9462 | Panamera | | Ø030x163x15,5 H0 Ø12 | |

**CENTER BEARINGS - ROVER**

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|----------------------------------|------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9400 | DISCOVERY | | Ø030x130x13 H58 RL10 | TVB500360 OEM |
| WDL 9334 | DISCOVERY | | Ø030x130x13 H58 RL10 | TVB500360 EDS |
| WDL 9507 | DISCOVERY | | Ø030x134x16 H60 RL10 15° bracket | LR037027 |
| WDL 9453 | FREELANDER | | Ø030x082x15 H54 M8 | EDS |
| WDL 9006 | FREELANDER | | Ø030x138x13LL H63 | TOQ000040 |
| WDL 9387 | FREELANDER | | Ø030x138x15 LL H90 | TOQ000060 |
| WDL 9322 | RANGE ROVER | | Ø030x190x13 LL | TVB500400 |
| WDL 9342 | RANGE ROVER SPORT | | Ø030x160x15 RL | TVB500390 |
| WDL 9449 | RANGE ROVER | | Ø030x161x13 H45 | |
| WDL 9414 | RANGE ROVER 02-09 | | Ø035x160x14 LL H50 | TOQ000050 |

CENTER BEARINGS - RENAULT - RVI

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|-------------------------|-------|-----------------------|-------------------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9268 | KANGOO | | Ø030x130,5x15 LL | |
| WDL 9368 | SCENIC | | Ø030x130,5x13,5 LL | 708867 OEM |
| WDL 9097 | TRAFFIC | | Ø035x168x14 RL H70 | 7701014294/7701056062 |
| WDL 9080 | TRAFFIC | | Ø035x168x14 RL H75 | 7701034902 (H75) / 7701034294 |
| WDL 9241 | TRAFFIC | | Ø035x168x25 RL H88 | 7701056063 |
| WDL 9147 | MASCOTT | | Ø045x168x19 RL H58 | 5001857958 |
| WDL 9357 | MASCOTT | | Ø045x168x19 LL H88 | 7485123948 |
| WDL 9102 | 1480/1550/SPL55/SPL70 | | Ø045x168x27 RL H62 | 5000821936 |
| WDL 9036 | 1550/SPL70/1610/SPL90 | 18271 | Ø045x193x27 LL H69 | 5000287986 |
| WDL 9336 | 1550/SPL70/1610/SPL91 | 18271 | Ø045x193x27 LL H70 | 5000287986 |
| WDL 9084 | | 16402 | Ø045x194x18 RL H80 | 3397002 |
| WDL 9100 | 1710 / SPL 140 / 687.40 | | Ø050x193x30 RL H71 | 5000820884 |
| WDL 9058 | 687.40 | 18909 | Ø055x193,5x15RL H71,5 | 5000816926 |
| WDL 9098 | 687.50 | 17088 | Ø055x193x18 LL H71,2 | 5000816926 |
| WDL 9086 | 687.45/47 | | Ø055x194x17 RL H72 | 5000815989 |

CENTER BEARINGS - RENAULT - RVI

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|--------------------------|-------|--------------------------------------|--|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9052 | MIDLUM | 19029 | Ø060x194x18 RL H69 | |
| WDL 9079 | 687.45 /47 / 687.50 | | Ø060x200x22 LL H81,5 casting housing | 0003397101 |
| WDL 9135 | 687.45/47/55/1760-SPL250 | | Ø060x200x36 H80 | 500819211/5001845474/5001843910/5001 836 682 |
| WDL 9040 | 687.45/47 | 13241 | Ø060x200x36 LL H80 | 5000819211 |
| WDL 9340 | 687.45/47 | 13241 | Ø060x200x36 LL H80 | 5000838696 |
| WDL 9225 | 687.55 | | Ø060x219x36 RL H84,6 | 21026452 |
| WDL 9061 | 186.33/286.33 | 18134 | Ø065x194x20 RL H82 | 50000807209 |
| WDL 9191 | 687.40 / 687.45/47 | | Ø075x220x26 RL H85 | 400606506 |

CENTER BEARINGS - SCANIA

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|-------|------------------|----------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9110 | T60 / T70 | | Ø055x20 round | 550621 |
| WDL 9112 | T70 old | | Ø055x20 round | 189466+177526+208393 |
| WDL 9101 | P30 - P40 - P50 | 19415 | Ø060x22X80 round | 294270 |
| WDL 9105 | P300-400-500 | 16838 | Ø060x22X85 round | 1387764 relube |
| WDL 9108 | P300-400-500 | 12324 | Ø060x26x85 round | 1403663 service free |

**CENTER BEARINGS - SSANGYONG**

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|------------------------|----|---------------------------|------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9266 | RODIUS | | Ø030x187x16 RL H61 | |
| WDL 9300 | KYRON 4WD | | Ø030x045x16 M12x1,25 H105 | |
| WDL 9301 | ACTYON/KYRON 2WD | | Ø030x045x16 M12x1,25 H99 | |
| WDL 9302 | ACTYON SPORTS / REXTON | | Ø030x045x16 M12x1,25 H76 | |
| WDL 9303 | MUSSO / KORANDO | | Ø030x045x16 M12x1,25 H119 | |
| WDL 9304 | REXTON (new) | | Ø030x047x16 M12x1,25 H80 | |
| WDL 9305 | MUSSO SPORTS | | Ø030x045x16 M12x1,25 H98 | |

CENTER BEARINGS - SUBARU

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|------------------------|------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9202 | | | Ø025x175x13 RL | 27037AA010 |
| WDL 9337 | IMPREZA | | Ø025x178x12 | |
| WDL 9203 | | | Ø030x171x15 RL | 27037AK010 |
| WDL 9514 | FORESTER | | Ø030x172x16 RL16 | 27111SA011 |
| WDL 9513 | LEGACY | | Ø030x179x13 H60 RL11,5 | 27111AG220 |

CENTER BEARINGS - TEREX

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|---------------------|--------------------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9187 | | | Ø090x258x90 LL H100 | SKF SY J90TF , rigid c/bearing |

CENTER BEARINGS - TOYOTA

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|--------------------------|---|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9399 | RAV4 | | Ø025x168x12 | 37100-42090 |
| WDL 9500 | COASTER | | Ø030x125x16 H70 LL 11x25 | 37230-36H00 |
| WDL 9278 | RAV4 | | Ø030x144x13 LL H67 | 37230-24051 |
| WDL 9276 | LEXUS | | Ø030x145x13 LL | 37230-50030 |
| WDL 9229 | TACOMA | | Ø030x148,0x13 LL H8 | 37230-35130/37230-OK030 |
| WDL 9085 | TOYOTA HI-LUX | | Ø030x148,7x13 H56 | 37230-35090 |
| WDL 9189 | HIACE | | Ø030x149x15 | 37230-26020 |
| WDL 9207 | LEXUS RX300 front | | Ø030x151x13 LL H15 | 37230-22100 |
| WDL 9234 | TOYOTA PREVIA | | Ø030x152x13 LL | 37230-28010 |
| WDL 9516 | COROLLA | | Ø030x154x13 H15 LI13x20 | 37320-12120 |
| WDL 9275 | LEXUS | | Ø030x157x13 LL | 37230-51010 |
| WDL 9235 | LEXUS SC400 | | Ø030x160x13 LL | 37230-24070 |
| WDL 9237 | LEXUS RX300 | | Ø030x172x13 LL | 37230-48010 / 49015 |
| WDL 9277 | CELICA / RAF4 | | Ø030x178x13 LL | 37201-20130 |
| WDL 9409 | HILUX 4x2 | | Ø030x152x13 LL | 37230-0K011 / 37230-34020 / 37230-35130 |
| WDL 9411 | HILUX 4x4 | | Ø030x152x13 LL | 37230-0K021 / 37230-0K020 / 37230-35120 |
| WDL 9206 | LEXUS RX300 rear | | Ø030x177,8x13 LL | 37230-21020 |
| WDL 9279 | RAV4 | | Ø030x184x13 10x23/15x23 | 37230-29025 / 37230-48010 / 37230-19015 |
| WDL 9239 | RAV4 | | Ø030x200x13 LL | 37230-42010 |
| WDL 9242 | HI-LUX | | Ø030x230x13 LL | 35230-35080 |
| WDL 9062 | HI-LUX | | Ø030x230x13 LL H12 | 37230-35061 |

**CENTER BEARINGS - VOLKSWAGEN**

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|----------------------|----|-----------------------|-----------------------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9221 | TOUAREG | | Ø030x068x20 M8 H70 | OEM |
| WDL 9321 | TOUAREG | | Ø030x068x19 M8 H70 | alternative |
| WDL 9353 | TIGUAN | | Ø030x403x13 H116 | |
| WDL 9078 | LT-VAN | | Ø030x135x13 LL round | 293 521 351 EDS |
| WDL 9307 | | | Ø030x096x15,5 round | rubber/bearing Insert OEM |
| WDL 9446 | 4-MOTION | | Ø030x152x19 H55 10x24 | |
| WDL 9310 | T5 | | Ø030x148x15,5 RL H61 | |
| WDL 9309 | T5 | | Ø030x162x15,5 RL H97 | |
| WDL 9299 | AMAROK | | Ø030x169x15 LL H57 | 2H0598351B OEM |
| WDL 9499 | AMAROK | | Ø030x169x15 H57 LL | Aftermarket EDS version |
| WDL 9429 | GOLF 4-motion | | Ø030x190x13 H35 12x22 | |
| WDL 9354 | PHAETON | | Ø030x260x15 H55 | |
| WDL 9370 | TOUAREG new | | Ø035x135x13 | OEM |
| WDL 9363 | CRAFTER | | Ø045x194x19 LL H71,5 | 2DO 598 351A |
| WDL 9361 | CRAFTER | | Ø047x194x21 LL H73 | 2EO 598 351B |
| WDL 9362 | CRAFTER | | Ø047x194x21 LL H68 | 2EO 598 351C |
| WDL 9257 | CRAFTER | | Ø047x194x21 LL H68 | 2EO 598 351H Kit c/w comp. flange |
| WDL 9320 | CRAFTER | | Ø047x194x21 LL H73 | 2EO 598 351J Kit c/w comp. flange |
| WDL 9223 | CRAFTER | | Ø047x194x21 LL H73 | 2EO 598 351G |
| WDL 9224 | CRAFTER | | Ø047x194x21 LL H68 | 2EO 598 351F |

CENTER BEARINGS - VOLVO

| EDS P/N | SERIES / APPLICATION | UC | DIMENSIONS | OEM AND COMMENTS |
|---|-----------------------------|-------|---------------------------------|----------------------------|
| ZWL-Zwischenwellenlager / Centre bearing / Palier intermediaire / Puente central / Supporto oscillante / Подвесной подшипник | | | | |
| WDL 9269 | | | Ø025x74,5x12 M8 H63,5 | |
| WDL 9270 | | | Ø030x57,5x13 M8 H54 | |
| WDL 9311 | | | Ø030x92x13 M8 H54 | |
| WDL 9312 | | | Ø030x116x13 M8 H30 | silicone cushion |
| WDL 9313 | | | Ø030x118x13 M8 H27 | |
| WDL 9217 | | | Ø035x080x17 H63 | 740-760 88-91 |
| WDL 9327 | | | Ø040x080x18 H63 | 940-960 |
| WDL 9032 | 287.20 | 11761 | Ø040x168x22 LL H62,7 | 3953472 |
| WDL 9122 | 687.30/ 35 /VOLVO NK 300 | | Ø045x194x19 RL H69 relube | 3126290 |
| WDL 9114 | 687.30 / VOLVO NK 300 | 18590 | Ø045x194x19RL H69,1 relube | 1070171/ 1696907 / 1697203 |
| WDL 9140 | 687.30/ 35 /VOLVO NK 300 | | Ø045x194x19 H69 | 20362601 alternative |
| WDL 9090 | | | Ø055x168x18RL H80 | 6648769 OEM |
| WDL 9081 | 687.40 / 687.45/47 / 687.50 | 18487 | Ø055x200x18 LL H71,5 | 1068208 |
| WDL 9074 | 687.45/47 | | Ø055x200x18 LL H71,8 | 20471422 |
| WDL 9186 | | | Ø055x191x120 cast bracket | 337321 |
| WDL 9136 | VOLVO NK 300 - NK 400 | 16172 | Ø060x030 | 1696389 no bracket |
| WDL 9120 | VOLVO NK 300 - NK 400 | 15201 | Ø060x198x30 RL H80 40 Shore A | 263000 / 621235 |
| WDL 9119 | VOLVO NK 400 | 15805 | Ø060x198x30 RL H80 80 Shore A | 6212888/1696389 |
| WDL 9067 | 687.60 | 11850 | Ø060x200x37 LL H80 | 555364 |
| WDL 9091 | 687.60 / 687.65 | 15832 | Ø070x020 w/ bracket | 8171366 |
| WDL 9123 | 687.55/VOLVO NK 500-600 | 15582 | Ø070x198x20RL H80 | 263567 |
| WDL 9323 | 687.55/VOLVO NK 500-600 | 15582 | Ø070x198x20RL H80 | 263567 alternative |
| WDL 9104 | 687.60 | 12924 | Ø070x220x20 LL H85,8 w/seal kit | 20471428 |
| WDL 9087 | 687.60 / 687.65 | 19321 | Ø070x220x20 LL H85,8 | 1068222 |
| WDL 9288 | 687.60 / 687.65 | | Ø070x220x26 LL H85 | 21081150 |
| WDL 9289 | 687.60 / 687.65 | | Ø070x220x26 LL H85 | 21082632 |
| WDL 9127 | VCE | | Ø055x194x18 RL H65 solid rubber | solid rubber |

**CENTER YOKES STEERING AXLES**

| Dimensions | EDS Part Number | Series | U-joint size | Comments | | |
|------------|-----------------|-----------------------------------|--------------|--|--------------|-----------------------------------|
| H055 44° | 2300009500056 | B300 | 23,80x62,50 | EDS | | |
| H057 44° | 2300009500057 | | | BTB | | |
| H056 47° | 1 453 280 5969 | 453 | 24,00x61,80 | ELBE | | |
| H050 42° | 2369039700000 | 369.03 | 24,00x77,00 | BTB | | |
| H070 47° | 2200159500070 | S215 | 26,97x81,80 | EDS | | |
| H070 47° | 1 455 280 5922 | | | ELBE | | |
| H062 45° | 1 408 280 0017 | 408.500 | 27,00x70,10 | ELBE service free | | |
| H063 45° | 1 408 280 012 | | | ELBE 2x central grease nipple | | |
| H063 45° | 1 408 280 002 | | | ELBE 1x central grease nipple | | |
| H062 42° | 2300109500062 | B310 | 27,00x71,00 | BTB | | |
| H064 45° | 2300109500064 | | | BTB | | |
| H062 42° | 2300109700062 | | | BTB 25mm hole thru body | | |
| H065 47° | 1 454 280 5485 | | | BTB B210 / ELBE 454 | | |
| H060 42° | 1 454 280 6085 | B210 | 27,00x74,60 | BTB B210 / ELBE 454 | | |
| H053 42° | 2369049700000 | 369.04 | 27,00x87,00 | BTB | | |
| H063 47° | 1 408 280 215 | 408.500 | 28,50x70,00 | ELBE 2xcentral grease nipple | | |
| H053 42° | 1 509 280 001 | 509.300 | 30,00x79,00 | ELBE | | |
| H058 47° | 1 509 280 011 | | | ELBE | | |
| H070 50° | 1 409 280 002 | | | ELBE 1x central grease nipple | | |
| H070 50° | 1 409 280 003 | 409.500 | 30,00x83,00 | ELBE 2x central grease nipple | | |
| H071,2 50° | 1 409 280 011 | | | ELBE 2x central grease nipple | | |
| H067 47° | 1 409 280 014 | | | ELBE service free | | |
| H071,2 50° | 1 409 280 015 | | | ELBE service free | | |
| H070 50° | 1 409 280 028 | | | ELBE service free , alternative 1 459 280 5728 | | |
| H050 44° | 228 018 02345 | | | 018 | 30,00x91,00 | KLEIN |
| H067 47° | 1 409 280 214 | | | 459.300 | 30,20x82,00 | ELBE service free |
| H058 40° | 2830419500058 | GEWES 41 | 30,00x86,70 | GEWES | | |
| H068 42° | 1 411 280 001 | 411.300 | 30,00x94,00 | ELBE 2x central grease nipple | | |
| H080 50° | 1 411 280 005 | 411.500 | 34,00x97,00 | ELBE 1x central grease nipple | | |
| H081 50° | 1 411 280 006 | | | ELBE 2x central grease nipple | | |
| H080 50° | 1 411 280 208 | | | ELBE 1x central grease nipple | | |
| H080 50° | 1 411 280 212 | | | ELBE service free | | |
| H057 42° | 2369109700010 | | | 369.10 | 30,00x96,00 | BTB |
| H055 40° | 228 017 02344 | 017 | 30,00x97,60 | KLEIN 017 , obsolete | | |
| H068 45° | 2200209500068 | B220 | 30,18x92,05 | BTB B220 | | |
| H74,5 45° | 2200209500074 | | | EDS | | |
| H067 40° | 2300209500067 | B320 | 30,20x82,00 | BTB | | |
| H070 42° | 2300209500070 | | | BTB | | |
| H070 42° | 2300209502070 | | | BTB 2x central grease nipple | | |
| H072 45° | 2300209500072 | | | BTB | | |
| H058 42° | 2469109700070 | 469.10 | 32,00x82,00 | BTB | | |
| H074 40° | 2532969500074 | UG | 32,00x95,60 | UNIVERSAL GIUNTI obsolete | | |
| H061 42° | 1 511 280 001 | 511.300 | 34,00x96,00 | ELBE 2x central grease nipple | | |
| H065 47° | 1 511 280 002 | | | ELBE | | |
| H076 42° | 1 412 280 001 | 412.300 | 34,00x105,00 | ELBE 2x central grease nipple | | |
| H089 47° | 1 412 280 003 | | | ELBE 2x central grease nipple | | |
| H063 42° | 1 510 280 002 | 510.300 | 35,00x87,00 | ELBE 2x central grease nipple | | |
| H071 42° | 1 511 280 203 | 511.300 | 35,00x96,00 | ELBE | | |
| H071 42° | 1 511 280 204 | | | ELBE service free | | |
| H071 42° | 1 511 280 206 | | | ELBE 2x central grease nipple | | |
| H071 42° | 1 511 280 212 | | | ELBE 1x central grease nipple | | |
| H081 47° | 2300309501081 | | | B330 | 35,00x93,00 | BTB B330 1x central grease nipple |
| H080 47° | 2300309502080 | BTB B330 | | | | |
| H081 47° | 2300309502081 | BTB B330 2x central grease nipple | | | | |
| H059 40° | 228 023 02351 | 023 | 35,00x96,00 | KLEIN obsolete | | |
| H060 40° | 2469209500100 | 469.20 | 35,00x96,50 | BTB | | |
| H060 40° | 2835619500060 | 61 | 35,00x97,00 | GEWES | | |
| H062 40° | 2369219500000 | 369.21 | 35,00x110,70 | BTB/KLEIN 023 | | |
| H092 42° | 2300409500092 | B340 | 36,60x105,00 | BTB B340 | | |
| H066 40° | 2469309500100 | 469.30 | 38,00x104,50 | BTB | | |
| H066 45° | 2469309527000 | | | BTB IVECO | | |
| H072 47° | 2469309700100 | | | BTB | | |
| H070 40° | 1 413 280 001 | | | 413.300 | 38,00x106,00 | ELBE 2x central grease nipple |
| H105 45° | 1 313 280 0001 | 313 | 38,00x106,00 | ELBE | | |
| H066 42° | 1 512 280 001 | 512.300 | 38,00x107,00 | ELBE 2x central grease nipple | | |
| H071 47° | 1 512 280 002 | | | ELBE 2x central grease nipple | | |
| H062 40° | 2369309500000 | 369.30 | 38,00x119,00 | BTB | | |
| H062 40° | 2369309500060 | | | BTB IVECO | | |
| H064 40° | 2369309500070 | | | BTB | | |
| H068 42° | 2369309700000 | | | BTB | | |


**CENTER YOKES STEERING AXLES**

| Dimensions | EDS Part Number | Series | U-joint size | Comments |
|------------|-----------------|---------|--------------|-------------------------------|
| H087 42° | 1 414 280 001 | 414.300 | 38,00x122,00 | ELBE |
| H072 42° | 2369359500400 | 369.35 | 38,00x129,00 | BTB obsolete |
| H087 50° | 2200509500087 | B250 | 39,60x116,00 | BTB |
| H068 40° | 2840519500000 | 51 | 40,00x104,30 | GEWES |
| H069 40° | 1 512 280 0222 | | 40,00x107,00 | ELBE |
| H072 40° | 1 512 280 0227 | 512.300 | 40,00x107,00 | ELBE service free |
| H071 42° | 1 513 280 001 | | | ELBE 2x central grease nipple |
| H075 42° | 1 513 280 002 | 513.300 | 42,00x110,00 | ELBE 2x central grease nipple |
| H065 42° | 1 513 280 011 | | | ELBE 2x central grease nipple |
| H085 42° | 1 415 280 001 | 415.300 | 42,00x122,00 | ELBE 2x central grease nipple |
| H072 42° | 2369379500000 | | | BTB |
| H078 47° | 2369379700000 | 369.37 | 44,00x134,00 | BTB |
| H090 42° | 1 416 280 001 | 416.300 | 45,00x121,50 | ELBE 2x central grease nipple |
| H078 42° | 1 515 280 001 | | | ELBE 2x central grease nipple |
| H084 47° | 1 515 280 002 | 515.300 | 45,00x125,00 | ELBE 2x central grease nipple |
| H105 42° | 1 418 280 001 | 418.300 | 45,00x152,00 | ELBE 2x central grease nipple |
| H070 40° | 2845719500070 | 71 | 45,50x114,10 | GEWES |
| H075 40° | 2569389500000 | 569.38 | 45,50x120,00 | BTB |
| H072 40° | 2545819500072 | 81 | 45,50x130,10 | GEWES |
| H074 40° | 2369409500000 | 369.40 | 47,00x142,00 | BTB |
| H037 | 2880679500037 | DANA | 49,20x104,00 | DEUTZ |
| H083 42° | 1 516 280 001 | | | ELBE 2x central grease nipple |
| H088 47° | 1 516 280 002 | 516.300 | 50,00x134,00 | ELBE 2x central grease nipple |
| H090 42° | 1 518 280 001 | 518.300 | 50,00x152,00 | ELBE 2x central grease nipple |
| H086 42° | 2369509000086 | 369.50 | 55,00x168,00 | BTB |

H - PIECES STEERING AXLES

| Dimensions | EDS Part Number | Series | U-joint size | Comments |
|--------------------------|-----------------|----------|--------------|---|
| H058 42° | 2200009000058 | 1140 | 23,82x61,29 | EDS |
| H064 40° | 2200159000064 | | | BTB |
| H070 45° | 2200159000070 | B215 | 26,97x81,70 | BTB |
| H067 45° | 2200159000067 | S215 | 26,97x81,70 | STC |
| H060 40° | 2200109000060 | | | BTB |
| H070 42° | 2200109000070 | B210 | 27,00x74,60 | BTB |
| H078 42° | 2200209000078 | B220 | 30,18x92,05 | BTB BC 220/ 1350 |
| H085 47° | 2501419000000 | S230 | 30,18x106,30 | EDS , MANITOU ITALY |
| H024 10° | 2880049000024 | 4C | 36,50x87,30 | EDS |
| H105 20° | 1 148 281 001 | | | ELBE |
| H095 18° | 1 148 281 003 | ELBE 148 | 42,00x117,50 | ELBE |
| H031 15° | 2880059000031 | | | DANA , under request |
| H035 18° | 2880059000035 | | | DANA |
| H039 20° | 2880059000039 | 5C | 42,90x088,90 | DANA , Obsolete with stock |
| H046 20° | 2880059000046 | | | DANA , under request |
| H28,5 10° HWD | 2880069000028 | | | DANA , under request |
| H034 10° HWD | 2880069000034 | 6C | 42,90x114,30 | DANA , under request |
| H057 19° HWD | 2880069000057 | | | DANA |
| H095 25° | 2187309000000 | 187.30 | 44,00x124,80 | Obsolete with stock |
| H071 20° | 2287309100060 | 287.30 | 44,00x124,80 | Obsolete , under request |
| H092 15° | 2286339000000 | 186.33 | 48,00x126,00 | |
| H37,6 10° LWT | 2880079000037 | | | DANA |
| H41,6 12° LWT | 2880079000042 | | | DANA |
| H44,6 15° LWT | 2880079000045 | 7C | 49,20x117,50 | DANA , available under request , DG not available |
| H53,6 22° LWT | 2880079000054 | | | DANA |
| H57,6 10° LWT M12x1,5x60 | 2880079000058 | | | ELBE , METRIC M12x1,5x60 |
| H154,9 21° CAT | 2501719000000 | 1710 | 49,20x154,70 | DANA |
| H050 30° 8C | 2880089000050 | 8C | 49,20x174,60 | EDS |
| H110 20° | 2187409000000 | 287.40 | 50,00x152,00 | GWB 287.40 obsolete , stock available |
| H120 25° | 1 117 281 201 | ELBE 117 | 53,00x135,00 | ELBE |
| H051 16° | 2880859000051 | | | DANA |
| H067 22° | 2880859000067 | 8,5C | 71,40x123,80 | ELBE |


**AFL – Anschlussflansch / Companion flanges / Contrebrides de sortie
Contrabridas de acoplamiento / Controflangia / Присоединительный фланец**



| EDS P/N | Flange | Hole | Length | Figure |
|---------------------|-----------------|------------------------|-------------------|--------|
| 81.12.058.020.030 | DIN 58/4-5 | Ø20 H7 with keyway | 30 mm | 1 |
| 81.12.065.025.040 | DIN 65/4-6 | Ø25 H7 with keyway | 40 mm | 1 |
| 81.12.075.030.048 | DIN 75/6-6 | Ø30 H7 with keyway | 48 mm | 1 |
| 81.12.090.035.055 | DIN 90/4-8 | Ø35 H7 with keyway | 55 mm | 1 |
| 81.12.100.040.062 | DIN 100/6-8 | Ø40 H7 with keyway | 62 mm | 1 |
| 81.12.120.045.070 | DIN 120/8-8 | Ø45 H7 with keyway | 70 mm | 1 |
| 81.12.120.055.085 | DIN 120/8-10 | Ø55 H7 with keyway | 85 mm | 1 |
| 81.12.150.060.095 | DIN 150/8-12 | Ø65 H7 with keyway | 95 mm | 1 |
| 81.12.165.070.110 | DIN 165/8-16 | Ø70 H7 with keyway | 110 mm | 1 |
| 81.12.180.080.125 | DIN 180/8-14 | Ø80 H7 with keyway | 125 mm | 1 |
| 81.12.....(000).... | comp. flange | Pilot hole / undrilled | Length on request | 2 |
| 81.72.....(000).... | comp. flange XS | Pilot hole / undrilled | Length on request | 4 |
| 89.12.090.036.052 | DIN 90/4-8 | 36x32x6x8 Meiller | 52 mm | 5 |
| 89.12.100.036.052 | DIN 100/6-8 | 36x32x6x8 Meiller | 52 mm | 5 |
| 89.12.120.036.052 | DIN 120/8-8 | 36x32x6x8 Meiller | 52 mm | 5 |

Notice: Companion flanges other than the given dimensions available under request!

**AFL – Anschlussflansch / Companion flanges / Contrebrides de sortie
 Contrabridas de acoplamiento / Controflangia / Присоединительный фланец**



| EDS P/N | Flange | Hole | Length | Figure |
|--------------------|--------------|--------------------|--------|--------|
| 81.72.100.040.062 | 100/4-9 XS | 40 H7 with keyway | 62 mm | 3 |
| 81.72.120.050.080 | 120/4-11 XS | 50 H7 with keyway | 80 mm | 3 |
| 81.72.152.060.095 | 150/4-13 XS | 60 H7 with keyway | 95 mm | 3 |
| 81.72.180.080.125 | 180/4-15 XS | 80 H7 with keyway | 125 mm | 3 |
| | | | | |
| 82.12.100.040.062 | 100/6-M8 | 40 H7 with keyway | 62mm | 6 |
| 82.12.120.045.070 | 120/8-M8 | 45 H7with keyway | 70 mm | 6 |
| 82.12.120.055.085 | 120/8-M10 | 55 H7with keyway | 85 mm | 6 |
| 82.12.180.060.095. | 150/8-M12 | 60 H7 with keyway | 95 mm | 6 |
| 82.12.180.080.125 | 180/8-M14 | 80 H7 with keyway | 125 mm | 6 |
| 82.12.180.080.125 | 180/10-M16 | 80 H7 with keyway | 125 mm | 6 |
| 82.12.225.110.185 | 225/8-M16 | 110 H7 with keyway | 185 mm | 6 |
| | | | | |
| 82.72.100.040.062 | 100/4-M8 XS | 40 H7 with keyway | 62 mm | 6 + 3 |
| 82.72.120.050.080 | 120/4-M10 XS | 50 H7 with keyway | 80 mm | 6 + 3 |
| 82.72.150.060.095 | 150/4-M12 XS | 60 H7 with keyway | 95 mm | 6 + 3 |
| 82.72.180.080.125 | 180/4-M14 XS | 80 H7 with keyway | 125 mm | 6 + 3 |

Notice: Companion flanges other than the given dimensions available under request!

**SLK-Schnelllösekupplung / Quick Release Couplings / Accouplements Elastiques
 Acoplamiento Rápidos Elástico / Distacci Rapidi / быстроразъёмная муфта.**


| EDS P/N | Indication | Figure | Length | Dimensions |
|---------------|------------|--------|--------|--|
| 0330100100000 | SLK | 1 | 76mm | DIN 100/6-8 centring Ø57 |
| 0330200100003 | SLK | 2 | 75mm | DIN 120/8-8 centring Ø75 |
| 0330300100003 | SLK | 2 | 100mm | DIN 150/8-12 centring Ø90 |
| 0330400100003 | SLK | 2 | 110mm | DIN 180/8-14 centring Ø110 |
| 0330500100000 | SLK | 2 | 144mm | DIN 225/8-16 centring Ø105 |
| 0330500100001 | SLK | 2 | 144mm | DIN 225/8-16 Facekey centring Ø105 |
| 0230600100000 | SLK | 2 | 160mm | DIN 285/8-20 centring Ø125 |
| 0230700102002 | SLK | 2 | 180mm | DIN 350/10-22 Facekey centring Ø220 |

Special sizes on request!



MAXIMUM CONTINUOUS TORQUE (Nm) COMPARISON BY SERIES <= 57000 Nm

| Tcs DANA Mdlm ELBE Nm | WING BEARINGS DANA IC-UG GKN | WING BEARINGS MECHANICS ELBE | GWB 473 / 287 / 587 190 / 292 390 / 392 / 393 492 | COMPACT GWB 687 | DANA SPICER 10' Series SPL | KLEIN SERIES | GLAENZER SPICER FRANCE | VOLVO & SCANIA | ELBE | GEWES & KEMPF | MERCEDES BENZ WELTE WENU ESSEN |
|-----------------------------|---------------------------------------|---------------------------------------|---|--------------------|----------------------------------|-----------------|------------------------------|----------------------|--------------|---------------------|--|
| 00250 Nm | | | | | | | | | | | 1000.1012 |
| 00250 Nm | | | 473.10 | | | | | | ELBE 105 | GEWES 15 | 1000.1022 |
| 00350 Nm | | | | | | | | | | | |
| 00416 Nm | | | 473.20 | | | | | | | | |
| 00520 Nm | | | | | | | | | ELBE 106 | GEWES 28 | 1000.1032 |
| 00666 Nm | | | 473.30 | | | | | | | | |
| 00800 Nm | | | | | | | | | | | 1000.1042 |
| 01150 Nm | | | | | | 1120 | | | | | |
| 01205 Nm | | | | | | 1210 | | | ELBE 107 | GEWES 30 | |
| 01250 Nm | | | 287.00 | | | | | | | | |
| 01400 Nm | | | | 687.10 | SPL 14 | | | | | | 1000.1052 |
| 01490 Nm | 2C | | | | | | | | | | |
| 01800 Nm | | | | | SPL 18 | | | | | | |
| 02170 Nm | | | | | 1310 | | | | ELBE 109 | | |
| 02250 Nm | | | | | SPL 22 / 1315 | | 1315 | | | | |
| 02400 Nm | | | 287.10 | 687.15 | | | | | | GEWES 43 | |
| 02510 Nm | | | | | 1330/SPL25 | | | | | | 1000.1062 |
| 03000 Nm | | | | | SPL 30 | | | | ELBE 110 | | |
| 03065 Nm | | | | | 1350 | | | | | | |
| 03280 Nm | 3C / 4C | | | | | | | | | | |
| 03390 Nm | | | 287.20 | | | | | | | | |
| 03500 Nm | | | | 687.20 | | KLEIN 123 | | | | | |
| 03600 Nm | | | | | SPL 36 | KLEIN 200 | | | | | |
| 03900 Nm | | | | | 1410 | | | | | | |
| 04000 Nm | | | 587.10 | | | | 1410 | | | | |
| 04350 Nm | | | | | | | | | ELBE 112 | GEWES 53 | |
| 04600 Nm | | | | 687.25 | | | | | | | |
| 05000 Nm | | | | | | | | | ELBE 113 | | |
| 05350 Nm | | | 587.12 | | | | | | | | |
| 05500 Nm | | | | | 1480 / SPL 55 | KLEIN 196 | | | | | |
| 05650 Nm | 5C | 5C | 587.15 | | | | | | | | |
| 06500 Nm | | | | 687.30 | | | GS 506 | | ELBE 148 | KEMPF 1066 | 2E / 286.22 |
| 07000 Nm | | | | | 1550 / SPL70 | | | | | GEWES 63 | |
| 07230 Nm | 6C | 6C | | | | | | | | | |
| 08335 Nm | | | | | | KLEIN 253 | | | | | |
| 08500 Nm | | | | | | | GS 606 | | | GEWES 58 | |
| 08815 Nm | | | | | 1610 | | | | | | |
| 09000 Nm | | | | | SPL 90 | | | | | | |
| 09600 Nm | | 7C | | | | | | | | | |
| 10000 Nm | | | 587.20 | 687.35 | SPL 100 | | | | | | |
| 10650 Nm | 7C | | | | | | | NK 300 | ELBE 158/358 | | |
| 10700 Nm | | | | | 1610HD | | | | | | |
| 10850 Nm | | | | | 1710 | KLEIN 375 / 376 | | | | | |
| 11025 Nm | | | | | | | | | | | |
| 11500 Nm | | | 587.30 | | | | | | | KEMPF 1073 | 3E / 286.33 |
| 12000 Nm | | | | | | | | T60 / T60R | | GEWES 68 | |
| 12420 Nm | | 8C | | | | | | P30 / P300 | | | |
| 13000 Nm | | | | | 1710HD | | GS 706 | | ELBE 117 | | |
| 14000 Nm | | | | 687.40 | SPL 140 | KLEIN 490 | | NK 400 | | 1075 / GEWES 69 | 4E / 286.37 |
| 15500 Nm | 8C | | | | | | | | | | |
| 16000 Nm | | | | | | | | T 70 | | | |
| 16670 Nm | | | | | 1760HD | KLEIN 411 / 461 | | P40 | | | |
| 17000 Nm | | | 587.35 | 687.45 | SPL 170 | KLEIN 590 | GS 806 | P400 | | GEWES 70 | |
| 18000 Nm | | | | | | | | | | | 1000.2250 |
| 18850 Nm | | 8,5C | 587.36 | | | | | NK 500 | | | |
| 20000 Nm | | | | | | KLEIN 600 / 610 | | | | | |
| 20300 Nm | 8,5C | | | | 1810HD | | | P50 | | | |
| 21000 Nm | | | | 687.47 | SPL 170HD | | GS 806R | | | GEWES 72 | |
| 21900 Nm | | | | 687.50 | | | | P 500 | ELBE 120 | | |
| 24000 Nm | | | | | | | | | | | |
| 24500 Nm | | | | | | | | NK 600 | | 096 / GEWES 73 | 5E / 587.42 |
| 25000 Nm | | | 587.42 | 687.55 | SPL 250 | KLEIN 620 | | P 600 | | | 1000.2500 |
| 25500 Nm | | | | | | KLEIN 650 | | | | | |
| 26670 Nm | | 9C | | | | | | | | | |
| 26990 Nm | | | | | | | | | | | |
| 27400 Nm | 9C | 9C | | | | | GS 906 | | | GEWES 77 | |
| 28000 Nm | | | | | 1880 | | | | | KEMPF 1098 | 385.60 |
| 29000 Nm | | | | 687.60 | SPL 250HD | KLEIN 680 | | | | | |
| 30000 Nm | | | | | | | | | | | |
| 31000 Nm | | | | | | | | P 600R | | | |
| 32500 Nm | | | 190.50 | | | | | | | KEMPF 1100 | 6E / 587.48 |
| 33000 Nm | | | | | | | | | | GEWES 80 | 1000S.2250 |
| 35000 Nm | | | 587.48 | 687.65 | | KLEIN 700 | | | ELBE 122 | GEWES 79 | 1369.1100 |
| 37000 Nm | | | | | | | | | | | 1000.2850 |
| 38300 Nm | | | 587.50 | | | | | | | | |
| 39700 Nm | 10C | | | | | | | | | | |
| 40000 Nm | | | | | | | | | | GEWES 83 | 1000S.2500 |
| 41600 Nm | 11C | | | | | | | | | | |
| 41670 Nm | | | 190.55 | | | | | | | | |
| 42000 Nm | | | | | | | | | | KEMPF 1105 | |
| 43000 Nm | | | 587.50S | | | | | | | | |
| 44000 Nm | | | | | | | | | | | 1085.2250 |
| 45000 Nm | | | | | | | | | | | |
| 47000 Nm | | | | | | | | | | | 1000S.2850 |
| 50000 Nm | | | 190.55S | | | | | | | | |
| 52000 Nm | | | | | | | | | | KEMPF 1105 | |
| 57000 Nm | | | | | | | | | | GEWES 84 / 85 | |

Tcs = Functional Limit Torque or Johnsonian Elastic Limit Torque = Maximum Permissible Torque a load may be applied to a cardan shaft for a limited frequency without the working capability being affected by permanent deformation of any cardan shaft functional area . Up to 100 loads changes can be sustained with Tcs by the shaft without resulting in any unpermissible effect on bearing life.



MAXIMUM CONTINUOUS TORQUE (Nm) COMPARISON BY SERIES > = 50000 Nm

| Tcs DANA Mdlm ELBE Nm | WING BEARINGS DANA IC-UG GKN | WING BEARINGS MECHANICS ELBE | GWB 473 / 287 / 587 190 / 292 390 / 392 / 393 492 | COMPACT GWB 687 | DANA SPICER 10' Series SPL | KLEIN SERIES | GLAENZER SPICER FRANCE | VOLVO & SCANIA | ELBE | GEWES & KEMPF | WELTE WENU ESSEN |
|-----------------------------|---------------------------------------|---------------------------------------|---|--------------------|----------------------------------|-----------------|------------------------------|----------------------|------|---------------------|------------------------|
| 50000 Nm | | | 190.60 | | | | | | | | |
| 52000 Nm | | | 587.55 | | | | | | | KEMPF 1105 | 1000.3150 |
| 57000 Nm | | | 587.60 | | | | | | | GEWES 84/85/86 | |
| 60000 Nm | | | 390.60 | | | | | | | | |
| 61670 Nm | | | 190.60S | | | | | | | | |
| 62200 Nm | 12C | | | | | | | | | | |
| 64000 Nm | | | | | | | | | | KEMPF 1115 | 1085.2500 |
| 65000 Nm | | | 190.65 | | | | | | | | 1000S.3150 |
| 70000 Nm | | | 392.50 | | | | | | | | 1000.3500 |
| 72000 Nm | | | | | | | | | | | |
| 73335 Nm | | | 292.50 | | | | | | | | |
| 75000 Nm | 15C | | | | | | | | | | |
| 82800 Nm | 12,5C | | | | | | | | | | |
| 86670 Nm | | | 190.65S | | | | | | | | |
| 86670 Nm | | | | | | | | | | | |
| 90000 Nm | | | 390.65 | | | | | | | | |
| 94000 Nm | | | 190.70 | | | | | | | | 1000.3900 |
| 98000 Nm | | | | | | | | | | KEMPF 1135 | 1085.2850 |
| 105000 Nm | | | | | | | | | | | |
| 105000 Nm | | | 392.55 | | | | | | | | |
| 106670 Nm | | | 292.55 | | | | | | | | |
| 108200 Nm | 14,5C | | | | | | | | | | |
| 120000 Nm | | | 190.70S | | | | | | | GEWES 90 | |
| 120600 Nm | 14C | | | | | | | | | | |
| 130000 Nm | | | 390.70 | | | | | | | | |
| 136000 Nm | | | | | | | | | | | 1000.4350 |
| 140000 Nm | | | | | | | | | | | 1085.3150 |
| 143000 Nm | | | | | | | | | | KEMPF 1135 | |
| 145000 Nm | | | | | | | | | | | 1000S.3900 |
| 146670 Nm | | | | | | | | | | | |
| 150000 Nm | | | 392.60 | | | | | | | | |
| 156670 Nm | | | 190.75 | | | | | | | | |
| 163350 Nm | | | 292.60 | | | | | | | | |
| 183340 Nm | | | 190.75S | | | | | | | GEWES 95 | |
| 190000 Nm | | | 390.75 | | | | | | | | 1085.3500 |
| 195000 Nm | | | | | | | | | | GEWES 97 | 1000S.4350 |
| 215000 Nm | | | 392.65 | | | | | | | | |
| 226670 Nm | | | 190.80 | | | | | | | | |
| 233335 Nm | | | 292.65 | | | | | | | | |
| 255000 Nm | | | 390.80 | | | | | | | | |
| 260000 Nm | | | | | | | | | | GEWES 98 | 1085.3900 |
| 295000 Nm | | | 392.70 | | | | | | | | |
| 316670 Nm | | | 292.70 | | | | | | | | |
| 390000 Nm | | | 393.75 | | | | | | | | |
| 410000 Nm | | | 492.75 | | | | | | | | |
| 433335 Nm | | | 292.75 | | | | | | | | |
| 580000 Nm | | | 393.80 | | | | | | | | |
| 580000 Nm | | | 492.80 | | | | | | | | |
| 615000 Nm | | | 292.80 | | | | | | | | |
| 750000 Nm | | | 393.85 | | | | | | | | |
| 770000 Nm | | | 492.85 | | | | | | | | |
| 800000 Nm | | | 292.85 | | | | | | | | |
| 1115000 Nm | | | 393.90 | | | | | | | | |
| 1170000 Nm | | | 492.90 | | | | | | | | |
| 1200000 Nm | | | 292.90 | | | | | | | | |

Tcs = Functional Limit Torque or Johnsonian Elastic Limit Torque = Maximum Permissible Torque a load may be applied to a cardan shaft for a limited frequency without the working capability being affected by permanent deformation of any cardan shaft functional area . Up to 100 loads changes can be sustained with Tcs by the shaft without resulting in any unpermissible effect on bearing life.

UNTERNEHMENSBEREICH GELENKWELLEN DRIVE SHAFT DIVISIONS



Welte-Wenu GmbH

Ahornstr. 1-7
89231 Neu-Ulm / Germany
Telefon: +49 731 9755-0
Telefax: +49 731 9755-245
info.neu-ulm@welte-group.com

Welte Cardan-Service GmbH, Weingarten

Gaußstr. 1
88250 Weingarten / Germany
Telefon: +49 751 56062-0
Telefax: +49 751 56062-40
info.weingarten@welte-group.com

Welte Cardan-Service GmbH, Magstadt

Gottlieb-Daimler-Str. 30
71106 Magstadt / Germany
Telefon: +49 7159 94103-0
Telefax: +49 7159 94103-3
info.magstadt@welte-group.com

Welte Cardan-Service GmbH, Hockenheim

Gleisstr. 11
68766 Hockenheim / Germany
Telefon: +49 6205 23213-70
Telefax: +49 6205 23213-99
info.hockenheim@welte-group.com

Welte Cardan-Service GmbH, Essen

Adlerstr. 12
45307 Essen / Germany
Telefon: +49 201 55783-0
Telefax: +49 201 55783-35
info.essen@welte-group.com



Welte Cardan-Service Strasbourg S.A.S.

87a, Rue de la Plaine des Bouchers
67100 Strasbourg / France
Telefon: +33 3 88393111
Telefax: +33 3 88393711
info.strasbourg@welte-group.com

Welte Cardan-Service Weyersheim S.A.S.

Z.A.-2, Rue du Canal
67720 Weyersheim / France
Telefon: +33 4 42899412
Telefax: +33 3 88681667
info.weyersheim@welte-group.com

Welte Cardan-Service Provence S.A.S.

ZI des Estroublans
8, Rue de Madrid
13127 Vitrolles / France
Telefon: +33 4 42899412
Telefax: +33 4 42899436
info.provence@welte-group.com

Welte Cardan-Service Lyon S.A.S.

4, Rue Pierre Timbaud
69200 Venissieux / France
Telefon: +33 4 72904502
Telefax: +33 4 72508504
info.lyon@welte-group.com



Welte Cardan Service Sp. z o.o

ul. Obrzezna Polnocna 24
41400 Myslowice / Poland
Telefon: +48 32 2238072
Telefax: +48 32 2238073
info.myslowice@welte-group.com



Welte Cardan-Service Italia SRL

Via Giovanni Giolitti 3
43126 Parma / Italy
Telefon: +39 0521 291764
Telefax: +39 0521 1601324
info.parma@welte-group.com